

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing & Fauna Management Plan

| DWG NO.      | DRAWING TITLE             | ISSUE | DATE       |
|--------------|---------------------------|-------|------------|
| 9850 E 01    | COVER SHEET               | B     | 04/11/2025 |
| 9850 E 02    | VEGETATION CLEARING NOTES | B     | 04/11/2025 |
| 9850 E 03    | CONTEXT SHEET             | B     | 04/11/2025 |
| 9850 E 04-62 | DETAIL SHEET/S            | B     | 04/11/2025 |
| 9850 E 63    | CLEARING DIRECTION        | B     | 04/11/2025 |
| 9850 E A1    | APPENDIX 1. TREE SCHEDULE | B     | 04/11/2025 |



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - Notes

### INTRODUCTION

The *Environmental Management Division* of the **Saunders Havill Group** was engaged by **PEET Flagstone City** to prepare a *Vegetation Management Plan (VMP)* for the removal of vegetation in the north-west section of Context Area 3, Flagstone City.

This VMP was drafted in response to the project's *Natural Environment Site Strategy's (NESS)* requirement for VMPs. The VMP will manage the vegetation clearing practices during operational work stages. The VMP will cover the clearing of the north-west area in Context Area 3 and correspond with the lodgement of the planning and civil applications for the proposed development, including basins and road locations. The clearing works will follow the general principal for vegetation clearing documented on this sheet and be read in conjunction with the *Fauna Management Plan* document.

To assist in the spatial depiction of the clearing area and better allocate a tree retention and removal status, ecologists from the **Saunders Havill Group** completed a tree survey using Trimble GNSS based GPS units. The survey collected the following features of trees within and adjoining the development extent as provided by the project Urban Designers (**RPS**):

- Reference number and point location
- Botanical Name / Common Name
- Trunk DBH
- AS4970-2009 – Tree Protection Zone
- Height and Spread
- Canopy and Trunk Condition
- Fauna and Habitat Values Details

Particular attention and detail were collected along Sandy Creek & Flagstone Creek, the open space and conservation buffer areas to maximise the retention of healthy native habitat trees.

### CLEARING PHASES AND PROCESS

The following phases are required for clearing to be undertaken on this property and a copy of this VMP must be present with the clearing contractor on-site:

#### PHASE 1 – Demarcation

Tree Protection Fencing/flagging to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by an appointed Arborist around trees designated for retention or as per the locations shown in this drawing package (refer Fencing Note). Fencing shall clearly demark the extent of works ensuring no additional vegetation will be cleared.

#### PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection by the Environmental Coordinator. A fauna spotter pre-works assessment report must be carried out prior to the pre-start meeting and provided to the clearing contractor (Refer to *Fauna Management Plan* accompanying this application for details).

#### PHASE 4 - Undertake Clearing Works


Undertake removal of vegetation once approved for removal by the appointed fauna spotter. Clearing will occur in the direction outlined in *Fauna Management Plan* and managed by the appointed fauna spotter to allow all fauna unimpeded movement away from works areas. The contractor is to follow any tree felling directions of the appointed fauna spotter/arborist, including but not limited to, an excavator vertical tree grab attachment or cherry picker, where the use of bulldozer is not appropriate.

#### PHASE 5 - Post clearing Works


Cleared vegetation is to be reused on or off premises. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and this section should be suitably mounted on nearby or adjacent suitable trees.

Carry out assessment of all retained trees by a qualified arborist along the edge of development once civil works have been completed. Implement any tree management measures if advised by the arborist.

Tree Protection Zone - Detail (not to scale)




Tree Protection Fencing - Detail (not to scale)



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - Context Detail Sheet



**LEGEND**

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Arterial road

Minor linkage road

Trunk road

Development area

School site

Conservation buffer area


Openspace

| AMENDMENTS |           | DESCRIPTION | DRAWN | CHECKED | CLIENT |
|------------|-----------|-------------|-------|---------|--------|
| ISSUE      | DATE      |             |       |         |        |
| B          | 1/10/2025 | REBRANDING  | TC    | AD      |        |



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



**LEGEND**

Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring application

Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing

Saunders  
Havill

BOWENHILLS | SPRINGFIELD  
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)  
1:700

References:  
AS4970-2025 Protection of trees on development sites

0

5

10

20

30

m

| AMENDMENTS |           |             |       |         |
|------------|-----------|-------------|-------|---------|
| ISSUE      | DATE      | DESCRIPTION | DRAWN | CHECKED |
| B          | 4/11/2025 | REBRANDING  | TC    | AD      |

CLIENT

PEET

Flagstone

PROJECT

FLAGSTONE CITY -  
CONTEXT AREA 3 (WEST A)

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 04 CA3 W-A VMP B

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring application

Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing
- Saunders  
Havill**  
BOWENHILLS | SPRINGFIELD  
1300 123 744 | mail@saundershavill.com
- DISCLAIMER  
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)  
1:700
- References:  
AS4970-2025 Protection of trees on development sites


0 5 10 20 30 m
- | AMENDMENTS |           | DESCRIPTION | DRAWN | CHECKED |
|------------|-----------|-------------|-------|---------|
| ISSUE      | DATE      |             |       |         |
| B          | 4/11/2025 | REBRANDING  | TC    | AD      |
- CLIENT

**PEET**  
Flagstone
- PROJECT  
FLAGSTONE CITY -  
CONTEXT AREA 3 (WEST A)
- DRAWING TITLE  
VEGETATION MANAGEMENT PLAN

DRAWING NO.  
9850 E 05 CA3 W-A VMP B
-

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)


## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



### LEGEND


- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road


Existing contours (0.5m)

Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring application

Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)


Fauna friendly tree protection fencing
- Saunders  
Havill**  
BOWENHILLS | SPRINGFIELD  
1300 123 744 | mail@saundershavill.com
- DISCLAIMER**  
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)  
1:700
- References:  
AS4970-2025 Protection of trees on development sites

0 5 10 20 30 m
- | AMENDMENTS |           | DESCRIPTION | DRAWN | CHECKED | CLIENT |
|------------|-----------|-------------|-------|---------|--------|
| ISSUE      | DATE      |             |       |         |        |
| B          | 4/11/2025 | REBRANDING  | TC    | AD      |        |
- PEET**  
Flagstone
- PROJECT  
FLAGSTONE CITY -  
CONTEXT AREA 3 (WEST A)
- DRAWING TITLE  
VEGETATION MANAGEMENT PLAN

DRAWING NO.  
9850 E 12 CA3 W-A VMP B
-

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing




# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring application

Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing
- Saunders  
Havill**  
BOWENHILLS | SPRINGFIELD  
1300 123 744 | mail@saundershavill.com
- DISCLAIMER  
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)  
1:700
- References:  
AS4970-2025 Protection of trees on development sites


0 5 10 20 30 m
- | AMENDMENTS |           | DESCRIPTION | DRAWN | CHECKED |
|------------|-----------|-------------|-------|---------|
| ISSUE      | DATE      |             |       |         |
| B          | 4/11/2025 | REBRANDING  | TC    | AD      |
- CLIENT

**PEET**  
Flagstone
- PROJECT  
FLAGSTONE CITY -  
CONTEXT AREA 3 (WEST A)
- DRAWING TITLE  
VEGETATION MANAGEMENT PLAN

DRAWING NO.  
**9850 E 17 CA 3 W-A VMP B**
-

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)


## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



### LEGEND


- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring application

Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)


Fauna friendly tree protection fencing
- Saunders  
Havill**  
BOWENHILLS | SPRINGFIELD  
1300 123 744 | mail@saundershavill.com
- DISCLAIMER**  
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)  
1:700
- References:  
AS4970-2025 Protection of trees on development sites

0 5 10 20 30  
m
- | AMENDMENTS |           | DESCRIPTION | DRAWN | CHECKED | CLIENT |
|------------|-----------|-------------|-------|---------|--------|
| ISSUE      | DATE      |             |       |         |        |
| B          | 4/11/2025 | REBRANDING  | TC    | AD      |        |
- PEET**  
Flagstone
- PROJECT  
FLAGSTONE CITY -  
CONTEXT AREA 3 (WEST A)
- DRAWING TITLE  
VEGETATION MANAGEMENT PLAN

DRAWING NO.  
9850 E 20 CA3 W-A VMP B
-

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)


## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



### LEGEND


- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




**LEGEND**

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- ▬ Context Area 3 - West (A) boundary
- ▬ Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- ▬ Arterial road
- ▬ Minor linkage road
- ▬ Trunk road
- ▬ Existing contours (0.5m)
- Fauna friendly tree protection fencing




# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road


Existing contours (0.5m)

Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND


- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing



# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

-  Retain - Conservation Area  
 Retain - Openspace (subject to future detail design)  
 Remove - Development Area
-  Tree to retain subject to neighbouring application  
 Hollow bearing tree
-  Context Area 3 - West (A) boundary  
 Context Area 3 - West (A) vegetation clearing extent
-  Development area  
 School site  
 Conservation buffer area  
 Openspace
-  Arterial road  
 Minor linkage road  
 Trunk road  
 Existing contours (0.5m)
-  Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- ▬ Context Area 3 - West (A) boundary
- ▬ Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- ▬ Arterial road
- ▬ Minor linkage road
- ▬ Trunk road
- ▬ Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring application

Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing
- Saunders Havill**  
BOWENHILLS | SPRINGFIELD  
1300 123 744 | mail@saundershavill.com
- DISCLAIMER  
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)  
1:700
- References:  
AS4970-2025 Protection of trees on development sites


0 5 10 20 30 m
- | AMENDMENTS |           | DESCRIPTION | DRAWN | CHECKED |
|------------|-----------|-------------|-------|---------|
| ISSUE      | DATE      |             |       |         |
| B          | 4/11/2025 | REBRANDING  | TC    | AD      |
- CLIENT

**PEET**  
Flagstone
- PROJECT  
FLAGSTONE CITY -  
CONTEXT AREA 3 (WEST A)
- DRAWING TITLE  
VEGETATION MANAGEMENT PLAN

DRAWING NO.  
9850 E 48 CA3 W-A VMP B
-

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road


Existing contours (0.5m)

Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application

Hollow bearing tree
- Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




Refer to Context Area 3 West (B) Application

### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree

Context Area 3 - West (A) boundary

Context Area 3 - West (A) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road


Existing contours (0.5m)

Fauna friendly tree protection fencing



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)


## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



### LEGEND


- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



### LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring application
- Hollow bearing tree
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

# FLAGSTONE CITY - CONTEXT AREA 3 (WEST A)

## Vegetation Clearing and Fauna Management Plan - *Vegetation Clearing Direction*



**LEGEND**

**GPS Tree Plot**

- Remove - Development Area
- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Retain - Refer neighbouring application

- Context Area 3 boundary
- Context Area 3 - West (A) boundary
- Context Area 3 - West (A) vegetation clearing extent

- Conservation area
- Open space

- Vegetation clearing extent
- Context Area 3 - West (A) boundary
- Fauna friendly tree protection fencing



| Tree Schedule - 9850<br>Flagstone City - CA3 West (a) (PEET LTD)<br>Date: 2025/11/04 |                         |                        |                |                            |                               |                                         |            |            |                          |                          |                          |           |          |          |                  |        |                         |         |       |              |             |                                 |       |           |         |      |              |                    |                      |                  |
|--------------------------------------------------------------------------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Specimen Details                                                                     |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
| Tree ID                                                                              | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 1                                                                                    | DEAD/STAG               |                        | 560            |                            | 560                           | 176                                     | 12.0       | 6.0        | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development |                  |
| 2                                                                                    | Corymbia citriodora     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 3                                                                                    | Corymbia citriodora     | Spotted Gum            | 370            |                            | 370                           | 116                                     | 18.0       | 11.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 4                                                                                    | Eucalyptus siderophloia | Northern Grey Ironbark | 450            |                            | 450                           | 141                                     | 17.0       | 14.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 5                                                                                    | Corymbia citriodora     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 18.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 6                                                                                    | Eucalyptus crebra       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 14.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 7                                                                                    | Eucalyptus crebra       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 20.0       | 11.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 8                                                                                    | Corymbia citriodora     | Spotted Gum            | 280            | 210                        | 350                           | 110                                     | 16.0       | 13.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 9                                                                                    | Eucalyptus crebra       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 20.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 10                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 16.0       | 12.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 11                                                                                   | Corymbia citriodora     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 12                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 340            |                            | 340                           | 107                                     | 17.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 13                                                                                   | DEAD/STAG               |                        | 230            |                            | 230                           | 72                                      | 15.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 14                                                                                   | DEAD/STAG               |                        | 230            | 110                        | 255                           | 80                                      | 16.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 15                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 15.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 16                                                                                   | DEAD/STAG               |                        | 280            |                            | 280                           | 88                                      | 16.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 17                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 16.0       | 14.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 18                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 18.0       | 12.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 19                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 16.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 20                                                                                   | Corymbia citriodora     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 16.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 21                                                                                   | Corymbia citriodora     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 22                                                                                   | DEAD/STAG               |                        | 320            |                            | 320                           | 101                                     | 18.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 23                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 15.0       | 14.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 24                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 16.0       | 13.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 25                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 18.0       | 14.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 26                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 27                                                                                   | Corymbia citriodora     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 16.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 28                                                                                   | DEAD/STAG               |                        | 230            |                            | 230                           | 72                                      | 4.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 29                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 16.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 30                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 250            |                            | 250                           | 79                                      | 15.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 31                                                                                   | Eucalyptus crebra       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 15.0       | 12.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 32                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 33                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 280            |                            | 280                           | 88                                      | 17.0       | 12.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 34                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 310            |                            | 310                           | 97                                      | 16.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 35                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 36                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 350            |                            | 350                           | 110                                     | 17.0       | 15.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 37                                                                                   | Eucalyptus siderophloia | Northern Grey Ironbark | 340            |                            | 340                           | 107                                     | 15.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 38                                                                                   | Petalostigma pubescens  | Quinine Bush           | 200            |                            | 200                           | 63                                      | 5.0        | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |

| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 39               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 21.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 40               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            | 180                        | 358                           | 113                                     | 12.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 41               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 19.0       | 15.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 42               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 43               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 16.0       | 11.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 44               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 45               | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            | 180, 160                   | 326                           | 102                                     | 15.0       | 12.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 46               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 16.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 47               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 16.0       | 17.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 48               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 13.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 49               | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 19.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 50               | DEAD/STAG                      |                        | 260            |                            | 260                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 51               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 52               | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 17.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 53               | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 54               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 16.0       | 14.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 55               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 580            |                            | 580                           | 182                                     | 22.0       | 15.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 56               | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 12.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 57               | <i>Petalostigma pubescens</i>  | Quinine Bush           | 380            |                            | 380                           | 119                                     | 6.0        | 7.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 58               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 17.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 59               | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 13.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 60               | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 16.0       | 10.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 61               | DEAD/STAG                      |                        | 220            |                            | 220                           | 69                                      | 8.0        | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 62               | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 14.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 63               | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 18.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 64               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 13.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 65               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 14.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 66               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 260, 220, 220              | 487                           | 153                                     | 12.0       | 10.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 67               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 13.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 68               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 11.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 69               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 70               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 220, 120                   | 391                           | 123                                     | 10.0       | 6.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 71               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            | 90                         | 304                           | 95                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 72               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 190                        | 276                           | 87                                      | 14.0       | 7.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 73               | <i>Eucalyptus siderophloia</i> | Northern Grey Ironbark | 230            |                            | 230                           | 72                                      | 8.0        | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 74               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 200, 160, 120              | 384                           | 121                                     | 16.0       | 10.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 75               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 14.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 76               | <i>Petalostigma pubescens</i>  | Quinine Bush           | 210            | 150                        | 258                           | 81                                      | 7.0        | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 77               | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 11.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 78               | <i>Petalostigma pubescens</i>  | Quinine Bush           | 240            |                            | 240                           | 75                                      | 6.0        | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 79               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 80               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 81               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 13.0       | 11.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 82               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 13.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 83               | <i>DEAD/STAG</i>               |                        | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 84               | <i>Petalostigma pubescens</i>  | Quinine Bush           | 200            |                            | 200                           | 63                                      | 4.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 85               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 13.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 86               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 13.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 87               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 230, 120                   | 353                           | 111                                     | 10.0       | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 88               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 12.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 89               | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 14.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 90               | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 240, 160                   | 382                           | 120                                     | 14.0       | 7.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 91               | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 92               | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            | 140                        | 287                           | 90                                      | 8.0        | 4.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 93               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 13.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 94               | <i>DEAD/STAG</i>               |                        | 310            |                            | 310                           | 97                                      | 14.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 95               | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            | 160                        | 264                           | 83                                      | 14.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 96               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 97               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 15.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 98               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 99               | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 17.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 100              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 15.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 101              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 16.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 102              | <i>DEAD/STAG</i>               |                        | 250            |                            | 250                           | 79                                      | 13.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 103              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 15.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 104              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 80, 70, 60                 | 260                           | 82                                      | 13.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 105              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 106              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 10.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 107              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 15.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 108              | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            | 140                        | 252                           | 79                                      | 13.0       | 7.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 109              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 270, 140                   | 407                           | 128                                     | 14.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 110              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 210                        | 311                           | 98                                      | 14.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 111              | <i>DEAD/STAG</i>               |                        | 330            |                            | 330                           | 104                                     | 14.0       | 5.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 112              | <i>DEAD/STAG</i>               |                        | 270            |                            | 270                           | 85                                      | 16.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 113              | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 16.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 114              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 15.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 115              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 116              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 210, 170                   | 361                           | 114                                     | 12.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 117              | <i>DEAD/STAG</i>               |                        | 410            |                            | 410                           | 129                                     | 17.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 118              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 120, 110                   | 324                           | 102                                     | 15.0       | 8.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 119              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 120              | <i>DEAD/STAG</i>               |                        | 450            |                            | 450                           | 141                                     | 20.0       | 14.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 121              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 16.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 122              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 16.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 123              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 124              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 18.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Poor                            | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 125              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 180                        | 333                           | 105                                     | 14.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 126              | <i>DEAD/STAG</i>               |                        | 280            |                            | 280                           | 88                                      | 13.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 127              | <i>DEAD/STAG</i>               |                        | 220            | 180, 120, 100              | 324                           | 102                                     | 9.0        | 6.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 128              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 140                        | 295                           | 93                                      | 10.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 129              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 130              | <i>DEAD/STAG</i>               |                        | 220            |                            | 220                           | 69                                      | 16.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 131              | <i>DEAD/STAG</i>               |                        | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 132              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 210                        | 326                           | 103                                     | 9.0        | 9.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 133              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 90, 80, 80                 | 263                           | 83                                      | 10.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 134              | <i>DEAD/STAG</i>               |                        | 450            |                            | 450                           | 141                                     | 15.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 135              | <i>DEAD/STAG</i>               |                        | 310            |                            | 310                           | 97                                      | 17.0       | 13.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 136              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 9.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 137              | <i>DEAD/STAG</i>               |                        | 200            | 100                        | 224                           | 70                                      | 10.0       | 2.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 138              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 10.0       | 3.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 139              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 12.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 140              | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            | 200                        | 361                           | 113                                     | 14.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 141              | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 14.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 142              | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 12.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 143              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 380            |                            | 380                           | 119                                     | 12.0       | 6.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 144              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 145              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 20.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 146              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 18.0       | 10.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 147              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 10.0       | 5.0        | 3.0                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 148              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 10.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 149              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 14.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 150              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 14.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 151              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 152              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 14.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 153              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 14.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 154              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 360            |                            | 360                           | 113                                     | 18.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 155              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 156              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 510            |                            | 510                           | 160                                     | 22.0       | 12.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 157              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 300            |                            | 300                           | 94                                      | 12.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 158              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 450            |                            | 450                           | 141                                     | 24.0       | 12.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 159              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 600            |                            | 600                           | 188                                     | 22.0       | 14.0       | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 160              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 533            |                            | 533                           | 167                                     | 18.0       | 10.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 161              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 400            |                            | 400                           | 126                                     | 20.0       | 10.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 162              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 163              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 20.0       | 10.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 164              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 20.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 165              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 250            |                            | 250                           | 79                                      | 18.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 166              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 450            | 320, 280, 230              | 660                           | 207                                     | 14.0       | 10.0       | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 167              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 250            |                            | 250                           | 79                                      | 14.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 168              | Melaleuca quinquenervia | Broad-leaved Paperbark | 260            |                            | 260                           | 82                                      | 12.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 169              | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 170              | Eucalyptus tereticornis | Forest Red Gum         | 580            |                            | 580                           | 182                                     | 18.0       | 8.0        | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 171              | Melaleuca quinquenervia | Broad-leaved Paperbark | 250            | 150                        | 292                           | 92                                      | 14.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 172              | Melaleuca quinquenervia | Broad-leaved Paperbark | 270            |                            | 270                           | 85                                      | 12.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 173              | Melaleuca quinquenervia | Broad-leaved Paperbark | 320            |                            | 320                           | 101                                     | 12.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 174              | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            | 120                        | 233                           | 73                                      | 14.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 175              | Melaleuca quinquenervia | Broad-leaved Paperbark | 240            | 200, 120                   | 335                           | 105                                     | 14.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 176              | Melaleuca quinquenervia | Broad-leaved Paperbark | 180            | 160                        | 241                           | 76                                      | 6.0        | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 177              | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            | 200                        | 297                           | 93                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 178              | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 179              | Melaleuca quinquenervia | Broad-leaved Paperbark | 250            | 200                        | 320                           | 101                                     | 14.0       | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 180              | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 181              | Eucalyptus tereticornis | Forest Red Gum         | 450            |                            | 450                           | 141                                     | 20.0       | 10.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 182              | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 10.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 183              | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            | 200                        | 297                           | 93                                      | 8.0        | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 184              | Eucalyptus crebra       | Narrow-leaved Ironbark | 450            |                            | 450                           | 141                                     | 22.0       | 10.0       | 5.4                      | 2.4                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 185              | Corymbia citriodora     | Spotted Gum            | 200            | 180                        | 269                           | 85                                      | 14.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 186              | Eucalyptus crebra       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 22.0       | 12.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 187              | Corymbia citriodora     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 16.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 188              | Corymbia citriodora     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 14.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 189              | Corymbia citriodora     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 18.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 190              | Eucalyptus crebra       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 14.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 191              | Corymbia citriodora     | Spotted Gum            | 330            | 180                        | 376                           | 118                                     | 18.0       | 6.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 192              | Eucalyptus crebra       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 16.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 193              | Corymbia citriodora     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 194              | Eucalyptus crebra       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 12.0       | 6.0        | 2.6                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 195              | Eucalyptus crebra       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 16.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 196              | Corymbia intermedia     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 12.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 197              | Eucalyptus crebra       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 20.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 198              | Eucalyptus crebra       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 20.0       | 10.0       | 4.3                      | 2.2                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 199              | Eucalyptus crebra       | Narrow-leaved Ironbark | 620            |                            | 620                           | 195                                     | 26.0       | 14.0       | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 200              | Corymbia intermedia     | Pink Bloodwood         | 620            |                            | 620                           | 195                                     | 24.0       | 14.0       | 7.4                      | 2.7                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 201              | Corymbia intermedia     | Pink Bloodwood         | 250            | 160, 150                   | 333                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 202              | Eucalyptus crebra       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 20.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 203              | Petalostigma pubescens  | Quinine Bush           | 260            |                            | 260                           | 82                                      | 7.0        | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 204              | Corymbia intermedia     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 205              | Eucalyptus crebra       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 18.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 206              | Eucalyptus crebra       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 20.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 207              | Eucalyptus crebra       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 20.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 208              | Eucalyptus crebra       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 209              | Eucalyptus crebra       | Narrow-leaved Ironbark | 480            |                            | 480                           | 151                                     | 20.0       | 10.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 210              | Eucalyptus crebra       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 16.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 211              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 20.0       | 10.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 212              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 10.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 213              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 214              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 22.0       | 12.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 215              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 216              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 217              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 270            |                            | 270                           | 85                                      | 7.0        | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 218              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 270            |                            | 270                           | 85                                      | 18.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 219              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 300            |                            | 300                           | 94                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 220              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 221              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            | 220                        | 333                           | 105                                     | 14.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 222              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 223              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 18.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 224              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 225              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 24.0       | 14.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 226              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 227              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 20.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 228              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 229              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 260            | 150                        | 300                           | 94                                      | 8.0        | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 230              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 231              | <i>Corymbia citriodora</i>     | Spotted Gum            | 450            | 230                        | 505                           | 159                                     | 18.0       | 8.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 232              | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 20.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 233              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            | 130                        | 264                           | 83                                      | 18.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 234              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 450            |                            | 450                           | 141                                     | 24.0       | 14.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 235              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            | 250                        | 354                           | 111                                     | 14.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 236              | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 18.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 237              | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 20.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 238              | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 239              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 18.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 240              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 241              | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            | 230                        | 355                           | 111                                     | 18.0       | 6.0        | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 242              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 470            |                            | 470                           | 148                                     | 20.0       | 12.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 243              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 16.0       | 8.0        | 3.5                      | 2.0                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 244              | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 18.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 245              | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 18.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 246              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 18.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 247              | <i>Eucalyptus siderophloia</i> | Northern Grey Ironbark | 450            |                            | 450                           | 141                                     | 18.0       | 10.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 248              | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 249              | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            | 240                        | 369                           | 116                                     | 18.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 250              | <i>Corymbia citriodora</i>     | Spotted Gum            | 680            |                            | 680                           | 214                                     | 22.0       | 12.0       | 8.2                      | 2.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 251              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 252              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 253              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 18.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                      |                      |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|----------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes     |  |
| 254              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 12.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 255              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 400            |                            | 400                           | 126                                     | 16.0       | 8.0        | 4.8                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 256              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 470            | 340                        | 580                           | 182                                     | 18.0       | 10.0       | 7.0                      | 2.6                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 257              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 24.0       | 12.0       | 5.0                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 258              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 500            |                            | 500                           | 157                                     | 20.0       | 10.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 259              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 410            |                            | 410                           | 129                                     | 22.0       | 10.0       | 4.9                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 260              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 510            |                            | 510                           | 160                                     | 22.0       | 14.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 261              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 262              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 14.0       | 8.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 263              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 264              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 14.0       | 7.0        | 3.1                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 265              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            | 220                        | 372                           | 117                                     | 20.0       | 12.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 266              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 18.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 267              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 16.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 268              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 20.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 269              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 24.0       | 12.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 270              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 10.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 271              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 490            |                            | 490                           | 154                                     | 18.0       | 10.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 272              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 277              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 300            |                            | 300                           | 94                                      | 14.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 278              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 16.0       | 8.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 279              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 18.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 280              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 281              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 16.0       | 10.0       | 5.2                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 282              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 10.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 283              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 330            |                            | 330                           | 104                                     | 17.0       | 8.0        | 4.0                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 284              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 400            | 330                        | 519                           | 163                                     | 20.0       | 12.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 285              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 18.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 286              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 287              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 288              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 440            |                            | 440                           | 138                                     | 24.0       | 12.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 289              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 18.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 290              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 12.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                    | Remove - Development |  |
| 291              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            | 140                        | 358                           | 113                                     | 12.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 292              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 16.0       | 8.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 293              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 18.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 294              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 295              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 296              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 297              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 820            |                            | 820                           | 258                                     | 18.0       | 10.0       | 9.8                      | 3.0                      | One-sided                | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | Yes     | -    | -            | -                  | Remove - Development |                      |  |
| 298              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 299              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 12.0       | 8.0        | 3.1                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 300              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 301              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 302              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 18.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development |                  |
| 303              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 20.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 304              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 450            |                            | 450                           | 141                                     | 14.0       | 10.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 305              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 22.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 306              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 24.0       | 14.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 307              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 308              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 18.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 309              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 20.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 310              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 14.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 311              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 312              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 14.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 313              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 18.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 314              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 315              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 316              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 317              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 318              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 319              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 20.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 320              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 20.0       | 10.0       | 4.1                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 321              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 14.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 322              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 323              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 324              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 14.0       | 8.0        | 4.2                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 325              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 14.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 326              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 327              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 350            |                            | 350                           | 110                                     | 22.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 328              | <i>Ficus rubiginosa</i>        | Port Jackson Fig       | 260            | 170                        | 311                           | 98                                      | 10.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 329              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 14.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 330              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 18.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 331              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 20.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 332              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 333              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 14.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 334              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 180            |                            | 180                           | 57                                      | 6.0        | 4.0        | 2.2                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 335              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 22.0       | 14.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 336              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 18.0       | 8.0        | 3.2                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 337              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 338              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 339              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 18.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 340              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 341              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 20.0       | 10.0       | 3.6                      | 2.0                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 342              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 300            |                            | 300                           | 94                                      | 22.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 343              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 20.0       | 10.0       | 3.6                      | 2.0                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                      |                      |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|----------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes     |  |
| 344              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 460            |                            | 460                           | 145                                     | 14.0       | 10.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 345              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 610            |                            | 610                           | 192                                     | 22.0       | 16.0       | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 346              | <i>Corymbia citriodora</i>     | Spotted Gum            | 500            |                            | 500                           | 157                                     | 26.0       | 14.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 347              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 14.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 348              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 16.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 349              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 16.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 350              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 351              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 270            |                            | 270                           | 85                                      | 18.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 352              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 353              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 14.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 354              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 300            |                            | 300                           | 94                                      | 18.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 355              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 350            |                            | 350                           | 110                                     | 22.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 356              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 450            | 190                        | 488                           | 153                                     | 18.0       | 10.0       | 5.9                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 357              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 18.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 358              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 14.0       | 8.0        | 3.8                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 359              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 16.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 360              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 320            |                            | 320                           | 101                                     | 18.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 361              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 18.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 362              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 363              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 18.0       | 8.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 364              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 365              | <i>Alphitonia excelsa</i>      | Soap Tree              | 240            |                            | 240                           | 75                                      | 12.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 366              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 22.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 367              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 400            |                            | 400                           | 126                                     | 18.0       | 12.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 368              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 14.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                    | Remove - Development |  |
| 369              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 370            |                            | 370                           | 116                                     | 18.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 370              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 480            |                            | 480                           | 151                                     | 22.0       | 10.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 371              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 22.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 372              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 373              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 24.0       | 14.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 374              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 378              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 18.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 379              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 16.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 380              | <i>Corymbia citriodora</i>     | Spotted Gum            | 400            |                            | 400                           | 126                                     | 14.0       | 10.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 381              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 10.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 382              | <i>Eucalyptus propinqua</i>    | Small-fruited Grey Gum | 260            |                            | 260                           | 82                                      | 12.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 383              | DEAD/STAG                      |                        | 180            |                            | 180                           | 57                                      | 10.0       | 6.0        | 2.2                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 384              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 15.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 385              | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 386              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 12.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 387              | <i>Eucalyptus propinqua</i>    | Small-fruited Grey Gum | 200            | 160                        | 256                           | 80                                      | 11.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 388              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 10.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 389              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |        |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|--------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines  | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 390              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 12.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 391              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 16.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 392              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 410            |                            | 410                           | 129                                     | 22.0       | 12.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 393              | <i>Corymbia citriodora</i>     | Spotted Gum            | 390            |                            | 390                           | 123                                     | 20.0       | 18.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 394              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 19.0       | 15.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 395              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 18.0       | 10.0       | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 396              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 11.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 397              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 16.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 398              | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            | 70, 70, 70                 | 242                           | 76                                      | 13.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 399              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 180                        | 292                           | 92                                      | 17.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 400              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 490            |                            | 490                           | 154                                     | 19.0       | 18.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 401              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 19.0       | 16.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 402              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 12.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 403              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            | 230, 80                    | 315                           | 99                                      | 20.0       | 7.0        | 3.8                      | 2.0                      | Regular                  | -         | Thinning | Die-back | Epicormic        | Lopped | Typical                 | -       | Native | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 404              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 19.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 405              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 110                        | 292                           | 92                                      | 16.0       | 12.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 406              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 160                        | 272                           | 85                                      | 18.0       | 7.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 407              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 260, 150                   | 372                           | 117                                     | 18.0       | 7.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 408              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 20.0       | 14.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 409              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 200, 160, 100, 110         | 363                           | 114                                     | 16.0       | 12.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 410              | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 20.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 411              | <i>Corymbia citriodora</i>     | Spotted Gum            | 160            | 150                        | 219                           | 69                                      | 14.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 412              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 180            | 170                        | 248                           | 78                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | Lopped | Poor                    | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 413              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 230, 120, 80               | 356                           | 112                                     | 15.0       | 11.0       | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 414              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 190, 170                   | 371                           | 117                                     | 16.0       | 12.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 415              | <i>Acacia dispartima</i>       | Hickory Wattle         | 200            | 160                        | 256                           | 80                                      | 9.0        | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 416              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 20.0       | 12.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 417              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 230, 230, 100, 120, 110    | 442                           | 139                                     | 22.0       | 14.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 418              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 14.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 419              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 400            | 330                        | 519                           | 163                                     | 19.0       | 22.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 420              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            | 230, 220                   | 431                           | 135                                     | 22.0       | 16.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 421              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 20.0       | 14.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 422              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 20.0       | 12.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 423              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 22.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 424              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 12.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 425              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 14.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 426              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 427              | <i>Acacia concurrens</i>       | Black Wattle           | 200            |                            | 200                           | 63                                      | 11.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 428              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 290            |                            | 290                           | 91                                      | 14.0       | 13.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 429              | <i>Acacia concurrens</i>       | Black Wattle           | 200            |                            | 200                           | 63                                      | 14.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 430              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 18.0       | 12.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 431              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 250            |                            | 250                           | 79                                      | 10.0       | 13.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 432              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 19.0       | 14.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 433              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 434              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 160            |                            | 160                           | 50                                      | 12.0       | 6.0        | 2.0                      | 1.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 435              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 240, 180                   | 384                           | 121                                     | 18.0       | 14.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 436              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 16.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 437              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 240, 150                   | 412                           | 130                                     | 21.0       | 16.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 438              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 439              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 18.0       | 19.0       | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 440              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 20.0       | 15.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 441              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 150, 200                   | 340                           | 107                                     | 22.0       | 11.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 442              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 300, 170                   | 420                           | 132                                     | 18.0       | 14.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 443              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 140, 160                   | 321                           | 101                                     | 24.0       | 20.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 444              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 14.0       | 14.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 445              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 200                        | 361                           | 113                                     | 24.0       | 20.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 446              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 210, 200, 100, 50          | 381                           | 120                                     | 20.0       | 12.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 447              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 220, 340, 200              | 521                           | 164                                     | 18.0       | 14.0       | 6.3                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 448              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 449              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 450              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 120, 120, 80               | 289                           | 91                                      | 18.0       | 12.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 451              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 22.0       | 12.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 452              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 24.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 453              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 180                        | 269                           | 85                                      | 17.0       | 12.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 454              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 260, 230, 220              | 492                           | 154                                     | 18.0       | 16.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 455              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 270, 260                   | 451                           | 142                                     | 18.0       | 20.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 456              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 190                        | 276                           | 87                                      | 14.0       | 7.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 457              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 26.0       | 11.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 458              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 459              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 250, 150                   | 391                           | 123                                     | 18.0       | 14.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 460              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 461              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 150                        | 250                           | 79                                      | 14.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 462              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 210                        | 326                           | 103                                     | 18.0       | 9.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 463              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 200            |                            | 200                           | 63                                      | 13.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 464              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 310            |                            | 310                           | 97                                      | 15.0       | 16.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 465              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 240            |                            | 240                           | 75                                      | 7.0        | 10.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 466              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 15.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 467              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 210                        | 290                           | 91                                      | 11.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 468              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 7.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 469              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 12.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 470              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 20.0       | 16.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 471              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 200            |                            | 200                           | 63                                      | 8.0        | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 472              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 240            |                            | 240                           | 75                                      | 11.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 473              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            | 360                        | 509                           | 160                                     | 22.0       | 11.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 474              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 18.0       | 14.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 475              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 18.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          | Canopy Condition Details |             |           |          |          |                  | Trunk Condition Details |               |         |       |              | Fauna Details and Habitat Value |              |       |           |         |      | Additional Details |               |                      |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|-------------|-----------|----------|----------|------------------|-------------------------|---------------|---------|-------|--------------|---------------------------------|--------------|-------|-----------|---------|------|--------------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped                  | Canopy Health | Leaning | Vines | Trunk Damage | Fire Damage                     | Trunk Health | Scats | Scratches | Hollows | Nest | Termite Nest       | Habitat Value | Retention            | Additional Notes |
| 476              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            |                            | 270                           | 85                                      | 12.0       | 9.0        | 3.2                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 477              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            |                            | 260                           | 82                                      | 20.0       | 10.0       | 3.1                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 478              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 360            |                            | 360                           | 113                                     | 16.0       | 8.0        | 4.3                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | Yes     | -    | -                  | -             | Remove - Development |                  |
| 479              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            |                            | 210                           | 66                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 480              | <i>Acacia disparrima</i>       | Hickory Wattle | 210            |                            | 210                           | 66                                      | 11.0       | 6.0        | 2.5                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 481              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 370            |                            | 370                           | 116                                     | 22.0       | 18.0       | 4.4                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 482              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 15.0       | 9.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 483              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 484              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 14.0       | 7.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 485              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 340            |                            | 340                           | 107                                     | 20.0       | 18.0       | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 486              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            | 220, 190                   | 359                           | 113                                     | 18.0       | 15.0       | 4.3                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | Present            | -             | Remove - Development |                  |
| 487              | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 488              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            | 170                        | 319                           | 100                                     | 16.0       | 10.0       | 3.8                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 489              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            | 190, 140                   | 309                           | 97                                      | 10.0       | 9.0        | 3.7                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 490              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            |                            | 260                           | 82                                      | 16.0       | 12.0       | 3.1                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 491              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 17.0       | 14.0       | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 492              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            | 200, 140, 190, 120         | 410                           | 129                                     | 22.0       | 20.0       | 4.9                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 493              | <i>Corymbia citriodora</i>     | Spotted Gum    | 350            |                            | 350                           | 110                                     | 19.0       | 15.0       | 4.2                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 494              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 18.0       | 8.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 495              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 180            |                            | 180                           | 57                                      | 12.0       | 7.0        | 2.2                      | 1.6                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 496              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 497              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 498              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 19.0       | 14.0       | 2.9                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 499              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 8.0        | 9.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 500              | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 220            |                            | 220                           | 69                                      | 16.0       | 7.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 501              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 230            |                            | 230                           | 72                                      | 14.0       | 12.0       | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 502              | <i>Alphitonia excelsa</i>      | Soap Tree      | 200            |                            | 200                           | 63                                      | 10.0       | 7.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 503              | <i>Alphitonia excelsa</i>      | Soap Tree      | 340            |                            | 340                           | 107                                     | 21.0       | 20.0       | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 504              | <i>Alphitonia excelsa</i>      | Soap Tree      | 230            |                            | 230                           | 72                                      | 12.0       | 13.0       | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 505              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            | 220, 230, 180              | 455                           | 143                                     | 23.0       | 16.0       | 5.5                      | 2.4                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 506              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 290            | 280, 160                   | 434                           | 136                                     | 22.0       | 22.0       | 5.2                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 507              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            | 210, 90                    | 339                           | 106                                     | 18.0       | 16.0       | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 508              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            | 240                        | 339                           | 107                                     | 18.0       | 16.0       | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 509              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            | 180, 90, 110, 100          | 327                           | 103                                     | 13.0       | 8.0        | 3.9                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 510              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            | 180, 180, 160, 160         | 422                           | 133                                     | 18.0       | 16.0       | 5.1                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 511              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            | 210                        | 319                           | 100                                     | 15.0       | 12.0       | 3.8                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 512              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            | 210                        | 319                           | 100                                     | 13.0       | 14.0       | 3.8                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 513              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            | 240, 260, 130              | 470                           | 148                                     | 14.0       | 12.0       | 5.6                      | 2.4                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 514              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 290            | 180                        | 341                           | 107                                     | 19.0       | 15.0       | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 515              | DEAD/STAG                      |                | 150            | 160, 100, 90               | 257                           | 81                                      | 11.0       | 6.0        | 3.1                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 516              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            | 160, 240                   | 402                           | 126                                     | 16.0       | 12.0       | 4.8                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 517              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            |                            | 270                           | 85                                      | 17.0       | 12.0       | 3.2                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |
| 518              | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 13.0       | 8.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 519              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 17.0       | 13.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 520              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 140, 140                   | 303                           | 95                                      | 15.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 521              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 250, 130                   | 390                           | 123                                     | 14.0       | 11.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 522              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 11.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 523              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 18.0       | 11.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 524              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 16.0       | 12.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 525              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 130, 200, 250              | 410                           | 129                                     | 15.0       | 18.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 526              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 13.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 527              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 140, 220, 240              | 440                           | 138                                     | 16.0       | 18.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 528              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 14.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 529              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 16.0       | 12.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 530              | DEAD/STAG                      |                        | 180            | 100                        | 206                           | 65                                      | 11.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 531              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 532              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 240, 220                   | 399                           | 125                                     | 16.0       | 8.0        | 4.8                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 533              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 16.0       | 10.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 534              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 13.0       | 10.0       | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 535              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 160            |                            | 160                           | 50                                      | 10.0       | 4.0        | 2.0                      | 1.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 536              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 160            | 150, 80                    | 233                           | 73                                      | 8.0        | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 537              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 120, 160                   | 305                           | 96                                      | 14.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 538              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 13.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 539              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 160            | 200, 180                   | 313                           | 98                                      | 16.0       | 12.0       | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 540              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 22.0       | 12.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 541              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 542              | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 18.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 543              | <i>Corymbia citriodora</i>     | Spotted Gum            | 360            | 200                        | 412                           | 129                                     | 16.0       | 7.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 544              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 545              | DEAD/STAG                      |                        | 280            |                            | 280                           | 88                                      | 12.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 546              | DEAD/STAG                      |                        | 300            | 220                        | 372                           | 117                                     | 17.0       | 7.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 547              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 310            |                            | 310                           | 97                                      | 19.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 548              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 549              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 17.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 550              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 13.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 551              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            | 200                        | 283                           | 89                                      | 13.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 552              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 490            |                            | 490                           | 154                                     | 20.0       | 9.0        | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 553              | DEAD/STAG                      |                        | 500            |                            | 500                           | 157                                     | 22.0       | 4.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 554              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 12.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 555              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 80                         | 215                           | 68                                      | 8.0        | 3.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 556              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            | 150, 150                   | 313                           | 98                                      | 10.0       | 6.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 557              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 15.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 558              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 559              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 230, 250                   | 410                           | 129                                     | 12.0       | 7.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 560              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 561              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 210, 230, 240, 250         | 515                           | 162                                     | 14.0       | 10.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 562              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 560            |                            | 560                           | 176                                     | 17.0       | 12.0       | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 563              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 564              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            | 360                        | 495                           | 156                                     | 18.0       | 13.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 565              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            | 230                        | 340                           | 107                                     | 16.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 566              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 567              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            | 170                        | 294                           | 92                                      | 18.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 568              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 17.0       | 11.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 569              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 17.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 570              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 17.0       | 12.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 571              | <i>Corymbia citriodora</i>     | Spotted Gum            | 440            |                            | 440                           | 138                                     | 17.0       | 13.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 572              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 17.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 573              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 16.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 574              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 200            |                            | 200                           | 63                                      | 7.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 575              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 576              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 19.0       | 12.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 577              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 260, 300, 310              | 571                           | 180                                     | 17.0       | 14.0       | 6.9                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 578              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 15.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 579              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 16.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 580              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 200                        | 305                           | 96                                      | 16.0       | 12.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 581              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 250                        | 375                           | 118                                     | 17.0       | 11.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 582              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 210                        | 304                           | 96                                      | 17.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 583              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | Present      | -                  | Remove - Development |                  |
| 584              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 18.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 585              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 17.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 586              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 200                        | 290                           | 91                                      | 15.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 587              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 18.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 588              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 17.0       | 8.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | Present      | -                  | Remove - Development |                  |
| 589              | <i>Alphitonia excelsa</i>      | Soap Tree              | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 590              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 18.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 591              | <i>Alphitonia excelsa</i>      | Soap Tree              | 210            |                            | 210                           | 66                                      | 15.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 592              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 593              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 594              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 13.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development |                  |
| 595              | <i>Alphitonia excelsa</i>      | Soap Tree              | 210            |                            | 210                           | 66                                      | 11.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 596              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 10.0       | 4.0        | 2.6                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 597              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 17.0       | 12.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 598              | <i>Corymbia trachyphloia</i>   | Brown Bloodwood        | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 599              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 15.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 600              | <i>Corymbia citriodora</i>     | Spotted Gum            | 170            |                            | 170                           | 53                                      | 12.0       | 5.0        | 2.0                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 601              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 602              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            | 160                        | 256                           | 80                                      | 14.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 603              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 160, 200, 170              | 384                           | 121                                     | 17.0       | 14.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 604              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 18.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              |               | Additional Details   |                      |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|---------------|----------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes     |  |
| 605              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 570            |                            | 570                           | 179                                     | 20.0       | 14.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | Yes     | -    | -            | -             | Remove - Development |                      |  |
| 606              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 300, 240                   | 448                           | 141                                     | 17.0       | 10.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 607              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 190            | 180                        | 262                           | 82                                      | 13.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 608              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 620            |                            | 620                           | 195                                     | 17.0       | 13.0       | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 609              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 610              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 611              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 200                        | 320                           | 101                                     | 10.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 612              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 200                        | 305                           | 96                                      | 17.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 613              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 200, 170, 160              | 367                           | 115                                     | 15.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 614              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 17.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 615              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 616              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 50                         | 206                           | 65                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 617              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 630            |                            | 630                           | 198                                     | 15.0       | 11.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 618              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 619              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 620              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 16.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 621              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            | 260                        | 405                           | 127                                     | 16.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 622              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 10.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 623              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 210, 150                   | 346                           | 109                                     | 14.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 624              | <i>Corymbia citriodora</i>     | Spotted Gum            | 340            |                            | 340                           | 107                                     | 18.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 625              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 680            | 190                        | 706                           | 222                                     | 18.0       | 15.0       | 8.5                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 626              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 16.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 627              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 210, 170                   | 348                           | 109                                     | 15.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 628              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 300, 140                   | 447                           | 140                                     | 17.0       | 11.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 629              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 300, 140, 280              | 527                           | 166                                     | 17.0       | 15.0       | 6.3                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 630              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 160, 150                   | 297                           | 93                                      | 14.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 631              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 370            | 240, 200                   | 484                           | 152                                     | 16.0       | 10.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 632              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 200                        | 283                           | 89                                      | 16.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 633              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 130                        | 264                           | 83                                      | 16.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 634              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 635              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 636              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 200                        | 283                           | 89                                      | 16.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 637              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 17.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 638              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 15.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 639              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 9.0        | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 640              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 280                        | 396                           | 124                                     | 15.0       | 12.0       | 4.8                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 641              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 130                        | 264                           | 83                                      | 15.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 642              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 643              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            | 200, 200                   | 427                           | 134                                     | 16.0       | 10.0       | 5.1                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 644              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 645              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 17.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 646              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -             | Remove - Development |                      |  |
| 647              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 6.0        | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -             | -                    | Remove - Development |  |



| Specimen Details |                                |                          |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                      |  |
|------------------|--------------------------------|--------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name              | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes     |  |
| 648              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 210            | 170, 120                   | 296                           | 93                                      | 14.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 649              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 250            | 150, 210                   | 359                           | 113                                     | 17.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 650              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 651              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 370            |                            | 370                           | 116                                     | 16.0       | 11.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 652              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 653              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 280            |                            | 280                           | 88                                      | 16.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 654              | <i>Corymbia citriodora</i>     | Spotted Gum              | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 655              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 656              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 657              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 658              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 659              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 360            |                            | 360                           | 113                                     | 17.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 660              | <i>Alphitonia excelsa</i>      | Soap Tree                | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 661              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 200            |                            | 200                           | 63                                      | 15.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 662              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 663              | <i>Petalostigma pubescens</i>  | Quinine Bush             | 240            |                            | 240                           | 75                                      | 6.0        | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Remove - Development |  |
| 664              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 310            |                            | 310                           | 97                                      | 14.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 665              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 270            |                            | 270                           | 85                                      | 16.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 666              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 250            |                            | 250                           | 79                                      | 17.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 667              | <i>Corymbia intermedia</i>     | Pink Bloodwood           | 420            |                            | 420                           | 132                                     | 16.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 668              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 280            |                            | 280                           | 88                                      | 17.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 669              | <i>Petalostigma pubescens</i>  | Quinine Bush             | 280            |                            | 280                           | 88                                      | 9.0        | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 670              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 671              | <i>Petalostigma pubescens</i>  | Quinine Bush             | 200            |                            | 200                           | 63                                      | 5.0        | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 672              | <i>Petalostigma pubescens</i>  | Quinine Bush             | 210            |                            | 210                           | 66                                      | 5.0        | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 673              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 240            |                            | 240                           | 75                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 674              | <i>Petalostigma pubescens</i>  | Quinine Bush             | 360            |                            | 360                           | 113                                     | 5.0        | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 675              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash          | 240            |                            | 240                           | 75                                      | 16.0       | 10.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                      |  |
| 676              | <i>Eucalyptus tereticornis</i> | Forest Red Gum           | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 677              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash          | 220            |                            | 220                           | 69                                      | 17.0       | 10.0       | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 678              | <i>Corymbia citriodora</i>     | Spotted Gum              | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 679              | <i>Corymbia citriodora</i>     | Spotted Gum              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 680              | <i>Corymbia citriodora</i>     | Spotted Gum              | 200            |                            | 200                           | 63                                      | 15.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 681              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 330            |                            | 330                           | 104                                     | 16.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 682              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 270            |                            | 270                           | 85                                      | 16.0       | 11.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 683              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark   | 460            |                            | 460                           | 145                                     | 18.0       | 11.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 684              | <i>Corymbia henryi</i>         | Large-leaved Spotted Gum | 220            | 210                        | 304                           | 96                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 685              | <i>Corymbia citriodora</i>     | Spotted Gum              | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 686              | <i>Corymbia citriodora</i>     | Spotted Gum              | 280            |                            | 280                           | 88                                      | 14.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 687              | <i>Corymbia citriodora</i>     | Spotted Gum              | 250            | 210                        | 326                           | 103                                     | 15.0       | 8.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 688              | <i>Petalostigma pubescens</i>  | Quinine Bush             | 330            |                            | 330                           | 104                                     | 5.0        | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 689              | <i>Eucalyptus siderophloia</i> | Northern Grey Ironbark   | 270            |                            | 270                           | 85                                      | 15.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 690              | <i>Eucalyptus siderophloia</i> | Northern Grey Ironbark   | 230            |                            | 230                           | 72                                      | 13.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 691              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 18.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 692              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 693              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 694              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 180            | 190, 130, 110              | 312                           | 98                                      | 8.0        | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 695              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 440            |                            | 440                           | 138                                     | 18.0       | 10.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 696              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 460            |                            | 460                           | 145                                     | 15.0       | 9.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 697              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            | 210, 210                   | 467                           | 147                                     | 16.0       | 8.0        | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 698              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 12.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 699              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 170                        | 286                           | 90                                      | 12.0       | 5.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 700              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 701              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 702              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 240            |                            | 240                           | 75                                      | 5.0        | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 703              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 704              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 220            |                            | 220                           | 69                                      | 12.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 705              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 470            |                            | 470                           | 148                                     | 17.0       | 11.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 706              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 630            |                            | 630                           | 198                                     | 20.0       | 14.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 707              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 11.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 708              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 19.0       | 11.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 709              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 12.0       | 6.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 710              | DEAD/STAG                      |                        | 260            |                            | 260                           | 82                                      | 6.0        | 1.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 711              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 712              | <i>Corymbia trachyphloia</i>   | Brown Bloodwood        | 230            |                            | 230                           | 72                                      | 9.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 713              | <i>Alphitonia excelsa</i>      | Soap Tree              | 250            | 160                        | 297                           | 93                                      | 11.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 714              | <i>Acacia disparima</i>        | Hickory Wattle         | 210            | 180                        | 277                           | 87                                      | 9.0        | 5.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 715              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 716              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 717              | DEAD/STAG                      |                        | 190            | 160                        | 248                           | 78                                      | 10.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 718              | DEAD/STAG                      |                        | 280            |                            | 280                           | 88                                      | 13.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 719              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 140, 120                   | 352                           | 111                                     | 14.0       | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 720              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 721              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 722              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 16.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 723              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 270                        | 404                           | 127                                     | 17.0       | 11.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 724              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 12.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 725              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 15.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 726              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 15.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 727              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 640            |                            | 640                           | 201                                     | 15.0       | 8.0        | 7.7                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development | bee hive         |
| 728              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 729              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 730              | <i>Eucalyptus seeana</i>       | Narrow-leaved Red Gum  | 340            | 330                        | 474                           | 149                                     | 17.0       | 12.0       | 5.7                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 731              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 732              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 733              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 16.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 734              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 200                        | 312                           | 98                                      | 14.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 735              | <i>Corymbia trachyphloia</i>   | Brown Bloodwood        | 390            |                            | 390                           | 123                                     | 16.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 736              | <i>Acacia disparrima</i>       | Hickory Wattle         | 260            |                            | 260                           | 82                                      | 6.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 737              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 130            |                            | 130                           | 41                                      | 8.0        | 4.0        | 2.0                      | 1.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 738              | <i>Acacia disparrima</i>       | Hickory Wattle         | 330            |                            | 330                           | 104                                     | 7.0        | 5.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 739              | <i>Eucalyptus seeana</i>       | Narrow-leaved Red Gum  | 350            |                            | 350                           | 110                                     | 15.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 740              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 200                        | 312                           | 98                                      | 12.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 741              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 13.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 742              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 743              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            | 210                        | 358                           | 112                                     | 16.0       | 9.0        | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 744              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 12.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 745              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            | 280                        | 440                           | 138                                     | 16.0       | 10.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 746              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            | 160                        | 264                           | 83                                      | 14.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 747              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 220            |                            | 220                           | 69                                      | 5.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 748              | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 6.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 749              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 12.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 750              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 16.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 751              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 180                        | 350                           | 110                                     | 16.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 752              | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 14.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 753              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 200                        | 312                           | 98                                      | 16.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 754              | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 755              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            | 140                        | 368                           | 116                                     | 14.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 756              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            | 260                        | 405                           | 127                                     | 14.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 757              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 758              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            | 190                        | 347                           | 109                                     | 15.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 759              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            | 270                        | 411                           | 129                                     | 16.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 760              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 11.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 761              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 13.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 762              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            | 230                        | 340                           | 107                                     | 14.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 763              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 16.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 764              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 16.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 765              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 13.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 766              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 660            |                            | 660                           | 207                                     | 20.0       | 15.0       | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 767              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development |                  |
| 768              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 769              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 770              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 170            | 140, 120                   | 251                           | 79                                      | 11.0       | 6.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 771              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 19.0       | 13.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 772              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 17.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 773              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 800            |                            | 800                           | 251                                     | 18.0       | 15.0       | 9.6                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development |                  |
| 774              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 15.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 775              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 16.0       | 7.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 776              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 10.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 777              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 778              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 17.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 779              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 16.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 780              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 13.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 781              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 17.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 782              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 410            |                            | 410                           | 129                                     | 20.0       | 15.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 783              | DEAD/STAG                      |                        | 340            |                            | 340                           | 107                                     | 12.0       | 5.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 784              | DEAD/STAG                      |                        | 370            |                            | 370                           | 116                                     | 9.0        | 1.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 785              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 17.0       | 10.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 786              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 440            |                            | 440                           | 138                                     | 16.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 787              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 540            |                            | 540                           | 170                                     | 21.0       | 10.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development | wasp nest        |
| 788              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 14.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 789              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 13.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | Present      | -             | Remove - Development |                  |
| 790              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 791              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 792              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 793              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 794              | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 795              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 17.0       | 11.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 796              | <i>Petalostigma pubescens</i>  | Quinine Bush           | 300            |                            | 300                           | 94                                      | 5.0        | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 797              | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 16.0       | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 798              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 799              | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 800              | <i>Alphitonia excelsa</i>      | Soap Tree              | 260            |                            | 260                           | 82                                      | 12.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 801              | <i>Acacia disparrima</i>       | Hickory Wattle         | 310            |                            | 310                           | 97                                      | 8.0        | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 802              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 13.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 803              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 804              | DEAD/STAG                      |                        | 330            | 310                        | 453                           | 142                                     | 13.0       | 6.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 805              | DEAD/STAG                      |                        | 340            |                            | 340                           | 107                                     | 12.0       | 2.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 806              | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 350            |                            | 350                           | 110                                     | 17.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 807              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            | 250, 230                   | 447                           | 140                                     | 15.0       | 7.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 808              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 809              | <i>Acacia disparrima</i>       | Hickory Wattle         | 300            |                            | 300                           | 94                                      | 9.0        | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 810              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 190, 130                   | 340                           | 107                                     | 15.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 811              | <i>Acacia concurrens</i>       | Black Wattle           | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 812              | <i>Alphitonia excelsa</i>      | Soap Tree              | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 813              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 10.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 814              | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 815              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 190, 170, 130              | 367                           | 115                                     | 12.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 816              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 13.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 817              | DEAD/STAG                      |                        | 230            |                            | 230                           | 72                                      | 9.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 818              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 370            |                            | 370                           | 116                                     | 13.0       | 6.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 819              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            | 120                        | 286                           | 90                                      | 14.0       | 6.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                              |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name                  | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 820              | <i>Alphitonia excelsa</i>      | Soap Tree                    | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 821              | <i>Alphitonia excelsa</i>      | Soap Tree                    | 280            |                            | 280                           | 88                                      | 10.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 822              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 270            |                            | 270                           | 85                                      | 12.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 823              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 280            | 210, 190                   | 398                           | 125                                     | 14.0       | 8.0        | 4.8                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 824              | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 310            |                            | 310                           | 97                                      | 12.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 825              | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 330            |                            | 330                           | 104                                     | 12.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 826              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 380            |                            | 380                           | 119                                     | 14.0       | 5.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 827              | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 300            |                            | 300                           | 94                                      | 14.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 828              | <i>Alphitonia excelsa</i>      | Soap Tree                    | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 829              | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 160            |                            | 160                           | 50                                      | 10.0       | 4.0        | 2.0                      | 1.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | Present      | -             | Retention subject to detail design |                  |
| 830              | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 270            |                            | 270                           | 85                                      | 9.0        | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 831              | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 210            |                            | 210                           | 66                                      | 10.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 832              | <i>Acacia leiocalyx</i>        | Early-flowering Black Wattle | 210            |                            | 210                           | 66                                      | 12.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 833              | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 260            |                            | 260                           | 82                                      | 15.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 834              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 200            | 120                        | 233                           | 73                                      | 14.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 835              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 300            | 160                        | 340                           | 107                                     | 16.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 836              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 210            | 160, 180                   | 320                           | 100                                     | 14.0       | 7.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 837              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 290            | 220                        | 364                           | 114                                     | 12.0       | 7.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 838              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 200            |                            | 200                           | 63                                      | 10.0       | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 839              | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 210            |                            | 210                           | 66                                      | 12.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 840              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 841              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 300            |                            | 300                           | 94                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 842              | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 520            |                            | 520                           | 163                                     | 12.0       | 9.0        | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 843              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 270            | 180, 220, 100              | 405                           | 127                                     | 12.0       | 2.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 844              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 290            |                            | 290                           | 91                                      | 12.0       | 2.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 845              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 250            |                            | 250                           | 79                                      | 12.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 846              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 320            |                            | 320                           | 101                                     | 12.0       | 1.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 847              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 220            | 220, 230                   | 387                           | 122                                     | 12.0       | 6.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 848              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 200            |                            | 200                           | 63                                      | 12.0       | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 849              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 260            |                            | 260                           | 82                                      | 10.0       | 1.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 850              | <i>Alphitonia excelsa</i>      | Soap Tree                    | 210            |                            | 210                           | 66                                      | 14.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 851              | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark       | 300            |                            | 300                           | 94                                      | 13.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 852              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 610            |                            | 610                           | 192                                     | 17.0       | 9.0        | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 853              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 360            |                            | 360                           | 113                                     | 12.0       | 5.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 854              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 210            | 120                        | 242                           | 76                                      | 13.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 855              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 230            |                            | 230                           | 72                                      | 12.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 856              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 250            |                            | 250                           | 79                                      | 12.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 857              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 210            |                            | 210                           | 66                                      | 12.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 858              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 210            |                            | 210                           | 66                                      | 13.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 859              | <i>Corymbia citriodora</i>     | Spotted Gum                  | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 860              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 320            |                            | 320                           | 101                                     | 17.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 861              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 270            |                            | 270                           | 85                                      | 12.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 862              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 370            |                            | 370                           | 116                                     | 18.0       | 6.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                      |                      |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|----------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes     |  |
| 863              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 13.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 864              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 12.0       | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 865              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 12.0       | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 866              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 12.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 867              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 14.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 868              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 12.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 869              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 14.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 870              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 14.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 871              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 13.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 872              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 16.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 873              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 874              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 14.0       | 12.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                    | Remove - Development |  |
| 875              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 12.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 876              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 15.0       | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 877              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 10.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 878              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 14.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 879              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 13.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 880              | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 12.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 881              | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 12.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 882              | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 11.0       | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 883              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 12.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 884              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 13.0       | 1.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 885              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 14.0       | 2.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 886              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 12.0       | 3.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 887              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 12.0       | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 888              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 12.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 889              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 13.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 890              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 450            |                            | 450                           | 141                                     | 14.0       | 5.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 891              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 12.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 892              | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 12.0       | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 893              | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 12.0       | 1.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 894              | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 12.0       | 2.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 895              | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            | 130                        | 282                           | 89                                      | 10.0       | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 896              | <i>Corymbia citriodora</i>     | Spotted Gum            | 330            |                            | 330                           | 104                                     | 12.0       | 4.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 897              | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 8.0        | 2.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 898              | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 11.0       | 3.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 899              | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 12.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 900              | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 12.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 901              | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 11.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 902              | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 11.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 903              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 20.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 904              | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 14.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |
| 905              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 11.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development |                      |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 906              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 410            |                            | 410                           | 129                                     | 12.0       | 6.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 907              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 12.0       | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 908              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 909              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 13.0       | 4.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 910              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 917              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 11.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 918              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 13.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 919              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 920              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 13.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 921              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 12.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 922              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 310            |                            | 310                           | 97                                      | 13.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 923              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 12.0       | 6.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 924              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 8.0        | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 925              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 14.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 926              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 13.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 927              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 13.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 928              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 12.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 929              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 14.0       | 6.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 930              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 12.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 931              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 460            |                            | 460                           | 145                                     | 14.0       | 11.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 932              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 12.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 933              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 10.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 934              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | Present      | -             | Remove - Development               |                  |
| 935              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 12.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 936              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 14.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 937              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 14.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 938              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 12.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 939              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 12.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 940              | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 12.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 941              | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 10.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 942              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 16.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 943              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 944              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 16.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 945              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 18.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 946              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 15.0       | 12.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 975              | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 12.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 976              | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 16.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 977              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 13.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 989              | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 8.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 990              | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 7.0        | 2.0        | 2.6                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 991              | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            | 160                        | 322                           | 101                                     | 9.0        | 3.0        | 3.9                      | 2.1                      | One-sided                | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 992              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 10.0       | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 993              | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 11.0       | 2.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 994              | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            |                            | 300                           | 94                                      | 9.0        | 3.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 995              | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 340            |                            | 340                           | 107                                     | 14.0       | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 996              | <i>Lophostemon suaveolens</i>  | Swamp Box           | 420            |                            | 420                           | 132                                     | 9.0        | 3.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 997              | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 998              | <i>Lophostemon suaveolens</i>  | Swamp Box           | 400            |                            | 400                           | 126                                     | 7.0        | 3.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 999              | <i>Lophostemon suaveolens</i>  | Swamp Box           | 210            |                            | 210                           | 66                                      | 6.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1000             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            |                            | 230                           | 72                                      | 8.0        | 2.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1001             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            |                            | 230                           | 72                                      | 8.0        | 2.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1002             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 210            |                            | 210                           | 66                                      | 8.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1003             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 270            |                            | 270                           | 85                                      | 8.0        | 2.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1004             | <i>Dead/Stag</i>               |                     | 260            |                            | 260                           | 82                                      | 7.0        | 2.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | Present      | -             | Retain                             |                  |
| 1005             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 340            | 240                        | 416                           | 131                                     | 9.0        | 4.0        | 5.0                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1006             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 240            |                            | 240                           | 75                                      | 14.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1007             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 220            |                            | 220                           | 69                                      | 12.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1008             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 300            |                            | 300                           | 94                                      | 14.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1009             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 260            | 220 220                    | 405                           | 127                                     | 10.0       | 5.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1010             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 290            |                            | 290                           | 91                                      | 12.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1011             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 240            |                            | 240                           | 75                                      | 12.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1012             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 180            |                            | 180                           | 57                                      | 12.0       | 3.0        | 2.2                      | 1.6                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1013             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 9.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1014             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 260            |                            | 260                           | 82                                      | 13.0       | 3.0        | 3.1                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1015             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 260            |                            | 260                           | 82                                      | 12.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1016             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 250            |                            | 250                           | 79                                      | 10.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1017             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 200            |                            | 200                           | 63                                      | 9.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1018             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 210            |                            | 210                           | 66                                      | 10.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1019             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1020             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            |                            | 230                           | 72                                      | 9.0        | 2.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1021             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 250            | 180                        | 308                           | 97                                      | 9.0        | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1022             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 210            |                            | 210                           | 66                                      | 8.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1023             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 300            |                            | 300                           | 94                                      | 16.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1024             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 700            |                            | 700                           | 220                                     | 9.0        | 6.0        | 8.4                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1025             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1026             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1027             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            | 240                        | 369                           | 116                                     | 14.0       | 5.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1028             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 300            |                            | 300                           | 94                                      | 14.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1029             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 380            |                            | 380                           | 119                                     | 10.0       | 5.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1030             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 330            |                            | 330                           | 104                                     | 16.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1031             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 440            |                            | 440                           | 138                                     | 12.0       | 7.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1032             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1033             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            |                            | 300                           | 94                                      | 11.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1034             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 410            |                            | 410                           | 129                                     | 12.0       | 6.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1035             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            |                            | 230                           | 72                                      | 10.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1036             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 10.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                          |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name           | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 1037             | Angophora leiocarpa      | Smooth-barked Apple    | 250            | 200 140                    | 349                           | 110                                     | 14.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1038             | Corymbia intermedia      | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 14.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1039             | Eucalyptus tereticornis  | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 18.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1040             | Angophora leiocarpa      | Smooth-barked Apple    | 210            |                            | 210                           | 66                                      | 10.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1041             | Angophora leiocarpa      | Smooth-barked Apple    | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1042             | Angophora leiocarpa      | Smooth-barked Apple    | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1043             | Angophora leiocarpa      | Smooth-barked Apple    | 350            |                            | 350                           | 110                                     | 16.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1044             | Lophostemon suaveolens   | Swamp Box              | 330            |                            | 330                           | 104                                     | 10.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1045             | Eucalyptus crebra        | Narrow-leaved Ironbark | 220            | 220                        | 311                           | 98                                      | 10.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1046             | Corymbia intermedia      | Pink Bloodwood         | 230            | 230                        | 325                           | 102                                     | 14.0       | 6.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1047             | Angophora leiocarpa      | Smooth-barked Apple    | 200            |                            | 200                           | 63                                      | 12.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1048             | Corymbia intermedia      | Pink Bloodwood         | 260            | 200                        | 328                           | 103                                     | 14.0       | 8.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1049             | Corymbia intermedia      | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 9.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1050             | Corymbia intermedia      | Pink Bloodwood         | 410            |                            | 410                           | 129                                     | 20.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1051             | Angophora leiocarpa      | Smooth-barked Apple    | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1052             | Eucalyptus tereticornis  | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 12.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1053             | Lophostemon suaveolens   | Swamp Box              | 350            |                            | 350                           | 110                                     | 12.0       | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1054             | Lophostemon suaveolens   | Swamp Box              | 260            |                            | 260                           | 82                                      | 7.0        | 4.0        | 3.1                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1055             | Eucalyptus tereticornis  | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 16.0       | 6.0        | 3.1                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1056             | Lophostemon suaveolens   | Swamp Box              | 350            | 360                        | 502                           | 158                                     | 14.0       | 8.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1057             | Lophostemon suaveolens   | Swamp Box              | 340            |                            | 340                           | 107                                     | 16.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1058             | Lophostemon suaveolens   | Swamp Box              | 340            |                            | 340                           | 107                                     | 14.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1059             | Eucalyptus tereticornis  | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 18.0       | 8.0        | 5.2                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1060             | Lophostemon suaveolens   | Swamp Box              | 280            |                            | 280                           | 88                                      | 12.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1061             | Lophostemon suaveolens   | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1062             | Lophostemon suaveolens   | Swamp Box              | 230            |                            | 230                           | 72                                      | 10.0       | 3.0        | 2.8                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1063             | Lophostemon suaveolens   | Swamp Box              | 300            | 240                        | 384                           | 121                                     | 14.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1064             | Corymbia intermedia      | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1065             | Lophostemon suaveolens   | Swamp Box              | 300            | 290                        | 417                           | 131                                     | 16.0       | 8.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1066             | Lophostemon suaveolens   | Swamp Box              | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1067             | Lophostemon suaveolens   | Swamp Box              | 240            | 160                        | 288                           | 91                                      | 10.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1068             | Lophostemon suaveolens   | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1069             | Lophostemon suaveolens   | Swamp Box              | 230            |                            | 230                           | 72                                      | 12.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1070             | Lophostemon suaveolens   | Swamp Box              | 330            | 300                        | 446                           | 140                                     | 14.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1071             | Corymbia intermedia      | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1072             | Casuarina cunninghamiana | River She-oak          | 220            |                            | 220                           | 69                                      | 14.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1073             | Lophostemon suaveolens   | Swamp Box              | 290            |                            | 290                           | 91                                      | 14.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1074             | Lophostemon suaveolens   | Swamp Box              | 270            |                            | 270                           | 85                                      | 12.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1075             | Lophostemon suaveolens   | Swamp Box              | 260            |                            | 260                           | 82                                      | 10.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1076             | Eucalyptus tereticornis  | Forest Red Gum         | 450            |                            | 450                           | 141                                     | 18.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1077             | Casuarina cunninghamiana | River She-oak          | 200            |                            | 200                           | 63                                      | 12.0       | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1078             | Corymbia intermedia      | Pink Bloodwood         | 300            | 260                        | 397                           | 125                                     | 22.0       | 10.0       | 4.8                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1079             | Lophostemon suaveolens   | Swamp Box              | 220            |                            | 220                           | 69                                      | 10.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |



| Specimen Details |                                 |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|---------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                  | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1080             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 330            |                            | 330                           | 104                                     | 18.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1081             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 300            |                            | 300                           | 94                                      | 18.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1082             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 200            |                            | 200                           | 63                                      | 10.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1083             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 360            |                            | 360                           | 113                                     | 16.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1084             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 480            |                            | 480                           | 151                                     | 16.0       | 8.0        | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1085             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 300            | 280                        | 410                           | 129                                     | 14.0       | 7.0        | 4.9                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1086             | <i>Casuarina cunninghamiana</i> | River She-oak       | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1087             | <i>Casuarina cunninghamiana</i> | River She-oak       | 220            |                            | 220                           | 69                                      | 14.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1088             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 260            |                            | 260                           | 82                                      | 8.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1089             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 230            |                            | 230                           | 72                                      | 18.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1090             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 230            |                            | 230                           | 72                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1091             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1092             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 330            |                            | 330                           | 104                                     | 18.0       | 8.0        | 4.0                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1093             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 670            |                            | 670                           | 210                                     | 22.0       | 12.0       | 8.0                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1094             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 330            |                            | 330                           | 104                                     | 16.0       | 6.0        | 4.0                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1095             | <i>Corymbia tessellaris</i>     | Moreton Bay Ash     | 350            |                            | 350                           | 110                                     | 18.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1096             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 470            |                            | 470                           | 148                                     | 24.0       | 12.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1097             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 350            | 280                        | 448                           | 141                                     | 12.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1098             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 340            | 330                        | 474                           | 149                                     | 18.0       | 8.0        | 5.7                      | 2.4                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1099             | <i>Angophora leiocarpa</i>      | Smooth-barked Apple | 310            |                            | 310                           | 97                                      | 18.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1100             | <i>Angophora leiocarpa</i>      | Smooth-barked Apple | 230            |                            | 230                           | 72                                      | 18.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1101             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 480            | 250                        | 541                           | 170                                     | 22.0       | 10.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1102             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 400            |                            | 400                           | 126                                     | 24.0       | 12.0       | 4.8                      | 2.3                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1103             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 400            | 230                        | 461                           | 145                                     | 18.0       | 8.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1104             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 500            |                            | 500                           | 157                                     | 14.0       | 8.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1105             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 220            |                            | 220                           | 69                                      | 10.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1106             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 350            | 320                        | 474                           | 149                                     | 10.0       | 6.0        | 5.7                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1107             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 350            |                            | 350                           | 110                                     | 16.0       | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1108             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 930            |                            | 930                           | 292                                     | 26.0       | 14.0       | 11.2                     | 3.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1109             | <i>Corymbia tessellaris</i>     | Moreton Bay Ash     | 230            |                            | 230                           | 72                                      | 10.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1110             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 490            | 450                        | 665                           | 209                                     | 26.0       | 14.0       | 8.0                      | 2.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1111             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 350            |                            | 350                           | 110                                     | 9.0        | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1112             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | Lopped | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1113             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1114             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 200            |                            | 200                           | 63                                      | 7.0        | 3.0        | 2.4                      | 1.7                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1115             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 290            | 230                        | 370                           | 116                                     | 18.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1116             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 430            |                            | 430                           | 135                                     | 8.0        | 5.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1117             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 300            |                            | 300                           | 94                                      | 18.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1118             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 500            |                            | 500                           | 157                                     | 24.0       | 14.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1119             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 240            | 220 220 200                | 441                           | 139                                     | 18.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1120             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1121             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 260            |                            | 260                           | 82                                      | 12.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1122             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 390            |                            | 390                           | 123                                     | 14.0       | 8.0        | 4.7                      | 2.2                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                                |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 1123             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 600            |                            | 600                           | 188                                     | 22.0       | 12.0       | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1124             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            | 150 140                    | 308                           | 97                                      | 12.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1125             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 300            |                            | 300                           | 94                                      | 8.0        | 2.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1126             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            | 180                        | 292                           | 92                                      | 6.0        | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1127             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 210            |                            | 210                           | 66                                      | 9.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1128             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1129             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 360            |                            | 360                           | 113                                     | 15.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1130             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 250            |                            | 250                           | 79                                      | 9.0        | 3.0        | 3.0                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1131             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 240            |                            | 240                           | 75                                      | 8.0        | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1132             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            |                            | 280                           | 88                                      | 12.0       | 6.0        | 3.4                      | 1.9                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1133             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 220            |                            | 220                           | 69                                      | 12.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1134             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1135             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 320            |                            | 320                           | 101                                     | 10.0       | 4.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1136             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 260            |                            | 260                           | 82                                      | 10.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1137             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1138             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 250            |                            | 250                           | 79                                      | 6.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1139             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 330            | 110                        | 348                           | 109                                     | 18.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1140             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1141             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 10.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1142             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 310            |                            | 310                           | 97                                      | 12.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1143             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 320            | 180                        | 367                           | 115                                     | 12.0       | 7.0        | 4.4                      | 2.2                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1144             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1145             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1146             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 250            | 220                        | 333                           | 105                                     | 8.0        | 3.0        | 4.0                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1147             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 250            | 110                        | 273                           | 86                                      | 9.0        | 4.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1148             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 330            |                            | 330                           | 104                                     | 8.0        | 4.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1149             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 460            |                            | 460                           | 145                                     | 16.0       | 10.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1150             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1151             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 330            |                            | 330                           | 104                                     | 8.0        | 4.0        | 4.0                      | 2.1                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1152             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            | 200                        | 361                           | 113                                     | 10.0       | 5.0        | 4.3                      | 2.2                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1153             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 240            |                            | 240                           | 75                                      | 7.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1154             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 230            |                            | 230                           | 72                                      | 12.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1155             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            |                            | 280                           | 88                                      | 7.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1156             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            |                            | 300                           | 94                                      | 10.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1157             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            | 240                        | 384                           | 121                                     | 9.0        | 6.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1158             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            | 280                        | 410                           | 129                                     | 10.0       | 6.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1159             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 340            |                            | 340                           | 107                                     | 22.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1160             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 400            | 320                        | 512                           | 161                                     | 12.0       | 7.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1161             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            | 220 220                    | 419                           | 131                                     | 10.0       | 7.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1162             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            | 220 220                    | 387                           | 122                                     | 6.0        | 3.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1163             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 410            |                            | 410                           | 129                                     | 18.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1164             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1165             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 490            |                            | 490                           | 154                                     | 18.0       | 8.0        | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          |             | Canopy Condition Details |          |          |                  |        |               | Trunk Condition Details |       |              |             |              | Fauna Details and Habitat Value |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|-------------|--------------------------|----------|----------|------------------|--------|---------------|-------------------------|-------|--------------|-------------|--------------|---------------------------------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form | Spreading                | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health | Leaning                 | Vines | Trunk Damage | Fire Damage | Trunk Health | Scats                           | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1166             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            | 250                        | 455                           | 143                                     | 16.0       | 8.0        | 5.5                      | 2.4                      | One-sided   | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1167             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 580            |                            | 580                           | 182                                     | 18.0       | 10.0       | 7.0                      | 2.6                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1168             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 340            | 150                        | 372                           | 117                                     | 12.0       | 8.0        | 4.5                      | 2.2                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1169             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 520            |                            | 520                           | 163                                     | 20.0       | 10.0       | 6.2                      | 2.5                      | Regular     | -                        | -        | Die-back | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1170             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | One-sided   | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1171             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 16.0       | 5.0        | 3.4                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1172             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 6.0        | 3.0        | 3.5                      | 2.0                      | Regular     | -                        | -        | Die-back | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1173             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 7.0        | 2.0        | 3.4                      | 1.9                      | Regular     | -                        | -        | Die-back | Epicormic        | -      | Poor          | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1174             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 10.0       | 5.0        | 3.8                      | 2.1                      | Regular     | -                        | -        | Die-back | Epicormic        | -      | Poor          | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1175             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1176             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 220                        | 318                           | 100                                     | 8.0        | 3.0        | 3.8                      | 2.0                      | Regular     | -                        | -        | Die-back | Epicormic        | -      | Poor          | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1177             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 7.0        | 3.0        | 3.6                      | 2.0                      | Regular     | -                        | -        | Die-back | Epicormic        | -      | Poor          | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1178             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 10.0       | 3.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1179             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            | 220                        | 333                           | 105                                     | 10.0       | 5.0        | 4.0                      | 2.1                      | One-sided   | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1180             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 14.0       | 3.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1181             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | One-sided   | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1182             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 7.0        | 3.0        | 3.6                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1183             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            | 140                        | 244                           | 77                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1184             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 10.0       | 5.0        | 3.0                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1185             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 10.0       | 6.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1186             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 12.0       | 4.0        | 2.5                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1187             | <i>Melaleuca saligna</i>       | Willow Bottlebrush     | 230            | 180                        | 292                           | 92                                      | 9.0        | 4.0        | 3.5                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1188             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 12.0       | 5.0        | 4.0                      | 2.1                      | Regular     | -                        | -        | Die-back | Epicormic        | -      | Poor          | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1189             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | One-sided   | -                        | -        | Die-back | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1190             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 470            |                            | 470                           | 148                                     | 22.0       | 12.0       | 5.6                      | 2.4                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | Trunk Dmg.   | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1191             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | One-sided   | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1192             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1193             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 4.0        | 2.0        | 3.8                      | 2.1                      | Regular     | -                        | -        | Die-back | Epicormic        | Lopped | Poor          | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1194             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 570            |                            | 570                           | 179                                     | 18.0       | 8.0        | 6.8                      | 2.6                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |
| 1195             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 660            |                            | 660                           | 207                                     | 14.0       | 8.0        | 7.9                      | 2.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1196             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 13.0       | 6.0        | 4.0                      | 2.1                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1197             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 13.0       | 4.0        | 3.7                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1198             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 12.0       | 4.0        | 3.1                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1199             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 11.0       | 5.0        | 3.8                      | 2.1                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1200             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 340            |                            | 340                           | 107                                     | 9.0        | 4.0        | 4.1                      | 2.1                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1201             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            | 220                        | 318                           | 100                                     | 9.0        | 3.0        | 3.8                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1202             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 11.0       | 3.0        | 3.6                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1203             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1204             | <i>Acacia disparima</i>        | Hickory Wattle         | 240            |                            | 240                           | 75                                      | 7.0        | 4.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1205             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 10.0       | 3.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1206             | <i>Acacia disparima</i>        | Hickory Wattle         | 250            |                            | 250                           | 79                                      | 7.0        | 4.0        | 3.0                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1207             | <i>Acacia disparima</i>        | Hickory Wattle         | 220            |                            | 220                           | 69                                      | 7.0        | 3.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1208             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 16.0       | 6.0        | 4.7                      | 2.2                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                 |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|-----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name     | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 1209             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1210             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 7.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1211             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            | 230                        | 340                           | 107                                     | 7.0        | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1212             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 7.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1213             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 300            | 280                        | 410                           | 129                                     | 11.0       | 3.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1214             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1215             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 580            |                            | 580                           | 182                                     | 17.0       | 7.0        | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1216             | <i>Acacia disparrima</i>       | Hickory Wattle  | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1217             | <i>Acacia disparrima</i>       | Hickory Wattle  | 220            |                            | 220                           | 69                                      | 7.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1218             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 530            |                            | 530                           | 167                                     | 14.0       | 5.0        | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1219             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 290            |                            | 290                           | 91                                      | 8.0        | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1220             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 410            |                            | 410                           | 129                                     | 17.0       | 4.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1221             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 340            |                            | 340                           | 107                                     | 12.0       | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1222             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 8.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1223             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 7.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1224             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 290            |                            | 290                           | 91                                      | 8.0        | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1225             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 7.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1226             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1227             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 360            |                            | 360                           | 113                                     | 9.0        | 3.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1228             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 350            |                            | 350                           | 110                                     | 12.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1229             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 270            |                            | 270                           | 85                                      | 9.0        | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1230             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 350            |                            | 350                           | 110                                     | 12.0       | 4.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1231             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 390            |                            | 390                           | 123                                     | 11.0       | 4.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1232             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 340            |                            | 340                           | 107                                     | 8.0        | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1233             | <i>Acacia disparrima</i>       | Hickory Wattle  | 210            |                            | 210                           | 66                                      | 6.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1234             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1235             | <i>Corymbia trachyphloia</i>   | Brown Bloodwood | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1236             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 280            |                            | 280                           | 88                                      | 13.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1237             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 270            | 250                        | 368                           | 116                                     | 9.0        | 4.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1238             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 300            | 180                        | 350                           | 110                                     | 9.0        | 4.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1239             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 250            |                            | 250                           | 79                                      | 11.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1240             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            | 180                        | 277                           | 87                                      | 9.0        | 3.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1241             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 280            |                            | 280                           | 88                                      | 8.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1242             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 280            | 180                        | 333                           | 105                                     | 9.0        | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1243             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 270            |                            | 270                           | 85                                      | 8.0        | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1244             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 390            |                            | 390                           | 123                                     | 9.0        | 4.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1245             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1246             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            | 130                        | 256                           | 80                                      | 9.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1247             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            | 130                        | 264                           | 83                                      | 12.0       | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1248             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1249             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 11.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1250             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 300            |                            | 300                           | 94                                      | 12.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1251             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                 |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|-----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name     | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 1252             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 11.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1253             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 11.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1254             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            | 140                        | 261                           | 82                                      | 7.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1255             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1256             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 240            |                            | 240                           | 75                                      | 11.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1257             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 9.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1258             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1259             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 290            |                            | 290                           | 91                                      | 11.0       | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1260             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            | 100                        | 251                           | 79                                      | 12.0       | 3.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1261             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 290            | 150                        | 326                           | 103                                     | 11.0       | 5.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1262             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 11.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1263             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 11.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1264             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 260            |                            | 260                           | 82                                      | 11.0       | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1265             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 260            |                            | 260                           | 82                                      | 11.0       | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1266             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 280            | 130                        | 309                           | 97                                      | 13.0       | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1267             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 11.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1268             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash | 240            |                            | 240                           | 75                                      | 13.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1269             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 490            |                            | 490                           | 154                                     | 11.0       | 3.0        | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1270             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 290            |                            | 290                           | 91                                      | 11.0       | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1271             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 330            |                            | 330                           | 104                                     | 11.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1272             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 11.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1273             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 200            |                            | 200                           | 63                                      | 11.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1274             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 260            |                            | 260                           | 82                                      | 11.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1275             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 280            |                            | 280                           | 88                                      | 11.0       | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1276             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 11.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1277             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 540            |                            | 540                           | 170                                     | 11.0       | 5.0        | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1278             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 11.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1279             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 250            |                            | 250                           | 79                                      | 13.0       | 2.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1280             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1281             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 260            |                            | 260                           | 82                                      | 13.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1282             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 11.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1283             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1284             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 12.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1285             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 12.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1286             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1287             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 370            |                            | 370                           | 116                                     | 13.0       | 5.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1288             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            |                            | 270                           | 85                                      | 12.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1289             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 290            |                            | 290                           | 91                                      | 13.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1290             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 12.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1291             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 200            |                            | 200                           | 63                                      | 11.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1292             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1293             | <i>Eucalyptus racemosa</i>     | Scribbly Gum    | 230            |                            | 230                           | 72                                      | 13.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 1294             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 360            |                            | 360                           | 113                                     | 12.0       | 7.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |



| Specimen Details |                                |                 |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|-----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name     | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1295             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1296             | <i>Acacia dispartima</i>       | Hickory Wattle  | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1297             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1298             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            |                            | 270                           | 85                                      | 13.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1299             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1300             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            |                            | 200                           | 63                                      | 11.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1301             | <i>Acacia dispartima</i>       | Hickory Wattle  | 210            | 190                        | 283                           | 89                                      | 8.0        | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1302             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1303             | <i>Acacia dispartima</i>       | Hickory Wattle  | 230            |                            | 230                           | 72                                      | 11.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1304             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 330            |                            | 330                           | 104                                     | 12.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1305             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1306             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 300            |                            | 300                           | 94                                      | 12.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1307             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1308             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 12.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1309             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 330            |                            | 330                           | 104                                     | 14.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1310             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            |                            | 270                           | 85                                      | 13.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1311             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 200            |                            | 200                           | 63                                      | 10.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1312             | <i>Corymbia trachyphloia</i>   | Brown Bloodwood | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1313             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 10.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1314             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 9.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1315             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            |                            | 270                           | 85                                      | 14.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1316             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 290            |                            | 290                           | 91                                      | 14.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1317             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1318             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 6.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1319             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 280            |                            | 280                           | 88                                      | 12.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1320             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 520            |                            | 520                           | 163                                     | 14.0       | 7.0        | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1321             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 290            | 230                        | 370                           | 116                                     | 13.0       | 7.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1322             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 330            |                            | 330                           | 104                                     | 13.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1323             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 220            |                            | 220                           | 69                                      | 12.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1324             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 11.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1325             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 11.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1326             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1327             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 11.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1328             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 320            |                            | 320                           | 101                                     | 14.0       | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1329             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 260            |                            | 260                           | 82                                      | 14.0       | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1330             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 230            |                            | 230                           | 72                                      | 9.0        | 2.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1331             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1332             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 290            |                            | 290                           | 91                                      | 9.0        | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1333             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1334             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 390            |                            | 390                           | 123                                     | 14.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1335             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 250            |                            | 250                           | 79                                      | 8.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1336             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 9.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1337             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1338             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 12.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1339             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 9.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1340             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1341             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1342             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            |                            | 340                           | 107                                     | 8.0        | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1343             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 9.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1344             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1345             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1346             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 280            |                            | 280                           | 88                                      | 13.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1347             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 11.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1348             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1349             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 13.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1350             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 8.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1351             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1352             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 14.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1353             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 140                        | 269                           | 85                                      | 9.0        | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1354             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 14.0       | 4.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1355             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1356             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 14.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1357             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 14.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1358             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1359             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1360             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 12.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1361             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1362             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 8.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1363             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1364             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1365             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 9.0        | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1366             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1367             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 360            |                            | 360                           | 113                                     | 9.0        | 6.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1368             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 9.0        | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1369             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 17.0       | 7.0        | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1370             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 210                        | 297                           | 93                                      | 9.0        | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1371             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 320            |                            | 320                           | 101                                     | 9.0        | 3.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1372             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 9.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1373             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1374             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1375             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 12.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1376             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1377             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 9.0        | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1378             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 12.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1379             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1380             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 250            |                            | 250                           | 79                                      | 8.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 1381             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 16.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1382             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1383             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1384             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 11.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1385             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 15.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1386             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 460            |                            | 460                           | 145                                     | 17.0       | 5.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1387             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 250            |                            | 250                           | 79                                      | 15.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1388             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 350            |                            | 350                           | 110                                     | 16.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1389             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 15.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1390             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 16.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1391             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 250            | 230                        | 340                           | 107                                     | 15.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1392             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 610            |                            | 610                           | 192                                     | 17.0       | 13.0       | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1393             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 21.0       | 13.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1394             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1395             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            | 110                        | 264                           | 83                                      | 13.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1396             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 13.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1397             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 720            |                            | 720                           | 226                                     | 15.0       | 12.0       | 8.6                      | 2.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1398             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1399             | <i>Acacia disparrima</i>       | Hickory Wattle         | 180            | 170                        | 248                           | 78                                      | 13.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1400             | <i>Alphitonia excelsa</i>      | Soap Tree              | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1401             | <i>Acacia disparrima</i>       | Hickory Wattle         | 260            |                            | 260                           | 82                                      | 13.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1402             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1403             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            |                            | 340                           | 107                                     | 13.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1404             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 220 140                    | 348                           | 109                                     | 14.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1405             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 170            | 110                        | 202                           | 64                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1406             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 1407             | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1408             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 15.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Poor                            | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1409             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            | 215                        | 308                           | 97                                      | 14.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1410             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 15.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1411             | <i>Acacia disparrima</i>       | Hickory Wattle         | 250            |                            | 250                           | 79                                      | 15.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1412             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1413             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 360            |                            | 360                           | 113                                     | 15.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1414             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 15.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1415             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 295            |                            | 295                           | 93                                      | 15.0       | 11.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1416             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1417             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 13.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1418             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1419             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            | 180                        | 300                           | 94                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1420             | <i>Corymbia citriodora</i>     | Spotted Gum            | 265            |                            | 265                           | 83                                      | 16.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1421             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 265            |                            | 265                           | 83                                      | 16.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1422             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 1423             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 16.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                  |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |  |
| 1424             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1425             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1426             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 315            |                            | 315                           | 99                                      | 15.0       | 8.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1427             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1428             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 295            |                            | 295                           | 93                                      | 12.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retain           |  |
| 1429             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 315            |                            | 315                           | 99                                      | 16.0       | 10.0       | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1430             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 14.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1431             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1432             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1433             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1434             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            | 150                        | 292                           | 92                                      | 14.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1435             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1436             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1437             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1438             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            |                            | 215                           | 68                                      | 14.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1439             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1440             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1441             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1442             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 14.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1443             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 170            | 110                        | 202                           | 64                                      | 13.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1444             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1445             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 540            |                            | 540                           | 170                                     | 14.0       | 10.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1446             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 225            |                            | 225                           | 71                                      | 14.0       | 7.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1447             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            | 200                        | 290                           | 91                                      | 13.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1448             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1449             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 10.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1450             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1451             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 14.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1452             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            |                            | 215                           | 68                                      | 14.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1453             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1454             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1455             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1456             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 205            |                            | 205                           | 64                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1457             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1458             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1459             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 225            |                            | 225                           | 71                                      | 14.0       | 7.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1460             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 235            |                            | 235                           | 74                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1461             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1462             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 190            | 170 145                    | 293                           | 92                                      | 14.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1463             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 245            | 190                        | 310                           | 97                                      | 14.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1464             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 13.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1465             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            | 190                        | 283                           | 89                                      | 13.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1466             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 225            |                            | 225                           | 71                                      | 14.0       | 7.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                                    |  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------------------------|--|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes                   |  |
| 1467             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 215            |                            | 215                           | 68                                      | 13.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1468             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 11.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1469             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 170            | 140                        | 220                           | 69                                      | 13.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1470             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1471             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 10.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1472             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 315            |                            | 315                           | 99                                      | 14.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retention subject to detail design |  |
| 1473             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 245            | 180                        | 304                           | 96                                      | 14.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1474             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 170            | 165                        | 237                           | 74                                      | 12.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1475             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1476             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            | 150                        | 309                           | 97                                      | 13.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1477             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 175            | 170                        | 244                           | 77                                      | 12.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1478             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 11.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1479             | <i>Dead/Stag</i>               |                | 250            |                            | 250                           | 79                                      | 8.0        | 1.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1480             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 245            |                            | 245                           | 77                                      | 12.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1481             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1482             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            | 110                        | 237                           | 74                                      | 11.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1483             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 13.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1484             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 175            | 160                        | 237                           | 74                                      | 12.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1485             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1486             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1487             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1488             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 270            |                            | 270                           | 85                                      | 14.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1489             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 215            |                            | 215                           | 68                                      | 12.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1490             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 14.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1491             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1492             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 235            |                            | 235                           | 74                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1493             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 12.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1494             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 215            |                            | 215                           | 68                                      | 13.0       | 6.0        | 2.6                      | 1.7                      | Regular                  | -         | Thinning | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1495             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 225            |                            | 225                           | 71                                      | 13.0       | 7.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1496             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1497             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 310            |                            | 310                           | 97                                      | 16.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1498             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1499             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            | 220                        | 326                           | 102                                     | 12.0       | 8.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1500             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1501             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            |                            | 280                           | 88                                      | 15.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1502             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 215            |                            | 215                           | 68                                      | 12.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1503             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 170            | 100                        | 197                           | 62                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 1504             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 13.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1505             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            | 180                        | 292                           | 92                                      | 15.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1506             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 225            |                            | 225                           | 71                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1507             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 275            | 125                        | 302                           | 95                                      | 16.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 1508             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 185            | 150 150 110                | 302                           | 95                                      | 10.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                                    |  |
| 1509             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 145            | 135                        | 198                           | 62                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                                    |  |



| Specimen Details |                                 |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                  |  |
|------------------|---------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|--|
| Tree ID          | Botanical Name                  | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |  |
| 1510             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 315            |                            | 315                           | 99                                      | 14.0       | 10.0       | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1511             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 225            |                            | 225                           | 71                                      | 15.0       | 9.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Native     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1512             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 265            | 230                        | 351                           | 110                                     | 14.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1513             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1514             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1515             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 225            |                            | 225                           | 71                                      | 14.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1516             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 260            | 240                        | 354                           | 111                                     | 15.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1517             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 225            |                            | 225                           | 71                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 1518             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 245            | 190                        | 310                           | 97                                      | 14.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1519             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 210            | 180 120 170                | 346                           | 109                                     | 14.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1520             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 240            | 215                        | 322                           | 101                                     | 16.0       | 10.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1521             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 265            |                            | 265                           | 83                                      | 15.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1522             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 195            | 170 140                    | 294                           | 92                                      | 15.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1523             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 310            |                            | 310                           | 97                                      | 15.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -          | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retain           |  |
| 1524             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1525             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 270            | 250                        | 368                           | 116                                     | 15.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1526             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 230            | 140                        | 269                           | 85                                      | 15.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1527             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 200            | 75                         | 214                           | 67                                      | 15.0       | 6.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1528             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 270            |                            | 270                           | 85                                      | 15.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1529             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 245            |                            | 245                           | 77                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1530             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1531             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 180            | 100                        | 206                           | 65                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1532             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 200            | 110                        | 228                           | 72                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1533             | <i>Acacia disparrima</i>        | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 14.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1534             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 355            | 310                        | 471                           | 148                                     | 15.0       | 12.0       | 5.7                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1535             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 320            |                            | 320                           | 101                                     | 15.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1536             | <i>Acacia disparrima</i>        | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1537             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1538             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 340            |                            | 340                           | 107                                     | 15.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1539             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 980            |                            | 980                           | 308                                     | 15.0       | 13.0       | 11.8                     | 3.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1540             | <i>Allocasuarina littoralis</i> | Black She-oak       | 240            |                            | 240                           | 75                                      | 14.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1541             | <i>Angophora leiocarpa</i>      | Smooth-barked Apple | 230            |                            | 230                           | 72                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1542             | <i>Corymbia intermedia</i>      | Pink Bloodwood      | 310            |                            | 310                           | 97                                      | 17.0       | 13.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1543             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 425            |                            | 425                           | 134                                     | 16.0       | 11.0       | 5.1                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1544             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 300            |                            | 300                           | 94                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 1545             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 210            |                            | 210                           | 66                                      | 16.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 1546             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 200            |                            | 200                           | 63                                      | 16.0       | 10.0       | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 1547             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 160            | 120                        | 200                           | 63                                      | 14.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 1548             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 380            |                            | 380                           | 119                                     | 16.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 1549             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 1550             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1551             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 300            | 230                        | 378                           | 119                                     | 15.0       | 9.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 1552             | <i>Lophostemon suaveolens</i>   | Swamp Box           | 225            |                            | 225                           | 71                                      | 15.0       | 9.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                            |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 1553             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 185            | 180 110 100                | 298                           | 94                                      | 16.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1554             | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 13.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1555             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | Present      | -                  | Remove - Development       |                  |
| 1556             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 210            |                            | 210                           | 66                                      | 15.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1557             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 16.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1558             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 310            |                            | 310                           | 97                                      | 16.0       | 12.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1559             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 260            |                            | 260                           | 82                                      | 16.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1560             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 305            | 160                        | 344                           | 108                                     | 16.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1561             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            | 210                        | 400                           | 126                                     | 16.0       | 10.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1562             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            | 220                        | 380                           | 119                                     | 15.0       | 11.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1563             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 250            |                            | 250                           | 79                                      | 15.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1564             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1565             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 16.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1566             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1567             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 180            | 160                        | 241                           | 76                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1568             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 220 210 135                | 435                           | 137                                     | 17.0       | 13.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1569             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 15.0       | 11.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1570             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 15.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1571             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 11.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1572             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 685            |                            | 685                           | 215                                     | 18.0       | 13.0       | 8.2                      | 2.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | Yes     | -    | -            | -                  | Remove - Development       |                  |
| 1573             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1574             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 285            |                            | 285                           | 90                                      | 16.0       | 10.0       | 3.4                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1575             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1576             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 210                        | 311                           | 98                                      | 14.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1577             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 165                        | 283                           | 89                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1578             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 17.0       | 12.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1579             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1580             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 16.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1581             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1582             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 18.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1583             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 17.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1584             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 16.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1585             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 18.0       | 14.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1586             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 19.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1587             | <i>Dead/Stag</i>               |                        | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1588             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 14.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1589             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 18.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1590             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 390            |                            | 390                           | 123                                     | 18.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | New       | Yes     | -    | -            | -                  | Retain - Conservation Area |                  |
| 1591             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 13.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1592             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 16.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1593             | <i>Dead/Stag</i>               |                        | 210            |                            | 210                           | 66                                      | 11.0       | 1.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1594             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 250            |                            | 250                           | 79                                      | 15.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1595             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 14.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 1596             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 15.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1597             | <i>Dead/Stag</i>               |                        | 250            |                            | 250                           | 79                                      | 14.0       | 1.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1598             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            |                            | 340                           | 107                                     | 15.0       | 5.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1599             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 20.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1600             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 16.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1601             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1602             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 15.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1603             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1604             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 20.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1605             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 21.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1606             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 490            |                            | 490                           | 154                                     | 22.0       | 14.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1607             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1608             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 14.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1609             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 170, 90                    | 285                           | 89                                      | 16.0       | 8.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1610             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 380            |                            | 380                           | 119                                     | 20.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1611             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 410            |                            | 410                           | 129                                     | 20.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1612             | <i>Dead/Stag</i>               |                        | 250            |                            | 250                           | 79                                      | 9.0        | 1.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1613             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1614             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 17.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1615             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 420            |                            | 420                           | 132                                     | 15.0       | 7.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1616             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 460            |                            | 460                           | 145                                     | 22.0       | 12.0       | 5.5                      | 2.4                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1617             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 20.0       | 11.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1618             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 20.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1619             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 20.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1620             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 20.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1621             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 22.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1622             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            | 90                         | 219                           | 69                                      | 18.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1623             | <i>Acacia disparrima</i>       | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1624             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1625             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1626             | <i>Petalostigma pubescens</i>  | Quinine Bush           | 280            |                            | 280                           | 88                                      | 8.0        | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1627             | <i>Alphitonia excelsa</i>      | Soap Tree              | 210            |                            | 210                           | 66                                      | 13.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1628             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 590            |                            | 590                           | 185                                     | 23.0       | 15.0       | 7.1                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1629             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            | 170                        | 262                           | 82                                      | 13.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1630             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 750            |                            | 750                           | 236                                     | 21.0       | 14.0       | 9.0                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1631             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 540            |                            | 540                           | 170                                     | 23.0       | 11.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1632             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 19.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1633             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 21.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1634             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 15.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1635             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1636             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1637             | <i>Dead/Stag</i>               |                        | 210            | 190                        | 283                           | 89                                      | 9.0        | 2.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1638             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 200                        | 305                           | 96                                      | 16.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |



| Specimen Details |                                |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |           |                  |
|------------------|--------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|-----------|------------------|
| Tree ID          | Botanical Name                 | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention | Additional Notes |
| 1639             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            | 180                        | 350                           | 110                                     | 18.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1640             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1641             | <i>Corymbia citriodora</i>     | Spotted Gum         | 360            |                            | 360                           | 113                                     | 19.0       | 11.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1642             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 300            | 220                        | 372                           | 117                                     | 22.0       | 12.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1643             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 18.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1644             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 20.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1645             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            | 120                        | 259                           | 81                                      | 16.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1646             | <i>Dead/Stag</i>               |                     | 270            |                            | 270                           | 85                                      | 16.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1647             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 230            | 120                        | 259                           | 81                                      | 20.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1648             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 220            |                            | 220                           | 69                                      | 18.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1649             | <i>Alphitonia excelsa</i>      | Soap Tree           | 200            |                            | 200                           | 63                                      | 18.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1650             | <i>Acacia disparrima</i>       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1651             | <i>Acacia disparrima</i>       | Hickory Wattle      | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1652             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 17.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1653             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 330            | 220, 190                   | 464                           | 146                                     | 22.0       | 12.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1654             | <i>Dead/Stag</i>               |                     | 230            |                            | 230                           | 72                                      | 15.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1655             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 250            |                            | 250                           | 79                                      | 22.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1656             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 230            |                            | 230                           | 72                                      | 18.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1657             | <i>Acacia disparrima</i>       | Hickory Wattle      | 240            |                            | 240                           | 75                                      | 16.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1658             | <i>Acacia disparrima</i>       | Hickory Wattle      | 250            | 230                        | 340                           | 107                                     | 15.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1659             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 280            |                            | 280                           | 88                                      | 22.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1660             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 220            | 130                        | 256                           | 80                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1661             | <i>Acacia disparrima</i>       | Hickory Wattle      | 200            | 150                        | 250                           | 79                                      | 15.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1662             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 410            |                            | 410                           | 129                                     | 19.0       | 9.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1663             | <i>Acacia disparrima</i>       | Hickory Wattle      | 380            |                            | 380                           | 119                                     | 12.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1664             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1665             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            | 200, 170                   | 349                           | 109                                     | 17.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1666             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 270            | 210                        | 342                           | 107                                     | 22.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1667             | <i>Acacia disparrima</i>       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1668             | <i>Acacia disparrima</i>       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1669             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 330            | 250, 120                   | 431                           | 135                                     | 20.0       | 13.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1670             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 320            |                            | 320                           | 101                                     | 21.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1671             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 350            | 300                        | 461                           | 145                                     | 19.0       | 8.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1672             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 230            | 170                        | 286                           | 90                                      | 17.0       | 3.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1673             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 260            |                            | 260                           | 82                                      | 14.0       | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1674             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 200            | 170                        | 262                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1675             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 290            |                            | 290                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1676             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 200            |                            | 200                           | 63                                      | 13.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1677             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 300            | 240, 200                   | 433                           | 136                                     | 20.0       | 10.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1678             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 440            |                            | 440                           | 138                                     | 18.0       | 7.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1679             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 260            |                            | 260                           | 82                                      | 15.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1680             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 240            |                            | 240                           | 75                                      | 17.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1681             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 220            |                            | 220                           | 69                                      | 18.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1682             | <i>Eucalyptus acmenoides</i>   | White Mahogany         | 290            | 290                        | 410                           | 129                                     | 18.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1683             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 180, 110                   | 312                           | 98                                      | 16.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1684             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            | 180                        | 269                           | 85                                      | 14.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1685             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            | 190                        | 291                           | 91                                      | 22.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1686             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 22.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1687             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 12.0       | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1688             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1689             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            | 240                        | 347                           | 109                                     | 22.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1690             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            | 210                        | 319                           | 100                                     | 17.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1691             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 15.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1692             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 410            | 390                        | 566                           | 178                                     | 23.0       | 12.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1693             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 20.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1694             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            | 240, 140                   | 367                           | 115                                     | 22.0       | 10.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1695             | <i>Dead/Stag</i>               |                        | 300            |                            | 300                           | 94                                      | 15.0       | 1.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1696             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 18.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1697             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 210            |                            | 210                           | 66                                      | 19.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1698             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 19.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1699             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 350            |                            | 350                           | 110                                     | 20.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1700             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 17.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1701             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 23.0       | 13.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Retain - Conservation Area         |                  |
| 1702             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1703             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1704             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1705             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1706             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 20.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1707             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 14.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1708             | <i>Dead/Stag</i>               |                        | 240            |                            | 240                           | 75                                      | 14.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1709             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 17.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1710             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 18.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1711             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 18.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1712             | <i>Dead/Stag</i>               |                        | 220            |                            | 220                           | 69                                      | 15.0       | 1.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1713             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 21.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1714             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 16.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1715             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1716             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 630            |                            | 630                           | 198                                     | 24.0       | 15.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1717             | <i>Eucalyptus acmenoides</i>   | White Mahogany         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1718             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 16.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1719             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1720             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1721             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1722             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 630            |                            | 630                           | 198                                     | 24.0       | 14.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1723             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1724             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 14.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1725             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1726             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 13.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1727             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            | 80                         | 253                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1728             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1729             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 16.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1730             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 490            |                            | 490                           | 154                                     | 20.0       | 10.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1731             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1732             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 13.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1733             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 20.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1734             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1735             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1736             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1737             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 15.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1738             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1739             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 22.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1740             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            | 150                        | 309                           | 97                                      | 17.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 1741             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1742             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 16.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1743             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1744             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1745             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 17.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1746             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1747             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 16.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1748             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            | 190, 130                   | 378                           | 118                                     | 22.0       | 8.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1749             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1750             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1751             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 650            |                            | 650                           | 204                                     | 24.0       | 10.0       | 7.8                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1752             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 19.0       | 4.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1753             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 17.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1754             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1755             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 22.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1756             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1757             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1758             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 18.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1759             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 1760             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1761             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 16.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1762             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1763             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1764             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1765             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1766             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area         |                  |
| 1767             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 9.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 1768             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1769             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 14.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1770             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 19.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1771             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 25.0       | 14.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1772             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1773             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 16.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1774             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            | 180                        | 284                           | 89                                      | 20.0       | 9.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1775             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 25.0       | 14.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1776             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 20.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1777             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 530            |                            | 530                           | 167                                     | 23.0       | 14.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1778             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 17.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1779             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1780             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 25.0       | 14.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1781             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1782             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1783             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 620            |                            | 620                           | 195                                     | 24.0       | 14.0       | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1784             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 14.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1785             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1786             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1787             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 18.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1788             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 17.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1789             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1790             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 23.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1791             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 23.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1792             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 14.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1793             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 21.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1794             | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 20.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1795             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 22.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1796             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 18.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1797             | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            | 130                        | 300                           | 94                                      | 21.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1798             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 370            |                            | 370                           | 116                                     | 20.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1799             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 14.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1800             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 390            |                            | 390                           | 123                                     | 19.0       | 7.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1801             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 310            | 210                        | 374                           | 118                                     | 18.0       | 9.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1802             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 15.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1803             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 20.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1804             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            | 240                        | 376                           | 118                                     | 18.0       | 9.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1805             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 330            |                            | 330                           | 104                                     | 21.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1806             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 520            |                            | 520                           | 163                                     | 26.0       | 13.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1807             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            | 160, 160                   | 330                           | 103                                     | 14.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1808             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 560            |                            | 560                           | 176                                     | 19.0       | 12.0       | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1809             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 16.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1810             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 210            |                            | 210                           | 66                                      | 16.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 1811             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 460            |                            | 460                           | 145                                     | 26.0       | 12.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1812             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            | 170                        | 270                           | 85                                      | 16.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1813             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 20.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1814             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 200                        | 305                           | 96                                      | 17.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1815             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 430            |                            | 430                           | 135                                     | 22.0       | 11.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1816             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 1817             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            | 70                         | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1818             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 660            |                            | 660                           | 207                                     | 25.0       | 15.0       | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1819             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 180, 180, 150              | 374                           | 117                                     | 19.0       | 11.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1820             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 22.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1821             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 22.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1822             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1823             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 530            |                            | 530                           | 167                                     | 25.0       | 13.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1824             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            | 150                        | 362                           | 114                                     | 18.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1825             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 19.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1826             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 12.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1827             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 470            |                            | 470                           | 148                                     | 17.0       | 9.0        | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1828             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 22.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1829             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 470            |                            | 470                           | 148                                     | 22.0       | 12.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1830             | <i>Dead/Stag</i>               |                        | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 1831             | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1832             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            | 200, 130                   | 353                           | 111                                     | 22.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1833             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 23.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1834             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 190 140 140                | 340                           | 107                                     | 16.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1835             | <i>Dead/Stag</i>               |                        | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1836             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            | 150                        | 318                           | 100                                     | 15.0       | 7.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1837             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            | 180                        | 292                           | 92                                      | 14.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1838             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 19.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1839             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 19.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1840             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1841             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 430            | 170                        | 462                           | 145                                     | 22.0       | 10.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1842             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 250, 190                   | 414                           | 130                                     | 22.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1843             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 21.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1844             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1845             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            | 100                        | 354                           | 111                                     | 19.0       | 8.0        | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1846             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 20.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1847             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 21.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1848             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 220            |                            | 220                           | 69                                      | 18.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1849             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 290            |                            | 290                           | 91                                      | 22.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1850             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 250            |                            | 250                           | 79                                      | 19.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1851             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 360            | 190                        | 407                           | 128                                     | 18.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1852             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 1853             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 230            |                            | 230                           | 72                                      | 20.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |           |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|-----------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention | Additional Notes |
| 1854             | Angophora leiocarpa     | Smooth-barked Apple    | 280            |                            | 280                           | 88                                      | 22.0       | 12.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1855             | Angophora leiocarpa     | Smooth-barked Apple    | 310            |                            | 310                           | 97                                      | 22.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1856             | Eucalyptus crebra       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 18.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1857             | Angophora leiocarpa     | Smooth-barked Apple    | 270            |                            | 270                           | 85                                      | 19.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1858             | Corymbia intermedia     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 20.0       | 11.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1859             | Corymbia intermedia     | Pink Bloodwood         | 230            | 220                        | 318                           | 100                                     | 21.0       | 8.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1860             | Eucalyptus tereticornis | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 21.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1861             | Corymbia intermedia     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 21.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1862             | Angophora leiocarpa     | Smooth-barked Apple    | 320            |                            | 320                           | 101                                     | 18.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1863             | Lophostemon suaveolens  | Swamp Box              | 350            |                            | 350                           | 110                                     | 20.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1864             | Corymbia intermedia     | Pink Bloodwood         | 200            | 200                        | 283                           | 89                                      | 19.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1865             | Corymbia intermedia     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 18.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1866             | Corymbia intermedia     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 20.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1867             | Corymbia intermedia     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 20.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1868             | Dead/Stag               |                        | 220            |                            | 220                           | 69                                      | 6.0        | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1869             | Corymbia intermedia     | Pink Bloodwood         | 660            |                            | 660                           | 207                                     | 22.0       | 11.0       | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1870             | Corymbia intermedia     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 20.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1871             | Corymbia intermedia     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 19.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1872             | Corymbia intermedia     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 19.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1873             | Lophostemon suaveolens  | Swamp Box              | 320            |                            | 320                           | 101                                     | 19.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1874             | Lophostemon suaveolens  | Swamp Box              | 270            |                            | 270                           | 85                                      | 17.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1875             | Lophostemon suaveolens  | Swamp Box              | 320            |                            | 320                           | 101                                     | 20.0       | 4.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1876             | Lophostemon suaveolens  | Swamp Box              | 260            |                            | 260                           | 82                                      | 18.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1877             | Lophostemon suaveolens  | Swamp Box              | 260            |                            | 260                           | 82                                      | 18.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1878             | Lophostemon suaveolens  | Swamp Box              | 250            | 240                        | 347                           | 109                                     | 19.0       | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1879             | Corymbia intermedia     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 20.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1880             | Eucalyptus tereticornis | Forest Red Gum         | 310            | 280                        | 418                           | 131                                     | 22.0       | 13.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1881             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 20.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1882             | Dead/Stag               |                        | 200            |                            | 200                           | 63                                      | 17.0       | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1883             | Dead/Stag               |                        | 200            |                            | 200                           | 63                                      | 11.0       | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1884             | Dead/Stag               |                        | 200            |                            | 200                           | 63                                      | 12.0       | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1885             | Acacia disparrima       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1886             | Eucalyptus tereticornis | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 22.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1887             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 18.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1888             | Eucalyptus tereticornis | Forest Red Gum         | 260            | 230                        | 347                           | 109                                     | 22.0       | 13.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1889             | Eucalyptus tereticornis | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 20.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1890             | Lophostemon suaveolens  | Swamp Box              | 290            | 170                        | 336                           | 106                                     | 19.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1891             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 14.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1892             | Lophostemon suaveolens  | Swamp Box              | 240            |                            | 240                           | 75                                      | 19.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1893             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 16.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1894             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 17.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1895             | Lophostemon suaveolens  | Swamp Box              | 260            |                            | 260                           | 82                                      | 17.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |
| 1896             | Alphitonia excelsa      | Soap Tree              | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain    |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 1897             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            | 300, 230, 190              | 519                           | 163                                     | 22.0       | 15.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1898             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 21.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1899             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 15.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1900             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 23.0       | 10.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1901             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 17.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1902             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 280            |                            | 280                           | 88                                      | 21.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1903             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 23.0       | 12.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1904             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1905             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 16.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1906             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 18.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1907             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            | 190                        | 330                           | 104                                     | 18.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1908             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 170, 130                   | 314                           | 99                                      | 20.0       | 8.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1909             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 18.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1910             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 20.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1911             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 17.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1912             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 17.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1913             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            | 240, 230                   | 416                           | 131                                     | 22.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1914             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 20.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1915             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            | 260, 230                   | 440                           | 138                                     | 22.0       | 11.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1916             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            | 270, 160                   | 441                           | 138                                     | 20.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1917             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 200            |                            | 200                           | 63                                      | 12.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1918             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1919             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 11.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1920             | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 15.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1921             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            | 270                        | 419                           | 132                                     | 17.0       | 13.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1922             | <i>Dead/Stag</i>               |                        | 270            |                            | 270                           | 85                                      | 18.0       | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1923             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 250                        | 361                           | 113                                     | 21.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1924             | <i>Dead/Stag</i>               |                        | 250            |                            | 250                           | 79                                      | 16.0       | 1.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1925             | <i>Dead/Stag</i>               |                        | 200            |                            | 200                           | 63                                      | 15.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1926             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 18.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1927             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            | 290, 280, 270              | 598                           | 188                                     | 20.0       | 14.0       | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1928             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 260, 240, 160              | 473                           | 148                                     | 20.0       | 12.0       | 5.7                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1929             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 250, 200, 160              | 454                           | 142                                     | 21.0       | 10.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1930             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 250                        | 368                           | 116                                     | 20.0       | 12.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1931             | <i>Dead/Stag</i>               |                        | 300            |                            | 300                           | 94                                      | 20.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1932             | <i>Dead/Stag</i>               |                        | 210            |                            | 210                           | 66                                      | 12.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1933             | <i>Dead/Stag</i>               |                        | 240            |                            | 240                           | 75                                      | 15.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1934             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 17.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Poor                            | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1935             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 16.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 1936             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 15.0       | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | Epicormic        | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 1937             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 24.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1938             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 190, 120                   | 301                           | 95                                      | 17.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 1946             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 24.0       | 12.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |



| Specimen Details |                            |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|----------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name             | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 1947             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 17.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1950             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 21.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1951             | <i>Corymbia citriodora</i> | Spotted Gum            | 280            |                            | 280                           | 88                                      | 22.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1952             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 470            |                            | 470                           | 148                                     | 24.0       | 12.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1953             | <i>Corymbia citriodora</i> | Spotted Gum            | 210            | 130                        | 247                           | 78                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1954             | <i>Corymbia citriodora</i> | Spotted Gum            | 250            |                            | 250                           | 79                                      | 19.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1955             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 23.0       | 10.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1956             | <i>Corymbia citriodora</i> | Spotted Gum            | 240            |                            | 240                           | 75                                      | 18.0       | 10.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1957             | <i>Corymbia citriodora</i> | Spotted Gum            | 210            |                            | 210                           | 66                                      | 22.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1958             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 340            | 210                        | 400                           | 126                                     | 22.0       | 12.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1959             | <i>Corymbia citriodora</i> | Spotted Gum            | 260            |                            | 260                           | 82                                      | 21.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1960             | <i>Dead/Stag</i>           |                        | 260            |                            | 260                           | 82                                      | 23.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1961             | <i>Corymbia citriodora</i> | Spotted Gum            | 270            |                            | 270                           | 85                                      | 23.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1962             | <i>Corymbia citriodora</i> | Spotted Gum            | 330            |                            | 330                           | 104                                     | 23.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1963             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1964             | <i>Corymbia citriodora</i> | Spotted Gum            | 210            |                            | 210                           | 66                                      | 16.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1965             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 290            | 150                        | 326                           | 103                                     | 23.0       | 12.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1966             | <i>Corymbia citriodora</i> | Spotted Gum            | 250            | 180, 140                   | 338                           | 106                                     | 20.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1967             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 23.0       | 11.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1968             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            | 180                        | 269                           | 85                                      | 22.0       | 11.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1969             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 18.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1970             | <i>Corymbia citriodora</i> | Spotted Gum            | 260            |                            | 260                           | 82                                      | 23.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1971             | <i>Corymbia citriodora</i> | Spotted Gum            | 260            |                            | 260                           | 82                                      | 22.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1972             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 22.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1973             | <i>Corymbia citriodora</i> | Spotted Gum            | 280            | 240, 170                   | 406                           | 127                                     | 22.0       | 12.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1974             | <i>Corymbia citriodora</i> | Spotted Gum            | 270            |                            | 270                           | 85                                      | 22.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1975             | <i>Corymbia citriodora</i> | Spotted Gum            | 300            |                            | 300                           | 94                                      | 23.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1976             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 22.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1977             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            | 190 180                    | 329                           | 103                                     | 21.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1978             | <i>Corymbia citriodora</i> | Spotted Gum            | 300            |                            | 300                           | 94                                      | 22.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1979             | <i>Corymbia citriodora</i> | Spotted Gum            | 340            | 200                        | 394                           | 124                                     | 24.0       | 12.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1980             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 18.0       | 13.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1981             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 18.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1982             | <i>Corymbia citriodora</i> | Spotted Gum            | 320            |                            | 320                           | 101                                     | 24.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1983             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 21.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1984             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 21.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1985             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 300            | 220                        | 372                           | 117                                     | 22.0       | 12.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1986             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 21.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1987             | <i>Corymbia citriodora</i> | Spotted Gum            | 270            |                            | 270                           | 85                                      | 23.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1988             | <i>Corymbia citriodora</i> | Spotted Gum            | 290            | 220                        | 364                           | 114                                     | 24.0       | 10.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1989             | <i>Corymbia citriodora</i> | Spotted Gum            | 210            |                            | 210                           | 66                                      | 17.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1990             | <i>Alphitonia excelsa</i>  | Soap Tree              | 200            |                            | 200                           | 63                                      | 7.0        | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 1991             | <i>Corymbia citriodora</i> | Spotted Gum            | 420            | 130                        | 440                           | 138                                     | 24.0       | 12.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 1992             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 17.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1993             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            | 220, 110                   | 388                           | 122                                     | 23.0       | 13.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1994             | <i>Corymbia citriodora</i>     | Spotted Gum            | 400            |                            | 400                           | 126                                     | 24.0       | 11.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1995             | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 20.0       | 11.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1996             | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 24.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1997             | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 23.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1998             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 250                        | 354                           | 111                                     | 19.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 1999             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2000             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 22.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2001             | <i>Corymbia citriodora</i>     | Spotted Gum            | 360            |                            | 360                           | 113                                     | 24.0       | 13.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2002             | <i>Corymbia citriodora</i>     | Spotted Gum            | 350            |                            | 350                           | 110                                     | 24.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2003             | <i>Corymbia citriodora</i>     | Spotted Gum            | 360            |                            | 360                           | 113                                     | 24.0       | 14.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2004             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 21.0       | 14.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2005             | <i>Dead/Stag</i>               |                        | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2006             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 20.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2007             | <i>Dead/Stag</i>               |                        | 470            |                            | 470                           | 148                                     | 22.0       | 12.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2010             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 18.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2011             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 21.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2012             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2013             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 17.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2014             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 18.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2015             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 17.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2016             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 20.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2017             | <i>Corymbia citriodora</i>     | Spotted Gum            | 400            |                            | 400                           | 126                                     | 20.0       | 11.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2018             | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 18.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2019             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 20.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2020             | <i>Corymbia citriodora</i>     | Spotted Gum            | 440            |                            | 440                           | 138                                     | 20.0       | 9.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2021             | <i>Corymbia citriodora</i>     | Spotted Gum            | 390            |                            | 390                           | 123                                     | 21.0       | 11.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2022             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 21.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2023             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 430            |                            | 430                           | 135                                     | 20.0       | 9.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2024             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 20.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2025             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 21.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2026             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 22.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2027             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 18.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2047             | <i>Dead/Stag</i>               |                        | 250            |                            | 250                           | 79                                      | 11.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2048             | <i>Dead/Stag</i>               |                        | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2049             | <i>Dead/Stag</i>               |                        | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2050             | <i>Dead/Stag</i>               |                        | 290            |                            | 290                           | 91                                      | 12.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2051             | <i>Dead/Stag</i>               |                        | 320            |                            | 320                           | 101                                     | 11.0       | 4.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2052             | <i>Dead/Stag</i>               |                        | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2053             | <i>Dead/Stag</i>               |                        | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2054             | <i>Dead/Stag</i>               |                        | 290            |                            | 290                           | 91                                      | 9.0        | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2055             | <i>Dead/Stag</i>               |                        | 240            |                            | 240                           | 75                                      | 11.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 2056             | Dead/Stag               |                        | 290            |                            | 290                           | 91                                      | 12.0       | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2057             | Dead/Stag               |                        | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2058             | Dead/Stag               |                        | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2066             | Dead/Stag               |                        | 200            |                            | 200                           | 63                                      | 8.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2067             | Dead/Stag               |                        | 220            |                            | 220                           | 69                                      | 11.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2068             | Dead/Stag               |                        | 250            |                            | 250                           | 79                                      | 9.0        | 2.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2069             | Dead/Stag               |                        | 280            |                            | 280                           | 88                                      | 9.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2070             | Dead/Stag               |                        | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2071             | Dead/Stag               |                        | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2079             | Dead/Stag               |                        | 200            | 150                        | 250                           | 79                                      | 7.0        | 2.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2080             | Dead/Stag               |                        | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2081             | Corymbia citriodora     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 8.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2100             | Dead/Stag               |                        | 310            |                            | 310                           | 97                                      | 11.0       | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2101             | Corymbia citriodora     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2102             | Eucalyptus tereticornis | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 13.0       | 3.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2103             | Corymbia citriodora     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 12.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2104             | Acacia disparrima       | Hickory Wattle         | 240            |                            | 240                           | 75                                      | 7.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2105             | Corymbia citriodora     | Spotted Gum            | 340            |                            | 340                           | 107                                     | 16.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2106             | Corymbia citriodora     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 9.0        | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2107             | Corymbia citriodora     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 12.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2108             | Corymbia intermedia     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 12.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2109             | Corymbia intermedia     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2110             | Eucalyptus crebra       | Narrow-leaved Ironbark | 400            | 200                        | 447                           | 140                                     | 14.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2111             | Corymbia intermedia     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 12.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2112             | Eucalyptus crebra       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 16.0       | 4.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2113             | Dead/Stag               |                        | 340            |                            | 340                           | 107                                     | 14.0       | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 2114             | Dead/Stag               |                        | 210            |                            | 210                           | 66                                      | 8.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2115             | Dead/Stag               |                        | 630            |                            | 630                           | 198                                     | 9.0        | 3.0        | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2116             | Dead/Stag               |                        | 200            |                            | 200                           | 63                                      | 7.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2120             | Corymbia intermedia     | Pink Bloodwood         | 210            | 170                        | 270                           | 85                                      | 9.0        | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2121             | Eucalyptus tereticornis | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2122             | Corymbia citriodora     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2123             | Corymbia citriodora     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2124             | Corymbia citriodora     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 13.0       | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2132             | Eucalyptus tereticornis | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2133             | Eucalyptus tereticornis | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 11.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2134             | Corymbia citriodora     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2163             | Eucalyptus crebra       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2171             | Eucalyptus crebra       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 17.0       | 7.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2172             | Eucalyptus crebra       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 18.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2174             | Eucalyptus crebra       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 13.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2176             | Eucalyptus crebra       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 11.0       | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2177             | Dead/Stag               |                        | 330            |                            | 330                           | 104                                     | 17.0       | 4.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 2178             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 15.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2179             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 17.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2180             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 410            |                            | 410                           | 129                                     | 12.0       | 6.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2181             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 690            |                            | 690                           | 217                                     | 16.0       | 12.0       | 8.3                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development               |                  |
| 2182             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2183             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2184             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 12.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2185             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 15.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2186             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 370            |                            | 370                           | 116                                     | 19.0       | 7.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2187             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2188             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 880            |                            | 880                           | 276                                     | 18.0       | 12.0       | 10.6                     | 3.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development               |                  |
| 2189             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 270            |                            | 270                           | 85                                      | 14.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2190             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 11.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2191             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 12.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2192             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 12.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2193             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 6.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2194             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 16.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2195             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 14.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2196             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2197             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 400            |                            | 400                           | 126                                     | 15.0       | 8.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2198             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 410            |                            | 410                           | 129                                     | 14.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2199             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 400            |                            | 400                           | 126                                     | 17.0       | 9.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2200             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 300                        | 424                           | 133                                     | 19.0       | 8.0        | 5.1                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2201             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2202             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 18.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2203             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2204             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 620            |                            | 620                           | 195                                     | 16.0       | 10.0       | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2205             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 400            |                            | 400                           | 126                                     | 14.0       | 8.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2206             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            | 270                        | 389                           | 122                                     | 14.0       | 7.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2207             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 11.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2208             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 13.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2209             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 11.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2210             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 480            |                            | 480                           | 151                                     | 19.0       | 10.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2211             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2212             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2213             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2214             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2215             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 430            |                            | 430                           | 135                                     | 15.0       | 8.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2216             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 480            |                            | 480                           | 151                                     | 17.0       | 9.0        | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2217             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 9.0        | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2218             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 410            |                            | 410                           | 129                                     | 13.0       | 5.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2219             | <i>Dead/Stag</i>               |                        | 280            |                            | 280                           | 88                                      | 14.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2220             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 480            |                            | 480                           | 151                                     | 14.0       | 7.0        | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 2221             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2222             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 300            |                            | 300                           | 94                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2223             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2224             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 520            |                            | 520                           | 163                                     | 14.0       | 5.0        | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2225             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 220            |                            | 220                           | 69                                      | 16.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2226             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 400            |                            | 400                           | 126                                     | 16.0       | 12.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2227             | <i>Dead/Stag</i>               |                | 320            |                            | 320                           | 101                                     | 9.0        | 3.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2228             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2229             | <i>Dead/Stag</i>               |                | 240            |                            | 240                           | 75                                      | 8.0        | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2230             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 320            |                            | 320                           | 101                                     | 15.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2231             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 11.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2232             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 420            |                            | 420                           | 132                                     | 13.0       | 6.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2233             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 14.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2234             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2235             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 400            |                            | 400                           | 126                                     | 13.0       | 7.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2236             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 14.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2237             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 7.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2238             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2239             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 480            |                            | 480                           | 151                                     | 14.0       | 7.0        | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2240             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 13.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2241             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 190            |                            | 190                           | 60                                      | 9.0        | 4.0        | 2.3                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2242             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 9.0        | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | Present      | -                  | Remove - Development |                  |
| 2243             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 190            |                            | 190                           | 60                                      | 15.0       | 6.0        | 2.3                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2244             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 320            |                            | 320                           | 101                                     | 15.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2245             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 13.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2246             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            |                            | 260                           | 82                                      | 14.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2247             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 330            |                            | 330                           | 104                                     | 15.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2248             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2249             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2250             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 10.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2251             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 410            |                            | 410                           | 129                                     | 17.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2252             | <i>Corymbia citriodora</i>     | Spotted Gum    | 340            |                            | 340                           | 107                                     | 16.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2253             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 14.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2254             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            | 200                        | 290                           | 91                                      | 13.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2255             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2256             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 380            |                            | 380                           | 119                                     | 17.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2257             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 330            |                            | 330                           | 104                                     | 15.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2258             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 11.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2259             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2260             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2261             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 13.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2262             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 12.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2263             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 11.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 2264             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 11.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2265             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 10.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2266             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2267             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2268             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 380            |                            | 380                           | 119                                     | 18.0       | 15.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2269             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 350            |                            | 350                           | 110                                     | 19.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2270             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 310            |                            | 310                           | 97                                      | 14.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2271             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            | 220                        | 326                           | 102                                     | 15.0       | 10.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2272             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 400            |                            | 400                           | 126                                     | 14.0       | 9.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2273             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 12.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2274             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2275             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            |                            | 210                           | 66                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2276             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 330            |                            | 330                           | 104                                     | 13.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2277             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 320            |                            | 320                           | 101                                     | 13.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2278             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 12.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2279             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            | 180                        | 308                           | 97                                      | 13.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2280             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 13.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2281             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2282             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 390            |                            | 390                           | 123                                     | 15.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2283             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 440            |                            | 440                           | 138                                     | 18.0       | 15.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2284             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 530            |                            | 530                           | 167                                     | 16.0       | 10.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2285             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 14.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2286             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 8.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2287             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 640            |                            | 640                           | 201                                     | 16.0       | 12.0       | 7.7                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2288             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2289             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 11.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2290             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 420            |                            | 420                           | 132                                     | 14.0       | 7.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2291             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 13.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2292             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 11.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2293             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 10.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2294             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2295             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2296             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2297             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 11.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2298             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2299             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 15.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2300             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2301             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2302             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2303             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2304             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2305             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2306             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 13.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 2307             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 9.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2308             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 9.0        | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2309             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 350            |                            | 350                           | 110                                     | 11.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2310             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2311             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2312             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2313             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 13.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2314             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            |                            | 280                           | 88                                      | 11.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2315             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 290            | 220                        | 364                           | 114                                     | 15.0       | 11.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2316             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 14.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2317             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2318             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 450            |                            | 450                           | 141                                     | 15.0       | 10.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2319             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 340            |                            | 340                           | 107                                     | 10.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2320             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2321             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 390            | 210                        | 443                           | 139                                     | 15.0       | 10.0       | 5.3                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2322             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 320            |                            | 320                           | 101                                     | 13.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2323             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            | 260                        | 382                           | 120                                     | 15.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2324             | <i>Corymbia citriodora</i>     | Spotted Gum    | 330            |                            | 330                           | 104                                     | 14.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2325             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 13.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2326             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 500            |                            | 500                           | 157                                     | 20.0       | 16.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2327             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 260            | 240, 240                   | 428                           | 134                                     | 13.0       | 7.0        | 5.1                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2328             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 290            |                            | 290                           | 91                                      | 14.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2329             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 13.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2330             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2331             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 13.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2332             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2333             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 320            | 250, 260, 300              | 568                           | 178                                     | 16.0       | 11.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2334             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 14.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2335             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 350            |                            | 350                           | 110                                     | 11.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2336             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2337             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 340            |                            | 340                           | 107                                     | 12.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2338             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 14.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2339             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2340             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2341             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 13.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2342             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 11.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2343             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 400            |                            | 400                           | 126                                     | 17.0       | 12.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2344             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2345             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 9.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2346             | <i>Acacia disparima</i>        | Hickory Wattle | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2347             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 15.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2348             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 13.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2349             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 15.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 2350             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2351             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 16.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2352             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 17.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2353             | <i>Corymbia citriodora</i>     | Spotted Gum            | 370            |                            | 370                           | 116                                     | 22.0       | 16.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2354             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 18.0       | 11.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2355             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 17.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2356             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 18.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2357             | <i>Corymbia citriodora</i>     | Spotted Gum            | 290            |                            | 290                           | 91                                      | 14.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2358             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 25.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2359             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2360             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2361             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 14.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2362             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 13.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2363             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 170                        | 262                           | 82                                      | 10.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2364             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 9.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2365             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 16.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2366             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 330            |                            | 330                           | 104                                     | 15.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2367             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 13.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2368             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2369             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 13.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2370             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2371             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 14.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2372             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 14.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2373             | <i>Corymbia citriodora</i>     | Spotted Gum            | 330            |                            | 330                           | 104                                     | 19.0       | 12.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2374             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 18.0       | 13.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2375             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 14.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2376             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2377             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 13.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2378             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2379             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2380             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 15.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2381             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2382             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2383             | <i>Corymbia citriodora</i>     | Spotted Gum            | 340            |                            | 340                           | 107                                     | 17.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2384             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2385             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2386             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2387             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 15.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2388             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 12.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2389             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 13.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2390             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 19.0       | 13.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2391             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 11.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2392             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 13.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 2393             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 360            |                            | 360                           | 113                                     | 15.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2394             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 13.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2395             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2396             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 13.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2397             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 480            |                            | 480                           | 151                                     | 20.0       | 16.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2398             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 230            |                            | 230                           | 72                                      | 13.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2399             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2400             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 17.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2401             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 9.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2402             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2403             | <i>Corymbia citriodora</i>     | Spotted Gum    | 220            |                            | 220                           | 69                                      | 16.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2404             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 16.0       | 11.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2405             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2406             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 16.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2407             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2408             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2409             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 14.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2410             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            | 190                        | 306                           | 96                                      | 8.0        | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2411             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 13.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2412             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 14.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2413             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2414             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 9.0        | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2415             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 9.0        | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2416             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 11.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2417             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 15.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2418             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 11.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2419             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 16.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2420             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 15.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2421             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 12.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2422             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2423             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2424             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2425             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2426             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2427             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 14.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2428             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 11.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2429             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 16.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2430             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 17.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2431             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 18.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2432             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 12.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2433             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 290            |                            | 290                           | 91                                      | 17.0       | 12.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2434             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2435             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 19.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 2436             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2437             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 15.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2438             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 13.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2439             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2440             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 15.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2441             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 13.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2442             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 16.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2443             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2444             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2445             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 13.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2446             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2447             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2448             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 16.0       | 11.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2449             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2450             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 16.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2451             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2452             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 16.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2453             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2454             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 15.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2455             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 450            |                            | 450                           | 141                                     | 24.0       | 17.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2456             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 260                        | 368                           | 116                                     | 17.0       | 11.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2457             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 16.0       | 12.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2458             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 16.0       | 12.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2459             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 14.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2460             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 20.0       | 12.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2461             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 15.0       | 12.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2462             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 19.0       | 12.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2463             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2464             | <i>Corymbia citriodora</i>     | Spotted Gum            | 330            |                            | 330                           | 104                                     | 16.0       | 11.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2465             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 16.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2466             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2467             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 15.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2468             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2469             | <i>Acacia disparrima</i>       | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 16.0       | 12.0       | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2470             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 520            |                            | 520                           | 163                                     | 22.0       | 17.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2471             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 18.0       | 10.0       | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2472             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2473             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 16.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2474             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 16.0       | 10.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2475             | <i>Corymbia citriodora</i>     | Spotted Gum            | 350            |                            | 350                           | 110                                     | 21.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2476             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 400            |                            | 400                           | 126                                     | 18.0       | 12.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2477             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 18.0       | 13.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2478             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 18.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 2479             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2480             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 21.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2481             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 18.0       | 13.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2482             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 11.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2483             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 9.0        | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2484             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 14.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2485             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 16.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2486             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 18.0       | 9.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2487             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2488             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 16.0       | 7.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2489             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2490             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 18.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2491             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 17.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2492             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2493             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 13.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2494             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2495             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2496             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 360            |                            | 360                           | 113                                     | 16.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2497             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2498             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 16.0       | 7.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2499             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 12.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2500             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 11.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2501             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | Thinning | Die-back | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2502             | <i>Acacia disparima</i>        | Hickory Wattle         | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2503             | <i>Acacia disparima</i>        | Hickory Wattle         | 220            |                            | 220                           | 69                                      | 10.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2504             | <i>Acacia disparima</i>        | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 10.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2505             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 11.0       | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2506             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 13.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2507             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 11.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2508             | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2509             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 270            |                            | 270                           | 85                                      | 12.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2510             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            | 200                        | 429                           | 135                                     | 14.0       | 6.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2511             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 14.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2512             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 13.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2513             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 650            |                            | 650                           | 204                                     | 22.0       | 13.0       | 7.8                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2514             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 550            |                            | 550                           | 173                                     | 22.0       | 12.0       | 6.6                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2515             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2516             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 17.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2517             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 10.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2518             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 25.0       | 12.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2519             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 14.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2520             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            | 150, 150                   | 384                           | 121                                     | 16.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2521             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 340            |                            | 340                           | 107                                     | 12.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 2522             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 410            | 300                        | 508                           | 160                                     | 16.0       | 7.0        | 6.1                      | 2.5                      | Regular                  | -         | Thinning | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2523             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 10.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2524             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2525             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            | 300                        | 439                           | 138                                     | 15.0       | 9.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2526             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 450            |                            | 450                           | 141                                     | 22.0       | 9.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2527             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 12.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2528             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 600            |                            | 600                           | 188                                     | 23.0       | 13.0       | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2529             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 16.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2530             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2531             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            | 180                        | 269                           | 85                                      | 12.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2532             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2533             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 13.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2534             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 12.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2535             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2536             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2537             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 16.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2538             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2539             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            | 190                        | 355                           | 112                                     | 16.0       | 8.0        | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2540             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 13.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2541             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 15.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2542             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 9.0        | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2543             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 9.0        | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2544             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2545             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 770            |                            | 770                           | 242                                     | 25.0       | 13.0       | 9.2                      | 3.0                      | Regular                  | -         | Thinning | Die-back | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2546             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2547             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 10.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2548             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2549             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 10.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2550             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2551             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 330            |                            | 330                           | 104                                     | 16.0       | 5.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2552             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 320            |                            | 320                           | 101                                     | 15.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2553             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2554             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2555             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 7.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2556             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2557             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2558             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 14.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2559             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 11.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2560             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 12.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2561             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2562             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2563             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 16.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2564             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 150                        | 300                           | 94                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 2565             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            | 180                        | 350                           | 110                                     | 17.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2566             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            | 180                        | 316                           | 99                                      | 16.0       | 7.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2567             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2568             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 17.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2569             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2570             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2571             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2572             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            | 250                        | 414                           | 130                                     | 16.0       | 8.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2573             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2574             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2575             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 9.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2576             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 9.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2577             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 12.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2578             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 15.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2579             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 16.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2580             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2581             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2582             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 360            |                            | 360                           | 113                                     | 15.0       | 7.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2583             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 370            |                            | 370                           | 116                                     | 16.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2584             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 14.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2585             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 14.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2586             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            | 160                        | 256                           | 80                                      | 8.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2587             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 560            |                            | 560                           | 176                                     | 18.0       | 9.0        | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2588             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2589             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 360            |                            | 360                           | 113                                     | 15.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2590             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2591             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 370            |                            | 370                           | 116                                     | 22.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2592             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 310            |                            | 310                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2593             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 16.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2594             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            | 200                        | 297                           | 93                                      | 16.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2595             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 410            |                            | 410                           | 129                                     | 22.0       | 9.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2596             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2597             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2598             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 15.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2599             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2600             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 13.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2601             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 16.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2602             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 15.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2603             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 15.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2604             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 15.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2605             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 16.0       | 11.0       | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2606             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 320            |                            | 320                           | 101                                     | 16.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2607             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            | 330                        | 467                           | 147                                     | 17.0       | 9.0        | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 2608             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 20.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2609             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            | 280                        | 440                           | 138                                     | 19.0       | 9.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2610             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2611             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2612             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 18.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2613             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 13.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2614             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 16.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2615             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 460            |                            | 460                           | 145                                     | 24.0       | 13.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2616             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2617             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 500            |                            | 500                           | 157                                     | 24.0       | 12.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2618             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 12.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2619             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2620             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 17.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2621             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2622             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 13.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2623             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            | 260                        | 368                           | 116                                     | 17.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2624             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2625             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 12.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2626             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 560            |                            | 560                           | 176                                     | 25.0       | 13.0       | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2627             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 12.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2628             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 11.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2629             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 19.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2630             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2631             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 460            |                            | 460                           | 145                                     | 26.0       | 9.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2632             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2633             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 520            |                            | 520                           | 163                                     | 27.0       | 13.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2634             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2635             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2636             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2637             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 16.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2638             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 18.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2639             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            | 190                        | 276                           | 87                                      | 13.0       | 6.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2640             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 12.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2641             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 14.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2642             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            | 190                        | 338                           | 106                                     | 18.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2643             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2644             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 20.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2645             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 12.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2646             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 12.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2647             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 17.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2648             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2649             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 24.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2650             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 25.0       | 9.0        | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 2651             | Lophostemon suaveolens  | Swamp Box              | 330            |                            | 330                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2652             | Lophostemon suaveolens  | Swamp Box              | 260            |                            | 260                           | 82                                      | 19.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2653             | Lophostemon suaveolens  | Swamp Box              | 230            |                            | 230                           | 72                                      | 15.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2654             | Lophostemon suaveolens  | Swamp Box              | 300            |                            | 300                           | 94                                      | 14.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2655             | Melaleuca quinquenervia | Broad-leaved Paperbark | 320            |                            | 320                           | 101                                     | 16.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2656             | Eucalyptus tereticornis | Forest Red Gum         | 370            |                            | 370                           | 116                                     | 24.0       | 12.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2657             | Corymbia intermedia     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 18.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2658             | Eucalyptus tereticornis | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 22.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2659             | Corymbia tessellaris    | Moreton Bay Ash        | 340            |                            | 340                           | 107                                     | 17.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2660             | Eucalyptus tereticornis | Forest Red Gum         | 590            |                            | 590                           | 185                                     | 20.0       | 9.0        | 7.1                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2661             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2662             | Corymbia intermedia     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 15.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2663             | Lophostemon suaveolens  | Swamp Box              | 240            |                            | 240                           | 75                                      | 14.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2664             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2665             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2666             | Lophostemon suaveolens  | Swamp Box              | 330            |                            | 330                           | 104                                     | 14.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2667             | Corymbia intermedia     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 24.0       | 12.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2668             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2669             | Corymbia intermedia     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2670             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2671             | Corymbia intermedia     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2672             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2673             | Lophostemon suaveolens  | Swamp Box              | 290            |                            | 290                           | 91                                      | 17.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2674             | Corymbia intermedia     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 16.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2675             | Lophostemon suaveolens  | Swamp Box              | 310            |                            | 310                           | 97                                      | 14.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2676             | Lophostemon suaveolens  | Swamp Box              | 380            |                            | 380                           | 119                                     | 16.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2677             | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2678             | Lophostemon suaveolens  | Swamp Box              | 240            |                            | 240                           | 75                                      | 17.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2679             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 13.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2680             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2681             | Acacia disparrima       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 10.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2682             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2683             | Eucalyptus tereticornis | Forest Red Gum         | 740            |                            | 740                           | 232                                     | 26.0       | 15.0       | 8.9                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2684             | Eucalyptus tereticornis | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 18.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2685             | Melaleuca quinquenervia | Broad-leaved Paperbark | 280            | 220                        | 356                           | 112                                     | 16.0       | 7.0        | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2686             | Eucalyptus tereticornis | Forest Red Gum         | 700            |                            | 700                           | 220                                     | 28.0       | 12.0       | 8.4                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2687             | Melaleuca quinquenervia | Broad-leaved Paperbark | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2688             | Lophostemon suaveolens  | Swamp Box              | 320            |                            | 320                           | 101                                     | 14.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2689             | Lophostemon suaveolens  | Swamp Box              | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2690             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2691             | Lophostemon suaveolens  | Swamp Box              | 350            |                            | 350                           | 110                                     | 12.0       | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2692             | Lophostemon suaveolens  | Swamp Box              | 260            |                            | 260                           | 82                                      | 8.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2693             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |           |                  |  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|-----------|------------------|--|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention | Additional Notes |  |
| 2694             | Melaleuca quinquenervia | Broad-leaved Paperbark | 260            |                            | 260                           | 82                                      | 9.0        | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2695             | Lophostemon suaveolens  | Swamp Box              | 320            | 300                        | 439                           | 138                                     | 9.0        | 6.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2696             | Lophostemon suaveolens  | Swamp Box              | 350            |                            | 350                           | 110                                     | 11.0       | 4.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2697             | Lophostemon suaveolens  | Swamp Box              | 230            | 100                        | 251                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2698             | Lophostemon suaveolens  | Swamp Box              | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2699             | Lophostemon suaveolens  | Swamp Box              | 520            |                            | 520                           | 163                                     | 9.0        | 5.0        | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2700             | Lophostemon suaveolens  | Swamp Box              | 280            |                            | 280                           | 88                                      | 8.0        | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2701             | Corymbia citriodora     | Spotted Gum            | 510            |                            | 510                           | 160                                     | 18.0       | 7.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2702             | Corymbia citriodora     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2703             | Angophora subvelutina   | Broad-leaved Apple     | 420            | 390                        | 573                           | 180                                     | 9.0        | 6.0        | 6.9                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2704             | Corymbia intermedia     | Pink Bloodwood         | 510            |                            | 510                           | 160                                     | 14.0       | 9.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2705             | Lophostemon suaveolens  | Swamp Box              | 380            |                            | 380                           | 119                                     | 10.0       | 3.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2706             | Lophostemon suaveolens  | Swamp Box              | 370            | 160                        | 403                           | 127                                     | 12.0       | 4.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2707             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2708             | Melaleuca quinquenervia | Broad-leaved Paperbark | 290            |                            | 290                           | 91                                      | 9.0        | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2709             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 5.0        | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -         | Retain           |  |
| 2710             | Lophostemon suaveolens  | Swamp Box              | 280            |                            | 280                           | 88                                      | 9.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2711             | Lophostemon suaveolens  | Swamp Box              | 290            |                            | 290                           | 91                                      | 8.0        | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2712             | Corymbia intermedia     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 9.0        | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2713             | Corymbia intermedia     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 13.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2714             | Corymbia intermedia     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 13.0       | 4.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2715             | Corymbia intermedia     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 12.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2716             | Lophostemon suaveolens  | Swamp Box              | 310            |                            | 310                           | 97                                      | 12.0       | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2717             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2718             | Corymbia intermedia     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2719             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2720             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2721             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 11.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2722             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2723             | Lophostemon suaveolens  | Swamp Box              | 240            |                            | 240                           | 75                                      | 12.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2724             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 9.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2725             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 7.0        | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2726             | Lophostemon suaveolens  | Swamp Box              | 240            |                            | 240                           | 75                                      | 9.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2727             | Corymbia intermedia     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 11.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2728             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 8.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2729             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2730             | Lophostemon suaveolens  | Swamp Box              | 250            |                            | 250                           | 79                                      | 8.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2731             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2732             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2733             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2734             | Eucalyptus tereticornis | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 14.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2735             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 2736             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 2737             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 12.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2738             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            | 180                        | 324                           | 102                                     | 12.0       | 5.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2739             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2740             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 310            |                            | 310                           | 97                                      | 9.0        | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2741             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2742             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 9.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2743             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 220            | 190                        | 291                           | 91                                      | 11.0       | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2744             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 9.0        | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2745             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 8.0        | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2746             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 11.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 2747             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 430            |                            | 430                           | 135                                     | 8.0        | 4.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2748             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 2749             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 9.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2750             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 7.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2751             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 6.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2752             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2753             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2754             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2755             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2756             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 8.0        | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2757             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            | 200                        | 290                           | 91                                      | 9.0        | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2758             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2759             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 8.0        | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2760             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            | 180                        | 284                           | 89                                      | 7.0        | 3.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2761             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 8.0        | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2762             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 6.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2763             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 350            |                            | 350                           | 110                                     | 9.0        | 6.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2764             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 9.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2765             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 5.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2766             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 7.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2767             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 220            | 150                        | 266                           | 84                                      | 8.0        | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2768             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2769             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2770             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2771             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            | 200                        | 283                           | 89                                      | 7.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2772             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            | 190                        | 276                           | 87                                      | 6.0        | 3.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2773             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 360            |                            | 360                           | 113                                     | 13.0       | 3.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2774             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 270            |                            | 270                           | 85                                      | 9.0        | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2775             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 340            |                            | 340                           | 107                                     | 9.0        | 5.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2776             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 430            |                            | 430                           | 135                                     | 13.0       | 7.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2777             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2778             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 320            |                            | 320                           | 101                                     | 8.0        | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 2779             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 9.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                                 |                 |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|---------------------------------|-----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                  | Common Name     | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 2780             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2781             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2782             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum  | 280            |                            | 280                           | 88                                      | 8.0        | 3.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2783             | <i>Corymbia citriodora</i>      | Spotted Gum     | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2784             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2785             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2786             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2787             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 290            |                            | 290                           | 91                                      | 8.0        | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2788             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 240            | 140                        | 278                           | 87                                      | 6.0        | 4.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2789             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum  | 220            | 180 160 150                | 359                           | 113                                     | 8.0        | 4.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2790             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2791             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 270            |                            | 270                           | 85                                      | 8.0        | 2.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2792             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2793             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 260            |                            | 260                           | 82                                      | 9.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2794             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 300            | 170                        | 345                           | 108                                     | 8.0        | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2795             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 240            |                            | 240                           | 75                                      | 7.0        | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2796             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 290            |                            | 290                           | 91                                      | 8.0        | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2797             | <i>Acacia disparrima</i>        | Hickory Wattle  | 310            |                            | 310                           | 97                                      | 11.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2798             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2799             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 220            |                            | 220                           | 69                                      | 8.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2800             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 210            |                            | 210                           | 66                                      | 7.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2801             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2802             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 220            |                            | 220                           | 69                                      | 9.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2803             | <i>Acacia disparrima</i>        | Hickory Wattle  | 180            |                            | 180                           | 57                                      | 7.0        | 3.0        | 2.2                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2804             | <i>Acacia disparrima</i>        | Hickory Wattle  | 160            |                            | 160                           | 50                                      | 8.0        | 3.0        | 2.0                      | 1.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2805             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum  | 220            |                            | 220                           | 69                                      | 11.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2806             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 260            |                            | 260                           | 82                                      | 12.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2807             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 210            |                            | 210                           | 66                                      | 12.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2808             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 210            |                            | 210                           | 66                                      | 11.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2809             | <i>Eucalyptus tereticornis</i>  | Forest Red Gum  | 250            |                            | 250                           | 79                                      | 11.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2810             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 230            | 210 220                    | 381                           | 120                                     | 9.0        | 6.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2811             | <i>Corymbia intermedia</i>      | Pink Bloodwood  | 310            |                            | 310                           | 97                                      | 12.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2812             | <i>Petalostigma pubescens</i>   | Quinine Bush    | 240            |                            | 240                           | 75                                      | 7.0        | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2813             | <i>Corymbia tessellaris</i>     | Moreton Bay Ash | 280            |                            | 280                           | 88                                      | 13.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2814             | <i>Allocasuarina littoralis</i> | Black She-oak   | 210            |                            | 210                           | 66                                      | 7.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain               |                  |
| 2815             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 430            |                            | 430                           | 135                                     | 12.0       | 4.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2816             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 260            | 250                        | 361                           | 113                                     | 8.0        | 4.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2817             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 310            | 280                        | 418                           | 131                                     | 11.0       | 4.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2818             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 380            | 330                        | 503                           | 158                                     | 11.0       | 6.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2819             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2820             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 250            | 150                        | 292                           | 92                                      | 8.0        | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2821             | <i>Lophostemon suaveolens</i>   | Swamp Box       | 250            |                            | 250                           | 79                                      | 11.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 2822             | <i>Corymbia citriodora</i>      | Spotted Gum     | 280            |                            | 280                           | 88                                      | 12.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 2823             | <i>Corymbia citriodora</i>     | Spotted Gum         | 280            |                            | 280                           | 88                                      | 8.0        | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2824             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            | 240                        | 369                           | 116                                     | 9.0        | 3.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2825             | <i>Dead/Stag</i>               |                     | 510            |                            | 510                           | 160                                     | 14.0       | 9.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development               |                  |
| 2826             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 610            |                            | 610                           | 192                                     | 13.0       | 8.0        | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2827             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2828             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2829             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 230            |                            | 230                           | 72                                      | 12.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2830             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 210            |                            | 210                           | 66                                      | 13.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2831             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 340            | 290                        | 447                           | 140                                     | 12.0       | 6.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2832             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            |                            | 280                           | 88                                      | 11.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2833             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 250            | 230                        | 340                           | 107                                     | 11.0       | 5.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2834             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 420            |                            | 420                           | 132                                     | 13.0       | 5.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2835             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2836             | <i>Corymbia citriodora</i>     | Spotted Gum         | 290            |                            | 290                           | 91                                      | 13.0       | 6.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2837             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 210            | 150                        | 258                           | 81                                      | 13.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2838             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            | 210 170 150                | 385                           | 121                                     | 9.0        | 3.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2839             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 220            |                            | 220                           | 69                                      | 11.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 2840             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 270            |                            | 270                           | 85                                      | 9.0        | 3.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2841             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 380            |                            | 380                           | 119                                     | 14.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2842             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 280            | 160                        | 322                           | 101                                     | 14.0       | 6.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2843             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            | 190                        | 298                           | 94                                      | 11.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 2844             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 190            |                            | 190                           | 60                                      | 11.0       | 3.0        | 2.3                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2845             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            | 180                        | 292                           | 92                                      | 12.0       | 4.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2846             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 190            |                            | 190                           | 60                                      | 12.0       | 3.0        | 2.3                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2847             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 280            |                            | 280                           | 88                                      | 13.0       | 4.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2848             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 440            |                            | 440                           | 138                                     | 13.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2849             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 340            |                            | 340                           | 107                                     | 14.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2850             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 240            | 210                        | 319                           | 100                                     | 11.0       | 5.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2851             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 260            |                            | 260                           | 82                                      | 9.0        | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2852             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 270            |                            | 270                           | 85                                      | 12.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2853             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 290            |                            | 290                           | 91                                      | 17.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2854             | <i>Acacia disparrima</i>       | Hickory Wattle      | 210            |                            | 210                           | 66                                      | 12.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2855             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2856             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 240            |                            | 240                           | 75                                      | 14.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2857             | <i>Petalostigma pubescens</i>  | Quinine Bush        | 205            |                            | 205                           | 64                                      | 8.0        | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2858             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 305            |                            | 305                           | 96                                      | 14.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2859             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 315            | 230                        | 390                           | 123                                     | 16.0       | 9.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2860             | <i>Alphitonia excelsa</i>      | Soap Tree           | 240            |                            | 240                           | 75                                      | 13.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2861             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 230            |                            | 230                           | 72                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2862             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 355            |                            | 355                           | 112                                     | 15.0       | 12.0       | 4.3                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2863             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 305            |                            | 305                           | 96                                      | 15.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 2864             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 320            |                            | 320                           | 101                                     | 15.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 2865             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 245            |                            | 245                           | 77                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 2866             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            | 240                        | 347                           | 109                                     | 15.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2867             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            | 110                        | 301                           | 95                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2868             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 255            |                            | 255                           | 80                                      | 15.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2869             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 355            |                            | 355                           | 112                                     | 17.0       | 12.0       | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2870             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 495            |                            | 495                           | 156                                     | 17.0       | 11.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2871             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 9.0        | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2872             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 12.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2873             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2874             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2875             | <i>Dead/Stag</i>               |                        | 255            |                            | 255                           | 80                                      | 12.0       | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2876             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 395            |                            | 395                           | 124                                     | 13.0       | 7.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2877             | <i>Dead/Stag</i>               |                        | 175            | 120                        | 212                           | 67                                      | 10.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2878             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 345            | 340                        | 484                           | 152                                     | 11.0       | 6.0        | 5.8                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2879             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 13.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2880             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2881             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Irregular                | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2882             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2883             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 195            | 160                        | 252                           | 79                                      | 13.0       | 8.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2884             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 15.0       | 10.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2885             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 405            |                            | 405                           | 127                                     | 18.0       | 11.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2886             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2887             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2888             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            |                            | 215                           | 68                                      | 15.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2889             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            | 200                        | 294                           | 92                                      | 13.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2890             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            | 200                        | 328                           | 103                                     | 15.0       | 10.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2891             | <i>Petalostigma pubescens</i>  | Quinine Bush           | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 2892             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 2893             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 305            |                            | 305                           | 96                                      | 15.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2894             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            |                            | 215                           | 68                                      | 13.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2895             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2896             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2897             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 17.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 2898             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 515            | 360                        | 628                           | 197                                     | 15.0       | 12.0       | 7.5                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 2899             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            |                            | 340                           | 107                                     | 15.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 2900             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 380            |                            | 380                           | 119                                     | 15.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 2901             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 510            |                            | 510                           | 160                                     | 14.0       | 9.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 2902             | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 13.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2903             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            |                            | 215                           | 68                                      | 12.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2904             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 205            |                            | 205                           | 64                                      | 16.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2905             | <i>Alphitonia excelsa</i>      | Soap Tree              | 205            |                            | 205                           | 64                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2906             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 205            |                            | 205                           | 64                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 2907             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 15.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 2908             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 215            |                            | 215                           | 68                                      | 15.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                      |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention            | Additional Notes |
| 2909             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2910             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 275            |                            | 275                           | 86                                      | 15.0       | 11.0       | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2911             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 13.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2912             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 220            |                            | 220                           | 69                                      | 15.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2913             | <i>Acacia disparrima</i>       | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2914             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 16.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2915             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 305            |                            | 305                           | 96                                      | 15.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2916             | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2917             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2918             | <i>Dead/Stag</i>               |                        | 890            |                            | 890                           | 280                                     | 14.0       | 6.0        | 10.7                     | 3.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Retain               |                  |
| 2919             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 315            |                            | 315                           | 99                                      | 15.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2920             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 355            |                            | 355                           | 112                                     | 16.0       | 11.0       | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2921             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2922             | <i>Dead/Stag</i>               |                        | 240            | 180                        | 300                           | 94                                      | 15.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2923             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2924             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 13.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2925             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 580            |                            | 580                           | 182                                     | 15.0       | 10.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2926             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2927             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 250            |                            | 250                           | 79                                      | 13.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2928             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 325            |                            | 325                           | 102                                     | 15.0       | 10.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2929             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            | 200                        | 386                           | 121                                     | 16.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2930             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            | 275 280                    | 488                           | 153                                     | 17.0       | 11.0       | 5.9                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2931             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 430            |                            | 430                           | 135                                     | 14.0       | 7.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2932             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 205            | 180                        | 273                           | 86                                      | 13.0       | 7.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2933             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            | 170                        | 274                           | 86                                      | 12.0       | 6.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2934             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2935             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            | 140                        | 252                           | 79                                      | 12.0       | 7.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2936             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 205            |                            | 205                           | 64                                      | 11.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2937             | <i>Acacia disparrima</i>       | Hickory Wattle         | 240            |                            | 240                           | 75                                      | 13.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2938             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 13.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2939             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2940             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 230            |                            | 230                           | 72                                      | 14.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2941             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2942             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 370            | 245 80                     | 451                           | 142                                     | 15.0       | 9.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2943             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 280            |                            | 280                           | 88                                      | 16.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2944             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 305            |                            | 305                           | 96                                      | 14.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain               |                  |
| 2945             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2946             | <i>Dead/Stag</i>               |                        | 500            |                            | 500                           | 157                                     | 15.0       | 4.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2947             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2948             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2949             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 265            |                            | 265                           | 83                                      | 14.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2950             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 440            |                            | 440                           | 138                                     | 13.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |
| 2951             | <i>Acacia disparrima</i>       | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development |                  |



| Specimen Details |                                |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                      |  |
|------------------|--------------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes     |  |
| 2952             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 420            | 310                        | 522                           | 164                                     | 11.0       | 9.0        | 6.3                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2953             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2954             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 220            |                            | 220                           | 69                                      | 15.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2955             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2956             | <i>Acacia disparrima</i>       | Hickory Wattle      | 250            |                            | 250                           | 79                                      | 13.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2957             | <i>Dead/Stag</i>               |                     | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2958             | <i>Dead/Stag</i>               |                     | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2959             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 180            | 140                        | 228                           | 72                                      | 13.0       | 6.0        | 2.7                      | 1.8                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2960             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 330            | 145                        | 360                           | 113                                     | 15.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2961             | <i>Acacia disparrima</i>       | Hickory Wattle      | 130            | 115                        | 174                           | 55                                      | 13.0       | 7.0        | 2.1                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2962             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2963             | <i>Dead/Stag</i>               |                     | 210            | 115                        | 239                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2964             | <i>Petalostigma pubescens</i>  | Quinine Bush        | 210            |                            | 210                           | 66                                      | 11.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2965             | <i>Dead/Stag</i>               |                     | 230            | 125                        | 262                           | 82                                      | 8.0        | 3.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2966             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 170            | 130                        | 214                           | 67                                      | 14.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2967             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 280            | 145                        | 315                           | 99                                      | 13.0       | 7.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2968             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2969             | <i>Acacia disparrima</i>       | Hickory Wattle      | 210            |                            | 210                           | 66                                      | 12.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retain               |  |
| 2970             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 445            |                            | 445                           | 140                                     | 17.0       | 10.0       | 5.3                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2971             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2972             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 380            |                            | 380                           | 119                                     | 15.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2973             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 285            | 240 230                    | 438                           | 138                                     | 13.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2974             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 470            |                            | 470                           | 148                                     | 14.0       | 9.0        | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2975             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2976             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 290            |                            | 290                           | 91                                      | 15.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2977             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 210            |                            | 210                           | 66                                      | 12.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Remove - Development |  |
| 2978             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 270            |                            | 270                           | 85                                      | 13.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Remove - Development |  |
| 2979             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 570            |                            | 570                           | 179                                     | 15.0       | 10.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2980             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 250            |                            | 250                           | 79                                      | 15.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2981             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 210            | 180                        | 277                           | 87                                      | 15.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2982             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 275            | 90                         | 289                           | 91                                      | 16.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2983             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 310            |                            | 310                           | 97                                      | 14.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2984             | <i>Acacia disparrima</i>       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2985             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 250            |                            | 250                           | 79                                      | 16.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                      |  |
| 2986             | <i>Acacia disparrima</i>       | Hickory Wattle      | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2987             | <i>Alphitonia excelsa</i>      | Soap Tree           | 230            |                            | 230                           | 72                                      | 12.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2988             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 270            |                            | 270                           | 85                                      | 14.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2989             | <i>Alphitonia excelsa</i>      | Soap Tree           | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2990             | <i>Eucalyptus tereticornis</i> | Forest Red Gum      | 315            |                            | 315                           | 99                                      | 17.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                      |  |
| 2991             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 305            | 160                        | 344                           | 108                                     | 14.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2992             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2993             | <i>Lophostemon suaveolens</i>  | Swamp Box           | 300            |                            | 300                           | 94                                      | 14.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |
| 2994             | <i>Corymbia intermedia</i>     | Pink Bloodwood      | 210            | 180 100                    | 294                           | 92                                      | 15.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                      |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                  |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |  |
| 2995             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 435            |                            | 435                           | 137                                     | 17.0       | 12.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 2996             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 2997             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 345            |                            | 345                           | 108                                     | 16.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 2998             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 2999             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | Thinning | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3000             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 13.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | Thinning | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3001             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 13.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3002             | <i>Acacia disparrima</i>       | Hickory Wattle         | 305            |                            | 305                           | 96                                      | 15.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3003             | <i>Acacia disparrima</i>       | Hickory Wattle         | 260            |                            | 260                           | 82                                      | 13.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retain           |  |
| 3004             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 15.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3005             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 355            |                            | 355                           | 112                                     | 16.0       | 10.0       | 4.3                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3006             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 15.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | Present      | -                  | Remove - Development               |                  |  |
| 3007             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 16.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3008             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 245            |                            | 245                           | 77                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3009             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 6.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | Lopped | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3010             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 245            |                            | 245                           | 77                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3011             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 17.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3012             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 375            |                            | 375                           | 118                                     | 15.0       | 9.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3013             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            | 160                        | 331                           | 104                                     | 14.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3014             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 265            | 190                        | 326                           | 102                                     | 15.0       | 9.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3015             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 215            |                            | 215                           | 68                                      | 14.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3016             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 275            | 240                        | 365                           | 115                                     | 14.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                  |  |
| 3017             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 415            |                            | 415                           | 130                                     | 15.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3018             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 225            |                            | 225                           | 71                                      | 15.0       | 9.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3019             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 16.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3020             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 10.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3021             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 13.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3022             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 13.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3023             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 245            |                            | 245                           | 77                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | Present      | -                  | Retention subject to detail design |                  |  |
| 3024             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 380            |                            | 380                           | 119                                     | 16.0       | 10.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3025             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 180            | 160                        | 241                           | 76                                      | 16.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3026             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | Thinning | Die-back | Epicormic        | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3027             | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 16.0       | 12.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3028             | <i>Dead/Stag</i>               |                        | 225            |                            | 225                           | 71                                      | 13.0       | 3.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | Yes     | -    | -            | -                  | Retention subject to detail design |                  |  |
| 3029             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 475            |                            | 475                           | 149                                     | 21.0       | 13.0       | 5.7                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |  |
| 3030             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 225            |                            | 225                           | 71                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3031             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 245            |                            | 245                           | 77                                      | 13.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3032             | <i>Dead/Stag</i>               |                        | 220            |                            | 220                           | 69                                      | 13.0       | 1.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3033             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3034             | <i>Dead/Stag</i>               |                        | 190            | 90                         | 210                           | 66                                      | 14.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 3035             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 15.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |  |
| 3036             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |  |
| 3037             | <i>Corymbia citriodora</i>     | Spotted Gum            | 550            |                            | 550                           | 173                                     | 21.0       | 16.0       | 6.6                      | 2.6                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 3038             | <i>Corymbia citriodora</i>     | Spotted Gum    | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3039             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 300            | 215                        | 369                           | 116                                     | 16.0       | 10.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3040             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 215            |                            | 215                           | 68                                      | 15.0       | 9.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -          | -            | -           | Poor                            | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3041             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3042             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3043             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 17.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3044             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 18.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3045             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 16.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3046             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3047             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 225            |                            | 225                           | 71                                      | 13.0       | 7.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3048             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 325            |                            | 325                           | 102                                     | 14.0       | 8.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3049             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 315            |                            | 315                           | 99                                      | 15.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3050             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 16.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | Thinning | -        | Epicormic        | -      | Poor                    | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3051             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 235            |                            | 235                           | 74                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3052             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3053             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 15.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3054             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 390            | 240                        | 458                           | 144                                     | 15.0       | 9.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | Introduced | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3055             | <i>Corymbia citriodora</i>     | Spotted Gum    | 275            |                            | 275                           | 86                                      | 17.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3056             | <i>Corymbia citriodora</i>     | Spotted Gum    | 175            | 80                         | 192                           | 60                                      | 14.0       | 7.0        | 2.3                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3057             | <i>Corymbia citriodora</i>     | Spotted Gum    | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3058             | <i>Corymbia citriodora</i>     | Spotted Gum    | 220            |                            | 220                           | 69                                      | 15.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3059             | <i>Corymbia citriodora</i>     | Spotted Gum    | 275            |                            | 275                           | 86                                      | 16.0       | 8.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3060             | <i>Corymbia citriodora</i>     | Spotted Gum    | 265            | 140                        | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3061             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 150            | 60 50                      | 169                           | 53                                      | 5.0        | 2.0        | 2.0                      | 1.6                      | Regular                  | -         | Thinning | Die-back | -                | Lopped | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3062             | <i>Dead/Stag</i>               |                | 215            | 195 140                    | 322                           | 101                                     | 13.0       | 7.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3063             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 3064             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 275            | 80                         | 286                           | 90                                      | 13.0       | 7.0        | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3065             | <i>Dead/Stag</i>               |                | 200            |                            | 200                           | 63                                      | 10.0       | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3066             | <i>Dead/Stag</i>               |                | 335            |                            | 335                           | 105                                     | 12.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3067             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 360            |                            | 360                           | 113                                     | 15.0       | 11.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3068             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3069             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 310            |                            | 310                           | 97                                      | 15.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3070             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 350            |                            | 350                           | 110                                     | 16.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3071             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3072             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | Epicormic        | -      | Poor                    | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3073             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 140            | 110                        | 178                           | 56                                      | 12.0       | 6.0        | 2.1                      | 1.6                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3074             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 15.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3075             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 15.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Poor                    | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3076             | <i>Dead/Stag</i>               |                | 170            | 150 120                    | 257                           | 81                                      | 10.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3077             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3078             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 190            | 185                        | 265                           | 83                                      | 12.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3079             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 320            | 340 280                    | 544                           | 171                                     | 16.0       | 11.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |
| 3080             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 285            | 180                        | 337                           | 106                                     | 15.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area         |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 3081             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 310            | 295                        | 428                           | 134                                     | 16.0       | 12.0       | 5.1                      | 2.3                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3082             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3083             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            | 210                        | 342                           | 107                                     | 14.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3084             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 340            |                            | 340                           | 107                                     | 15.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3085             | <i>Dead/Stag</i>               |                | 200            |                            | 200                           | 63                                      | 8.0        | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3086             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 310            |                            | 310                           | 97                                      | 14.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3087             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            |                            | 280                           | 88                                      | 16.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3088             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 14.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3089             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 15.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3090             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 275            |                            | 275                           | 86                                      | 15.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3091             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 290            |                            | 290                           | 91                                      | 15.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3092             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 205            |                            | 205                           | 64                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3093             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 275            |                            | 275                           | 86                                      | 15.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3094             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3095             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 275            | 140                        | 309                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3096             | <i>Dead/Stag</i>               |                | 235            |                            | 235                           | 74                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3097             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 190            | 160                        | 248                           | 78                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3098             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 190            | 80                         | 206                           | 65                                      | 14.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3099             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 190            | 150                        | 242                           | 76                                      | 15.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3100             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3101             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 16.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3102             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 275            |                            | 275                           | 86                                      | 15.0       | 10.0       | 3.3                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3103             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3104             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 15.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3105             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3106             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3107             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 15.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3108             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3109             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3110             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3111             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3112             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 255            |                            | 255                           | 80                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3113             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3114             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 225            |                            | 225                           | 71                                      | 15.0       | 7.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3115             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3116             | <i>Acacia disparrima</i>       | Hickory Wattle | 215            |                            | 215                           | 68                                      | 13.0       | 7.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3117             | <i>Acacia disparrima</i>       | Hickory Wattle | 320            |                            | 320                           | 101                                     | 14.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3118             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            | 130                        | 273                           | 86                                      | 15.0       | 7.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3119             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3120             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 15.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3121             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3122             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            | 180                        | 300                           | 94                                      | 14.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3123             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details         |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                  | Additional Notes |
| 3124             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            | 155                        | 253                           | 79                                      | 15.0       | 8.0        | 3.0                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3125             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 165            | 140                        | 216                           | 68                                      | 13.0       | 6.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3126             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 235            |                            | 235                           | 74                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3127             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 16.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3128             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 285            | 220                        | 360                           | 113                                     | 17.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3129             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3130             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 15.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3131             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 255            |                            | 255                           | 80                                      | 16.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3132             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3133             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            | 160                        | 256                           | 80                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3134             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3135             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 180                        | 277                           | 87                                      | 16.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3136             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            | 190                        | 291                           | 91                                      | 17.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3137             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3138             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 360            |                            | 360                           | 113                                     | 15.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3139             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 430            |                            | 430                           | 135                                     | 18.0       | 10.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3140             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 17.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3141             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3142             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 16.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3143             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3144             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 13.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3145             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3146             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 215            |                            | 215                           | 68                                      | 16.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3147             | <i>Dead/Stag</i>               |                        | 240            |                            | 240                           | 75                                      | 17.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3148             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3149             | <i>Corymbia citriodora</i>     | Spotted Gum            | 305            |                            | 305                           | 96                                      | 21.0       | 14.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3150             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3151             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 440            |                            | 440                           | 138                                     | 18.0       | 13.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3152             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3153             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 250            |                            | 250                           | 79                                      | 17.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3154             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 270                        | 382                           | 120                                     | 17.0       | 12.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3155             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            | 320                        | 460                           | 144                                     | 18.0       | 14.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3156             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3157             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 16.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Conservation Area |                  |
| 3158             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 290            |                            | 290                           | 91                                      | 17.0       | 11.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3159             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3160             | <i>Corymbia citriodora</i>     | Spotted Gum            | 445            |                            | 445                           | 140                                     | 21.0       | 13.0       | 5.3                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Retain                     |                  |
| 3161             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 17.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3162             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 390            |                            | 390                           | 123                                     | 18.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3163             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 275            |                            | 275                           | 86                                      | 16.0       | 8.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3164             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 200                        | 283                           | 89                                      | 15.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3165             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 17.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |
| 3166             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                     |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 3167             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 17.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3168             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 17.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3169             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 16.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3170             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 310            |                            | 310                           | 97                                      | 15.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3171             | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 15.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3172             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3173             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 245            | 135                        | 280                           | 88                                      | 17.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3174             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 210                        | 304                           | 96                                      | 15.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3175             | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3176             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 225            |                            | 225                           | 71                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3177             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 255            |                            | 255                           | 80                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3178             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 14.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3179             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            | 170                        | 398                           | 125                                     | 16.0       | 10.0       | 4.8                      | 2.2                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3180             | <i>Corymbia citriodora</i>     | Spotted Gum            | 275            |                            | 275                           | 86                                      | 16.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3181             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 13.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3182             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3183             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3184             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 17.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3185             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 17.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3186             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 225            | 220                        | 315                           | 99                                      | 12.0       | 7.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3187             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 14.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3188             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 225            |                            | 225                           | 71                                      | 14.0       | 6.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3189             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 11.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3190             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 14.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3191             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3192             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 225            |                            | 225                           | 71                                      | 11.0       | 6.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3193             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 245            |                            | 245                           | 77                                      | 14.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3194             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3195             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3196             | <i>Alphitonia excelsa</i>      | Soap Tree              | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3197             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 16.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3198             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3199             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3200             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3201             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3202             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            | 170                        | 294                           | 92                                      | 15.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3203             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 16.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3204             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 180            | 130 160                    | 274                           | 86                                      | 14.0       | 7.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3205             | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 19.0       | 11.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3206             | <i>Corymbia citriodora</i>     | Spotted Gum            | 265            | 290 170                    | 428                           | 134                                     | 14.0       | 12.0       | 5.1                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3207             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3208             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            |                            | 340                           | 107                                     | 11.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -          | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3209             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 16.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |



| Specimen Details |                         |                     |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|-------------------------|---------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name         | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 3210             | Acacia disparrima       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3211             | Corymbia intermedia     | Pink Bloodwood      | 260            | 200                        | 328                           | 103                                     | 15.0       | 10.0       | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3212             | Dead/Stag               |                     | 200            |                            | 200                           | 63                                      | 9.0        | 1.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3213             | Lophostemon suaveolens  | Swamp Box           | 315            | 100                        | 330                           | 104                                     | 15.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3214             | Corymbia intermedia     | Pink Bloodwood      | 170            | 110                        | 202                           | 64                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3215             | Lophostemon suaveolens  | Swamp Box           | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3216             | Lophostemon suaveolens  | Swamp Box           | 240            | 90                         | 256                           | 81                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3217             | Eucalyptus tereticornis | Forest Red Gum      | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3218             | Lophostemon suaveolens  | Swamp Box           | 210            |                            | 210                           | 66                                      | 14.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3219             | Corymbia intermedia     | Pink Bloodwood      | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3220             | Corymbia intermedia     | Pink Bloodwood      | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3221             | Corymbia intermedia     | Pink Bloodwood      | 280            | 250                        | 375                           | 118                                     | 15.0       | 10.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3222             | Acacia disparrima       | Hickory Wattle      | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3223             | Corymbia intermedia     | Pink Bloodwood      | 395            |                            | 395                           | 124                                     | 17.0       | 12.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3224             | Corymbia intermedia     | Pink Bloodwood      | 205            |                            | 205                           | 64                                      | 15.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3225             | Corymbia intermedia     | Pink Bloodwood      | 350            |                            | 350                           | 110                                     | 17.0       | 12.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3226             | Dead/Stag               |                     | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3227             | Angophora leiocarpa     | Smooth-barked Apple | 215            |                            | 215                           | 68                                      | 15.0       | 9.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | Old       | -       | -    | -            | -                  | Retain                     |                  |
| 3228             | Lophostemon suaveolens  | Swamp Box           | 205            |                            | 205                           | 64                                      | 14.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3229             | Corymbia intermedia     | Pink Bloodwood      | 165            | 125 130                    | 244                           | 77                                      | 14.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3230             | Lophostemon suaveolens  | Swamp Box           | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3231             | Eucalyptus tereticornis | Forest Red Gum      | 265            |                            | 265                           | 83                                      | 16.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3232             | Corymbia intermedia     | Pink Bloodwood      | 240            | 210                        | 319                           | 100                                     | 15.0       | 8.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3233             | Lophostemon suaveolens  | Swamp Box           | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3234             | Corymbia intermedia     | Pink Bloodwood      | 215            |                            | 215                           | 68                                      | 16.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3235             | Lophostemon suaveolens  | Swamp Box           | 225            |                            | 225                           | 71                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3236             | Eucalyptus tereticornis | Forest Red Gum      | 255            | 130                        | 286                           | 90                                      | 16.0       | 10.0       | 3.4                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3237             | Corymbia intermedia     | Pink Bloodwood      | 310            | 270 190                    | 453                           | 142                                     | 18.0       | 12.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3238             | Corymbia intermedia     | Pink Bloodwood      | 200            | 130                        | 239                           | 75                                      | 14.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3239             | Corymbia intermedia     | Pink Bloodwood      | 180            | 150                        | 234                           | 74                                      | 14.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3240             | Corymbia citriodora     | Spotted Gum         | 225            |                            | 225                           | 71                                      | 18.0       | 9.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3241             | Corymbia intermedia     | Pink Bloodwood      | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3242             | Corymbia citriodora     | Spotted Gum         | 295            |                            | 295                           | 93                                      | 17.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3243             | Corymbia intermedia     | Pink Bloodwood      | 285            | 220 145                    | 388                           | 122                                     | 17.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3244             | Alphitonia excelsa      | Soap Tree           | 205            | 190                        | 280                           | 88                                      | 14.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3245             | Corymbia intermedia     | Pink Bloodwood      | 260            | 90                         | 275                           | 86                                      | 17.0       | 9.0        | 3.3                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3246             | Corymbia intermedia     | Pink Bloodwood      | 260            |                            | 260                           | 82                                      | 18.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3247             | Corymbia intermedia     | Pink Bloodwood      | 380            | 250                        | 455                           | 143                                     | 16.0       | 13.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3248             | Acacia disparrima       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3249             | Eucalyptus tereticornis | Forest Red Gum      | 310            |                            | 310                           | 97                                      | 20.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3250             | Corymbia intermedia     | Pink Bloodwood      | 310            | 80                         | 320                           | 101                                     | 20.0       | 14.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3251             | Corymbia intermedia     | Pink Bloodwood      | 335            | 200 210                    | 443                           | 139                                     | 15.0       | 8.0        | 5.3                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3252             | Acacia disparrima       | Hickory Wattle      | 200            |                            | 200                           | 63                                      | 13.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |



| Specimen Details |                            |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |            |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                            |                  |
|------------------|----------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|------------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|----------------------------|------------------|
| Tree ID          | Botanical Name             | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines      | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                  | Additional Notes |
| 3253             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 160            | 140 215                    | 302                           | 95                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3254             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 370            |                            | 370                           | 116                                     | 16.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3255             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 210            | 170                        | 270                           | 85                                      | 15.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3257             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 240            | 190                        | 306                           | 96                                      | 15.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3258             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 215            |                            | 215                           | 68                                      | 15.0       | 9.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3260             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 245            | 180 160                    | 344                           | 108                                     | 15.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3261             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Introduced | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3262             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 13.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3263             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 15.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3264             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 150            | 125 90                     | 215                           | 68                                      | 15.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -          | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retain - Conservation Area |                  |
| 3272             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 15.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3273             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 225            |                            | 225                           | 71                                      | 15.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3274             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 225            |                            | 225                           | 71                                      | 17.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3275             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 145            | 105                        | 179                           | 56                                      | 14.0       | 7.0        | 2.1                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3276             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3277             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 16.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3278             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 315            |                            | 315                           | 99                                      | 17.0       | 11.0       | 3.8                      | 2.0                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3279             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 16.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3280             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 570            |                            | 570                           | 179                                     | 18.0       | 12.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3281             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 15.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3282             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 180            | 140                        | 228                           | 72                                      | 16.0       | 9.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                     |                  |
| 3284             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 14.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3285             | <i>Corymbia citriodora</i> | Spotted Gum            | 215            |                            | 215                           | 68                                      | 14.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3286             | <i>Corymbia citriodora</i> | Spotted Gum            | 220            |                            | 220                           | 69                                      | 15.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3287             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3288             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3289             | <i>Corymbia citriodora</i> | Spotted Gum            | 225            |                            | 225                           | 71                                      | 17.0       | 8.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3290             | <i>Corymbia citriodora</i> | Spotted Gum            | 830            |                            | 830                           | 261                                     | 19.0       | 14.0       | 10.0                     | 3.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development       |                  |
| 3293             | <i>Dead/Stag</i>           |                        | 310            |                            | 310                           | 97                                      | 7.0        | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3294             | <i>Corymbia intermedia</i> | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 15.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3296             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 15.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3297             | <i>Corymbia citriodora</i> | Spotted Gum            | 210            |                            | 210                           | 66                                      | 16.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3298             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 460            |                            | 460                           | 145                                     | 18.0       | 14.0       | 5.5                      | 2.4                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3301             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3302             | <i>Corymbia citriodora</i> | Spotted Gum            | 280            |                            | 280                           | 88                                      | 18.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3303             | <i>Corymbia citriodora</i> | Spotted Gum            | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3304             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3307             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3308             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 16.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3309             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 16.0       | 10.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3310             | <i>Corymbia citriodora</i> | Spotted Gum            | 270            |                            | 270                           | 85                                      | 16.0       | 12.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3311             | <i>Corymbia citriodora</i> | Spotted Gum            | 200            |                            | 200                           | 63                                      | 14.0       | 10.0       | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |
| 3313             | <i>Eucalyptus crebra</i>   | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -          | -            | -           | Poor                            | -     | -         | -       | -    | -            | -                  | Remove - Development       |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details   |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|----------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention            | Additional Notes |
| 3314             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3315             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3316             | <i>Corymbia citriodora</i>     | Spotted Gum            | 275            | 130 100 90                 | 333                           | 104                                     | 16.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3317             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3318             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3319             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3320             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 15.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3321             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 18.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3322             | <i>Corymbia citriodora</i>     | Spotted Gum            | 215            |                            | 215                           | 68                                      | 15.0       | 8.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3323             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3324             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 19.0       | 13.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3325             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 15.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3326             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 19.0       | 10.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3327             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 16.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3328             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 17.0       | 11.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3329             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 265            |                            | 265                           | 83                                      | 17.0       | 11.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3330             | <i>Corymbia citriodora</i>     | Spotted Gum            | 215            |                            | 215                           | 68                                      | 17.0       | 10.0       | 2.6                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3331             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 255            |                            | 255                           | 80                                      | 19.0       | 12.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3332             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 265            |                            | 265                           | 83                                      | 15.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3333             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | Thinning | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3334             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 890            |                            | 890                           | 280                                     | 21.0       | 16.0       | 10.7                     | 3.2                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 3335             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 17.0       | 10.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3336             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 610            |                            | 610                           | 192                                     | 19.0       | 14.0       | 7.3                      | 2.7                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development |                  |
| 3337             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 150            | 175 140                    | 270                           | 85                                      | 15.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3338             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 415            |                            | 415                           | 130                                     | 17.0       | 10.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3339             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3340             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 290            |                            | 290                           | 91                                      | 18.0       | 10.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3341             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 18.0       | 9.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3342             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 15.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3343             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 17.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3344             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 410            |                            | 410                           | 129                                     | 21.0       | 14.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3345             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3346             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 18.0       | 12.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3347             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 315            |                            | 315                           | 99                                      | 19.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | Thinning | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3348             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 17.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3350             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 15.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3351             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 375            |                            | 375                           | 118                                     | 20.0       | 12.0       | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3354             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 16.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3355             | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 15.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3356             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 15.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3357             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3358             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 17.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |
| 3359             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 470            |                            | 470                           | 148                                     | 17.0       | 10.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development |                  |



| Specimen Details |                                |                              |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                         |                      |  |
|------------------|--------------------------------|------------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|-----------------------------------------|----------------------|--|
| Tree ID          | Botanical Name                 | Common Name                  | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                               | Additional Notes     |  |
| 3360             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash              | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3361             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 345            |                            | 345                           | 108                                     | 15.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | Die-back | Epicormic        | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | Present      | -                  | Remove - Development                    |                      |  |
| 3362             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash              | 250            |                            | 250                           | 79                                      | 16.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | Present      | -                  | Remove - Development                    |                      |  |
| 3363             | <i>Acacia disparrima</i>       | Hickory Wattle               | 205            |                            | 205                           | 64                                      | 8.0        | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3364             | <i>Acacia disparrima</i>       | Hickory Wattle               | 200            |                            | 200                           | 63                                      | 8.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3365             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 200            |                            | 200                           | 63                                      | 11.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3366             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 220            |                            | 220                           | 69                                      | 10.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3367             | <i>Dead/Stag</i>               |                              | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3368             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash              | 200            |                            | 200                           | 63                                      | 10.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3369             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 160            | 145                        | 216                           | 68                                      | 10.0       | 5.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3370             | <i>Acacia disparrima</i>       | Hickory Wattle               | 235            |                            | 235                           | 74                                      | 7.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                       | Remove - Development |  |
| 3371             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 360            |                            | 360                           | 113                                     | 15.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3372             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 210            |                            | 210                           | 66                                      | 13.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3373             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 210            | 160                        | 264                           | 83                                      | 13.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3374             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 230            | 200                        | 305                           | 96                                      | 12.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3375             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 170            | 70                         | 184                           | 58                                      | 10.0       | 5.0        | 2.2                      | 1.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3376             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash              | 200            |                            | 200                           | 63                                      | 10.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3377             | <i>Acacia leiocalyx</i>        | Early-flowering Black Wattle | 250            |                            | 250                           | 79                                      | 9.0        | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3378             | <i>Acacia leiocalyx</i>        | Early-flowering Black Wattle | 200            |                            | 200                           | 63                                      | 8.0        | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3379             | <i>Acacia leiocalyx</i>        | Early-flowering Black Wattle | 210            |                            | 210                           | 66                                      | 9.0        | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3380             | <i>Acacia leiocalyx</i>        | Early-flowering Black Wattle | 180            | 140                        | 228                           | 72                                      | 9.0        | 5.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3381             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash              | 230            |                            | 230                           | 72                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3382             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 310            |                            | 310                           | 97                                      | 16.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3391             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 350            |                            | 350                           | 110                                     | 14.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                      |  |
| 3392             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 370            |                            | 370                           | 116                                     | 16.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                      |  |
| 3393             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3394             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3395             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 270            |                            | 270                           | 85                                      | 18.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3396             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 380            |                            | 380                           | 119                                     | 17.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3397             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 280            |                            | 280                           | 88                                      | 17.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3398             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 300            |                            | 300                           | 94                                      | 16.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3399             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 400            |                            | 400                           | 126                                     | 18.0       | 9.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3400             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 310            |                            | 310                           | 97                                      | 17.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3401             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 220            |                            | 220                           | 69                                      | 17.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3402             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 450            |                            | 450                           | 141                                     | 18.0       | 9.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3403             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 420            |                            | 420                           | 132                                     | 18.0       | 10.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3404             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 340            |                            | 340                           | 107                                     | 12.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3405             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 250            |                            | 250                           | 79                                      | 16.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3406             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 380            |                            | 380                           | 119                                     | 15.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3407             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 390            |                            | 390                           | 123                                     | 18.0       | 15.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3408             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3409             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 370            |                            | 370                           | 116                                     | 15.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |
| 3410             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development                    |                      |  |



| Specimen Details |                                |                              |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                      |                  |
|------------------|--------------------------------|------------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|-----------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name                  | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                               | Additional Notes |
| 3411             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 410            |                            | 410                           | 129                                     | 18.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3412             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 230            |                            | 230                           | 72                                      | 17.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3413             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 330            |                            | 330                           | 104                                     | 18.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3414             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3415             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 300            |                            | 300                           | 94                                      | 16.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3416             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 760            |                            | 760                           | 239                                     | 18.0       | 9.0        | 9.1                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3417             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 260            |                            | 260                           | 82                                      | 18.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3418             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 340            |                            | 340                           | 107                                     | 15.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3419             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 300            |                            | 300                           | 94                                      | 12.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3420             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 350            |                            | 350                           | 110                                     | 15.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3421             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 270            |                            | 270                           | 85                                      | 17.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3422             | <i>Lophostemon suaveolens</i>  | Swamp Box                    | 360            |                            | 360                           | 113                                     | 10.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3423             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 350            |                            | 350                           | 110                                     | 17.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3424             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 260            |                            | 260                           | 82                                      | 17.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3425             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3426             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 380            |                            | 380                           | 119                                     | 17.0       | 8.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3427             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3428             | <i>Lophostemon suaveolens</i>  | Swamp Box                    | 250            |                            | 250                           | 79                                      | 11.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3429             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3430             | <i>Lophostemon suaveolens</i>  | Swamp Box                    | 200            |                            | 200                           | 63                                      | 8.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3431             | <i>Lophostemon suaveolens</i>  | Swamp Box                    | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3432             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3433             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 260            |                            | 260                           | 82                                      | 16.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3434             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 320            |                            | 320                           | 101                                     | 17.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3435             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3436             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 560            |                            | 560                           | 176                                     | 17.0       | 9.0        | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3437             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 380            |                            | 380                           | 119                                     | 17.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3438             | <i>Lophostemon suaveolens</i>  | Swamp Box                    | 200            |                            | 200                           | 63                                      | 15.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3439             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3456             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 560            |                            | 560                           | 176                                     | 18.0       | 9.0        | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3457             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 210            |                            | 210                           | 66                                      | 9.0        | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3458             | <i>Acacia leiocalyx</i>        | Early-flowering Black Wattle | 200            |                            | 200                           | 63                                      | 7.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3459             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 230            |                            | 230                           | 72                                      | 12.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3477             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 420            |                            | 420                           | 132                                     | 18.0       | 12.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development                    |                  |
| 3490             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 450            |                            | 450                           | 141                                     | 18.0       | 12.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3491             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 200            |                            | 200                           | 63                                      | 10.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3492             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 270            |                            | 270                           | 85                                      | 15.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3493             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3494             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 430            |                            | 430                           | 135                                     | 18.0       | 9.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3495             | <i>Corymbia citriodora</i>     | Spotted Gum                  | 230            |                            | 230                           | 72                                      | 14.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3496             | <i>Eucalyptus tereticornis</i> | Forest Red Gum               | 490            |                            | 490                           | 154                                     | 17.0       | 8.0        | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3497             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark       | 350            |                            | 350                           | 110                                     | 15.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 3498             | <i>Corymbia intermedia</i>     | Pink Bloodwood               | 230            |                            | 230                           | 72                                      | 9.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |



| Specimen Details |                         |                              |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                         |                  |
|------------------|-------------------------|------------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|-----------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name                  | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                               | Additional Notes |
| 3499             | Acacia leiocalyx        | Early-flowering Black Wattle | 330            |                            | 330                           | 104                                     | 9.0        | 5.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3500             | Corymbia citriodora     | Spotted Gum                  | 230            |                            | 230                           | 72                                      | 12.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3501             | Corymbia citriodora     | Spotted Gum                  | 530            |                            | 530                           | 167                                     | 19.0       | 12.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3502             | Corymbia citriodora     | Spotted Gum                  | 590            |                            | 590                           | 185                                     | 19.0       | 12.0       | 7.1                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3503             | Eucalyptus tereticornis | Forest Red Gum               | 830            |                            | 830                           | 261                                     | 19.0       | 15.0       | 10.0                     | 3.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3504             | Eucalyptus tereticornis | Forest Red Gum               | 300            |                            | 300                           | 94                                      | 16.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3505             | Corymbia citriodora     | Spotted Gum                  | 450            |                            | 450                           | 141                                     | 18.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3506             | Acacia leiocalyx        | Early-flowering Black Wattle | 220            |                            | 220                           | 69                                      | 10.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3507             | Corymbia citriodora     | Spotted Gum                  | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3508             | Corymbia tessellaris    | Moreton Bay Ash              | 220            |                            | 220                           | 69                                      | 16.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3509             | Corymbia tessellaris    | Moreton Bay Ash              | 220            |                            | 220                           | 69                                      | 17.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3510             | Acacia leiocalyx        | Early-flowering Black Wattle | 230            |                            | 230                           | 72                                      | 12.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3511             | Acacia leiocalyx        | Early-flowering Black Wattle | 360            |                            | 360                           | 113                                     | 12.0       | 6.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3512             | Acacia leiocalyx        | Early-flowering Black Wattle | 300            |                            | 300                           | 94                                      | 12.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3513             | Acacia leiocalyx        | Early-flowering Black Wattle | 230            |                            | 230                           | 72                                      | 15.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3514             | Acacia leiocalyx        | Early-flowering Black Wattle | 370            |                            | 370                           | 116                                     | 9.0        | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3515             | Corymbia citriodora     | Spotted Gum                  | 400            |                            | 400                           | 126                                     | 12.0       | 5.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3516             | Lophostemon suaveolens  | Swamp Box                    | 260            |                            | 260                           | 82                                      | 12.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3517             | Eucalyptus tereticornis | Forest Red Gum               | 240            |                            | 240                           | 75                                      | 15.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3518             | Eucalyptus tereticornis | Forest Red Gum               | 340            |                            | 340                           | 107                                     | 18.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3519             | Corymbia tessellaris    | Moreton Bay Ash              | 200            |                            | 200                           | 63                                      | 18.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3520             | Acacia leiocalyx        | Early-flowering Black Wattle | 230            |                            | 230                           | 72                                      | 12.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3521             | Acacia leiocalyx        | Early-flowering Black Wattle | 200            |                            | 200                           | 63                                      | 9.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3522             | Acacia leiocalyx        | Early-flowering Black Wattle | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3523             | Lophostemon suaveolens  | Swamp Box                    | 250            |                            | 250                           | 79                                      | 12.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3524             | Lophostemon suaveolens  | Swamp Box                    | 240            |                            | 240                           | 75                                      | 8.0        | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3525             | Corymbia intermedia     | Pink Bloodwood               | 210            |                            | 210                           | 66                                      | 11.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3526             | Acacia leiocalyx        | Early-flowering Black Wattle | 240            |                            | 240                           | 75                                      | 12.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3527             | Lophostemon suaveolens  | Swamp Box                    | 130            |                            | 130                           | 41                                      | 8.0        | 3.0        | 2.0                      | 1.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3528             | Eucalyptus tereticornis | Forest Red Gum               | 510            |                            | 510                           | 160                                     | 18.0       | 12.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain - Refer neighbouring application |                  |
| 3529             | Lophostemon suaveolens  | Swamp Box                    | 230            |                            | 230                           | 72                                      | 8.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3530             | Lophostemon suaveolens  | Swamp Box                    | 280            |                            | 280                           | 88                                      | 15.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3531             | Eucalyptus tereticornis | Forest Red Gum               | 250            |                            | 250                           | 79                                      | 18.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |
| 3532             | Eucalyptus tereticornis | Forest Red Gum               | 310            |                            | 310                           | 97                                      | 16.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |
| 3533             | Eucalyptus tereticornis | Forest Red Gum               | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3534             | Lophostemon suaveolens  | Swamp Box                    | 200            |                            | 200                           | 63                                      | 17.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |
| 3535             | Eucalyptus tereticornis | Forest Red Gum               | 470            |                            | 470                           | 148                                     | 18.0       | 7.0        | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3536             | Lophostemon suaveolens  | Swamp Box                    | 200            |                            | 200                           | 63                                      | 18.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3537             | Eucalyptus tereticornis | Forest Red Gum               | 290            |                            | 290                           | 91                                      | 17.0       | 3.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |
| 3538             | Corymbia intermedia     | Pink Bloodwood               | 390            |                            | 390                           | 123                                     | 17.0       | 9.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development                    |                  |
| 3539             | Eucalyptus crebra       | Narrow-leaved Ironbark       | 390            |                            | 390                           | 123                                     | 18.0       | 9.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |
| 3540             | Eucalyptus tereticornis | Forest Red Gum               | 270            |                            | 270                           | 85                                      | 18.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |
| 3541             | Eucalyptus tereticornis | Forest Red Gum               | 310            |                            | 310                           | 97                                      | 17.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                                  |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 3542             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 9.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3543             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 18.0       | 12.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3544             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 560            |                            | 560                           | 176                                     | 16.0       | 12.0       | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3545             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 18.0       | 5.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3546             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3547             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3548             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3549             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3550             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 470            |                            | 470                           | 148                                     | 18.0       | 15.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3551             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 16.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3552             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 18.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3553             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 18.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3554             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 18.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3555             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 18.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3556             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 18.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3557             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 16.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3558             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 470            |                            | 470                           | 148                                     | 20.0       | 13.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3559             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 17.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3560             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 16.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3561             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            | 280                        | 410                           | 129                                     | 12.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3562             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 410            |                            | 410                           | 129                                     | 17.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3563             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 370            |                            | 370                           | 116                                     | 18.0       | 10.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3564             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 17.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3565             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 18.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3566             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 390            |                            | 390                           | 123                                     | 18.0       | 12.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3567             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 19.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3568             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 19.0       | 15.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3569             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 18.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3570             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 15.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3571             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 15.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3572             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 16.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3573             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 450            |                            | 450                           | 141                                     | 18.0       | 15.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3574             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 12.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3575             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 17.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3576             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 15.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3577             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 400            |                            | 400                           | 126                                     | 18.0       | 15.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3578             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 420            |                            | 420                           | 132                                     | 17.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3579             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 18.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3580             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 390            |                            | 390                           | 123                                     | 17.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3581             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 16.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3582             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3583             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            | 220                        | 311                           | 98                                      | 10.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3584             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 12.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 3585             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 17.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3586             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 16.0       | 4.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3587             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 380            |                            | 380                           | 119                                     | 18.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3588             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 420            |                            | 420                           | 132                                     | 17.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3589             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3590             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 14.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3591             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 440            |                            | 440                           | 138                                     | 19.0       | 12.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3592             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3593             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 17.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3594             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3595             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3596             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 480            |                            | 480                           | 151                                     | 17.0       | 14.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3597             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 14.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3598             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 550            |                            | 550                           | 173                                     | 18.0       | 12.0       | 6.6                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3599             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 390            |                            | 390                           | 123                                     | 16.0       | 9.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3600             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 18.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3601             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 450            |                            | 450                           | 141                                     | 18.0       | 12.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3602             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 350            |                            | 350                           | 110                                     | 16.0       | 4.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3603             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 440            |                            | 440                           | 138                                     | 17.0       | 9.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3604             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3605             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 18.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3606             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 16.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3607             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 16.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3608             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 12.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3609             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 17.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3610             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3611             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 16.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3612             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 15.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3613             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 15.0       | 9.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3614             | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 14.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3615             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            | 250                        | 333                           | 105                                     | 16.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3616             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 10.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3617             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3618             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 10.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3619             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 12.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3620             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 9.0        | 6.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3621             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 10.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3622             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 10.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3623             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 10.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3624             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 12.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3625             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 15.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3626             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 9.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 3627             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 3628             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 13.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3629             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 480            |                            | 480                           | 151                                     | 20.0       | 11.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3630             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 10.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3631             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 10.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3632             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 11.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3633             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3634             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3635             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 14.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3636             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 14.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3637             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 13.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3638             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 15.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3639             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3640             | <i>Corymbia citriodora</i>     | Spotted Gum            | 380            |                            | 380                           | 119                                     | 16.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3641             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 15.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3642             | <i>Corymbia citriodora</i>     | Spotted Gum            | 410            |                            | 410                           | 129                                     | 16.0       | 7.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3643             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3644             | <i>Corymbia citriodora</i>     | Spotted Gum            | 280            |                            | 280                           | 88                                      | 20.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3645             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3646             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 14.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3647             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 15.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3648             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 15.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3649             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3650             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 17.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3651             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 410            |                            | 410                           | 129                                     | 15.0       | 9.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3652             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3653             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3654             | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 16.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3655             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 9.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3656             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 10.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3657             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 240            |                            | 240                           | 75                                      | 12.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3658             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 400            |                            | 400                           | 126                                     | 16.0       | 8.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3659             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 270            |                            | 270                           | 85                                      | 17.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3660             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 390            |                            | 390                           | 123                                     | 18.0       | 11.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3661             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 400            |                            | 400                           | 126                                     | 18.0       | 11.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3662             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 10.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3663             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 440            |                            | 440                           | 138                                     | 20.0       | 13.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3664             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 16.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3665             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 14.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3666             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 9.0        | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3667             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 12.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3668             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 15.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3669             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 18.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3670             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 22.0       | 11.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 3671             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 7.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3672             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 11.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3673             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3674             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 590            | 480                        | 761                           | 239                                     | 23.0       | 13.0       | 9.1                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3675             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 690            |                            | 690                           | 217                                     | 20.0       | 13.0       | 8.3                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3676             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3677             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3678             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 16.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3679             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 17.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3680             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 10.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3681             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3682             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3683             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 280            |                            | 280                           | 88                                      | 15.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3684             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 230            |                            | 230                           | 72                                      | 13.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3685             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 11.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3686             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 580            |                            | 580                           | 182                                     | 23.0       | 15.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3687             | <i>Angophora leiocarpa</i>     | Smooth-barked Apple    | 230            |                            | 230                           | 72                                      | 9.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3688             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 640            |                            | 640                           | 201                                     | 22.0       | 13.0       | 7.7                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3689             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3690             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 16.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3691             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 530            |                            | 530                           | 167                                     | 25.0       | 12.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3692             | <i>Corymbia citriodora</i>     | Spotted Gum            | 430            |                            | 430                           | 135                                     | 16.0       | 8.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3693             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3694             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 128            |                            | 128                           | 40                                      | 8.0        | 3.0        | 2.0                      | 1.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3695             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            |                            | 330                           | 104                                     | 13.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3696             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 480            |                            | 480                           | 151                                     | 25.0       | 16.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3697             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 17.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3698             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 17.0       | 9.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3699             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 580            |                            | 580                           | 182                                     | 23.0       | 15.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3700             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 15.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3701             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 14.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3702             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 9.0        | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3703             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 16.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3704             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3705             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 22.0       | 10.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3706             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3707             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 16.0       | 11.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3708             | <i>Corymbia citriodora</i>     | Spotted Gum            | 300            |                            | 300                           | 94                                      | 14.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3709             | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 12.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3710             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 730            |                            | 730                           | 229                                     | 16.0       | 10.0       | 8.8                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3711             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 16.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3712             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3713             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 640            |                            | 640                           | 201                                     | 17.0       | 10.0       | 7.7                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 3714             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 370            |                            | 370                           | 116                                     | 16.0       | 9.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3715             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 400            |                            | 400                           | 126                                     | 15.0       | 8.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3716             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 8.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3717             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3718             | <i>Acacia disparima</i>        | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 14.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3719             | <i>Acacia disparima</i>        | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 6.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3720             | <i>Acacia disparima</i>        | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 6.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3721             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 15.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3722             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3723             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 16.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3724             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3725             | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 13.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3726             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3727             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 15.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3728             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 130                        | 247                           | 78                                      | 15.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3729             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 14.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3730             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 340            |                            | 340                           | 107                                     | 14.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3731             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 8.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3732             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3733             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 9.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3734             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 2.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3735             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 4.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3736             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3737             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 11.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3738             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 11.0       | 4.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3739             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 9.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3740             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            | 110                        | 237                           | 74                                      | 10.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3741             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 250            |                            | 250                           | 79                                      | 10.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3742             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 11.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3743             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 260            |                            | 260                           | 82                                      | 8.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3744             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 6.0        | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Poor                            | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3745             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 650            |                            | 650                           | 204                                     | 16.0       | 9.0        | 7.8                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3746             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 520            |                            | 520                           | 163                                     | 18.0       | 8.0        | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3747             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 490            |                            | 490                           | 154                                     | 17.0       | 8.0        | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3748             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 210            |                            | 210                           | 66                                      | 10.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3749             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 14.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3750             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            | 180, 210, 230              | 444                           | 139                                     | 16.0       | 7.0        | 5.3                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3751             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 14.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3752             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 12.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 3753             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 250            |                            | 250                           | 79                                      | 10.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3754             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 240            |                            | 240                           | 75                                      | 8.0        | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3755             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 240            |                            | 240                           | 75                                      | 5.0        | 3.0        | 2.9                      | 1.8                      | One-sided                | -         | -        | -        | -                | Lopped | Typical                 | Minor   | -     | Trunk Dmg.   | -           | Poor                            | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3756             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 200            |                            | 200                           | 63                                      | 6.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | Lopped | Poor                    | Minor   | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 3757             | Acacia melanoxylon      | Australian Blackwood   | 230            |                            | 230                           | 72                                      | 5.0        | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3758             | Corymbia citriodora     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 16.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3759             | Corymbia intermedia     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 16.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3760             | Eucalyptus tereticornis | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 14.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3761             | Eucalyptus crebra       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 18.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3762             | Corymbia intermedia     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 14.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3763             | Eucalyptus crebra       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 15.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3764             | Eucalyptus tereticornis | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 14.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3765             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3766             | Corymbia intermedia     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 18.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3767             | Eucalyptus tereticornis | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 15.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3768             | Eucalyptus tereticornis | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3769             | Eucalyptus tereticornis | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 16.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3770             | Eucalyptus tereticornis | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 16.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3771             | Eucalyptus tereticornis | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 18.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3772             | Eucalyptus tereticornis | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 16.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3773             | Eucalyptus tereticornis | Forest Red Gum         | 370            |                            | 370                           | 116                                     | 18.0       | 6.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3774             | Eucalyptus tereticornis | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 17.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3775             | Eucalyptus tereticornis | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 17.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3776             | Eucalyptus tereticornis | Forest Red Gum         | 370            | 300                        | 476                           | 150                                     | 18.0       | 7.0        | 5.7                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3777             | Eucalyptus tereticornis | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 17.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3778             | Eucalyptus tereticornis | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 18.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3779             | Petalostigma pubescens  | Quinine Bush           | 240            | 210                        | 319                           | 100                                     | 10.0       | 8.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3780             | Acacia disparrima       | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 10.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3781             | Eucalyptus tereticornis | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 16.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3782             | Corymbia tessellaris    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3783             | Eucalyptus tereticornis | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 18.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3784             | Eucalyptus tereticornis | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 21.0       | 10.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3785             | Eucalyptus tereticornis | Forest Red Gum         | 670            |                            | 670                           | 210                                     | 21.0       | 12.0       | 8.0                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3786             | Melaleuca quinquenervia | Broad-leaved Paperbark | 300            | 220                        | 372                           | 117                                     | 18.0       | 8.0        | 4.5                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3787             | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 16.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3788             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 14.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3789             | Corymbia intermedia     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 12.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3790             | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 15.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3791             | Lophostemon suaveolens  | Swamp Box              | 230            |                            | 230                           | 72                                      | 17.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3792             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3793             | Corymbia tessellaris    | Moreton Bay Ash        | 220            |                            | 220                           | 69                                      | 17.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3794             | Eucalyptus tereticornis | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 18.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3795             | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 16.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3796             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 15.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3797             | Acacia disparrima       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3798             | Eucalyptus tereticornis | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 17.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3799             | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 15.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |        |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|--------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines  | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 3800             | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 15.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3801             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 16.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3802             | Melaleuca quinquenervia | Broad-leaved Paperbark | 250            | 160                        | 297                           | 93                                      | 15.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3803             | Eucalyptus tereticornis | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 19.0       | 11.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3804             | Eucalyptus tereticornis | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3805             | Eucalyptus tereticornis | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3806             | Melaleuca quinquenervia | Broad-leaved Paperbark | 210            |                            | 210                           | 66                                      | 15.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3807             | Lophostemon suaveolens  | Swamp Box              | 300            |                            | 300                           | 94                                      | 16.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3808             | Corymbia tessellaris    | Moreton Bay Ash        | 330            |                            | 330                           | 104                                     | 20.0       | 12.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3809             | Acacia melanoxylon      | Australian Blackwood   | 230            |                            | 230                           | 72                                      | 15.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3810             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 16.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3811             | Melaleuca quinquenervia | Broad-leaved Paperbark | 270            | 310                        | 411                           | 129                                     | 18.0       | 12.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | Native | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3812             | Eucalyptus tereticornis | Forest Red Gum         | 660            |                            | 660                           | 207                                     | 22.0       | 13.0       | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3813             | Eucalyptus tereticornis | Forest Red Gum         | 490            |                            | 490                           | 154                                     | 19.0       | 9.0        | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3814             | Eucalyptus tereticornis | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3815             | Eucalyptus tereticornis | Forest Red Gum         | 430            | 200                        | 474                           | 149                                     | 20.0       | 10.0       | 5.7                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3816             | Eucalyptus tereticornis | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 17.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3817             | Eucalyptus tereticornis | Forest Red Gum         | 490            |                            | 490                           | 154                                     | 20.0       | 11.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3818             | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 13.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3819             | Melaleuca quinquenervia | Broad-leaved Paperbark | 240            |                            | 240                           | 75                                      | 14.0       | 2.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3820             | Corymbia intermedia     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 17.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3821             | Eucalyptus tereticornis | Forest Red Gum         | 460            |                            | 460                           | 145                                     | 19.0       | 8.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3822             | Eucalyptus tereticornis | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 16.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3823             | Lophostemon suaveolens  | Swamp Box              | 210            |                            | 210                           | 66                                      | 10.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3824             | Lophostemon suaveolens  | Swamp Box              | 340            |                            | 340                           | 107                                     | 11.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3825             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3826             | Melaleuca quinquenervia | Broad-leaved Paperbark | 230            |                            | 230                           | 72                                      | 15.0       | 10.0       | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3827             | Melaleuca quinquenervia | Broad-leaved Paperbark | 240            |                            | 240                           | 75                                      | 14.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3828             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3829             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            |                            | 200                           | 63                                      | 14.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3830             | Melaleuca quinquenervia | Broad-leaved Paperbark | 210            |                            | 210                           | 66                                      | 14.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3831             | Eucalyptus tereticornis | Forest Red Gum         | 560            |                            | 560                           | 176                                     | 20.0       | 10.0       | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3832             | Eucalyptus tereticornis | Forest Red Gum         | 460            |                            | 460                           | 145                                     | 19.0       | 9.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3833             | Eucalyptus tereticornis | Forest Red Gum         | 460            |                            | 460                           | 145                                     | 18.0       | 7.0        | 5.5                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3834             | Eucalyptus tereticornis | Forest Red Gum         | 620            |                            | 620                           | 195                                     | 18.0       | 7.0        | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3835             | Eucalyptus tereticornis | Forest Red Gum         | 760            |                            | 760                           | 239                                     | 19.0       | 10.0       | 9.1                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3836             | Eucalyptus tereticornis | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 19.0       | 9.0        | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3837             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3838             | Eucalyptus tereticornis | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 17.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3839             | Corymbia tessellaris    | Moreton Bay Ash        | 310            |                            | 310                           | 97                                      | 16.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3840             | Corymbia tessellaris    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 16.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3841             | Corymbia intermedia     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3842             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -      | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 3843             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 430            |                            | 430                           | 135                                     | 18.0       | 9.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3844             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 16.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3845             | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 10.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3846             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 19.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3847             | <i>Petalostigma pubescens</i>  | Quinine Bush           | 420            |                            | 420                           | 132                                     | 10.0       | 8.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3848             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 15.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3849             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 500            |                            | 500                           | 157                                     | 18.0       | 9.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3850             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 19.0       | 11.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3851             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 18.0       | 12.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3852             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 19.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3853             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 18.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3854             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 17.0       | 6.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3855             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 18.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3856             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 17.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3857             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 320            |                            | 320                           | 101                                     | 18.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3858             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 520            |                            | 520                           | 163                                     | 19.0       | 12.0       | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3859             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 18.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3860             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 19.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3861             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 18.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3862             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 10.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3863             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 410            |                            | 410                           | 129                                     | 20.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3864             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 17.0       | 8.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3865             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 18.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3866             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 18.0       | 9.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3867             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 21.0       | 12.0       | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3868             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3869             | <i>Corymbia citriodora</i>     | Spotted Gum            | 340            |                            | 340                           | 107                                     | 20.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3870             | <i>Corymbia citriodora</i>     | Spotted Gum            | 350            |                            | 350                           | 110                                     | 20.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3871             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 210            |                            | 210                           | 66                                      | 12.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3872             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 370            |                            | 370                           | 116                                     | 19.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3873             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 17.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3874             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 17.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3875             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 10.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3876             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 18.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3877             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 18.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3878             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 19.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3879             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 19.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3880             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 18.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3881             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3882             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 17.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3883             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 410            |                            | 410                           | 129                                     | 19.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3884             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 350            |                            | 350                           | 110                                     | 15.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 3885             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 350            |                            | 350                           | 110                                     | 16.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          |             | Canopy Condition Details |          |          |                  |        |               | Trunk Condition Details |       |              |             |              | Fauna Details and Habitat Value |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|-------------|--------------------------|----------|----------|------------------|--------|---------------|-------------------------|-------|--------------|-------------|--------------|---------------------------------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form | Spreading                | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health | Leaning                 | Vines | Trunk Damage | Fire Damage | Trunk Health | Scats                           | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 3886             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 19.0       | 7.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3887             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 16.0       | 7.0        | 3.1                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3888             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            |                            | 270                           | 85                                      | 14.0       | 6.0        | 3.2                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3889             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            |                            | 280                           | 88                                      | 19.0       | 10.0       | 3.4                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3890             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 20.0       | 9.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3891             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 290            |                            | 290                           | 91                                      | 17.0       | 7.0        | 3.5                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3892             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 21.0       | 12.0       | 3.6                      | 2.0                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3893             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3894             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3895             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 380            |                            | 380                           | 119                                     | 9.0        | 4.0        | 4.6                      | 2.2                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3896             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 9.0        | 3.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3897             | <i>Corymbia citriodora</i>     | Spotted Gum    | 210            |                            | 210                           | 66                                      | 8.0        | 4.0        | 2.5                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3898             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 380            |                            | 380                           | 119                                     | 8.0        | 5.0        | 4.6                      | 2.2                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3899             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            |                            | 280                           | 88                                      | 12.0       | 5.0        | 3.4                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3900             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 320            |                            | 320                           | 101                                     | 9.0        | 4.0        | 3.8                      | 2.1                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3901             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            |                            | 280                           | 88                                      | 12.0       | 4.0        | 3.4                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3902             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            |                            | 270                           | 85                                      | 8.0        | 4.0        | 3.2                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3903             | <i>Corymbia citriodora</i>     | Spotted Gum    | 380            |                            | 380                           | 119                                     | 11.0       | 5.0        | 4.6                      | 2.2                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3904             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 270            | 250                        | 368                           | 116                                     | 9.0        | 4.0        | 4.4                      | 2.2                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3905             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 330            |                            | 330                           | 104                                     | 9.0        | 5.0        | 4.0                      | 2.1                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3906             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 6.0        | 3.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3907             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3908             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 8.0        | 3.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3909             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3910             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3911             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3912             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            |                            | 210                           | 66                                      | 8.0        | 4.0        | 2.5                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3913             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 8.0        | 5.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3914             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3915             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3916             | <i>Dead/Stag</i>               |                | 230            |                            | 230                           | 72                                      | 9.0        | 4.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3917             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 280            |                            | 280                           | 88                                      | 9.0        | 3.0        | 3.4                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3918             | <i>Dead/Stag</i>               |                | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3919             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3920             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3921             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 540            |                            | 540                           | 170                                     | 13.0       | 8.0        | 6.5                      | 2.6                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3922             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 230            |                            | 230                           | 72                                      | 9.0        | 5.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3923             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            | 130                        | 264                           | 83                                      | 9.0        | 5.0        | 3.2                      | 1.9                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3924             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 3925             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 9.0        | 3.0        | 2.9                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3926             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            |                            | 210                           | 66                                      | 7.0        | 3.0        | 2.5                      | 1.7                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3927             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 9.0        | 4.0        | 3.0                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 3928             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 6.0        | 4.0        | 2.8                      | 1.8                      | Regular     | -                        | -        | -        | -                | -      | Typical       | -                       | -     | -            | -           | Typical      | -                               | -         | -       | -    | -            | -             | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          | Canopy Condition Details |             |           |          |          |                  | Trunk Condition Details |               |         |       |              | Fauna Details and Habitat Value |              |       |           |         |      | Additional Details |               |                                         |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|-------------|-----------|----------|----------|------------------|-------------------------|---------------|---------|-------|--------------|---------------------------------|--------------|-------|-----------|---------|------|--------------------|---------------|-----------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped                  | Canopy Health | Leaning | Vines | Trunk Damage | Fire Damage                     | Trunk Health | Scats | Scratches | Hollows | Nest | Termite Nest       | Habitat Value | Retention                               | Additional Notes |
| 3929             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 11.0       | 4.0        | 3.5                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3930             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 9.0        | 3.0        | 2.5                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retention subject to detail design      |                  |
| 3931             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 13.0       | 4.0        | 3.6                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retention subject to detail design      |                  |
| 3932             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 12.0       | 4.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retention subject to detail design      |                  |
| 3933             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 9.0        | 4.0        | 2.5                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3934             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3935             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 11.0       | 4.0        | 2.9                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3936             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 13.0       | 4.0        | 2.4                      | 1.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3937             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 13.0       | 5.0        | 3.2                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3938             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 12.0       | 5.0        | 3.7                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3939             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 8.0        | 5.0        | 3.4                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3940             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 530            |                            | 530                           | 167                                     | 15.0       | 10.0       | 6.4                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3941             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 390            |                            | 390                           | 123                                     | 13.0       | 8.0        | 4.7                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3942             | <i>Dead/Stag</i>               |                        | 550            |                            | 550                           | 173                                     | 16.0       | 9.0        | 6.6                      | 2.6                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3943             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 670            |                            | 670                           | 210                                     | 16.0       | 14.0       | 8.0                      | 2.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | Yes     | -    | -                  | -             | Remove - Development                    |                  |
| 3944             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 14.0       | 9.0        | 6.0                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3945             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 510            |                            | 510                           | 160                                     | 14.0       | 7.0        | 6.1                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3946             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 500            |                            | 500                           | 157                                     | 13.0       | 5.0        | 6.0                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3947             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 620            |                            | 620                           | 195                                     | 15.0       | 9.0        | 7.4                      | 2.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3948             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 590            |                            | 590                           | 185                                     | 22.0       | 11.0       | 7.1                      | 2.7                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3949             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 820            |                            | 820                           | 258                                     | 22.0       | 12.0       | 9.8                      | 3.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3950             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 730            |                            | 730                           | 229                                     | 13.0       | 7.0        | 8.8                      | 2.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | Yes     | -    | -                  | -             | Remove - Development                    |                  |
| 3951             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 13.0       | 7.0        | 6.0                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3952             | <i>Corymbia citriodora</i>     | Spotted Gum            | 510            |                            | 510                           | 160                                     | 11.0       | 8.0        | 6.1                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retention subject to detail design      |                  |
| 3953             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 530            |                            | 530                           | 167                                     | 16.0       | 7.0        | 6.4                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3954             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 510            |                            | 510                           | 160                                     | 16.0       | 8.0        | 6.1                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3955             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 500            |                            | 500                           | 157                                     | 14.0       | 7.0        | 6.0                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 3956             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 18.0       | 8.0        | 6.5                      | 2.6                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Remove - Development                    |                  |
| 4935             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 18.0       | 8.0        | 3.7                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4936             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 220            |                            | 220                           | 69                                      | 11.0       | 5.0        | 2.6                      | 1.8                      | Irregular   | -         | -        | Die-back | Epicormic        | -                       | Poor          | -       | -     | Trunk Dmg.   | Fire Dmg.                       | Poor         | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4937             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 10.0       | 4.0        | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | Fire Dmg.                       | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4938             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 12.0       | 6.0        | 2.9                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4939             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 15.0       | 8.0        | 4.2                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4940             | <i>Corymbia citriodora</i>     | Spotted Gum            | 330            |                            | 330                           | 104                                     | 16.0       | 9.0        | 4.0                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4941             | <i>Corymbia citriodora</i>     | Spotted Gum            | 580            |                            | 580                           | 182                                     | 18.0       | 9.0        | 7.0                      | 2.6                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4942             | <i>Corymbia citriodora</i>     | Spotted Gum            | 430            |                            | 430                           | 135                                     | 17.0       | 8.0        | 5.2                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4943             | <i>Corymbia citriodora</i>     | Spotted Gum            | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4944             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 14.0       | 4.0        | 3.1                      | 1.9                      | Regular     | -         | -        | Die-back | Epicormic        | -                       | Typical       | -       | -     | Trunk Dmg.   | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4945             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4946             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 450            |                            | 450                           | 141                                     | 17.0       | 9.0        | 5.4                      | 2.4                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4947             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 540            |                            | 540                           | 170                                     | 20.0       | 10.0       | 6.5                      | 2.6                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4948             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 13.0       | 4.0        | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |
| 4949             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 14.0       | 5.0        | 2.9                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -     | -         | -       | -    | -                  | -             | Retain - Refer neighbouring application |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                      |                  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|-----------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                               | Additional Notes |
| 4950             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 14.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4951             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 330            |                            | 330                           | 104                                     | 16.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4952             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4953             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4954             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 400            |                            | 400                           | 126                                     | 16.0       | 7.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4955             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 300            |                            | 300                           | 94                                      | 15.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4956             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 11.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4957             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 360            |                            | 360                           | 113                                     | 18.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4958             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 270            | 160                        | 314                           | 99                                      | 12.0       | 6.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4959             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 360            |                            | 360                           | 113                                     | 18.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4960             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 430            |                            | 430                           | 135                                     | 18.0       | 9.0        | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4961             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 810            |                            | 810                           | 254                                     | 20.0       | 11.0       | 9.7                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4962             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            |                            | 260                           | 82                                      | 14.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4963             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 450            |                            | 450                           | 141                                     | 17.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4964             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 340            |                            | 340                           | 107                                     | 15.0       | 6.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4965             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4966             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 11.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4967             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 15.0       | 6.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4968             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 13.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4969             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 14.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4970             | <i>Corymbia citriodora</i>     | Spotted Gum    | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain - Refer neighbouring application |                  |
| 4971             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 14.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4972             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 15.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4973             | <i>Corymbia citriodora</i>     | Spotted Gum    | 340            |                            | 340                           | 107                                     | 16.0       | 7.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4974             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4975             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4976             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 17.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4977             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 220            |                            | 220                           | 69                                      | 11.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4978             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            |                            | 260                           | 82                                      | 16.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4979             | <i>Corymbia citriodora</i>     | Spotted Gum    | 310            |                            | 310                           | 97                                      | 18.0       | 7.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4980             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            |                            | 280                           | 88                                      | 17.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4981             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 16.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4982             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 340            | 130                        | 364                           | 114                                     | 16.0       | 5.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4983             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            |                            | 210                           | 66                                      | 15.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4984             | <i>Corymbia citriodora</i>     | Spotted Gum    | 320            |                            | 320                           | 101                                     | 17.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4985             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 15.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4986             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4987             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            |                            | 210                           | 66                                      | 16.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4988             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 330            |                            | 330                           | 104                                     | 15.0       | 3.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4989             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 250            |                            | 250                           | 79                                      | 16.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4990             | <i>Corymbia citriodora</i>     | Spotted Gum    | 310            |                            | 310                           | 97                                      | 17.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4991             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 330            |                            | 330                           | 104                                     | 17.0       | 5.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |
| 4992             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 16.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                                  |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |           |                  |  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|-----------|------------------|--|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention | Additional Notes |  |
| 4993             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 230            |                            | 230                           | 72                                      | 14.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 4994             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 14.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 4995             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 350            |                            | 350                           | 110                                     | 17.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 4996             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 15.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 4997             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            |                            | 210                           | 66                                      | 14.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 4998             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 15.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 4999             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 340            |                            | 340                           | 107                                     | 17.0       | 4.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5000             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5001             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 13.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5002             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 400            |                            | 400                           | 126                                     | 18.0       | 6.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5003             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 15.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5004             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            | 200                        | 312                           | 98                                      | 16.0       | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5005             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 16.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5006             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 270            |                            | 270                           | 85                                      | 15.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5007             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 310            |                            | 310                           | 97                                      | 16.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5008             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5009             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 12.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5010             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            | 140, 120                   | 279                           | 88                                      | 15.0       | 5.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5011             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 11.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5012             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 210            |                            | 210                           | 66                                      | 13.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5013             | <i>Corymbia citriodora</i>     | Spotted Gum    | 200            |                            | 200                           | 63                                      | 14.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5014             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 330            |                            | 330                           | 104                                     | 16.0       | 7.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5015             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 220            |                            | 220                           | 69                                      | 14.0       | 3.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5016             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 220            |                            | 220                           | 69                                      | 15.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5017             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 16.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5018             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 310            |                            | 310                           | 97                                      | 17.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -         | Retain           |  |
| 5019             | <i>Corymbia citriodora</i>     | Spotted Gum    | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5020             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 310            |                            | 310                           | 97                                      | 16.0       | 5.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5021             | <i>Corymbia citriodora</i>     | Spotted Gum    | 360            |                            | 360                           | 113                                     | 15.0       | 5.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5022             | <i>Corymbia citriodora</i>     | Spotted Gum    | 310            |                            | 310                           | 97                                      | 17.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5023             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 310            |                            | 310                           | 97                                      | 17.0       | 4.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5024             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 320            |                            | 320                           | 101                                     | 17.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5025             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 250            |                            | 250                           | 79                                      | 12.0       | 3.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5026             | <i>Corymbia citriodora</i>     | Spotted Gum    | 300            |                            | 300                           | 94                                      | 17.0       | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5027             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 580            |                            | 580                           | 182                                     | 22.0       | 12.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5028             | <i>Corymbia citriodora</i>     | Spotted Gum    | 270            |                            | 270                           | 85                                      | 15.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5029             | <i>Corymbia citriodora</i>     | Spotted Gum    | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5030             | <i>Corymbia citriodora</i>     | Spotted Gum    | 340            |                            | 340                           | 107                                     | 17.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5031             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 360            |                            | 360                           | 113                                     | 16.0       | 7.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5032             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 16.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5033             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 300            |                            | 300                           | 94                                      | 17.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5034             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 15.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |
| 5035             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 330            |                            | 330                           | 104                                     | 17.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain    |                  |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 5036             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 16.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5037             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5038             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 16.0       | 6.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5039             | <i>Corymbia citriodora</i>     | Spotted Gum            | 260            |                            | 260                           | 82                                      | 17.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5040             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 550            |                            | 550                           | 173                                     | 17.0       | 9.0        | 6.6                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5041             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 16.0       | 12.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5042             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5043             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5044             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 17.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5045             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5046             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5047             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 17.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5048             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 15.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5049             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 17.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5050             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5051             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 440            |                            | 440                           | 138                                     | 17.0       | 8.0        | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 5052             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 18.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5053             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 19.0       | 10.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5054             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 16.0       | 7.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5055             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 3.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5056             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 14.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5057             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5058             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5059             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 12.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5060             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 15.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5061             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 15.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5062             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 16.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5063             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 200            |                            | 200                           | 63                                      | 15.0       | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5064             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 16.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5065             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 17.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5066             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 360            |                            | 360                           | 113                                     | 17.0       | 9.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5067             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 13.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5068             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5069             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 400            |                            | 400                           | 126                                     | 20.0       | 10.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5070             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 600            |                            | 600                           | 188                                     | 21.0       | 11.0       | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5071             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5072             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 17.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5073             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 15.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5074             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 17.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5075             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 16.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5076             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5077             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |
| 5078             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 16.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retain                             |                  |



| Specimen Details |                                |                |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                  |  |
|------------------|--------------------------------|----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|--|
| Tree ID          | Botanical Name                 | Common Name    | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |  |
| 5079             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 480            |                            | 480                           | 151                                     | 21.0       | 12.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5080             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5081             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 14.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5082             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 300            |                            | 300                           | 94                                      | 17.0       | 5.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Minor   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retain           |  |
| 5083             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 17.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5084             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 480            |                            | 480                           | 151                                     | 19.0       | 10.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5085             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5086             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 16.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5087             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 230            |                            | 230                           | 72                                      | 16.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5088             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 200            |                            | 200                           | 63                                      | 14.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5089             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 240            |                            | 240                           | 75                                      | 15.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5090             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 240            |                            | 240                           | 75                                      | 10.0       | 3.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5091             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 220            |                            | 220                           | 69                                      | 11.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5092             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 12.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5093             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 350            |                            | 350                           | 110                                     | 15.0       | 5.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5094             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 260            |                            | 260                           | 82                                      | 15.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5095             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5096             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 400            |                            | 400                           | 126                                     | 18.0       | 8.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5097             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 14.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5098             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 12.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5099             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 260            |                            | 260                           | 82                                      | 11.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5100             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 9.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5101             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 10.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5102             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 260            |                            | 260                           | 82                                      | 15.0       | 4.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5103             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 9.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5104             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 8.0        | 2.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5105             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 230            |                            | 230                           | 72                                      | 11.0       | 5.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5106             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 310            |                            | 310                           | 97                                      | 18.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5107             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5108             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 14.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5109             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5110             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 270            |                            | 270                           | 85                                      | 17.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5111             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 300            |                            | 300                           | 94                                      | 17.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5112             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 210            |                            | 210                           | 66                                      | 8.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5113             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 210            |                            | 210                           | 66                                      | 7.0        | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 5114             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            |                            | 280                           | 88                                      | 18.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 5115             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 320            |                            | 320                           | 101                                     | 17.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5116             | <i>Corymbia intermedia</i>     | Pink Bloodwood | 240            |                            | 240                           | 75                                      | 14.0       | 4.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5117             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5118             | <i>Lophostemon suaveolens</i>  | Swamp Box      | 200            |                            | 200                           | 63                                      | 10.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 5119             | <i>Corymbia citriodora</i>     | Spotted Gum    | 220            |                            | 220                           | 69                                      | 14.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |  |
| 5120             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 280            | 180                        | 333                           | 105                                     | 16.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |
| 5121             | <i>Eucalyptus tereticornis</i> | Forest Red Gum | 270            |                            | 270                           | 85                                      | 15.0       | 4.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retain                             |                  |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5122             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 16.0       | 6.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5123             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5124             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 400            |                            | 400                           | 126                                     | 14.0       | 11.0       | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5125             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 16.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5126             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 17.0       | 8.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5127             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 16.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5128             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 14.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5129             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 410            |                            | 410                           | 129                                     | 17.0       | 10.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5130             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 16.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5131             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 18.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5132             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 16.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5133             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 17.0       | 7.0        | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5134             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 19.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5135             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5136             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5137             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 9.0        | 2.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5138             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 16.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5139             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 410            |                            | 410                           | 129                                     | 17.0       | 11.0       | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5140             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5141             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 18.0       | 9.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5142             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 17.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5143             | <i>Corymbia citriodora</i>     | Spotted Gum            | 220            |                            | 220                           | 69                                      | 16.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5144             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5145             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 260            |                            | 260                           | 82                                      | 7.0        | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5146             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 11.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5147             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 19.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5148             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5149             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 21.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5150             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 18.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5151             | <i>Corymbia citriodora</i>     | Spotted Gum            | 310            |                            | 310                           | 97                                      | 18.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5152             | <i>Corymbia citriodora</i>     | Spotted Gum            | 360            |                            | 360                           | 113                                     | 22.0       | 14.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5153             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 16.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5154             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 730            |                            | 730                           | 229                                     | 20.0       | 15.0       | 8.8                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5155             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 15.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5156             | <i>Corymbia citriodora</i>     | Spotted Gum            | 330            |                            | 330                           | 104                                     | 18.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5157             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 15.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5158             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 16.0       | 5.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5159             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 14.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5160             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 17.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5161             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 16.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5162             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 17.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5163             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 15.0       | 10.0       | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5164             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 16.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5165             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 17.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5166             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5167             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 16.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5168             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 16.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5169             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 18.0       | 9.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5170             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 17.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5171             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            | 100                        | 233                           | 73                                      | 12.0       | 3.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5172             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 17.0       | 6.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5173             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 250            |                            | 250                           | 79                                      | 15.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5174             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 16.0       | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5175             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 320            |                            | 320                           | 101                                     | 18.0       | 8.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5176             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 450            |                            | 450                           | 141                                     | 15.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5177             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 270            |                            | 270                           | 85                                      | 16.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5178             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 370            |                            | 370                           | 116                                     | 17.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5179             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 17.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5180             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 18.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5181             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 16.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5182             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 240            |                            | 240                           | 75                                      | 15.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5183             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5184             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 310            |                            | 310                           | 97                                      | 17.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5185             | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 17.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5186             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 17.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5187             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5188             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 17.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5189             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 16.0       | 5.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5190             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 16.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5191             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 17.0       | 6.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5192             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 18.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5193             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 17.0       | 7.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5194             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 170, 150                   | 302                           | 95                                      | 13.0       | 6.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5195             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 17.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5196             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            | 190                        | 298                           | 94                                      | 17.0       | 10.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5197             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 240            |                            | 240                           | 75                                      | 16.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5198             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 17.0       | 7.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5199             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 17.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5200             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            | 180                        | 269                           | 85                                      | 15.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5201             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 16.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5202             | <i>Corymbia citriodora</i>     | Spotted Gum            | 230            |                            | 230                           | 72                                      | 18.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5203             | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 18.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5204             | <i>Corymbia citriodora</i>     | Spotted Gum            | 210            |                            | 210                           | 66                                      | 17.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5205             | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5206             | <i>Corymbia citriodora</i>     | Spotted Gum            | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5207             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 18.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          | Canopy Condition Details |             |           |          |          |                  | Trunk Condition Details |               |         |       |              | Fauna Details and Habitat Value |              |         |           |         |      | Additional Details |               |                                    |                                    |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|-------------|-----------|----------|----------|------------------|-------------------------|---------------|---------|-------|--------------|---------------------------------|--------------|---------|-----------|---------|------|--------------------|---------------|------------------------------------|------------------------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped                  | Canopy Health | Leaning | Vines | Trunk Damage | Fire Damage                     | Trunk Health | Scats   | Scratches | Hollows | Nest | Termite Nest       | Habitat Value | Retention                          | Additional Notes                   |  |
| 5208             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 18.0       | 7.0        | 3.5                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5209             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 18.0       | 6.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5210             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 18.0       | 8.0        | 3.2                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5211             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 280            |                            | 280                           | 88                                      | 16.0       | 8.0        | 3.4                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5212             | <i>Petalostigma pubescens</i>  | Quinine Bush           | 200            | 110, 100                   | 249                           | 78                                      | 6.0        | 8.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5213             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 400            |                            | 400                           | 126                                     | 20.0       | 12.0       | 4.8                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5214             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 19.0       | 8.0        | 5.0                      | 2.3                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5215             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 18.0       | 8.0        | 4.2                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | Trunk Dmg.   | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5216             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 16.0       | 7.0        | 3.1                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5217             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 18.0       | 7.0        | 3.4                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5218             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 17.0       | 10.0       | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5219             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 17.0       | 7.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5220             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 13.0       | 3.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5221             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 20.0       | 8.0        | 4.6                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5222             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 300            |                            | 300                           | 94                                      | 19.0       | 7.0        | 3.6                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5223             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 17.0       | 8.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5224             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 260            |                            | 260                           | 82                                      | 15.0       | 7.0        | 3.1                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | Minor   | -     | -            | -                               | -            | Typical | -         | -       | -    | -                  | -             | -                                  | Retention subject to detail design |  |
| 5225             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 360            |                            | 360                           | 113                                     | 17.0       | 6.0        | 4.3                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5226             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 220            |                            | 220                           | 69                                      | 13.0       | 4.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | Trunk Dmg.   | Fire Dmg.                       | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5227             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 19.0       | 11.0       | 3.7                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5228             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 320            |                            | 320                           | 101                                     | 19.0       | 10.0       | 3.8                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5229             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 470            |                            | 470                           | 148                                     | 16.0       | 10.0       | 5.6                      | 2.4                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5230             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 17.0       | 5.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5231             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 18.0       | 7.0        | 3.8                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5232             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 16.0       | 6.0        | 3.6                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5233             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 18.0       | 9.0        | 4.3                      | 2.2                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5234             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 19.0       | 8.0        | 3.7                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5235             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 17.0       | 10.0       | 3.8                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5236             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 520            |                            | 520                           | 163                                     | 19.0       | 12.0       | 6.2                      | 2.5                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5237             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 17.0       | 6.0        | 3.6                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5238             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            | 190                        | 291                           | 91                                      | 16.0       | 7.0        | 3.5                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5239             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 17.0       | 8.0        | 3.1                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5240             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 17.0       | 7.0        | 4.1                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5241             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 17.0       | 7.0        | 3.6                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5242             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 18.0       | 8.0        | 3.7                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5243             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 18.0       | 8.0        | 3.5                      | 2.0                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5244             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 17.0       | 9.0        | 3.4                      | 1.9                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5245             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 6.0        | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5246             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 16.0       | 5.0        | 2.8                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Retention subject to detail design |                                    |  |
| 5247             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5248             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5249             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 17.0       | 6.0        | 4.0                      | 2.1                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |
| 5250             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 16.0       | 5.0        | 2.6                      | 1.8                      | Regular     | -         | -        | -        | -                | -                       | Typical       | -       | -     | -            | -                               | Typical      | -       | -         | -       | -    | -                  | -             | Remove - Development               |                                    |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |         |           |         |      |              | Additional Details |                                    |                                    |  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|---------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------------------------|--|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats   | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes                   |  |
| 5251             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5252             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 15.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5253             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 220            |                            | 220                           | 69                                      | 13.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5254             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 17.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5255             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 17.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5256             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 470            |                            | 470                           | 148                                     | 18.0       | 11.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5257             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 15.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5258             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 210            |                            | 210                           | 66                                      | 16.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5259             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 17.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5260             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 16.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5261             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 580            |                            | 580                           | 182                                     | 20.0       | 10.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5262             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 310            |                            | 310                           | 97                                      | 17.0       | 8.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5263             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 17.0       | 7.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5264             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 16.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5265             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 320            |                            | 320                           | 101                                     | 18.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5266             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 260            |                            | 260                           | 82                                      | 18.0       | 5.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5267             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 260            |                            | 260                           | 82                                      | 17.0       | 7.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5268             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 330            |                            | 330                           | 104                                     | 17.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5269             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 210            |                            | 210                           | 66                                      | 17.0       | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5270             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 210            |                            | 210                           | 66                                      | 10.0       | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Poor                    | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5271             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            | 150                        | 309                           | 97                                      | 16.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5272             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 18.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5273             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 19.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5274             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 18.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5275             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 200            |                            | 200                           | 63                                      | 14.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5276             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 13.0       | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5277             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 470            |                            | 470                           | 148                                     | 20.0       | 11.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5278             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 220            |                            | 220                           | 69                                      | 14.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5279             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 210            |                            | 210                           | 66                                      | 14.0       | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5280             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 14.0       | 2.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5281             | <i>Corymbia citriodora</i>     | Spotted Gum            | 680            |                            | 680                           | 214                                     | 20.0       | 13.0       | 8.2                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5282             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 17.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5283             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 340            |                            | 340                           | 107                                     | 17.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5284             | <i>Corymbia citriodora</i>     | Spotted Gum            | 240            |                            | 240                           | 75                                      | 17.0       | 8.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Remove - Development               |                                    |  |
| 5285             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 16.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5286             | <i>Corymbia citriodora</i>     | Spotted Gum            | 360            |                            | 360                           | 113                                     | 21.0       | 14.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5287             | <i>Corymbia citriodora</i>     | Spotted Gum            | 270            |                            | 270                           | 85                                      | 18.0       | 11.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5288             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 250            |                            | 250                           | 79                                      | 17.0       | 9.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5289             | <i>Corymbia citriodora</i>     | Spotted Gum            | 350            |                            | 350                           | 110                                     | 18.0       | 7.0        | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5290             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 320            |                            | 320                           | 101                                     | 18.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5291             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 270            |                            | 270                           | 85                                      | 17.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |
| 5292             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 270            |                            | 270                           | 85                                      | 11.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | Major   | -     | -            | -           | -                               | Typical | -         | -       | -    | -            | -                  | -                                  | Retention subject to detail design |  |
| 5293             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 270            |                            | 270                           | 85                                      | 17.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -       | -         | -       | -    | -            | -                  | Retention subject to detail design |                                    |  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5294             | <i>Corymbia citriodora</i>     | Spotted Gum            | 320            |                            | 320                           | 101                                     | 17.0       | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5295             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 430            |                            | 430                           | 135                                     | 19.0       | 10.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5296             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 270            |                            | 270                           | 85                                      | 17.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5297             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 270            |                            | 270                           | 85                                      | 18.0       | 9.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5298             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 230            |                            | 230                           | 72                                      | 18.0       | 8.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5299             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 220            |                            | 220                           | 69                                      | 14.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5300             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 280            |                            | 280                           | 88                                      | 18.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5301             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 220            |                            | 220                           | 69                                      | 17.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5302             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 260            |                            | 260                           | 82                                      | 17.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5303             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 430            |                            | 430                           | 135                                     | 18.0       | 12.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5304             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 17.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5305             | <i>Angophora subvelutina</i>   | Broad-leaved Apple     | 330            |                            | 330                           | 104                                     | 18.0       | 10.0       | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5306             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 170            | 130                        | 214                           | 67                                      | 10.0       | 6.0        | 2.6                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5307             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 220            |                            | 220                           | 69                                      | 9.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5308             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5309             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 210            |                            | 210                           | 66                                      | 8.0        | 4.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5310             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 270            |                            | 270                           | 85                                      | 10.0       | 5.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5311             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5312             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5313             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5314             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 220            |                            | 220                           | 69                                      | 6.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5315             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5316             | <i>Acacia melanoxylon</i>      | Australian Blackwood   | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5317             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5318             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 390            |                            | 390                           | 123                                     | 12.0       | 7.0        | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5319             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 13.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5320             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 400            |                            | 400                           | 126                                     | 15.0       | 9.0        | 4.8                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5321             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 210            |                            | 210                           | 66                                      | 8.0        | 5.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5322             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 10.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5323             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 250            |                            | 250                           | 79                                      | 13.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5324             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 270            |                            | 270                           | 85                                      | 13.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retain                             |                  |
| 5325             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 280            |                            | 280                           | 88                                      | 14.0       | 8.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5326             | <i>Acacia disparrima</i>       | Hickory Wattle         | 320            |                            | 320                           | 101                                     | 7.0        | 5.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5327             | <i>Acacia disparrima</i>       | Hickory Wattle         | 480            |                            | 480                           | 151                                     | 8.0        | 8.0        | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5328             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 13.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5329             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 7.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5330             | <i>Acacia disparrima</i>       | Hickory Wattle         | 140            | 130 120                    | 226                           | 71                                      | 7.0        | 5.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5331             | <i>Acacia disparrima</i>       | Hickory Wattle         | 210            | 239                        | 318                           | 100                                     | 6.0        | 8.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5332             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5333             | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            | 150 180                    | 328                           | 103                                     | 7.0        | 6.0        | 3.9                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5334             | <i>Acacia disparrima</i>       | Hickory Wattle         | 210            |                            | 210                           | 66                                      | 7.0        | 3.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5335             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5336             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 7.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5337             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5338             | <i>Acacia disparrima</i>       | Hickory Wattle         | 230            |                            | 230                           | 72                                      | 8.0        | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5339             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 9.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5340             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 240            |                            | 240                           | 75                                      | 15.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5341             | <i>Corymbia citriodora</i>     | Spotted Gum            | 200            |                            | 200                           | 63                                      | 9.0        | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5342             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 410            |                            | 410                           | 129                                     | 14.0       | 8.0        | 4.9                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5343             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            | 200                        | 297                           | 93                                      | 13.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5344             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 280            |                            | 280                           | 88                                      | 16.0       | 10.0       | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5345             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 490            |                            | 490                           | 154                                     | 16.0       | 10.0       | 5.9                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5346             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 14.0       | 9.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5347             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 14.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5348             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 330            |                            | 330                           | 104                                     | 15.0       | 9.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5349             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 10.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5350             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 240            |                            | 240                           | 75                                      | 16.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5351             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 200            |                            | 200                           | 63                                      | 13.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5352             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 16.0       | 9.0        | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5353             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 200            |                            | 200                           | 63                                      | 13.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5354             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 330            |                            | 330                           | 104                                     | 15.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5355             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5356             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 340            |                            | 340                           | 107                                     | 17.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5357             | <i>Acacia disparrima</i>       | Hickory Wattle         | 200            |                            | 200                           | 63                                      | 5.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5358             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 570            |                            | 570                           | 179                                     | 20.0       | 14.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5359             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 17.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5360             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 440            |                            | 440                           | 138                                     | 18.0       | 12.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5361             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5362             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 8.0        | 4.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5363             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 300            |                            | 300                           | 94                                      | 17.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5364             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 250            |                            | 250                           | 79                                      | 14.0       | 8.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5365             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 380            |                            | 380                           | 119                                     | 16.0       | 11.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5366             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 13.0       | 8.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5367             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 15.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5368             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 10.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5369             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 15.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5370             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 225            |                            | 225                           | 71                                      | 9.0        | 4.0        | 2.7                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5371             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 260            |                            | 260                           | 82                                      | 15.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5372             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 14.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5373             | <i>Melaleuca quinquenervia</i> | Broad-leaved Paperbark | 290            |                            | 290                           | 91                                      | 13.0       | 5.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5374             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            |                            | 350                           | 110                                     | 19.0       | 10.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5375             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 350            |                            | 350                           | 110                                     | 18.0       | 11.0       | 4.2                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5376             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 260            |                            | 260                           | 82                                      | 14.0       | 8.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5377             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 300            |                            | 300                           | 94                                      | 13.0       | 8.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5378             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 370            |                            | 370                           | 116                                     | 17.0       | 10.0       | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5379             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 430            |                            | 430                           | 135                                     | 17.0       | 11.0       | 5.2                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5380             | Melaleuca quinquenervia | Broad-leaved Paperbark | 250            |                            | 250                           | 79                                      | 10.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5381             | Eucalyptus tereticornis | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 12.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5382             | Eucalyptus tereticornis | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 14.0       | 8.0        | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5383             | Lophostemon suaveolens  | Swamp Box              | 220            |                            | 220                           | 69                                      | 8.0        | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5384             | Melaleuca quinquenervia | Broad-leaved Paperbark | 220            |                            | 220                           | 69                                      | 15.0       | 6.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5385             | Melaleuca quinquenervia | Broad-leaved Paperbark | 370            |                            | 370                           | 116                                     | 14.0       | 8.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5386             | Eucalyptus tereticornis | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 17.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5387             | Corymbia intermedia     | Pink Bloodwood         | 480            |                            | 480                           | 151                                     | 18.0       | 13.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5388             | Eucalyptus tereticornis | Forest Red Gum         | 210            |                            | 210                           | 66                                      | 12.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5389             | Melaleuca quinquenervia | Broad-leaved Paperbark | 200            | 180                        | 269                           | 85                                      | 15.0       | 10.0       | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5390             | Eucalyptus tereticornis | Forest Red Gum         | 360            |                            | 360                           | 113                                     | 16.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5391             | Eucalyptus tereticornis | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 16.0       | 9.0        | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5392             | Melaleuca quinquenervia | Broad-leaved Paperbark | 250            |                            | 250                           | 79                                      | 12.0       | 6.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5393             | Lophostemon suaveolens  | Swamp Box              | 200            |                            | 200                           | 63                                      | 11.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5394             | Eucalyptus tereticornis | Forest Red Gum         | 470            |                            | 470                           | 148                                     | 18.0       | 11.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5395             | Eucalyptus tereticornis | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 18.0       | 13.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5396             | Eucalyptus tereticornis | Forest Red Gum         | 320            |                            | 320                           | 101                                     | 21.0       | 15.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5397             | Corymbia intermedia     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 21.0       | 15.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5398             | Corymbia tessellaris    | Moreton Bay Ash        | 480            |                            | 480                           | 151                                     | 21.0       | 15.0       | 5.8                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5399             | Corymbia intermedia     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 20.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5400             | Corymbia tessellaris    | Moreton Bay Ash        | 320            |                            | 320                           | 101                                     | 20.0       | 10.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5401             | Corymbia tessellaris    | Moreton Bay Ash        | 220            |                            | 220                           | 69                                      | 14.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5402             | Lophostemon suaveolens  | Swamp Box              | 280            |                            | 280                           | 88                                      | 13.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5403             | Corymbia tessellaris    | Moreton Bay Ash        | 290            |                            | 290                           | 91                                      | 19.0       | 11.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5404             | Eucalyptus tereticornis | Forest Red Gum         | 420            |                            | 420                           | 132                                     | 18.0       | 10.0       | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5405             | Corymbia tessellaris    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 17.0       | 10.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5406             | Eucalyptus tereticornis | Forest Red Gum         | 220            |                            | 220                           | 69                                      | 13.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5407             | Corymbia intermedia     | Pink Bloodwood         | 380            |                            | 380                           | 119                                     | 18.0       | 12.0       | 4.6                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5408             | Eucalyptus tereticornis | Forest Red Gum         | 290            |                            | 290                           | 91                                      | 14.0       | 8.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5409             | Alphitonia excelsa      | Soap Tree              | 200            |                            | 200                           | 63                                      | 8.0        | 3.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5410             | Corymbia intermedia     | Pink Bloodwood         | 340            |                            | 340                           | 107                                     | 18.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5411             | Corymbia intermedia     | Pink Bloodwood         | 290            |                            | 290                           | 91                                      | 19.0       | 12.0       | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5412             | Alphitonia excelsa      | Soap Tree              | 200            |                            | 200                           | 63                                      | 16.0       | 9.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5413             | Corymbia intermedia     | Pink Bloodwood         | 320            |                            | 320                           | 101                                     | 18.0       | 11.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5414             | Corymbia intermedia     | Pink Bloodwood         | 200            |                            | 200                           | 63                                      | 10.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5415             | Corymbia tessellaris    | Moreton Bay Ash        | 250            |                            | 250                           | 79                                      | 20.0       | 10.0       | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5416             | Corymbia tessellaris    | Moreton Bay Ash        | 320            |                            | 320                           | 101                                     | 18.0       | 11.0       | 3.8                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5417             | Corymbia tessellaris    | Moreton Bay Ash        | 240            |                            | 240                           | 75                                      | 18.0       | 11.0       | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5418             | Corymbia intermedia     | Pink Bloodwood         | 230            |                            | 230                           | 72                                      | 14.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5419             | Corymbia intermedia     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 18.0       | 12.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5420             | Eucalyptus tereticornis | Forest Red Gum         | 300            |                            | 300                           | 94                                      | 18.0       | 11.0       | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5421             | Eucalyptus tereticornis | Forest Red Gum         | 340            |                            | 340                           | 107                                     | 20.0       | 12.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5422             | Corymbia tessellaris    | Moreton Bay Ash        | 285            |                            | 285                           | 90                                      | 19.0       | 13.0       | 3.4                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |



| Specimen Details |                                |                 |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|-----------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name     | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5423             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5424             | <i>Acacia disparrima</i>       | Hickory Wattle  | 200            |                            | 200                           | 63                                      | 8.0        | 4.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5425             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 170            | 160                        | 233                           | 73                                      | 12.0       | 6.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5426             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 220            |                            | 220                           | 69                                      | 14.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5427             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            |                            | 200                           | 63                                      | 10.0       | 8.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5428             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            |                            | 200                           | 63                                      | 11.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5429             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            |                            | 200                           | 63                                      | 12.0       | 7.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5430             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 240            |                            | 240                           | 75                                      | 18.0       | 9.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5431             | <i>Lophostemon suaveolens</i>  | Swamp Box       | 210            |                            | 210                           | 66                                      | 14.0       | 6.0        | 2.5                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5432             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 250            |                            | 250                           | 79                                      | 16.0       | 7.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5433             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash | 220            |                            | 220                           | 69                                      | 17.0       | 7.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5434             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            |                            | 270                           | 85                                      | 16.0       | 7.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5435             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            |                            | 270                           | 85                                      | 17.0       | 6.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5436             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            | 170                        | 262                           | 82                                      | 17.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5437             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 450            |                            | 450                           | 141                                     | 17.0       | 10.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5438             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 220            |                            | 220                           | 69                                      | 15.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5439             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 230            |                            | 230                           | 72                                      | 16.0       | 7.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5440             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 290            |                            | 290                           | 91                                      | 18.0       | 7.0        | 3.5                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5441             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 230            |                            | 230                           | 72                                      | 15.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5442             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 370            |                            | 370                           | 116                                     | 14.0       | 5.0        | 4.4                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5443             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            | 200                        | 336                           | 106                                     | 17.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5444             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 230            |                            | 230                           | 72                                      | 16.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5445             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 360            |                            | 360                           | 113                                     | 15.0       | 8.0        | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5446             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 300            |                            | 300                           | 94                                      | 18.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5447             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 220            |                            | 220                           | 69                                      | 16.0       | 5.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5448             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 250            |                            | 250                           | 79                                      | 17.0       | 4.0        | 3.0                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5449             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 280            |                            | 280                           | 88                                      | 15.0       | 7.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5450             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 450            |                            | 450                           | 141                                     | 21.0       | 12.0       | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5451             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            |                            | 200                           | 63                                      | 15.0       | 5.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5452             | <i>Corymbia citriodora</i>     | Spotted Gum     | 230            |                            | 230                           | 72                                      | 16.0       | 4.0        | 2.8                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5453             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            |                            | 200                           | 63                                      | 14.0       | 6.0        | 2.4                      | 1.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5454             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 200            | 180                        | 269                           | 85                                      | 14.0       | 8.0        | 3.2                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5455             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 220            |                            | 220                           | 69                                      | 17.0       | 8.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5456             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 340            |                            | 340                           | 107                                     | 18.0       | 10.0       | 4.1                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5457             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 260            |                            | 260                           | 82                                      | 18.0       | 9.0        | 3.1                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5458             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 270            | 230                        | 355                           | 111                                     | 18.0       | 11.0       | 4.3                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5459             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 280            |                            | 280                           | 88                                      | 18.0       | 9.0        | 3.4                      | 1.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5460             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 220            |                            | 220                           | 69                                      | 16.0       | 4.0        | 2.6                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5461             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 240            |                            | 240                           | 75                                      | 17.0       | 6.0        | 2.9                      | 1.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5462             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 230            | 240                        | 332                           | 104                                     | 18.0       | 8.0        | 4.0                      | 2.1                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5463             | <i>Corymbia intermedia</i>     | Pink Bloodwood  | 300            |                            | 300                           | 94                                      | 18.0       | 9.0        | 3.6                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5464             | <i>Eucalyptus tereticornis</i> | Forest Red Gum  | 510            |                            | 510                           | 160                                     | 20.0       | 11.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5465             | <i>Corymbia citriodora</i>     | Spotted Gum     | 620            |                            | 620                           | 195                                     | 21.0       | 13.0       | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |



| Specimen Details |                                |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              | Additional Details |                                    |                  |
|------------------|--------------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|--------------------|------------------------------------|------------------|
| Tree ID          | Botanical Name                 | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value      | Retention                          | Additional Notes |
| 5466             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 540            |                            | 540                           | 170                                     | 22.0       | 13.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5467             | <i>Corymbia citriodora</i>     | Spotted Gum            | 840            |                            | 840                           | 264                                     | 11.0       | 9.0        | 10.1                     | 3.1                      | Regular                  | -         | Thinning | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5468             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 470            | 270                        | 542                           | 170                                     | 16.0       | 13.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5469             | <i>Corymbia citriodora</i>     | Spotted Gum            | 620            |                            | 620                           | 195                                     | 20.0       | 7.0        | 7.4                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5470             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 810            |                            | 810                           | 254                                     | 20.0       | 12.0       | 9.7                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5471             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 780            |                            | 780                           | 245                                     | 10.0       | 6.0        | 9.4                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5472             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 17.0       | 10.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5473             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 600            |                            | 600                           | 188                                     | 17.0       | 9.0        | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5474             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 610            |                            | 610                           | 192                                     | 20.0       | 10.0       | 7.3                      | 2.7                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Poor                            | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5475             | <i>Corymbia tessellaris</i>    | Moreton Bay Ash        | 570            |                            | 570                           | 179                                     | 21.0       | 14.0       | 6.8                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Retention subject to detail design |                  |
| 5476             | <i>Corymbia citriodora</i>     | Spotted Gum            | 420            |                            | 420                           | 132                                     | 18.0       | 9.0        | 5.0                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5477             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            | 385                        | 501                           | 157                                     | 17.0       | 11.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5478             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            |                            | 360                           | 113                                     | 16.0       | 10.0       | 4.3                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5479             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 310            |                            | 310                           | 97                                      | 16.0       | 10.0       | 3.7                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5480             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 525            |                            | 525                           | 165                                     | 18.0       | 9.0        | 6.3                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5481             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 440            |                            | 440                           | 138                                     | 21.0       | 11.0       | 5.3                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5482             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 19.0       | 13.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5483             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 815            |                            | 815                           | 256                                     | 18.0       | 12.0       | 9.8                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5484             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 510            |                            | 510                           | 160                                     | 18.0       | 13.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5485             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 575            |                            | 575                           | 181                                     | 17.0       | 14.0       | 6.9                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5486             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 15.0       | 12.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5487             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 725            |                            | 725                           | 228                                     | 21.0       | 13.0       | 8.7                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5488             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 535            |                            | 535                           | 168                                     | 17.0       | 10.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5489             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 530            |                            | 530                           | 167                                     | 19.0       | 10.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5490             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 580            |                            | 580                           | 182                                     | 20.0       | 15.0       | 7.0                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5491             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 545            |                            | 545                           | 171                                     | 17.0       | 10.0       | 6.5                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5492             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 670            |                            | 670                           | 210                                     | 18.0       | 11.0       | 8.0                      | 2.8                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5493             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 320            | 230                        | 394                           | 124                                     | 18.0       | 10.0       | 4.7                      | 2.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5494             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 605            |                            | 605                           | 190                                     | 19.0       | 10.0       | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5495             | <i>Dead/Stag</i>               |                        | 760            |                            | 760                           | 239                                     | 17.0       | 11.0       | 9.1                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5496             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 19.0       | 14.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5497             | <i>Dead/Stag</i>               |                        | 425            |                            | 425                           | 134                                     | 18.0       | 9.0        | 5.1                      | 2.3                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development               |                  |
| 5498             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 610            |                            | 610                           | 192                                     | 19.0       | 14.0       | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5499             | <i>Dead/Stag</i>               |                        | 745            |                            | 745                           | 234                                     | 18.0       | 9.0        | 8.9                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development               |                  |
| 5500             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 500            |                            | 500                           | 157                                     | 19.0       | 9.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5501             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 415            | 325                        | 527                           | 166                                     | 18.0       | 10.0       | 6.3                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5502             | <i>Eucalyptus crebra</i>       | Narrow-leaved Ironbark | 500            |                            | 500                           | 157                                     | 21.0       | 12.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5503             | <i>Corymbia citriodora</i>     | Spotted Gum            | 1020           |                            | 1020                          | 320                                     | 18.0       | 9.0        | 12.2                     | 3.3                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -                  | Remove - Development               |                  |
| 5505             | <i>Corymbia citriodora</i>     | Spotted Gum            | 500            |                            | 500                           | 157                                     | 21.0       | 14.0       | 6.0                      | 2.5                      | One-sided                | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5509             | <i>Lophostemon suaveolens</i>  | Swamp Box              | 330            | 300                        | 446                           | 140                                     | 16.0       | 8.0        | 5.4                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5510             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 360            | 300                        | 469                           | 147                                     | 17.0       | 11.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5511             | <i>Eucalyptus tereticornis</i> | Forest Red Gum         | 350            | 310                        | 468                           | 147                                     | 17.0       | 10.0       | 5.6                      | 2.4                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -                  | Remove - Development               |                  |
| 5512             | <i>Corymbia intermedia</i>     | Pink Bloodwood         | 680            |                            | 680                           | 214                                     | 18.0       | 12.0       | 8.2                      | 2.8                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | Yes     | -    | Present      | -                  | Remove - Development               |                  |



| Specimen Details |                         |                        |                |                            |                               |                                         |            |            |                          |                          | Canopy Condition Details |           |          |          |                  |        | Trunk Condition Details |         |       |              |             | Fauna Details and Habitat Value |       |           |         |      |              |               | Additional Details                 |                  |
|------------------|-------------------------|------------------------|----------------|----------------------------|-------------------------------|-----------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|-----------|----------|----------|------------------|--------|-------------------------|---------|-------|--------------|-------------|---------------------------------|-------|-----------|---------|------|--------------|---------------|------------------------------------|------------------|
| Tree ID          | Botanical Name          | Common Name            | Trunk DBH (mm) | Additional Trunks DBH (mm) | Total DBH (mm) [AS 4970-2009] | Trunk Circumference (cm) [AS 4970-2009] | Height (m) | Spread (m) | Tree Protection Zone (m) | Structural Root Zone (m) | Canopy Form              | Spreading | Thinning | Die-Back | Epicormic Growth | Lopped | Canopy Health           | Leaning | Vines | Trunk Damage | Fire Damage | Trunk Health                    | Scats | Scratches | Hollows | Nest | Termite Nest | Habitat Value | Retention                          | Additional Notes |
| 5513             | Dead/Stag               |                        | 505            |                            | 505                           | 159                                     | 18.0       | 10.0       | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5514             | Dead/Stag               |                        | 315            |                            | 315                           | 99                                      | 17.0       | 9.0        | 3.8                      | 2.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5515             | Corymbia intermedia     | Pink Bloodwood         | 670            |                            | 670                           | 210                                     | 18.0       | 9.0        | 8.0                      | 2.8                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5516             | Corymbia intermedia     | Pink Bloodwood         | 650            |                            | 650                           | 204                                     | 18.0       | 10.0       | 7.8                      | 2.8                      | Regular                  | -         | -        | Die-back | -                | -      | Poor                    | -       | -     | Trunk Dmg.   | Fire Dmg.   | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5517             | Eucalyptus tereticornis | Forest Red Gum         | 660            |                            | 660                           | 207                                     | 17.0       | 10.0       | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | Trunk Dmg.   | -           | Poor                            | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5518             | Eucalyptus tereticornis | Forest Red Gum         | 940            |                            | 940                           | 295                                     | 15.0       | 10.0       | 11.3                     | 3.2                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5519             | Eucalyptus crebra       | Narrow-leaved Ironbark | 530            |                            | 530                           | 167                                     | 13.0       | 8.0        | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5520             | Eucalyptus crebra       | Narrow-leaved Ironbark | 510            |                            | 510                           | 160                                     | 16.0       | 8.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5521             | Corymbia intermedia     | Pink Bloodwood         | 760            |                            | 760                           | 239                                     | 13.0       | 7.0        | 9.1                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5522             | Lophostemon suaveolens  | Swamp Box              | 740            |                            | 740                           | 232                                     | 9.0        | 6.0        | 8.9                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5523             | Lophostemon suaveolens  | Swamp Box              | 610            |                            | 610                           | 192                                     | 11.0       | 6.0        | 7.3                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5524             | Corymbia tessellaris    | Moreton Bay Ash        | 560            |                            | 560                           | 176                                     | 19.0       | 9.0        | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5525             | Corymbia intermedia     | Pink Bloodwood         | 630            |                            | 630                           | 198                                     | 15.0       | 10.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5526             | Corymbia intermedia     | Pink Bloodwood         | 800            |                            | 800                           | 251                                     | 23.0       | 8.0        | 9.6                      | 3.0                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5527             | Corymbia citriodora     | Spotted Gum            | 530            |                            | 530                           | 167                                     | 23.0       | 11.0       | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5528             | Dead/Stag               |                        | 500            |                            | 500                           | 157                                     | 16.0       | 4.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5529             | Dead/Stag               |                        | 510            |                            | 510                           | 160                                     | 16.0       | 9.0        | 6.1                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5530             | Dead/Stag               |                        | 710            |                            | 710                           | 223                                     | 18.0       | 12.0       | 8.5                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5531             | Dead/Stag               |                        | 560            |                            | 560                           | 176                                     | 14.0       | 7.0        | 6.7                      | 2.6                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5532             | Dead/Stag               |                        | 1170           |                            | 1170                          | 368                                     | 17.0       | 9.0        | 14.0                     | 3.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5533             | Dead/Stag               |                        | 530            |                            | 530                           | 167                                     | 15.0       | 9.0        | 6.4                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5534             | Dead/Stag               |                        | 500            |                            | 500                           | 157                                     | 16.0       | 6.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5535             | Dead/Stag               |                        | 650            |                            | 650                           | 204                                     | 17.0       | 10.0       | 7.8                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5536             | Dead/Stag               |                        | 500            |                            | 500                           | 157                                     | 18.0       | 9.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5537             | Dead/Stag               |                        | 500            |                            | 500                           | 157                                     | 17.0       | 8.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5538             | Dead/Stag               |                        | 590            | 350                        | 686                           | 216                                     | 14.0       | 10.0       | 8.2                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5539             | Dead/Stag               |                        | 500            |                            | 500                           | 157                                     | 15.0       | 9.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Retention subject to detail design |                  |
| 5540             | Dead/Stag               |                        | 590            |                            | 590                           | 185                                     | 18.0       | 8.0        | 7.1                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Yes     | -    | -            | -             | Remove - Development               |                  |
| 5541             | Dead/Stag               |                        | 660            |                            | 660                           | 207                                     | 16.0       | 9.0        | 7.9                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5542             | Dead/Stag               |                        | 520            |                            | 520                           | 163                                     | 14.0       | 8.0        | 6.2                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5543             | Dead/Stag               |                        | 650            |                            | 650                           | 204                                     | 17.0       | 13.0       | 7.8                      | 2.8                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5544             | Dead/Stag               |                        | 500            |                            | 500                           | 157                                     | 14.0       | 6.0        | 6.0                      | 2.5                      | Regular                  | -         | -        | Die-back | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5545             | Dead/Stag               |                        | 600            |                            | 600                           | 188                                     | 16.0       | 9.0        | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5628             | Corymbia citriodora     | Spotted Gum            | 630            |                            | 630                           | 198                                     | 20.0       | 11.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5629             | Dead/Stag               |                        | 600            |                            | 600                           | 188                                     | 24.0       | 8.0        | 7.2                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | Present | -    | -            | -             | Remove - Development               |                  |
| 5630             | Corymbia intermedia     | Pink Bloodwood         | 500            |                            | 500                           | 157                                     | 19.0       | 11.0       | 6.0                      | 2.5                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5713             | Eucalyptus crebra       | Narrow-leaved Ironbark | 730            |                            | 730                           | 229                                     | 17.0       | 12.0       | 8.8                      | 2.9                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |
| 5720             | Eucalyptus crebra       | Narrow-leaved Ironbark | 630            |                            | 630                           | 198                                     | 19.0       | 13.0       | 7.6                      | 2.7                      | Regular                  | -         | -        | -        | -                | -      | Typical                 | -       | -     | -            | -           | Typical                         | -     | -         | -       | -    | -            | -             | Remove - Development               |                  |

