

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing & Fauna Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
9850 E 01	COVER SHEET	B	04/11/2025
9850 E 02	VEGETATION CLEARING NOTES	B	04/11/2025
9850 E 03	CONTEXT SHEET	B	04/11/2025
9850 E 04-36	DETAIL SHEET/S	B	04/11/2025
9850 E 37	CLEARING DIRECTION	B	04/11/2025
9850 E A1	APPENDIX 1. TREE SCHEDULE	B	04/11/2025



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - Notes

INTRODUCTION

The *Environmental Management Division* of the **Saunders Havill Group** was engaged by **PEET Flagstone City** to prepare a *Vegetation Management Plan (VMP)* for the removal of vegetation in the south-west section of Context Area 3, Flagstone City.

This VMP was drafted in response to the project's *Natural Environment Site Strategy's (NESS)* requirement for VMPs. The VMP will manage the vegetation clearing practices during operational work stages. The VMP will cover the clearing of the north-west area in Context Area 3 and correspond with the lodgement of the planning and civil applications for the proposed development, including basins and road locations. The clearing works will follow the general principal for vegetation clearing documented on this sheet and be read in conjunction with the *Fauna Management Plan* document.

To assist in the spatial depiction of the clearing area and better allocate a tree retention and removal status, ecologists from the **Saunders Havill Group** completed a tree survey using Trimble GNSS based GPS units. The survey collected the following features of trees within and adjoining the development extent as provided by the project Urban Designers (**RPS**):

- Reference number and point location
- Botanical Name / Common Name
- Trunk DBH
- AS4970-2009 – Tree Protection Zone
- Height and Spread
- Canopy and Trunk Condition
- Fauna and Habitat Values Details

Particular attention and detail were collected along Sandy Creek & Flagstone Creek, the open space and conservation buffer areas to maximise the retention of healthy native habitat trees.

CLEARING PHASES AND PROCESS

The following phases are required for clearing to be undertaken on this property and a copy of this VMP must be present with the clearing contractor on-site:

PHASE 1 – Demarcation

Tree Protection Fencing/flagging to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by an appointed Arborist around trees designated for retention or as per the locations shown in this drawing package (refer Fencing Note). Fencing shall clearly demark the extent of works ensuring no additional vegetation will be cleared.

PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection by the Environmental Coordinator. A fauna spotter pre-works assessment report must be carried out prior to the pre-start meeting and provided to the clearing contractor (Refer to *Fauna Management Plan* accompanying this application for details).

PHASE 4 - Undertake Clearing Works


Undertake removal of vegetation once approved for removal by the appointed fauna spotter. Clearing will occur in the direction outlined in *Fauna Management Plan* and managed by the appointed fauna spotter to allow all fauna unimpeded movement away from works areas. The contractor is to follow any tree felling directions of the appointed fauna spotter/arborist, including but not limited to, an excavator vertical tree grab attachment or cherry picker, where the use of bulldozer is not appropriate.

PHASE 5 - Post clearing Works


Cleared vegetation is to be reused on or off premises. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and this section should be suitably mounted on nearby or adjacent suitable trees.

Carry out assessment of all retained trees by a qualified arborist along the edge of development once civil works have been completed. Implement any tree management measures if advised by the arborist.

Tree Protection Zone - Detail (not to scale)




Tree Protection Fencing - Detail (not to scale)



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - Context Detail Sheet




LEGEND

- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Arterial road
- Minor linkage road
- Development area
- School site
- Conservation buffer area
- Openspace
- Trunk road



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area

Tree to retain subject to neighbouring approval

Hollow bearing tree

Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing
- Saunders Havill**
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com
- DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)
1:700
- References:
AS4970-2025 Protection of trees on development sites


0 5 10 20 30 m
- | AMENDMENTS | | DESCRIPTION | DRAWN | CHECKED |
|------------|-----------|-------------|-------|---------|
| ISSUE | DATE | | | |
| B | 4/11/2025 | REBRANDING | TC | AD |
- CLIENT

PEET
Flagstone
- PROJECT
FLAGSTONE CITY -
CONTEXT AREA 3 (WEST B)
- DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 04 CA3 W-B VMP B
-

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval

Hollow bearing tree
- Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- ▬ Context Area 3 - West (B) boundary
- ▬ Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- - Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




Refer to Context Area 3
West (A) Application

LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval

Hollow bearing tree
- Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval

Hollow bearing tree
- Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND


- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

AMENDMENTS		DESCRIPTION	DRAWN	CHECKED	CLIENT
ISSUE	DATE				
B	4/11/2025	REBRANDING	TC	AD	



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- - Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree

Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)

Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree

Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent

Development area

School site

Conservation buffer area

Openspace

Arterial road

Minor linkage road

Trunk road


Existing contours (0.5m)

Fauna friendly tree protection fencing



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- - Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval

Hollow bearing tree
- Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road

Minor linkage road


Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area

Retain - Openspace (subject to future detail design)

Remove - Development Area
- Tree to retain subject to neighbouring approval

Hollow bearing tree
- Context Area 3 - West (B) boundary

Context Area 3 - West (B) vegetation clearing extent
- Development area

School site

Conservation buffer area

Openspace
- Arterial road


Minor linkage road

Trunk road

Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)


Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



 Retain - Conservation Area
 Retain - Openspace (subject to future detail design)
 Remove - Development Area

 Tree to retain subject to neighbouring approval
 Hollow bearing tree

 Context Area 3 - West (B) boundary
 Context Area 3 - West (B) vegetation clearing extent

 Development area
 School site
 Conservation buffer area
 Openspace


 Arterial road
 Minor linkage road
 Trunk road
 Existing contours (0.5m)

 Fauna friendly tree protection fencing



FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*




LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Remove - Development Area
- Tree to retain subject to neighbouring approval
- Hollow bearing tree
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent
- Development area
- School site
- Conservation buffer area
- Openspace
- Arterial road
- Minor linkage road
- Trunk road
- Existing contours (0.5m)
- Fauna friendly tree protection fencing

FLAGSTONE CITY - CONTEXT AREA 3 (WEST B)

Vegetation Clearing and Fauna Management Plan - *Vegetation Clearing Direction*



LEGEND

GPS Tree Plot

- Remove - Development Area
- Retain - Conservation Area
- Retain - Openspace (subject to future detail design)
- Retain - Refer neighbouring application

- Context Area 3 boundary
- Context Area 3 - West (B) boundary
- Context Area 3 - West (B) vegetation clearing extent

- Conservation area
- Open space

- Vegetation clearing extent
- Context Area 3 - West (A) boundary
- Fauna friendly tree protection fencing



Tree Schedule - 9850 Flagstone City - CA3 West (b) (PEET LTD) Date: 2025/11/04																														
Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
273	<i>Corymbia tessellaris</i>	Moreton Bay Ash	370		370	116	12.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
274	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	14.0	8.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
275	<i>Corymbia tessellaris</i>	Moreton Bay Ash	220		220	69	12.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
276	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Development	
375	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	18.0	8.0	3.4	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
376	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
377	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	18.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
911	<i>Corymbia tessellaris</i>	Moreton Bay Ash	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
912	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
913	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	14.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
914	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	15.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
915	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
916	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	12.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
947	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
948	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	12.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
949	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
950	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
951	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	13.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
952	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	10.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
953	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
954	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	15.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
955	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
956	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
957	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	10.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
958	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	12.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
959	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
960	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
961	<i>Corymbia tessellaris</i>	Moreton Bay Ash	230		230	72	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
962	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	12.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
963	<i>Corymbia tessellaris</i>	Moreton Bay Ash	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
964	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	12.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
965	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	12.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
966	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
967	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	10.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
968	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
969	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
970	<i>Corymbia citriodora</i>	Spotted Gum	220	120	251	79	12.0	6.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
971	<i>Corymbia intermedia</i>	Pink Bloodwood	300	120	323	102	14.0	2.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
972	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
973	<i>Corymbia intermedia</i>	Pink Bloodwood	200	120, 130	267	84	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
974	<i>Corymbia intermedia</i>	Pink Bloodwood	270	240	361	113	12.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
978	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	12.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
979	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270	250	368	116	10.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
980	<i>Corymbia tessellaris</i>	Moreton Bay Ash	330		330	104	16.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
981	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
982	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
983	<i>Corymbia intermedia</i>	Pink Bloodwood	440		440	138	11.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
984	<i>Alphitonia excelsa</i>	Soap Tree	350		350	110	10.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
985	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	12.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
986	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	10.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
987	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	11.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
988	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	13.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1939	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	23.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1940	<i>Corymbia intermedia</i>	Pink Bloodwood	320	260, 240	477	150	22.0	12.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1941	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1942	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	18.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1943	<i>Corymbia intermedia</i>	Pink Bloodwood	250	170	302	95	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1944	<i>Corymbia intermedia</i>	Pink Bloodwood	210	170	270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1945	<i>Corymbia intermedia</i>	Pink Bloodwood	200	160	256	80	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1948	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
1949	<i>Angophora leiocarpa</i>	Smooth-barked Apple	350		350	110	22.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2008	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2009	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2028	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
2029	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	9.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
2030	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	12.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
2031	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2032	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	9.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2033	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	8.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2034	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2035	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2036	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	8.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2037	<i>Dead/Stag</i>		400		400	126	8.0	3.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2038	<i>Dead/Stag</i>		200		200	63	4.0	2.0	2.4	1.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2039	<i>Dead/Stag</i>		220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2040	<i>Dead/Stag</i>		380		380	119	8.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2041	<i>Dead/Stag</i>		210	190	283	89	11.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2042	<i>Dead/Stag</i>		220		220	69	8.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2043	<i>Dead/Stag</i>		220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2044	<i>Dead/Stag</i>		230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2045	<i>Dead/Stag</i>		210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2046	<i>Dead/Stag</i>		200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2059	<i>Dead/Stag</i>		220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2060	<i>Dead/Stag</i>		230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2061	Dead/Stag		230		230	72	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2062	Dead/Stag		220		220	69	6.0	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2063	Dead/Stag		270		270	85	11.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2064	Dead/Stag		290		290	91	13.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2065	Dead/Stag		280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2072	Dead/Stag		200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2073	Dead/Stag		200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2074	Dead/Stag		200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2075	Dead/Stag		260		260	82	12.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2076	Dead/Stag		200	200	283	89	8.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2077	Dead/Stag		260		260	82	9.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2078	Dead/Stag		200	200	283	89	9.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2082	Corymbia citriodora	Spotted Gum	230		230	72	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2083	Corymbia citriodora	Spotted Gum	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2084	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2085	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2086	Eucalyptus tereticornis	Forest Red Gum	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2087	Corymbia citriodora	Spotted Gum	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2088	Corymbia citriodora	Spotted Gum	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2089	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2090	Eucalyptus tereticornis	Forest Red Gum	280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2091	Dead/Stag		200		200	63	6.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove - Development	
2092	Dead/Stag		220	210	304	96	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2093	Dead/Stag		260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2094	Dead/Stag		308	220 180	419	132	13.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2095	Dead/Stag		270		270	85	13.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2096	Dead/Stag		250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2097	Dead/Stag		330		330	104	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2098	Dead/Stag		250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2099	Dead/Stag		240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2117	Dead/Stag		220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2118	Dead/Stag		200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2119	Corymbia citriodora	Spotted Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2125	Dead/Stag		230		230	72	7.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2126	Corymbia citriodora	Spotted Gum	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2127	Corymbia citriodora	Spotted Gum	200	140	244	77	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2128	Corymbia citriodora	Spotted Gum	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2129	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2130	Corymbia tessellaris	Moreton Bay Ash	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2131	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	15.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2135	Eucalyptus tereticornis	Forest Red Gum	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2136	Eucalyptus tereticornis	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2137	Corymbia citriodora	Spotted Gum	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2138	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2139	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2140	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2141	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2142	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2143	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2144	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2145	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	14.0	6.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2146	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	9.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2147	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	13.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2148	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2149	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2150	<i>Corymbia tessellaris</i>	Moreton Bay Ash	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2151	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2152	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2153	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	8.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2154	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2155	<i>Corymbia tessellaris</i>	Moreton Bay Ash	250		250	79	13.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2156	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2157	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2158	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2159	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2160	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2161	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2162	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2164	<i>Corymbia tessellaris</i>	Moreton Bay Ash	220		220	69	9.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2165	<i>Corymbia citriodora</i>	Spotted Gum	790		790	248	17.0	11.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2166	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2167	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2168	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2169	<i>Dead/Stag</i>		260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove - Development	
2170	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2173	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
2175	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	14.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3256	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3259	<i>Corymbia intermedia</i>	Pink Bloodwood	220	180 170	331	104	15.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3265	<i>Corymbia intermedia</i>	Pink Bloodwood	190	180 200 140	358	112	16.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3266	<i>Corymbia intermedia</i>	Pink Bloodwood	190	185	265	83	15.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3267	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	17.0	10.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3268	<i>Corymbia intermedia</i>	Pink Bloodwood	165	110	198	62	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3269	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3270	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220	110	246	77	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain	
3271	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain	
3283	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	15.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Development	
3291	<i>Corymbia intermedia</i>	Pink Bloodwood	200	140	244	77	14.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3292	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	6.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Development	
3295	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Development	
3299	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3300	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3305	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3306	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3312	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	225		225	71	16.0	9.0	2.7	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3349	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210	80 120	255	80	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove - Development	
3352	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	15.0	10.0	3.7	2.0	Irregular	-	-	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove - Development	
3353	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	20.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3383	<i>Lophostemon suaveolens</i>	Swamp Box	380		380	119	12.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3384	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3385	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3386	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	17.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3387	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3388	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3389	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3390	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Refer neighbouring application	
3440	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3441	<i>Corymbia citriodora</i>	Spotted Gum	380	270	466	146	17.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3442	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	12.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3443	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3444	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3445	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3446	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3447	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3448	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3449	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3450	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3451	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3452	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3453	<i>Corymbia citriodora</i>	Spotted Gum	230	160	280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3454	<i>Corymbia citriodora</i>	Spotted Gum	200	180	269	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3455	<i>Corymbia citriodora</i>	Spotted Gum	360	150 140	414	130	9.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3460	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3461	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3462	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3463	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260	150	300	94	9.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3464	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	130	239	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3465	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3466	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3467	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	180	269	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3468	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	170	262	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3469	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	12.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3470	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3471	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3472	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3473	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3474	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	230		230	72	13.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3475	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3476	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3477	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	18.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3478	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240	220	326	102	10.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3480	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3483	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3484	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3485	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3486	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3488	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3489	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
3957	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3958	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	12.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3959	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3960	<i>Corymbia intermedia</i>	Pink Bloodwood	220	250 230 150	432	136	12.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3961	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	18.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3962	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	9.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3963	<i>Corymbia tessellaris</i>	Moreton Bay Ash	270		270	85	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
3964	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3965	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3966	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain	
3967	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	17.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3968	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3969	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3970	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3971	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3972	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3973	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3974	<i>Angophora leiocarpa</i>	Smooth-barked Apple	430		430	135	20.0	4.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3975	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3976	<i>Angophora leiocarpa</i>	Smooth-barked Apple	360		360	113	14.0	7.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3977	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	10.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3978	<i>Lophostemon suaveolens</i>	Swamp Box	480		480	151	14.0	5.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3979	<i>Petalostigma pubescens</i>	Quinine Bush	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3980	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3981	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3982	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3983	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3984	<i>Alphitonia excelsa</i>	Soap Tree	420		420	132	10.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3985	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3986	<i>Corymbia citriodora</i>	Spotted Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3987	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3988	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3989	<i>Angophora leiocarpa</i>	Smooth-barked Apple	410		410	129	16.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3990	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3991	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	20.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3992	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	22.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3993	<i>Corymbia citriodora</i>	Spotted Gum	320	190 180	413	130	18.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3994	<i>Corymbia tessellaris</i>	Moreton Bay Ash	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3995	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3996	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3997	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	20.0	7.0	4.8	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3998	<i>Corymbia tessellaris</i>	Moreton Bay Ash	270		270	85	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3999	<i>Corymbia tessellaris</i>	Moreton Bay Ash	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4000	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	14.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4001	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4002	<i>Ficus macrophylla</i>	Moreton Bay Fig	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4003	<i>Angophora leiocarpa</i>	Smooth-barked Apple	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4004	<i>Corymbia tessellaris</i>	Moreton Bay Ash	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4005	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4006	<i>Corymbia tessellaris</i>	Moreton Bay Ash	400		400	126	24.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4007	<i>Corymbia tessellaris</i>	Moreton Bay Ash	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4008	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4009	<i>Petalostigma pubescens</i>	Quinine Bush	320		320	101	10.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4010	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4011	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4012	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4013	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4014	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4015	<i>Petalostigma pubescens</i>	Quinine Bush	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4016	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	20.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4017	<i>Petalostigma pubescens</i>	Quinine Bush	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4018	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4019	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4020	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4021	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4022	<i>Corymbia citriodora</i>	Spotted Gum	240	150	283	89	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4023	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4024	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4025	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4026	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4027	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4028	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
4029	<i>Corymbia citriodora</i>	Spotted Gum	360	240	433	136	20.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4030	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4031	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4032	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	22.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain		
4033	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4034	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4035	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4036	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	22.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4037	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	22.0	10.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4038	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4039	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	5.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
4040	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4041	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4042	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	20.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4043	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	290		290	91	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4044	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	10.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4045	<i>Eucalyptus acmenoides</i>	White Mahogany	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4046	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4047	<i>Angophora leiocarpa</i>	Smooth-barked Apple	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4048	<i>Eucalyptus acmenoides</i>	White Mahogany	350	340	488	153	18.0	10.0	5.9	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4049	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4050	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4051	<i>Eucalyptus acmenoides</i>	White Mahogany	270	260 230	440	138	20.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4052	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4053	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	20.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4054	<i>Eucalyptus acmenoides</i>	White Mahogany	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4055	<i>Eucalyptus acmenoides</i>	White Mahogany	270		270	85	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4056	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4057	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4058	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4059	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4060	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	11.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4061	<i>Eucalyptus acmenoides</i>	White Mahogany	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4062	<i>Eucalyptus acmenoides</i>	White Mahogany	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4063	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4064	<i>Eucalyptus acmenoides</i>	White Mahogany	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4065	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4066	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4067	<i>Eucalyptus acmenoides</i>	White Mahogany	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4068	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4069	<i>Eucalyptus acmenoides</i>	White Mahogany	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4070	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4071	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4072	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	22.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4073	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4074	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4075	<i>Corymbia citriodora</i>	Spotted Gum	290	280	403	127	22.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4076	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4077	<i>Eucalyptus acmenoides</i>	White Mahogany	310	280	418	131	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4078	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4079	<i>Eucalyptus acmenoides</i>	White Mahogany	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4080	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4081	<i>Eucalyptus acmenoides</i>	White Mahogany	350		350	110	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4082	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4083	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4084	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	24.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4085	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	20.0	7.0	4.7	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4086	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4087	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4088	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4089	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4090	<i>Eucalyptus acmenoides</i>	White Mahogany	290		290	91	16.0	3.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4091	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4092	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4093	<i>Eucalyptus acmenoides</i>	White Mahogany	280	240	369	116	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4094	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	17.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4095	<i>Corymbia citriodora</i>	Spotted Gum	260	180 100 80	341	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4096	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4097	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4098	<i>Corymbia citriodora</i>	Spotted Gum	210	200 160	331	104	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4099	<i>Eucalyptus acmenoides</i>	White Mahogany	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
4100	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4101	<i>Eucalyptus acmenoides</i>	White Mahogany	250	190 130	340	107	10.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4102	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4103	<i>Eucalyptus acmenoides</i>	White Mahogany	210		210	66	20.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4104	<i>Eucalyptus acmenoides</i>	White Mahogany	350		350	110	20.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4105	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4106	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	126	18.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4107	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4108	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4109	<i>Eucalyptus acmenoides</i>	White Mahogany	180	150	234	74	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4110	<i>Eucalyptus acmenoides</i>	White Mahogany	190	170	255	80	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4111	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	22.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4112	<i>Eucalyptus acmenoides</i>	White Mahogany	230	190 150 130 99	372	117	10.0	4.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4113	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4114	<i>Eucalyptus acmenoides</i>	White Mahogany	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4115	<i>Eucalyptus acmenoides</i>	White Mahogany	400		400	126	24.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4116	<i>Eucalyptus acmenoides</i>	White Mahogany	200	170 170 90	325	102	12.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
4117	<i>Eucalyptus acmenoides</i>	White Mahogany	220	180 90	298	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4118	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	24.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4119	<i>Eucalyptus acmenoides</i>	White Mahogany	610		610	192	22.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4120	<i>Eucalyptus acmenoides</i>	White Mahogany	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4121	<i>Eucalyptus acmenoides</i>	White Mahogany	350		350	110	20.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4122	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
4123	<i>Eucalyptus acmenoides</i>	White Mahogany	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4124	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4125	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4126	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4127	<i>Corymbia intermedia</i>	Pink Bloodwood	250	220	333	105	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4128	<i>Eucalyptus acmenoides</i>	White Mahogany	290	220 160	398	125	18.0	6.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4129	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4130	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4131	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4132	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4133	<i>Petalostigma pubescens</i>	Quinine Bush	280		280	88	8.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4134	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4135	<i>Eucalyptus microcorys</i>	Tallowwood	320		320	101	16.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
4136	<i>Eucalyptus microcorys</i>	Tallowwood	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4137	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4138	<i>Eucalyptus acmenoides</i>	White Mahogany	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4139	<i>Eucalyptus acmenoides</i>	White Mahogany	210	180 150	315	99	16.0	4.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4140	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4141	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4142	<i>Corymbia intermedia</i>	Pink Bloodwood	250	220	333	105	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4143	<i>Corymbia intermedia</i>	Pink Bloodwood	270	250 180	410	129	14.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4144	<i>Lophostemon suaveolens</i>	Swamp Box	360		360	113	16.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4145	<i>Eucalyptus acmenoides</i>	White Mahogany	200	180 150 110	327	103	14.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4146	<i>Corymbia intermedia</i>	Pink Bloodwood	260	230 230	416	131	17.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4147	<i>Corymbia intermedia</i>	Pink Bloodwood	240	220	326	102	18.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4148	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4149	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	20.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4150	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	10.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4151	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	16.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4152	<i>Corymbia intermedia</i>	Pink Bloodwood	1200		1200	377	30.0	16.0	14.4	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain		
4153	<i>Corymbia intermedia</i>	Pink Bloodwood	230	210	311	98	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4154	<i>Allocasuarina littoralis</i>	Black She-oak	340		340	107	7.0	4.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
4155	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4156	<i>Corymbia intermedia</i>	Pink Bloodwood	240	210 110	337	106	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
4157	<i>Eucalyptus acmenoides</i>	White Mahogany	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4158	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Retain		
4159	<i>Eucalyptus acmenoides</i>	White Mahogany	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4160	<i>Eucalyptus acmenoides</i>	White Mahogany	210		210	66	12.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
4161	<i>Eucalyptus acmenoides</i>	White Mahogany	260	230	347	109	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4162	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4163	<i>Corymbia intermedia</i>	Pink Bloodwood	230	130 90 80	290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4164	<i>Corymbia intermedia</i>	Pink Bloodwood	250	180	308	97	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4165	<i>Corymbia tessellaris</i>	Moreton Bay Ash	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4166	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4167	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4168	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4169	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4170	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	17.0	4.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4171	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4172	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
4173	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4174	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4175	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4176	<i>Corymbia intermedia</i>	Pink Bloodwood	290	190	347	109	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4177	<i>Corymbia intermedia</i>	Pink Bloodwood	200	80	215	68	12.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4178	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	22.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4179	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4180	<i>Corymbia intermedia</i>	Pink Bloodwood	490		490	154	28.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4181	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4182	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	14.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4183	<i>Allocasuarina littoralis</i>	Black She-oak	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4184	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4185	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4186	<i>Corymbia intermedia</i>	Pink Bloodwood	460		460	145	26.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4187	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4188	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4189	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4190	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4191	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4192	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4193	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4194	<i>Angophora leiocarpa</i>	Smooth-barked Apple	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4195	<i>Corymbia intermedia</i>	Pink Bloodwood	460		460	145	26.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4196	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4197	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4198	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4199	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	5.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4200	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4201	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4202	<i>Lophostemon suaveolens</i>	Swamp Box	450		450	141	20.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4203	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4204	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4205	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	14.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4206	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4207	<i>Lophostemon suaveolens</i>	Swamp Box	230	60	238	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4208	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4209	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4210	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4211	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4212	<i>Corymbia intermedia</i>	Pink Bloodwood	280	270	389	122	20.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4213	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4214	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4215	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	14.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4216	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4217	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4218	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4219	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4220	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	24.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4221	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	10.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4222	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4223	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4224	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4225	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4226	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	9.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4227	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4228	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4229	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4230	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4231	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4232	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4233	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4234	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4235	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4236	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4237	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4238	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4239	<i>Allocasuarina littoralis</i>	Black She-oak	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4240	<i>Lophostemon suaveolens</i>	Swamp Box	340		340	107	10.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4241	<i>Angophora leiocarpa</i>	Smooth-barked Apple	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4242	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4243	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4244	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4245	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	17.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4246	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	11.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4247	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	16.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4248	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
4557	<i>Eucalyptus acmenoides</i>	White Mahogany	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4558	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4559	<i>Eucalyptus acmenoides</i>	White Mahogany	290		290	91	11.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4560	<i>Eucalyptus acmenoides</i>	White Mahogany	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4561	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	24.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4562	<i>Eucalyptus acmenoides</i>	White Mahogany	300	170	345	108	21.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4563	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4564	<i>Eucalyptus acmenoides</i>	White Mahogany	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4565	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	24.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4566	<i>Dead/Stag</i>		210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4567	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4568	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	19.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4569	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420		420	132	21.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4570	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4571	<i>Dead/Stag</i>		230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4572	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	540		540	170	22.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4573	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	21.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4574	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4575	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4576	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4577	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	22.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4578	<i>Eucalyptus acmenoides</i>	White Mahogany	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4579	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4580	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	19.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4581	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	21.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4582	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4583	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	290		290	91	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4584	<i>Eucalyptus acmenoides</i>	White Mahogany	310	150	344	108	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4585	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4586	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4587	<i>Dead/Stag</i>		250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4588	<i>Corymbia citriodora</i>	Spotted Gum	260	200	328	103	20.0	13.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
4589	<i>Eucalyptus acmenoides</i>	White Mahogany	220	180	284	89	18.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4590	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4591	<i>Eucalyptus acmenoides</i>	White Mahogany	270		270	85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4592	<i>Eucalyptus acmenoides</i>	White Mahogany	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4593	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	19.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4594	<i>Eucalyptus acmenoides</i>	White Mahogany	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4595	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4596	<i>Eucalyptus acmenoides</i>	White Mahogany	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4597	<i>Eucalyptus acmenoides</i>	White Mahogany	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4598	<i>Eucalyptus acmenoides</i>	White Mahogany	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		
4599	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area	
4600	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - Conservation Area		



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4689	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4690	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4691	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4692	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4693	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4694	<i>Corymbia tessellaris</i>	Moreton Bay Ash	230		230	72	20.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4695	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4696	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4697	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	12.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4698	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	11.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4699	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	11.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4700	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	11.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4701	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	12.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4702	<i>Corymbia intermedia</i>	Pink Bloodwood	220	210	304	96	11.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4703	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4704	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	11.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4705	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4706	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	9.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4707	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4708	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	8.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4709	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4710	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4711	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4712	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	12.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4713	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4714	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4715	<i>Corymbia intermedia</i>	Pink Bloodwood	260	220 240	417	131	11.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4716	<i>Corymbia intermedia</i>	Pink Bloodwood	240	210	319	100	12.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4717	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	7.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4718	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	8.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4719	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	14.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4720	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	11.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4721	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4722	<i>Corymbia trachyphloia</i>	Brown Bloodwood	250		250	79	12.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4723	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	14.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4724	<i>Corymbia trachyphloia</i>	Brown Bloodwood	230	220	318	100	14.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4725	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4726	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	13.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4727	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4728	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	14.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4729	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4730	<i>Lophostemon suaveolens</i>	Swamp Box	270	230	355	111	11.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4731	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4732	<i>Corymbia intermedia</i>	Pink Bloodwood	320	280	425	134	12.0	10.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4733	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	14.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4734	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4735	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4736	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4737	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4738	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4739	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4740	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4741	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4742	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	12.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4743	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	13.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4744	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	16.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4745	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4746	<i>Corymbia intermedia</i>	Pink Bloodwood	560		560	176	13.0	11.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4747	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4748	<i>Corymbia tessellaris</i>	Moreton Bay Ash	210		210	66	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4749	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4750	<i>Corymbia tessellaris</i>	Moreton Bay Ash	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4751	<i>Corymbia tessellaris</i>	Moreton Bay Ash	310	260	405	127	13.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4752	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4753	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	10.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4754	<i>Corymbia tessellaris</i>	Moreton Bay Ash	290		290	91	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4755	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	14.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4756	<i>Corymbia tessellaris</i>	Moreton Bay Ash	240		240	75	13.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4757	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4758	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	12.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4759	<i>Angophora subvelutina</i>	Broad-leaved Apple	360		360	113	14.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4760	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	13.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4761	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4762	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	740		740	232	14.0	12.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4763	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4764	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	13.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4765	<i>Eucalyptus tereticornis</i>	Forest Red Gum	610		610	192	13.0	10.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4766	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4767	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4768	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	14.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4769	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	12.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4770	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4771	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	12.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4772	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4773	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4774	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4775	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4776	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4821	<i>Angophora subvelutina</i>	Broad-leaved Apple	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4822	<i>Angophora subvelutina</i>	Broad-leaved Apple	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4823	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4824	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4825	<i>Angophora leiocarpa</i>	Smooth-barked Apple	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4826	<i>Angophora leiocarpa</i>	Smooth-barked Apple	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4827	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4828	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4829	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4830	<i>Corymbia citriodora</i>	Spotted Gum	530		530	167	14.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4831	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4832	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4833	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4834	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4835	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4836	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	12.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4837	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4838	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4839	<i>Corymbia citriodora</i>	Spotted Gum	160	110	194	61	13.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4840	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4841	<i>Corymbia trachyphloia</i>	Brown Bloodwood	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4842	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4843	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	14.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4844	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4845	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4846	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4847	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4848	<i>Lophostemon suaveolens</i>	Swamp Box	240	180	300	94	11.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4849	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	9.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4850	<i>Angophora subvelutina</i>	Broad-leaved Apple	370		370	116	12.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4851	<i>Alphitonia excelsa</i>	Soap Tree	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4852	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4853	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4854	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4855	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4856	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4857	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4858	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4859	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4860	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4861	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4862	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	13.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4863	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4864	<i>Angophora subvelutina</i>	Broad-leaved Apple	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4909	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4910	<i>Corymbia citriodora</i>	Spotted Gum	810		810	254	21.0	16.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4911	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4912	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
4913	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4914	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	14.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4915	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4916	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4917	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4918	<i>Angophora subvelutina</i>	Broad-leaved Apple	420		420	132	14.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4919	<i>Lophostemon suaveolens</i>	Swamp Box	280	200 130	368	116	9.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4920	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300	150	335	105	15.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4921	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4922	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4923	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	13.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4924	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4925	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	10.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4926	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4927	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4928	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4929	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4930	<i>Lophostemon suaveolens</i>	Swamp Box	340	270	434	136	15.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4931	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4932	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4933	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4934	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5504	<i>Corymbia citriodora</i>	Spotted Gum	595		595	187	22.0	14.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5506	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	21.0	15.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5507	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	515		515	162	17.0	13.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	Yes	-	-	-	Remove - Development	
5508	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	580		580	182	22.0	15.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5546	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	590		590	185	16.0	11.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5547	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	710		710	223	19.0	12.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5548	<i>Dead/Stag</i>		320		320	101	7.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5549	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	600		600	188	13.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5550	<i>Dead/Stag</i>		560		560	176	9.0	6.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5551	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	16.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	Present	-	Remove - Development	Hollow In Termite Nest
5552	<i>Dead/Stag</i>		220		220	69	10.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5553	<i>Corymbia citriodora</i>	Spotted Gum	600		600	188	16.0	8.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5554	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	14.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5555	<i>Corymbia citriodora</i>	Spotted Gum	680		680	214	23.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5556	<i>Dead/Stag</i>		430		430	135	7.0	4.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5557	<i>Dead/Stag</i>		590		590	185	9.0	7.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5558	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	14.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5559	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	14.0	8.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5560	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	13.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5561	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	23.0	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5562	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350	240	424	133	13.0	8.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5563	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	20.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5564	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	15.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5565	<i>Eucalyptus tereticornis</i>	Forest Red Gum	730		730	229	14.0	10.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5566	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420		420	132	16.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5567	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	580		580	182	19.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5568	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	17.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5569	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	18.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5570	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	22.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5571	<i>Corymbia citriodora</i>	Spotted Gum	780		780	245	22.0	15.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5572	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	1030		1030	324	22.0	12.0	12.4	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5573	<i>Dead/Stag</i>		490		490	154	12.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5574	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	14.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5575	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	13.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5576	<i>Angophora subvelutina</i>	Broad-leaved Apple	500		500	157	12.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5577	<i>Corymbia citriodora</i>	Spotted Gum	720		720	226	24.0	16.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5578	<i>Eucalyptus tereticornis</i>	Forest Red Gum	610		610	192	22.0	14.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5579	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	157	17.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5580	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	19.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5581	<i>Petalostigma pubescens</i>	Quinine Bush	500		500	157	10.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5582	<i>Eucalyptus tereticornis</i>	Forest Red Gum	650		650	204	15.0	13.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5583	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	20.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5584	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	540		540	170	23.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5585	<i>Dead/Stag</i>		430		430	135	13.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5586	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	20.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5587	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	530		530	167	18.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5588	<i>Corymbia citriodora</i>	Spotted Gum	610		610	192	21.0	14.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5589	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	23.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5590	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	15.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5591	<i>Corymbia citriodora</i>	Spotted Gum	590		590	185	15.0	13.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5592	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	15.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5593	<i>Dead/Stag</i>		320		320	101	10.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5594	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	15.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5595	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	18.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5596	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	157	16.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5597	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	930		930	292	22.0	14.0	11.2	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5598	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	13.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5599	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	13.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5600	<i>Dead/Stag</i>		620		620	195	16.0	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5601	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	19.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5602	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	20.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5603	<i>Corymbia intermedia</i>	Pink Bloodwood	510		510	160	14.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5604	<i>Corymbia intermedia</i>	Pink Bloodwood	580		580	182	16.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5605	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	21.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5606	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	12.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5607	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	12.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5608	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	14.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5609	<i>Dead/Stag</i>		508		508	160	14.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5610	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	13.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5611	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	540		540	170	16.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5612	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	17.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5613	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	21.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5614	<i>Corymbia citriodora</i>	Spotted Gum	680		680	214	14.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5615	<i>Corymbia citriodora</i>	Spotted Gum	590		590	185	14.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5616	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	14.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5617	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	12.0	3.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5618	<i>Eucalyptus acmenoides</i>	White Mahogany	500		500	157	18.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5619	<i>Eucalyptus acmenoides</i>	White Mahogany	580		580	182	16.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5620	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5621	<i>Corymbia citriodora</i>	Spotted Gum	530		530	167	21.0	14.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5622	<i>Corymbia citriodora</i>	Spotted Gum	550		550	173	18.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5623	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	18.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5624	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	18.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5625	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	580		580	182	19.0	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5626	<i>Corymbia citriodora</i>	Spotted Gum	550		550	173	23.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5627	<i>Corymbia citriodora</i>	Spotted Gum	740		740	232	24.0	10.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5631	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	18.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5632	<i>Corymbia citriodora</i>	Spotted Gum	560		560	176	19.0	13.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5633	<i>Corymbia intermedia</i>	Pink Bloodwood	590		590	185	17.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5634	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	18.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5635	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	610		610	192	18.0	10.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5636	<i>Eucalyptus acmenoides</i>	White Mahogany	580		580	182	14.0	7.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5637	<i>Dead/Stag</i>		430		430	135	16.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5638	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	18.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5639	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	18.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5640	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	21.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5641	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	22.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5642	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5643	<i>Corymbia citriodora</i>	Spotted Gum	760		760	239	22.0	14.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5644	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	660		660	207	21.0	8.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5645	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	22.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5646	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	20.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5647	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	17.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5648	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	530		530	167	17.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5649	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	20.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5650	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	19.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5651	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	20.0	13.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5652	<i>Dead/Stag</i>		540		540	170	18.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5653	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	20.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5654	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	20.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5655	<i>Eucalyptus acmenoides</i>	White Mahogany	510		510	160	21.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5656	<i>Eucalyptus acmenoides</i>	White Mahogany	500		500	157	18.0	9.0	6.0	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5657	<i>Eucalyptus acmenoides</i>	White Mahogany	540		540	170	18.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5658	<i>Eucalyptus acmenoides</i>	White Mahogany	630		630	198	17.0	11.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5659	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	23.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5660	<i>Dead/Stag</i>		560		560	176	14.0	5.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5661	<i>Eucalyptus acmenoides</i>	White Mahogany	550		550	173	21.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5662	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	580		580	182	22.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5663	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	23.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5664	<i>Eucalyptus acmenoides</i>	White Mahogany	600		600	188	22.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5665	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	22.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5666	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	21.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5667	<i>Corymbia citriodora</i>	Spotted Gum	560		560	176	22.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5668	<i>Eucalyptus acmenoides</i>	White Mahogany	500		500	157	19.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5669	<i>Eucalyptus acmenoides</i>	White Mahogany	640		640	201	20.0	11.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5670	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	18.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5671	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	21.0	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5672	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	570		570	179	22.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5673	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	22.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5674	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5675	<i>Dead/Stag</i>		490		490	154	17.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5676	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	18.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5677	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	157	17.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5678	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	530		530	167	22.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5679	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	22.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5680	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	530		530	167	22.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5681	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	590		590	185	20.0	8.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5682	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	530		530	167	22.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5683	<i>Eucalyptus acmenoides</i>	White Mahogany	670		670	210	20.0	10.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5684	<i>Eucalyptus acmenoides</i>	White Mahogany	500	460	679	213	19.0	13.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5685	<i>Eucalyptus acmenoides</i>	White Mahogany	700		700	220	22.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5686	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	22.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5687	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	23.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5688	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	17.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5689	<i>Eucalyptus acmenoides</i>	White Mahogany	500		500	157	17.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5690	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	580		580	182	20.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5691	<i>Corymbia intermedia</i>	Pink Bloodwood	630		630	198	22.0	14.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5692	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	17.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5693	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	18.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5694	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	17.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5695	<i>Eucalyptus acmenoides</i>	White Mahogany	520		520	163	22.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5696	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	22.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5697	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	19.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5698	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	19.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5699	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	18.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5700	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	18.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5701	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	690		690	217	20.0	15.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5702	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	18.0	11.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5703	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	610		610	192	22.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5704	<i>Eucalyptus tereticornis</i>	Forest Red Gum	790		790	248	24.0	13.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5705	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	23.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5706	<i>Eucalyptus acmenoides</i>	White Mahogany	720		720	226	21.0	12.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5707	<i>Eucalyptus acmenoides</i>	White Mahogany	570		570	179	18.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5708	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	780		780	245	22.0	10.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5709	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	17.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5710	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	19.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5711	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	17.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5712	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	750		750	236	22.0	11.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5714	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	18.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5715	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	20.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5716	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	19.0	16.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5717	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	15.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5718	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	18.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5719	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	15.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5721	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	520		520	163	17.0	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5722	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	19.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5723	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	19.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5724	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	15.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5725	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	22.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5726	<i>Corymbia citriodora</i>	Spotted Gum	530		530	167	20.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5727	<i>Corymbia citriodora</i>	Spotted Gum	560		560	176	19.0	7.0	6.7	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5728	<i>Corymbia citriodora</i>	Spotted Gum	540		540	170	22.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5729	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	19.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5730	<i>Corymbia intermedia</i>	Pink Bloodwood	520		520	163	16.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5731	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	16.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5732	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	16.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5733	<i>Corymbia citriodora</i>	Spotted Gum	610		610	192	20.0	15.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5734	<i>Corymbia citriodora</i>	Spotted Gum	550		550	173	18.0	13.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5735	<i>Corymbia citriodora</i>	Spotted Gum	565		565	177	20.0	16.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5736	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	19.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5737	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	20.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development	
5738	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	16.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5739	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	17.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5740	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	22.0	10.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
5829	<i>Corymbia citriodora</i>	Spotted Gum	590		590	185	20.0	18.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5830	<i>Corymbia citriodora</i>	Spotted Gum	590		590	185	17.0	13.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5831	<i>Corymbia citriodora</i>	Spotted Gum	710		710	223	22.0	12.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5832	<i>Corymbia citriodora</i>	Spotted Gum	660		660	207	22.0	8.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5833	<i>Corymbia citriodora</i>	Spotted Gum	640		640	201	22.0	11.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5834	<i>Dead/Stag</i>		520		520	163	19.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development		
5835	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	22.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5836	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	22.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5837	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5838	<i>Corymbia citriodora</i>	Spotted Gum	710		710	223	24.0	12.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5839	<i>Dead/Stag</i>		650		650	204	18.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	Remove - Development		
5840	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	570		570	179	22.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5841	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	890		890	280	21.0	13.0	10.7	3.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development	
5842	<i>Corymbia citriodora</i>	Spotted Gum	630		630	198	20.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5843	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	21.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5844	<i>Corymbia citriodora</i>	Spotted Gum	580		580	182	24.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5845	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	20.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5846	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	22.0	8.0	7.1	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5847	<i>Corymbia citriodora</i>	Spotted Gum	510		510	160	24.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5848	<i>Corymbia citriodora</i>	Spotted Gum	540		540	170	25.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5849	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	19.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5850	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	21.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5851	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	550		550	173	19.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5852	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	19.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5853	<i>Corymbia intermedia</i>	Pink Bloodwood	570		570	179	14.0	7.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5854	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	530		530	167	18.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5855	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	17.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5856	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove - Development		
5857	<i>Corymbia intermedia</i>	Pink Bloodwood	530		530	167	15.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5858	<i>Corymbia citriodora</i>	Spotted Gum	370	150	399	125	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5859	<i>Corymbia intermedia</i>	Pink Bloodwood	400	210	452	142	18.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5860	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	560		560	176	17.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5861	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	570		570	179	18.0	9.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5862	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	660		660	207	22.0	16.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5863	<i>Corymbia trachyphloia</i>	Brown Bloodwood	490	250 260	608	191	18.0	9.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5864	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410	290	502	158	17.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5865	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	14.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5866	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	24.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		
5867	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Development		



[illegible]

[illegible]

[illegible]

[illegible]



[illegible]











[illegible]



[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]