

Our ref: DEV-2026-NSH-4692

25 May 2026

Silverstone Landholding No 19 Pty Ltd
C/- Urban Strategies Pty Ltd
Attention: Geoff Gibbons and Josh Daley
g.gibbons@urbanstrategies.com.au and j.daley@urbanstrategies.com.au

Dear Applicant

Changed PDA Decision Notice

Notices given for the purposes of section 99 of the Economic Development Act 2012

Priority Development Area (PDA):	Northshore Hamilton
PDA Development Approval:	Development Permit for Material Change of Use for Multiple Dwellings
Property Location:	330 MacArthur Avenue, Hamilton
Property Description:	Lot 4 on SP346185 (previously Lot 5 on SP337697)

On 25 May 2026 Economic Development Queensland (EDQ) decided to approve **all** of the Amendment Application for the above PDA Development Approval subject to PDA Development Conditions in accordance with the attached Changed Decision Notice.

The Changed Decision Notice and approved plans and documents can also be viewed on EDQ's website at [Current applications and approvals](#).

If you require any further information, please contact Kate Wilson on 07 3035 2046 or by email at kate.wilson@edq.qld.gov.au.

Yours sincerely



Beatriz Gomez
**Director, Established Growth
Development Services
Economic Development Queensland**

Cc: Brisbane City Council

Changed Decision Notice

Site information		
Name of priority development area (PDA)	Northshore Hamilton	
Site address	330 MacArthur Avenue, Hamilton	
Lot on plan description (previously Lot 5 on SP337697)	Lot number	Plan description
	Lot 4	SP346185
PDA Development Approval details		
DEV Reference No.	DEV-2026-NSH-4692	
Original Approval details	PDA Development Approval for Development Permit for Material Change of Use for Multiple Dwellings	
Change to Approval Decision	EDQ has decided to grant all of the changes to the PDA Development Approval applied for, subject to PDA Development Conditions forming part of this Changed Decision Notice. The approval is for changes to the following: - Amended architectural plans (Approved Plans and Documents) to facilitate internal dwelling unit changes, minor GFA changes, additional carparking spaces, and minor changes to communal open space; - Amended timing of Condition 32 to facilitate the delivery of the approved cross block link to allow for the construction of the adjoining project; and Deletion of standard conditions regarding affordable housing and accessible housing – Conditions 36 and 37.	
Original decision date	11 April 2025	
1 st Change to approval date	15 May 2025	
2 nd Change to approval date	25 May 2026	
Currency Period	6 years from the Original decision date	

Approved plans and documents		
The plans and documents approved and referred to in the PDA Development Conditions for the PDA Development Approval are detailed below.		
Plans and documents	Reference Number	Date

1.	Development Summary prepared by Carr	DWG TP1-0002 Rev TP4	24 March 2026
2.	Basement 01 prepared by Carr	DWG TP1-1001 Rev TP3	24 March 2026
3.	Ground Level prepared by Carr	DWG TP1-1002 Rev TP3	24 March 2026
4.	Level 01 prepared by Carr	DWG TP1-1003 Rev TP3	24 March 2026
5.	Level 02-04 (typical) prepared by Carr	DWG TP1-1004 Rev TP3	24 March 2026
6.	Level 05-06 (typical) prepared by Carr	DWG TP1-1005 Rev TP3	24 March 2026
7.	Level 07 (roof amenities) prepared by Carr	DWG TP1-1006 Rev TP3	24 March 2026
8.	Elevation – North and South prepared by Carr	DWG TP1-2001 Rev TP3	24 March 2026
9.	Elevation – East and West prepared by Carr	DWG TP1-2002 Rev TP3	24 March 2026
10.	Elevation – Internal Courtyard prepared by Carr	DWG TP1-2003 Rev TP3	24 March 2026
11.	Building Sections – North and South prepared by Carr	DWG TP1-3001 Rev TP3	24 March 2026
12.	Building Sections – East and West prepared by Carr	DWG TP1-3002 Rev TP3	24 March 2026
13.	Building Sections – ramp prepared by Carr	DWG TP1-3003 Rev TP3	24 March 2026
14.	Material Palette prepared by Carr	DWG TP1-4001 Rev TP3	24 March 2026
15.	Delivery Plan – Public Access Easement prepared by Dunn & Moran Landscape Architects	SD-24 Issue B	22 May 2026
Plans and documents previously approved on 11 April 2025		Reference Number	Date
16.	Civil Engineering Report (Stormwater Management, Infrastructure and Civil Services) prepared by Meliora Consulting engineers	2481, Rev 3	27/03/2025
17.	Landscape Concept Plan Schematic Design prepared by Dunn and Moran (as amended in red)	Issue D	11/02/2025
18.	Proposed Residential Development Lot 17 MacArthur avenue, Hamilton Acoustic Report prepared by acousticworks	Revision R01G	13/03/2025
19.	Northshore Hamilton Development 330 MacArthur Avenue, Air Quality Assessment prepared by Trinity Consultants	Report no.247401.0190.R01V03	4th December 2025
20.	Operational Waste Management Plan prepared by TTM	Issue 3	5th December 2024
21.	330 MacArthur Avenue Flood Assessment prepared by Water Engineering Partners	Report no. R.30253.001.02 version 2	26th November 2024

Compliance assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The Applicant must:
 - i) pay to EDQ at the time of submission the relevant fee for Compliance Assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Services Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ a duly completed Compliance Assessment form².
 - iii) submit to EDQ the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment complies with the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) the Applicant submits items required under a) above to EDQ for Compliance Assessment.
 - ii) **within 20 business days** – EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the Applicant accordingly.
 - iii) if the Applicant is notified under ii) above, revised documentation must be submitted **within 20 business days** from the date of notification.
 - iv) **within 20 business days** – EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the Applicant accordingly.
 - v) where MEDQ notifies the Applicant as stated under iv) above, repeat steps iii) and iv) above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v) above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

Submitting documentation to EDQ

Where a condition of this approval requires documentation to be submitted to EDQ, use the following submission pathways:

- a) For conditions requiring Compliance Assessment via the [EDQ Customer Portal](#) or via developmentservices@edq.qld.gov.au.
- b) For conditions requiring the submission of material related to the [Certification Procedures Manual \(CPM\)](#) process via the CPM [Digital Submission system](#).

PDA Development Conditions

No.	Condition	Timing
General		
1	Carry out the Approved Development Carry out the approved development generally in accordance with the approved plans and documents and any other documentation endorsed via Compliance Assessment as required by these conditions.	Prior to commencement of use or BFP endorsement, whichever occurs first
2	Maintain the Approved Development Maintain the approved development generally in accordance with the approved plans and documents and any other documentation endorsed via Compliance Assessment as required by these conditions.	At all times following commencement of use
Construction Management		
3	Hours of Work – Construction Unless otherwise endorsed, via Compliance Assessment for out of hours work, construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction unless otherwise endorsed
4	Out of Hours Work – Compliance Assessment Where out of hours work is proposed, submit to EDQ DA, for Compliance Assessment, an out of hours work request. The out of hours work request must include a duly completed out of hours work	Minimum of 10 business days prior to proposed out of hours work commencement date

	request form ³ .	
5	Certification of Operational Work Carry out all Operational Work under this approval in accordance with the <i>Certification Procedures Manual</i> .	At all times
6	Construction Management Plan a) Submit to EDQ IS a site-based Construction Management Plan (CMP), prepared by the principal site contractor and reviewed by a suitably qualified and experienced person responsible for overseeing the site works, to manage construction impacts, including: i) noise and dust in accordance with the EP Act; ii) stormwater flows around and through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the EP Act), causing erosion, creating any ponding and causing any actionable nuisance to upstream and downstream properties; iii) contaminated land, where required under a site suitability statement prepared in accordance with section 389 of the EP Act; iv) complaints procedures; v) site management: 1. for the provision of safe and functional alternative pedestrian routes, past, through or around the site; 2. to mitigate impacts to public sector entity assets, including street trees, on or external to the site; 3. for safe and functional temporary vehicular access points and frequency of use; 4. for the safe and functional loading and unloading of materials including the location of any remote loading sites; 5. for the location of materials, structures, plant and equipment; 6. of waste generated by construction activities; 7. detailing how materials are to be loaded/unloaded; 8. of proposed external hoardings and gantries (with clearances to street	a) Prior to commencing work

³ The out of hours work request form is available at EDQ's website.

	furniture and other public sector entity assets); 9. of employee and visitor parking areas; 10. of anticipated staging and programming; 11. for the provision of safe and functional emergency exit routes; and 12. any out of hours work as endorsed via Compliance Assessment. b) A copy of the CMP submitted under part a) of this condition must be current and available on site. c) Carry out all construction work generally in accordance with the CMP submitted under part a) of this condition.	b) During construction c) During construction
7	Erosion and Sediment Management a) Submit to EDQ IS an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control, and prepared generally in accordance with the following: i) construction phase stormwater management design objectives of the <i>State Planning Policy 2017</i> (Appendix 2 Table A); ii) <i>Healthy Land and Water Technical Note: Complying with the SPP – Sediment Management on Construction Sites.</i> b) Implement the certified ESCP submitted under part a) of this condition.	a) Prior to commencing work b) During construction
8	Traffic Management Plan a) Submit to EDQ IS a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification. The TMP must include the following: i) provision for the safe and functional management of traffic around and through the site during and outside of construction work hours; ii) provision for the safe and functional management of pedestrian traffic, including alternative pedestrian routes past, through or around the site; iii) provision of parking for workers and materials delivery;	a) Prior to commencing work

	iv) risk identification, assessment and identification of mitigation measures; v) ongoing monitoring, management review and certified updates (as required); and vi) traffic control plans and/or traffic control diagrams, prepared in accordance with <i>Austroads Guide to Temporary Traffic Management</i>, for any temporary part or full road closures. b) Carry out all construction work generally in accordance with the certified TMP submitted under part a) of this condition, which is to be current and available on site. <i>NOTE: Operational traffic changes, such as temporary and permanent lane modifications, relaxation of clearway zone hours or footpath closures may require authorisation from Council or DTMR as road manager. It is recommended that applicants engage directly with the applicable road manager.</i>	b) During construction
9	Construction Noise Management Plan a) Submit to EDQ IS a Construction Noise Management Plan (CNMP), certified by a suitably qualified acoustic engineer. At a minimum, the CNMP must address the following sections of <i>Australian Standard AS2436-2010</i> as they relate to the site and construction activities: i) section 3.4 – Community Relations, including schedule of activities, community notification strategy, complaints reporting and response strategies ii) section 4.4 – Post Approval/Construction Planning for Noise and Vibration, including strategies to minimise adverse impacts to proximate sensitive land uses/receptors iii) section 4.5 – Control of Noise at Source, including strategies to control noise at source; iv) section 4.6 – Controlling the Spread of Noise, including noise reduction measures; and v) section 5.0 – Methods for Measurement of Noise and Vibration, including noise measurement and monitoring strategy. b) Carry out construction work generally in accordance with the certified CNMP required under part a) of this condition.	a) Prior to commencing work b) During construction

	c) Where requested by EDQ, submit to EDQ IS Noise Monitoring Reports, certified by a suitably qualified acoustic engineer, and evidence of compliance with the community relations elements of the CNMP required under part a) of this condition.	c) As requested by EDQ
10	Public Infrastructure (Damage, Repairs and Relocation) a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and the External Authority's design standards. <i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i>	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
11	Earthworks a) Submit to EDQ IS detailed earthworks plans, certified by a RPEQ, and designed generally in accordance with: <i>Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments</i> and - the approved 'Civil Engineering Report (Stormwater Management, Infrastructure & Civil Services) prepared by Meliora Consulting Engineers, dated March 2025 Rev 3. The certified earthworks plans are to: - include a geotechnical soils assessment of the site; - accord with the Erosion and Sediment Control Plans, as required by condition 7 – Erosion and sediment management;	a) Prior to commencing earthworks

	iii) include the location and finished surface levels of any cut and/or fill; iv) detail areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; v) provide details of any areas where surplus soils are to be stockpiled; vi) detail protection measures to: 1. ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; 2. preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development; and vii) where rock or ground anchors are required within adjoining road or land, include consents from relevant road manager(s) and/or landowner(s). b) Carry out earthworks generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ certification that: i) all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and ii) any unsuitable material encountered has been treated or replaced with suitable material.	b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
12	Acid Sulfate Soils Management Plan a) Where on-site Acid Sulfate Soils (ASS) are encountered, submit to EDQ IS an ASS Management Plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time). b) Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS Management Plan submitted under part a) of this condition. c) Submit to EDQ IS a Validation Report, certified by a suitably qualified environmental or soil	a) Prior to commencement of or during earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first

	scientist, confirming that all earthworks have been carried out in accordance with the ASS Management Plan submitted under part b) of this condition.	c) Prior to commencement of use or BFP endorsement, whichever occurs first
13	Retaining Walls a) Submit to EDQ IS detailed engineering plans, certified by a RPEQ, of all retaining walls 1m or greater in height. Retaining walls must be: i) certified to achieve a minimum 50 year design life; ii) designed generally in accordance with <i>Australian Standard AS4678 – Earth Retaining Structures</i> and relevant material standards (e.g. <i>AS3600 – Concrete Structures</i>); iii) design to ensure construction (and associated earthworks) will not compromise road reserve, public infrastructure and private properties. b) Construct retaining walls generally in accordance with the certified plans required under part a) of this condition. c) Submit to EDQ IS certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencing earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
14	Excavation and Basement Design a) Submit to the EDQ IS an Excavation and Basement Report, certified by a RPEQ, including: i) confirmation of design and performance criteria including standards and supporting documents used for the basis of design; ii) consistency with Australian Standard AS 3798, Guidelines on Earthworks for Commercial and Residential Developments; iii) Confirmation that any vibration generated through basement excavation or piling work does not impact on the stability of external road infrastructure and existing buildings on MacArthur Avenue;	a) Prior to commencing work

	iv) locations of cut and fill, and the character of material; v) quantity of fill to be deposited; vi) a maintenance regime for site access roads/tracks, ensuring they remain clean and free of material; vii) existing and proposed finished levels in reference to the Australian Height Datum and extending into the adjoining properties; viii) mitigation measures for the protection of adjoining properties and roads from ponding and/or nuisance from stormwater; ix) Detailed Design and Construction Plans, including staging, for excavation and basement design. b) Carry out excavation and basement work in accordance with the certified Detailed Design and Construction Plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ: i) certification that excavation and basement work has been undertaken in accordance with part b) of this condition; and ii) certified 'as-constructed' drawings for the excavation and basement work carried out in accordance with part b) of this condition. <i>NOTE: When submitting 'as constructed drawings', the preferred format is one letter/certificate listing all drawings and signed by the appropriate RPEQ for each discipline of engineering.</i>	b) During construction c) Prior to commencement of use or BFP endorsement, whichever occurs first
15	Condition Removed	
16	Vehicle Access a) Construct a vehicle crossover: i) located generally in accordance with the approved plans; and ii) designed generally in accordance with Council's adopted standards for a commercial Type B1 (7.0m wide) crossover. b) Submit to EDQ IS RPEQ certification that the crossover has been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
17	Car Parking	

	Construct, sign and delineate car parking spaces generally in accordance with <i>Australian Standard AS2890 – Parking Facilities</i> and the approved plans.	Prior to commencement of use or BFP endorsement, whichever occurs first
18	Bicycle Parking a) Construct, sign and delineate bicycle parking facilities generally in accordance with <i>Australian Standard AS 2890.3:2015 Parking facilities, Part 3: Bicycle parking</i> and the approved plans. b) Submit to EDQ IS evidence demonstrating bicycle parking facilities have been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
19	Water Connection Connect the approved development to the existing water reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
20	Sewer Connection Connect the approved development to the existing sewer reticulation network generally in accordance with Urban Utilities current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
21	Stormwater Connection Connect the approved development to a lawful point of discharge: a) with 'no-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability; and b) generally in accordance with Council's current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
22	Stormwater Management (Quality) a) Submit to EDQ IS detailed engineering drawings, certified by a RPEQ, for stormwater treatment devices designed generally in accordance with: i) <i>PDA Guideline No. 13 Engineering standards – Stormwater quality</i> and; ii) Approved Civil Engineering Report, prepared by Meliora Consulting Engineers, dated 27/03/2025	a) Prior to commencement of stormwater works

	b) Construct stormwater works generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ certification confirming stormwater treatment devices have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
23	Flood Emergency Management Plan (FEMP) a) Submit to EDQ IS a Flood Emergency Management Plan (FEMP), prepared by a suitably qualified RPEQ, generally in accordance with the following: i) Northshore Hamilton PDA Development Scheme, ii) Brisbane City Plan 2014, and iii) EDQ's relevant guidelines and standards. The FEMP is to include the following information: (i) Management of emergency access or evacuation for the site. (ii) Outline procedures for both ingress and egress during a flood event, particularly where adjoining roads are flooded. b) Implement the certified FEMP submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) At all times following commencement of use.
24	Electricity a) Submit to EDQ IS a Certificate of Electricity Supply from ENERGEX for the provision of electricity supply to the approved development. b) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
25	Telecommunications a) Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development. b) Connect the approved development in accordance with the documentation submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first

26	Broadband a) Submit to EDQ IS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant with <i>Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects</i>. b) Construct the fibre-ready pit and pipe infrastructure specified in the agreement submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
27	Refuse Collection a) Submit to EDQ IS evidence of approved refuse collection arrangements, from Council or a private waste contractor, for the approved development. b) Implement the refuse collection arrangements submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) At all times following commencement of use
28	Landscape Works – Compliance Assessment a) Submit to EDQ DA for compliance assessment detailed landscape plans, certified by an AILA, for the development's landscape works. The detailed landscape plans must be designed generally in accordance with the following approved plans: i) Schematic Design 330 MacArthur Avenue on part of Lot 5 on SP337697 prepared by Dunn and Moran, dated 11th March 2025 Issue D (as amended in red) b) Construct landscape works generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencement of ground level building work b) Prior to commencement of use or BFP endorsement, whichever occurs first
29	Acoustic Treatments a) Construct the approved development to include the acoustic treatments specified in section 9 of the following approved document: i) 'Proposed Residential Development Lot 17 MacArthur avenue, Hamilton Acoustic Report' prepared by acousticworks, dated 13th March 2025 revision R01G	a) Prior to commencement of use or BFP endorsement, whichever occurs first

	b) Submit to EDQ IS evidence that the requirements of part a) of this condition have been met.	b) Prior to commencement of use or BFP endorsement, whichever occurs first
30	Outdoor Lighting Outdoor lighting within the site is to be designed and constructed in accordance with <i>Australian Standard AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting</i> .	Prior to commencement of use or BFP endorsement, whichever occurs first
31	Electric vehicle readiness a) Include electric vehicle readiness in the development as follows: i. Provision of electrical capacity for Basic (slow) EVSE chargers for 100% of parking bays, including visitor spaces; and ii. Provision of conduits and/or cable trays from car park distribution boards to individual parking spaces to a minimum of 25% of all parking bays (during construction) to enable future Basic (slow) EVSE installation; and iii. Provision of dedicated conduits and circuits to 2% of all parking bays to enable future Destination (regular) EVSE charger installation. b) Electric vehicle charging shall be: i. capable of electrical load control to manage the development's electricity demand profile in the context of the network supply profile; and ii. designed with regard to fire retardance and ventilation c) Submit to EDQ IS, certified evidence from a suitably qualified and experienced electrical engineer, that the electric vehicle readiness required by parts a) and b) of this condition has been provided.	For all parts of this condition, prior to endorsement of the BFP or commencement of the use, whichever occurs first
32	Access to cross block link – volumetric access easement a) Prepare and execute a volumetric public access easement for the area indicated as Cross Block Link on the approved plans and documents ensuring unfettered 24 hour / 7 days a week public access to and through the cross block link.	Prior to 11 November 2028, and to be maintained at all times

	b) Submit to EDQ DA evidence of compliance with part a) of this condition.	
33	Easements over Infrastructure Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	Prior to commencement of use or registration of a Building Format Plan, whichever occurs first
34	Road Infrastructure Support Batter Easement Submit to EDQ DA evidence that the Road Infrastructure Support Batter easement has been extinguished.	Prior to commencement of use unless otherwise agreed to in writing by the MEDQ.
35	Community Management Statement/Building Management Statements - Public Access to Cross Block Link a) Submit to EDQ DA the first Community Management Statement/Building Management Statement for the development which is to include a clause requiring that: i) There is to be unimpeded 24 hour/7 days a week public access to the area indicated as cross block link on the approved plans and documents; ii) All maintenance and liability is to remain with the Body Corporate in perpetuity. b) Submit to EDQ DA any new Community Management Statement/Building Management Statement demonstrating that clauses i) and ii) have been included in the CMS.	a) Prior to commencement of use and to be maintained at all times b) At all times
Condition Deleted		
Condition Deleted		
Infrastructure Contributions		
38	Infrastructure Charges Pay to MEDQ infrastructure charges in accordance with the DCOP, indexed to the date of payment. Where the application is a MCU, certified construction plans detailing the GFA must also be	In accordance with the DCOP

	provided to the MEDQ prior to commencement of use for calculation of final charges.	
--	---	--

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA Development Approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****