

RIVEREDGE BVD - OONOONBA - QLD

Vegetation Clearing & Fauna Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
12622 E 01	COVER SHEET	A	25/05/2026
12622 E 02	VEGETATION CLEARING NOTES	A	25/05/2026
12622 E 03	FAUNA MANAGEMENT NOTES	A	25/05/2026
12622 E 04	CLEARING AREA	A	25/05/2026
12622 E 05	CONTEXT SHEET	A	25/05/2026
12622 E 06	DETAIL SHEET/S	A	25/05/2026
12622 E 13	CLEARING DIRECTION	A	25/05/2026
12622 E A1	APPENDIX 1. TREE SCHEDULE	A	25/05/2026



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - Notes

INTRODUCTION

The Environmental Management Division of **Saunders Havill (SH)** was engaged by **Economic Development Queensland (EDQ)** to prepare a Vegetation Clearing and Fauna Management Plan (VCFMP) for Stage 1 and 2 of the proposed residential development at location (1099SP280605 & 9001SP306214).

The purpose of this plan is to manage the vegetation removal process and the protection of fauna species within the clearing area. This VCFMP has been prepared on request by EDQ. The approval of this package is required prior to clearing works commencing. The clearing works will follow general principles for vegetation clearing documented on this sheet and *Sheet 3*, and all EDQ specific requirements.

This VCFMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation:

- GPS tree data including specimen details & features (SHG, 2026)
- Site Inspection of Existing Vegetation (SHG, 2026)
- Site Layout Plans (RPS Group, 2026)
- Arborist inspection (TBD)

PROJECT MANAGEMENT

Vegetation management and processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to EDQ's conditions and guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2025 and Pruning of Amenity Trees AS4373-2007.

When required, the project arborist (with minimum AQF Level 5 in Arboriculture and minimum 5 years' experience) is responsible for: undertaking all appropriate arboricultural measures prior to the commencement of any earthworks on site to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained and perform arboricultural care requirements where necessary.

The roles and responsibilities of the Fauna Spotter-catcher are provided on *Sheet 3*.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact: EDQ To Be Confirmed	Environmental Contact: Saunders Havill Group David Havill:
---	--

Site Contractor: <i>To be advised</i>	Site Arborist: <i>To be advised</i>
--	--

Site Fauna spotter-catcher: <i>To be advised</i> (Refer to <i>Sheet 3</i> for responsibilities)	Site Bushfire Consultant: <i>To be advised</i>
---	---

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond the Notional Root Zone which is defined as 12 x diameter at standard height (DSH) with a minimum of 2m (AS4970-2025 Protection of trees on development sites)—unless approved by the appointed arborist. Signs identifying the tree retention area as a 'no go zone' to be installed at regular intervals (e.g. 10-25m) along all tree protection fencing lengths where feasible. Tree protection fencing to be fauna-friendly design along Open Space Area boundary, including a minimum 500mm gap between fence and ground level to facilitate fauna movement.

PHASE 2 - Council Pre-start Meeting (if required by EDQ)

Fencing shall be in place at the time of the official pre-start meeting for inspection and sign off by EDQ Officers. Check if any fauna spotter-catcher requirements in DA

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed on *Sheet 3* and acknowledge specific EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter and all necessary permits are obtained. Clearing will occur in the direction outlined on *Sheet 13* of this VCFMP, and will be managed by the appointed fauna spotter-catcher to allow all fauna to move unimpeded towards retained vegetation on.

Vegetation clearing techniques:

- By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- Suggested techniques are as follows: (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.4 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher (c) the use of bulldozers to clear vegetation is limited to vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features.

NOTE: Dogs are not permitted onsite at any time during construction. Construction works, including clearing, must occur between the hours of 6.00am and 6.00pm.

ACCESS AND STOCKPILING


Vegetation stockpiling locations are to be designated in easily accessible areas outside of TPZs. Indicative vegetation stockpiling locations have been allocated within the clearing area, allowing for material to be easily delivered and stored. These locations are subject to minor change, according to cut/fill activities and intended location for reuse.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required. If conditioned in the approval—the project arborist may be required to submit a report to EDQ detailing the measures undertaken during the construction period and any further work required post this period.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:

AS4970-2025 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	25/05/2026	Preliminary	HW	DH

CLIENT

Economic Development
Queensland

PROJECT

Lot 1099 on SP280605 & Lot 9001 on
SP306214 OR 16 Darter St & 58
Riveredge Bvd, Oonoonba, QLD 4811

DRAWING TITLE

VEGETATION CLEARING &
FAUNA MANAGEMENT PLAN

DRAWING NO.

12622 E 02 VCFMP A



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Fauna Notes*

INTRODUCTION

The Fauna Management specification on this *VCFMP* is designed to protect native animals and control/manage impacts during the vegetation clearing works. The clearing area occurs within the Lot 1099 on SP280605 & Lot 9001 on SP306214, which abuts maintained paddocks land use. Common species associated with Urban fringe/ Paddock landscapes were spotted at the clearing area during the field assessment. The fauna management specifications and principles incorporated in this *VCFMP* apply generically to all native animals and focus on avoiding conflicts and incorporating measures to minimise disturbance. Compliance with this section of the *VCFMP* is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the Department of Environment, Tourism, Science and Innovation).

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the existing vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities may be altered during and post vegetation clearing works. Potential impacts include:

CONSTRUCTION IMPACTS

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment
- Loss of food sources
- Excavation/compaction/changes in ground levels
- Altering hydrological flows
- Fragmentation of habitat

OPERATIONAL IMPACTS

- Weed introduction (garden escapees)
- Increased hydrology with increased hardstand
- Altering of run-off chemical and nutrient components (quality)
- Barriers to fauna movement
- Vehicles and pedestrian movement and trespass
- Introduction of domestic and predatory species

FAUNA MANAGEMENT SCHEDULE

1.0 Pre - Clearing				
Ref:	Management Item	Responsibility	Timing	Reporting
1.1	Temporary Fencing Prior to the commencement of works and to be inspected by the site Environmental Coordinator and/or Project Arborist—Delineate areas where vegetation is proposed to be retained with exclusion fencing to prevent accidental felling. Clearing is to be undertaken in accordance with AS 4970-2025 Protection of Trees on Development Sites. ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing ▪ Only approved weed management works to occur within the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site works.	Site Supervisor	Prior to the commencement of clearing	Inspected by EDQ and Project Arborist
1.2	Contractor Education & Awareness All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP are provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. ▪ A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office.	Site Supervisor / The Proponent	Prior to the commencement of clearing and as part of the site induction for new staff and sub-contractors	Site Supervisor
2.0 Vegetation Clearing				
2.1	Spotter / Relocator Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by a qualified fauna spotter-catcher holding a valid Rehabilitation Permit. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, a suitable buffer area (as determined by the fauna spotter-catcher) should be established around the animal's location that excludes machinery until it has relocated at its own accord (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment, Tourism, Science and Innovation. For some fauna, specific permit requirements may apply. If vegetation is left stockpiled for more than 24 hours or overnight, the fauna spotter-catcher must inspect the vegetation prior to chipping or removal from site. The Fauna Spotter-catcher will manage the care of any injured or orphaned wildlife (e.g. veterinary attention or delivery to a wildlife carer). Any native fauna listed as a threatened species under the Nature Conservation (Animals) Regulation 2020 that are injured or orphaned by the development process, must be reported to the Department of Environment, Tourism, Science and Innovation (1300 130 372). Any other injured or orphaned fauna must be reported through the Rehabilitation Permit return process by the Fauna Spotter-catcher. The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.2	Specific Koala Management Notes A Koala/Fauna spotter-catcher is a person who holds a valid Rehabilitation Permit from the relevant State Government Agency, and has either a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.3	Clearing Pattern / Fauna Flushing Clearing occurs once the fauna spotter-catcher gives sign off the site is clear of all native species and all necessary permits are obtained. The intended clearing directions is North towards Ross River. Clearing direction is subject to amendment by the fauna spotter-catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the fauna spotter-catcher must provide certification to EDQ officers that all works were undertaken in accordance with these fauna management requirements and specific EDQ requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.4	Specific Habitat Tree Notes Where possible, clearing of habitat trees is to be avoided during late winter and spring (typically July – October) when many native birds are actively nesting/have young in nests and arboreal mammals have dependent and/or pouch young.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:

AS4970-2025 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	25/05/2026	Preliminary	HW	AD

CLIENT

Economic Development
Queensland

PROJECT

Lot 1099 on SP280605 & Lot 9001 on
SP306214 OR 16 Darter St & 58
Riveredge Bvd, Oonoonba, QLD 4811

DRAWING TITLE

VEGETATION CLEARING &
FAUNA MANAGEMENT PLAN


DRAWING NO.

12622 E 03 VCFMP A



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Clearing Area*



LEGEND

Site DCDB

QLD DCDB

Vegetation Clearing Area [XX ha]

Koala Habitat Areas

Vegetation Management Regional Ecosystems

Category A or B area containing endangered regional ecosystems

Category A or B area that is a least concern regional ecosystem

Category C area that is a least concern regional ecosystem

DAF Waterways - Risk of Impact

1 - Low

2 - Moderate


4 - Major

NOTE: Clearing is to occur as per the approved VCFMP clearing extent boundaries.



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - Context Detail Sheet



LEGEND

GPS Tree Plot (w/ TPZ)

Native Habitat and/or hollow bearing tree to retain

Native tree to retain

Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works

Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works

Native Habitat and/or hollow bearing tree to remove

Native tree to remove

Non-native/weed tree to remove

Engineering Detail

Property Lots

Proposed works extent


Proposed roads

Tree protection fencing



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works
- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove
- Non-native/weed tree to remove

Engineering Detail

- Proposed works extent
- Proposed roads
- Tree protection fencing
- Proposed lots



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works
- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove
- Non-native/weed tree to remove

Engineering Detail

- Proposed works extent
- Proposed roads
- Tree protection fencing
- Proposed lots



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works

- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove


Engineering Detail

- Proposed works extent
- Proposed roads
- Tree protection fencing
- Proposed lots



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works
- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove
- Non-native/weed tree to remove

Engineering Detail


- Proposed works extent
- Proposed roads
- Tree protection fencing
- Proposed lots

AMENDMENTS		DESCRIPTION	DRAWN	CHECKED
ISSUE	DATE			
A	25/05/2026	Preliminary	HW	DH



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works

Native Habitat and/or hollow bearing tree to remove

Native tree to remove

Non-native/weed tree to remove

Engineering Detail

- Proposed lots

Proposed works extent

Proposed roads


Tree protection fencing

AMENDMENTS		DESCRIPTION	DRAWN	CHECKED
ISSUE	DATE			
A	25/05/2026	Preliminary	HW	DH



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - Detail Sheet



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works

- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove

Engineering Detail

- Proposed works extent
- Proposed roads
- Tree protection fencing
- Proposed lots



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - Detail Sheet



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain
- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works
- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove
- Non-native/weed tree to remove

Engineering Detail

- Proposed works extent
- Proposed roads
- Tree protection fencing
- Proposed lots



Riveredge Bvd, Oonoonba, QLD

Vegetation Clearing and Fauna Management Plan - *Vegetation Clearing Direction*



LEGEND

GPS Tree Plot (w/ TPZ)

- Native Habitat and/or hollow bearing tree to retain
- Native tree to retain

- Non-native/Weed tree to retain in conservation/openspace area subject to rehabilitation works
- Dead Tree (Stag) to retain in conservation/openspace area subject to rehabilitation works

- Native Habitat and/or hollow bearing tree to remove
- Native tree to remove
- Non-native/weed tree to remove

Engineering Detail

- Proposed lots
- Proposed works extent
- Proposed roads

- Tree protection fencing
- Indicative Clearing Direction
- Indicative Vegetation Stockpile



Tree Schedule - 12622 Darter Street, Oonoonba (EDQ) Date: 2025/08/28																														
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	Corymbia tessellaris	Moreton Bay Ash	190	110 80	234	73	8.0	3.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2	Corymbia tessellaris	Moreton Bay Ash	130		130	41	6.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3	Corymbia tessellaris	Moreton Bay Ash	120		120	38	6.0	1.0	2.0	1.4	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4	Corymbia tessellaris	Moreton Bay Ash	100	85 80 80	173	54	7.0	1.0	2.1	1.6	Typical	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5	Corymbia tessellaris	Moreton Bay Ash	100	90	135	42	6.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6	Corymbia tessellaris	Moreton Bay Ash	110		110	35	6.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7	Corymbia tessellaris	Moreton Bay Ash	110		110	35	5.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8	Corymbia tessellaris	Moreton Bay Ash	100		100	31	6.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
9	Corymbia tessellaris	Moreton Bay Ash	100		100	31	6.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
10	Corymbia tessellaris	Moreton Bay Ash	100		100	31	5.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
11	Corymbia tessellaris	Moreton Bay Ash	120		120	38	6.0	1.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
12	Corymbia tessellaris	Moreton Bay Ash	105		105	33	6.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
13	Corymbia tessellaris	Moreton Bay Ash	110		110	35	6.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
14	Corymbia tessellaris	Moreton Bay Ash	130	100 100	192	60	8.0	4.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
15	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
16	Corymbia tessellaris	Moreton Bay Ash	135		135	42	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
17	Corymbia tessellaris	Moreton Bay Ash	130	100	164	52	8.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
18	Corymbia tessellaris	Moreton Bay Ash	105	80	132	41	6.0	1.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
19	Corymbia tessellaris	Moreton Bay Ash	120		120	38	7.0	1.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
20	Corymbia tessellaris	Moreton Bay Ash	120	70	139	44	8.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
21	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
22	Corymbia tessellaris	Moreton Bay Ash	100		100	31	6.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
23	Corymbia tessellaris	Moreton Bay Ash	120		120	38	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
24	Corymbia tessellaris	Moreton Bay Ash	145		145	46	8.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
25	Corymbia tessellaris	Moreton Bay Ash	115		115	36	7.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
26	Corymbia tessellaris	Moreton Bay Ash	50		50	16	3.0	1.0	2.0	0.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
27	Corymbia tessellaris	Moreton Bay Ash	160		160	50	7.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
28	Corymbia tessellaris	Moreton Bay Ash	50		50	16	3.0	1.0	2.0	0.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
29	Corymbia tessellaris	Moreton Bay Ash	120	110 110	196	62	8.0	4.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
30	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
31	Corymbia tessellaris	Moreton Bay Ash	100		100	31	5.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
32	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8.0	4.0	2.0	1.3	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
33	Corymbia tessellaris	Moreton Bay Ash	115		115	36	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
34	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
35	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
36	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
37	Albizia lebbeck	Siris Tree	220		220	69	13.0	7.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
38	Corymbia tessellaris	Moreton Bay Ash	160		160	50	8.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
39	Dead/Stag		115		115	36	8.0	4.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
40	Avicennia marina	Grey Mangrove	130	90	158	50	10.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
41	Avicennia marina	Grey Mangrove	100	90	135	42	9.0	4.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
42	Avicennia marina	Grey Mangrove	90		90	28	8.0	1.0	2.0	1.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
43	Avicennia marina	Grey Mangrove	80		80	25	7.0	1.0	2.0	1.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-			



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
52	Albezia lebbeck	Siris Tree	260		260	82	9.0	6.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
53	Albezia lebbeck	Siris Tree	170		170	53	12.0	6.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
54	Albezia lebbeck	Siris Tree	320		320	101	10.0	6.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
55	Albezia lebbeck	Siris Tree	190		190	60	10.0	6.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
56	Albezia lebbeck	Siris Tree	160		160	50	10.0	6.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
57	Albezia lebbeck	Siris Tree	130		130	41	8.0	4.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
58	Albezia lebbeck	Siris Tree	220	200 200	358	113	14.0	8.0	4.3	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
59	Albezia lebbeck	Siris Tree	220	155 130 150 130	359	113	15.0	8.0	4.3	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
60	Albezia lebbeck	Siris Tree	190		190	60	13.0	6.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
61	Albezia lebbeck	Siris Tree	220	215	308	97	14.0	8.0	3.7	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
62	Albezia lebbeck	Siris Tree	165		165	52	8.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
63	Albezia lebbeck	Siris Tree	220	115	248	78	15.0	8.0	3.0	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
64	Albezia lebbeck	Siris Tree	165		165	52	13.0	6.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
65	Albezia lebbeck	Siris Tree	200	170	262	82	6.0	4.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
66	Albezia lebbeck	Siris Tree	110		110	35	7.0	4.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
67	Corymbia maritima	Coastal Grey Bloodwood	420	250	489	154	14.0	8.0	5.9	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
68	Albezia lebbeck	Siris Tree	250	180 155 230	415	130	14.0	8.0	5.0	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
69	Albezia lebbeck	Siris Tree	270		270	85	14.0	7.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
70	Albezia lebbeck	Siris Tree	210		210	66	14.0	6.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
71	Albezia lebbeck	Siris Tree	240	200 180 180	403	127	15.0	8.0	4.8	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
72	Albezia lebbeck	Siris Tree	260	250 250	439	138	14.0	8.0	5.3	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
73	Albezia lebbeck	Siris Tree	370		370	116	12.0	7.0	4.4	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
74	Albezia lebbeck	Siris Tree	320	300 300	531	167	15.0	9.0	6.4	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
75	Albezia lebbeck	Siris Tree	110		110	35	8.0	5.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
76	Corymbia tessellaris	Moreton Bay Ash	160		160	50	14.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
77	Corymbia tessellaris	Moreton Bay Ash	160		160	50	14.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
78	Corymbia tessellaris	Moreton Bay Ash	140	110	178	56	9.0	5.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
79	Corymbia tessellaris	Moreton Bay Ash	100		100	31	10.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
80	Albezia lebbeck	Siris Tree	150	80	170	53	8.0	5.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
81	Albezia lebbeck	Siris Tree	200	150 120	277	87	9.0	7.0	3.3	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
82	Albezia lebbeck	Siris Tree	190		190	60	9.0	3.0	2.3	1.6	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
83	Corymbia tessellaris	Moreton Bay Ash	320		320	101	15.0	9.0	3.8	2.1	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
84	Corymbia tessellaris	Moreton Bay Ash	245		245	77	10.0	7.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
85	Canarium australianum	White Beech	200		200	63	7.0	6.0	2.4	1.7	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
86	Acacia implexa	Lightwood	105		105	33	6.0	6.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
87	Albezia lebbeck	Siris Tree	100		100	31	6.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
88	Albezia lebbeck	Siris Tree	130		130	41	6.0	4.0	2.0	1.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
89	Albezia lebbeck	Siris Tree	145		145	46	7.0	5.0	2.																						



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
107	<i>Corymbia</i> sp.	Gum Tree	420		420	132	19.0	8.0	5.0	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
108	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	19.0	9.0	5.2	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
109	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	18.0	10.0	4.9	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
110	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	18.0	8.0	4.3	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
111	<i>Ficus opposita</i>	Sandpaper Fig	155		155	49	4.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
112	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	18.0	11.0	5.9	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
113	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	16.0	5.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
114	<i>Melaleuca viridiflora</i>	Green-flowered Paperbark	800		800	251	19.0	9.0	9.6	3.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
115	<i>Albezia lebbeck</i>	Siris Tree	260		260	82	9.0	5.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
116	<i>Albezia lebbeck</i>	Siris Tree	380		380	119	9.0	9.0	4.6	2.2	Typical	-	Thinning	Die-back	-	-	Poor	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
117	<i>Melaleuca viridiflora</i>	Green-flowered Paperbark	620		620	195	18.0	8.0	7.4	2.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
118	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	18.0	11.0	6.7	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
119	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	17.0	11.0	5.0	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
120	<i>Eucalyptus tereticornis</i>	Forest Red Gum	160		160	50	10.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
121	<i>Corymbia tessellaris</i>	Moreton Bay Ash	150	140	205	64	12.0	4.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
122	<i>Eucalyptus tereticornis</i>	Forest Red Gum	145		145	46	9.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
123	<i>Eucalyptus tereticornis</i>	Forest Red Gum	100		100	31	7.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
124	<i>Ficus opposita</i>	Sandpaper Fig	140		140	44	4.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
125	<i>Ficus opposita</i>	Sandpaper Fig	130	100	164	52	4.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
126	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	6.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
127	<i>Corymbia tessellaris</i>	Moreton Bay Ash	160		160	50	9.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
128	<i>Ficus opposita</i>	Sandpaper Fig	160	140	213	67	5.0	3.0	2.6	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
129	<i>Ficus opposita</i>	Sandpaper Fig	195		195	61	4.0	4.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
130	<i>Ficus opposita</i>	Sandpaper Fig	140	140 130	237	74	4.0	3.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
131	<i>Albezia lebbeck</i>	Siris Tree	165	155	226	71	8.0	7.0	2.7	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
132	<i>Corymbia tessellaris</i>	Moreton Bay Ash	165	100 120 140	267	84	9.0	5.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
133	<i>Avicennia marina</i>	Grey Mangrove	160	100 80	205	64	5.0	5.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
134	<i>Albezia lebbeck</i>	Siris Tree	265		265	83	8.0	8.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
135	<i>Albezia lebbeck</i>	Siris Tree	230		230	72	6.0	7.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
136	<i>Albezia lebbeck</i>	Siris Tree	230		230	72	5.0	5.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
137	<i>Albezia lebbeck</i>	Siris Tree	420	160	449	141	7.0	9.0	5.4	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
138	<i>Albezia lebbeck</i>	Siris Tree	300	360 300 260	614	193	9.0	11.0	7.4	2.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
139	<i>Albezia lebbeck</i>	Siris Tree	320		320	101	9.0	9.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
140	<i>Pandanus tectorius</i>	Screw Pine	170		170	53	4.0	2.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
141	<i>Pandanus tectorius</i>	Screw Pine	170		170	53	7.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
142	<i>Pandanus tectorius</i>	Screw Pine	160		160	50	9.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
143	<i>Pandanus tectorius</i>	Screw Pine	170		170	53	6.0	7.0	2.0	1.6	Typical	-	-																	



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
162	<i>Corymbia tessellaris</i>	Moreton Bay Ash	135		135	42	8.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
163	<i>Corymbia tessellaris</i>	Moreton Bay Ash	165		165	52	12.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
164	<i>Corymbia tessellaris</i>	Moreton Bay Ash	230		230	72	12.0	5.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
165	<i>Corymbia tessellaris</i>	Moreton Bay Ash	170		170	53	10.0	5.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
166	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	12.0	5.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
167	<i>Corymbia tessellaris</i>	Moreton Bay Ash	155		155	49	9.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
168	<i>Corymbia tessellaris</i>	Moreton Bay Ash	255		255	80	12.0	5.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
169	<i>Corymbia tessellaris</i>	Moreton Bay Ash	145		145	46	7.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
170	<i>Corymbia tessellaris</i>	Moreton Bay Ash	180		180	57	9.0	4.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
171	<i>Corymbia tessellaris</i>	Moreton Bay Ash	155		155	49	9.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
172	<i>Melaleuca viridiflora</i>	Green-flowered Paperbark	145		145	46	8.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
173	<i>Melaleuca viridiflora</i>	Green-flowered Paperbark	145	90	171	54	7.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
174	<i>Melaleuca viridiflora</i>	Green-flowered Paperbark	155	70	170	53	8.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
175	<i>Corymbia tessellaris</i>	Moreton Bay Ash	140	130 130 100 120	279	88	11.0	5.0	3.3	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
176	<i>Corymbia tessellaris</i>	Moreton Bay Ash	135		135	42	9.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
177	<i>Corymbia tessellaris</i>	Moreton Bay Ash	130		130	41	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
178	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	7.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
179	<i>Corymbia tessellaris</i>	Moreton Bay Ash	108	80	134	42	8.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
180	<i>Corymbia tessellaris</i>	Moreton Bay Ash	520		520	163	18.0	12.0	6.2	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
181	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	15.0	9.0	4.6	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
182	<i>Eucalyptus tereticornis</i>	Forest Red Gum	100		100	31	8.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
183	<i>Eucalyptus tereticornis</i>	Forest Red Gum	105		105	33	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
184	<i>Eucalyptus tereticornis</i>	Forest Red Gum	100		100	31	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
185	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	7.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
186	<i>Eucalyptus tereticornis</i>	Forest Red Gum	100		100	31	6.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
187	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	16.0	10.0	4.9	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
188	<i>Eucalyptus tereticornis</i>	Forest Red Gum	125	100 80	179	56	6.0	4.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove	
189	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	13.0	7.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
190	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	60	209	66	12.0	6.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
191	Dead/Stag		155		155	49	4.0	1.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
192	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
193	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	7.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
194	Dead/Stag		175		175	55	6.0	1.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
195	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	9.0	4.2	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
196	<i>Eucalyptus tereticornis</i>	Forest Red Gum	155		155	49	7.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
197	<i>Albezia lebbeck</i>	Siris Tree	175	165 160 130	317	100	7.0	7.0	3.8	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
217	Eucalyptus tereticornis	Forest Red Gum	340		340	107	17.0	9.0	4.1	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
218	Eucalyptus tereticornis	Forest Red Gum	250		250	79	17.0	8.0	3.0	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
219	Eucalyptus tereticornis	Forest Red Gum	465		465	146	19.0	11.0	5.6	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
220	Eucalyptus tereticornis	Forest Red Gum	340		340	107	19.0	7.0	4.1	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
221	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18.0	7.0	4.2	2.1	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
222	Eucalyptus tereticornis	Forest Red Gum	430		430	135	19.0	10.0	5.2	2.3	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
223	Eucalyptus tereticornis	Forest Red Gum	390		390	123	18.0	8.0	4.7	2.2	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
224	Eucalyptus tereticornis	Forest Red Gum	410		410	129	19.0	8.0	4.9	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
225	Eucalyptus tereticornis	Forest Red Gum	275		275	86	17.0	8.0	3.3	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
226	Eucalyptus tereticornis	Forest Red Gum	480		480	151	19.0	9.0	5.8	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
227	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	8.0	4.1	2.1	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
228	Eucalyptus tereticornis	Forest Red Gum	450		450	141	17.0	8.0	5.4	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
229	Eucalyptus tereticornis	Forest Red Gum	180		180	57	13.0	4.0	2.2	1.6	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
230	Ficus opposita	Sandpaper Fig	100	60	117	37	4.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
231	Eucalyptus tereticornis	Forest Red Gum	590		590	185	19.0	11.0	7.1	2.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
232	Eucalyptus tereticornis	Forest Red Gum	520		520	163	20.0	11.0	6.2	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
233	Ficus coronata	Peach-leaved Fig	165		165	52	7.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
234	Ficus coronata	Peach-leaved Fig	150	80 120	208	65	5.0	3.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
235	Albezia lebbeck	Siris Tree	760	820	1118	351	17.0	16.0	13.4	3.5	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
236	Eucalyptus tereticornis	Forest Red Gum	485		485	152	18.0	13.0	5.8	2.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
237	Eucalyptus tereticornis	Forest Red Gum	400		400	126	15.0	8.0	4.8	2.3	Typical	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
238	Eucalyptus tereticornis	Forest Red Gum	450		450	141	18.0	7.0	5.4	2.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
239	Eucalyptus tereticornis	Forest Red Gum	360		360	113	7.0	13.0	4.3	2.2	Typical	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
240	Eucalyptus tereticornis	Forest Red Gum	390		390	123	18.0	7.0	4.7	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
241	Eucalyptus tereticornis	Forest Red Gum	130		130	41	9.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
242	Eucalyptus tereticornis	Forest Red Gum	135		135	42	11.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
243	Eucalyptus tereticornis	Forest Red Gum	125		125	39	11.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
244	Eucalyptus tereticornis	Forest Red Gum	125		125	39	11.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
245	Eucalyptus tereticornis	Forest Red Gum	150		150	47	11.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
246	Eucalyptus tereticornis	Forest Red Gum	165		165	52	11.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
247	Eucalyptus tereticornis	Forest Red Gum	135		135	42	11.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
248	Eucalyptus tereticornis	Forest Red Gum	145		145	46	11.0	1.0	2.0	1.5	Poor	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
249	Eucalyptus tereticornis	Forest Red Gum	165	90	188	59	11.0	3.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
250	Eucalyptus tereticornis	Forest Red Gum	160		160	50	11.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
251	Eucalyptus tereticornis	Forest Red Gum	200		200	63	11.0	5.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
252	Eucalyptus tereticornis	Forest Red Gum	130		130	41	10.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	</



Tree ID	Botanical Name	Common Name	Specimen Details								Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
			Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
272	Albezia lebbeck	Siris Tree	490		490	154	7.0	11.0	5.9	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
273	Albezia lebbeck	Siris Tree	165		165	52	5.0	5.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
274	Eucalyptus tereticornis	Forest Red Gum	145		145	46	10.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
275	Eucalyptus tereticornis	Forest Red Gum	100		100	31	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
276	Eucalyptus tereticornis	Forest Red Gum	165		165	52	9.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
277	Eucalyptus tereticornis	Forest Red Gum	155		155	49	10.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
278	Eucalyptus tereticornis	Forest Red Gum	155		155	49	10.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
279	Eucalyptus tereticornis	Forest Red Gum	130		130	41	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
280	Eucalyptus tereticornis	Forest Red Gum	210		210	66	8.0	5.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
281	Eucalyptus tereticornis	Forest Red Gum	195		195	61	10.0	4.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
282	Eucalyptus tereticornis	Forest Red Gum	210		210	66	11.0	5.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
283	Eucalyptus tereticornis	Forest Red Gum	180		180	57	11.0	5.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
284	Albezia lebbeck	Siris Tree	185		185	58	5.0	4.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
285	Eucalyptus tereticornis	Forest Red Gum	145		145	46	7.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
286	Eucalyptus tereticornis	Forest Red Gum	155		155	49	9.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
287	Eucalyptus tereticornis	Forest Red Gum	145		145	46	8.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
288	Eucalyptus tereticornis	Forest Red Gum	165		165	52	8.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
289	Eucalyptus tereticornis	Forest Red Gum	155		155	49	8.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
290	Eucalyptus tereticornis	Forest Red Gum	160		160	50	9.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
291	Eucalyptus tereticornis	Forest Red Gum	135		135	42	6.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
292	Eucalyptus tereticornis	Forest Red Gum	130		130	41	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
293	Eucalyptus tereticornis	Forest Red Gum	160		160	50	7.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
294	Eucalyptus tereticornis	Forest Red Gum	120		120	38	6.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
295	Eucalyptus tereticornis	Forest Red Gum	130		130	41	6.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
296	Eucalyptus tereticornis	Forest Red Gum	150		150	47	6.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
297	Eucalyptus tereticornis	Forest Red Gum	120		120	38	5.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
298	Melaleuca viridiflora	Green-flowered Paperbark	100	70 70	141	44	4.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
299	Albezia lebbeck	Siris Tree	310		310	97	4.0	6.0	3.7	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
300	Eucalyptus tereticornis	Forest Red Gum	400		400	126	16.0	9.0	4.8	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
301	Eucalyptus tereticornis	Forest Red Gum	220		220	69	11.0	7.0	2.6	1.8	Typical	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
302	Eucalyptus tereticornis	Forest Red Gum	400		400	126	17.0	9.0	4.8	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
303	Eucalyptus tereticornis	Forest Red Gum	460	309	554	174	17.0	10.0	6.6	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
304	Eucalyptus tereticornis	Forest Red Gum	310		310	97	13.0	6.0	3.7	2.0	Typical	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
305	Eucalyptus tereticornis	Forest Red Gum	190		190	60	11.0	6.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
306	Eucalyptus tereticornis	Forest Red Gum	170		170	53	9.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
307	Eucalyptus tereticornis	Forest Red Gum	170		170	53	9.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
308	Corymbia tessellaris	Moreton Bay Ash	130	120 80	194	61	5.0	3.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
309	Corymbia tess																													



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
327	Corymbia tessellaris	Moreton Bay Ash	140	130	191	60	7.0	3.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
328	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
329	Corymbia tessellaris	Moreton Bay Ash	120		120	38	4.0	1.0	2.0	1.4	Poor	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
330	Corymbia tessellaris	Moreton Bay Ash	130		130	41	5.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
331	Corymbia tessellaris	Moreton Bay Ash	120		120	38	5.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
332	Corymbia tessellaris	Moreton Bay Ash	125		125	39	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
333	Corymbia tessellaris	Moreton Bay Ash	130		130	41	5.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 146
334	Corymbia tessellaris	Moreton Bay Ash	140		140	44	7.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
335	Corymbia tessellaris	Moreton Bay Ash	165		165	52	9.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
336	Corymbia tessellaris	Moreton Bay Ash	100		100	31	5.0	1.0	2.0	1.3	Poor	-	Thinning	Die-back	Epicormic	-	Poor	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
337	Albezia lebbeck	Siris Tree	330	330	467	147	12.0	8.0	5.6	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
338	Corymbia tessellaris	Moreton Bay Ash	135		135	42	7.0	1.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
339	Corymbia tessellaris	Moreton Bay Ash	130		130	41	5.0	2.0	2.0	1.4	Typical	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 149
340	Albezia lebbeck	Siris Tree	190		190	60	9.0	7.0	2.3	1.6	Typical	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 150
341	Albezia lebbeck	Siris Tree	120		120	38	9.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
342	Avicennia marina	Grey Mangrove	120	110 125	205	64	5.0	4.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
343	Avicennia marina	Grey Mangrove	40	40 60	82	26	3.0	2.0	2.0	1.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
344	Unknown	Unknown	320		320	101	11.0	5.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
345	Albezia lebbeck	Siris Tree	230	230	325	102	10.0	8.0	3.9	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
346	Lophostemon grandiflorus	Northern Swamp Box	135		135	42	4.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tagg 143
347	Corymbia tessellaris	Moreton Bay Ash	110		110	35	5.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
348	Corymbia tessellaris	Moreton Bay Ash	185		185	58	9.0	2.0	2.2	1.6	Typical	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
349	Lophostemon grandiflorus	Northern Swamp Box	100	60	117	37	4.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
350	Lophostemon grandiflorus	Northern Swamp Box	180	140 80	242	76	6.0	5.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
351	Lophostemon grandiflorus	Northern Swamp Box	140	80	161	51	5.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
352	Lophostemon grandiflorus	Northern Swamp Box	150		150	47	5.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
353	Lophostemon grandiflorus	Northern Swamp Box	135		135	42	4.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
354	Albezia lebbeck	Siris Tree	320	280	425	134	10.0	8.0	5.1	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
355	Albezia lebbeck	Siris Tree	330	280	433	136	9.0	9.0	5.2	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
356	Albezia lebbeck	Siris Tree	530	360	641	201	11.0	10.0	7.7	2.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
357	Albezia lebbeck	Siris Tree	145	100 100	203	64	7.0	5.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
358	Albezia lebbeck	Siris Tree	125	80 70 50	172	54	6.0	3.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
359	Albezia lebbeck	Siris Tree	108	80	134	42	7.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	Both	-	-	Typical	-	-	-	-	-	-	Retain	
360	Albezia lebbeck	Siris Tree	185	150 160 140 100	335	105	8.0	8.0	4.0	2.1	Typical	-	-	-	-	-	Typical	-	Both	-	-	Typical	-	-	-	-	-	-	Retain	
361	Albezia lebbeck	Siris Tree	160	160 160	277	87	9.0	6.0	3.3	1.9	Typical	-	-	-	-	-	Typical	-	Both	-	-	Typical	-	-	-	-	-	-	Retain	
362	Lophostemon grandiflorus	Northern Swamp Box	145		145	46	5.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
363	Albezia lebbeck	Siris Tree	310																											



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
382	Acacia implexa	Lightwood	200		200	63	4.0	5.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
383	Corymbia tessellaris	Moreton Bay Ash	140		140	44	9.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
384	Corymbia tessellaris	Moreton Bay Ash	130	70 60	159	50	7.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
385	Corymbia tessellaris	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
386	Corymbia tessellaris	Moreton Bay Ash	145		145	46	8.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
387	Corymbia tessellaris	Moreton Bay Ash	100		100	31	5.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
388	Albezia lebbeck	Siris Tree	175	165	241	76	7.0	7.0	2.9	1.8	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
389	Eucalyptus tereticornis	Forest Red Gum	470		470	148	18.0	9.0	5.6	2.4	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
390	Corymbia tessellaris	Moreton Bay Ash	210		210	66	11.0	4.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
391	Corymbia tessellaris	Moreton Bay Ash	165		165	52	10.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
392	Corymbia tessellaris	Moreton Bay Ash	165	80	183	58	10.0	4.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Strangler Fig	
393	Corymbia tessellaris	Moreton Bay Ash	135		135	42	9.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
394	Albezia lebbeck	Siris Tree	370	420	560	176	10.0	10.0	6.7	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
395	Albezia lebbeck	Siris Tree	360		360	113	8.0	8.0	4.3	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Strangler Fig	
396	Albezia lebbeck	Siris Tree	185	165 160	295	93	9.0	7.0	3.5	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
397	Corymbia tessellaris	Moreton Bay Ash	165		165	52	9.0	3.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
398	Albezia lebbeck	Siris Tree	210		210	66	7.0	7.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
399	Corymbia tessellaris	Moreton Bay Ash	460		460	145	20.0	9.0	5.5	2.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
400	Archontophoenix cunninghamiana	Bangalow Palm	145		145	46	14.0	7.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
401	Archontophoenix cunninghamiana	Bangalow Palm	180		180	57	8.0	5.0	2.2	1.6	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
402	Archontophoenix cunninghamiana	Bangalow Palm	150		150	47	11.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	Stranger Fig	
403	Archontophoenix cunninghamiana	Bangalow Palm	180		180	57	10.0	6.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
404	Albezia lebbeck	Siris Tree	260	250 200 180	450	141	10.0	8.0	5.4	2.4	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
405	Albezia lebbeck	Siris Tree	200		200	63	8.0	4.0	2.4	1.7	Typical	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
406	Albezia lebbeck	Siris Tree	300		300	94	14.0	8.0	3.6	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
407	Albezia lebbeck	Siris Tree	255		255	80	10.0	8.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
408	Eucalyptus sp.	Gum Tree	220	170 160	321	101	15.0	8.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
409	Albezia lebbeck	Siris Tree	200	180 190 180 120	394	124	14.0	8.0	4.7	2.2	Typical	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
410	Albezia lebbeck	Siris Tree	460		460	145	15.0	9.0	5.5	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
411	Albezia lebbeck	Siris Tree	180		180	57	7.0	4.0	2.2	1.6	Typical	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
412	Albezia lebbeck	Siris Tree	280	220 200 120	426	134	13.0	9.0	5.1	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
413	Albezia lebbeck	Siris Tree	230	150 230 245	434	136	13.0	7.0	5.2	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
414	Albezia lebbeck	Siris Tree	220	180	284	89	13.0	7.0	3.4	2.0	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
415	Eucalyptus tereticornis	Forest Red Gum	240		240	75	15.0	7.0	2.9	1.8	Typical	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
416	Eucalyptus tereticornis	Forest Red Gum	315		315	99	16.0	8.0	3.8	2.0	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
417	Eucalyptus sp.	Gum Tree	220		220	69	15.0	8.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
418	Eucalyptus tereticornis	Forest Red Gum	100		100	31	12.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
419	Eucalyptus tereticornis	Forest Red Gum	100																												



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
437	Corymbia tessellaris	Moreton Bay Ash	105		105	33	8.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
438	Corymbia tessellaris	Moreton Bay Ash	150		150	47	12.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
439	Corymbia tessellaris	Moreton Bay Ash	105		105	33	8.0	2.0	2.0	1.3	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
440	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
441	Corymbia tessellaris	Moreton Bay Ash	190		190	60	13.0	6.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
442	Corymbia tessellaris	Moreton Bay Ash	100		100	31	9.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
443	Corymbia tessellaris	Moreton Bay Ash	110		110	35	12.0	4.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
444	Corymbia tessellaris	Moreton Bay Ash	110		110	35	8.0	1.0	2.0	1.3	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
445	Corymbia tessellaris	Moreton Bay Ash	110		110	35	11.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
446	Corymbia tessellaris	Moreton Bay Ash	150		150	47	13.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
447	Corymbia tessellaris	Moreton Bay Ash	140		140	44	12.0	6.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
448	Corymbia tessellaris	Moreton Bay Ash	120	100	156	49	11.0	6.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
449	Corymbia tessellaris	Moreton Bay Ash	110		110	35	9.0	3.0	2.0	1.3	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
450	Corymbia tessellaris	Moreton Bay Ash	135		135	42	10.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
451	Corymbia tessellaris	Moreton Bay Ash	110	70	130	41	7.0	1.0	2.0	1.4	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
452	Corymbia tessellaris	Moreton Bay Ash	120		120	38	11.0	4.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
453	Corymbia tessellaris	Moreton Bay Ash	150	125	195	61	14.0	7.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
454	Corymbia tessellaris	Moreton Bay Ash	190		190	60	14.0	7.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
455	Corymbia tessellaris	Moreton Bay Ash	185		185	58	13.0	7.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
456	Avicennia marina	Grey Mangrove	130		130	41	6.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
457	Avicennia marina	Grey Mangrove	100		100	31	3.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
458	Ficus opposita	Sandpaper Fig	325	220	392	123	10.0	8.0	4.7	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
459	Ficus opposita	Sandpaper Fig	250		250	79	10.0	7.0	3.0	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
460	Avicennia marina	Grey Mangrove	125	110	167	52	4.0	5.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
461	Albezia lebbeck	Siris Tree	440		440	138	12.0	10.0	5.3	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
462	Corymbia tessellaris	Moreton Bay Ash	240		240	75	15.0	8.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
463	Albezia lebbeck	Siris Tree	220		220	69	8.0	6.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
464	Albezia lebbeck	Siris Tree	340		340	107	14.0	9.0	4.1	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
465	Albezia lebbeck	Siris Tree	345		345	108	15.0	9.0	4.1	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
466	Ficus opposita	Sandpaper Fig	210		210	66	9.0	7.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
467	Albezia lebbeck	Siris Tree	1700		1700	534	19.0	23.0	15.0	4.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
468	Albezia lebbeck	Siris Tree	165		165	52	7.0	8.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
469	Albezia lebbeck	Siris Tree	210		210	66	10.0	7.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
470	Dead/Stag		480		480	151	9.0	1.0	5.8	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
471	Corymbia tessellaris	Moreton Bay Ash	145		145	46	12.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
472	Corymbia tessellaris	Moreton Bay Ash	220		220	69	14.0	6.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
473	Corymbia tessellaris	Moreton Bay Ash	150		150	47	10.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
474	Corymbia tessellaris	Moreton Bay Ash	115		115	36	13.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
475	Corymbia tessellaris	Moreton Bay Ash	100		100	31	8.0	2.0	2.0	1.3	Typical	-	-	-	-															



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
492	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	10.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
493	<i>Corymbia tessellaris</i>	Moreton Bay Ash	115		115	36	12.0	1.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
494	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	9.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
495	<i>Corymbia tessellaris</i>	Moreton Bay Ash	140		140	44	11.0	5.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
496	<i>Corymbia tessellaris</i>	Moreton Bay Ash	120		120	38	12.0	5.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
497	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	12.0	1.0	2.0	1.3	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
498	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	11.0	1.0	2.0	1.3	Typical	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
499	<i>Corymbia tessellaris</i>	Moreton Bay Ash	140		140	44	10.0	5.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
500	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	10.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
501	<i>Corymbia tessellaris</i>	Moreton Bay Ash	120		120	38	10.0	5.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
502	<i>Corymbia tessellaris</i>	Moreton Bay Ash	100		100	31	8.0	1.0	2.0	1.3	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
503	<i>Albezia lebbeck</i>	Siris Tree	180	150	234	74	8.0	6.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
504	<i>Eucalyptus tereticornis</i>	Forest Red Gum	545		545	171	18.0	11.0	6.5	2.6	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
505	<i>Corymbia tessellaris</i>	Moreton Bay Ash	125	50	135	42	12.0	6.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
506	<i>Melaleuca viridiflora</i>	Green-flowered Paperbark	520		520	163	14.0	12.0	6.2	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
507	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	140 90	260	82	14.0	10.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
508	<i>Eucalyptus tereticornis</i>	Forest Red Gum	205		205	64	15.0	8.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
509	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	15.0	12.0	3.6	2.0	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
510	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240	110	264	83	15.0	12.0	3.2	1.9	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
511	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260	140	295	93	15.0	10.0	3.5	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
512	<i>Dead/Stag</i>		160		160	50	7.0	1.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
513	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300	170	345	108	15.0	8.0	4.1	2.1	Typical	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain	
514	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	17.0	11.0	4.6	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
515	<i>Albezia lebbeck</i>	Siris Tree	140	120 130	226	71	13.0	9.0	2.7	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
516	<i>Albezia lebbeck</i>	Siris Tree	150	100	180	57	13.0	7.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
517	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	18.0	12.0	4.0	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
518	<i>Albezia lebbeck</i>	Siris Tree	180	130	222	70	13.0	8.0	2.7	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
519	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	17.0	9.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
520	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	72	18.0	10.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	215		215	68	17.0	9.0	2.6	1.7	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
522	<i>Eucalyptus tereticornis</i>	Forest Red Gum	275		275	86	17.0	9.0	3.3	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
523	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	10.0	3.6	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
524	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	13.0	6.0	2.0	1.6	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
525	<i>Eucalyptus tereticornis</i>	Forest Red Gum	205		205	64	17.0	9.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
547	Eucalyptus tereticornis	Forest Red Gum	260		260	82	18.0	9.0	3.1	1.9	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
548	Eucalyptus tereticornis	Forest Red Gum	255		255	80	17.0	10.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
549	Eucalyptus tereticornis	Forest Red Gum	430		430	135	18.0	11.0	5.2	2.3	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
550	Eucalyptus tereticornis	Forest Red Gum	390		390	123	18.0	13.0	4.7	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
551	Eucalyptus tereticornis	Forest Red Gum	290		290	91	18.0	13.0	3.5	2.0	Typical	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
552	Eucalyptus tereticornis	Forest Red Gum	425		425	134	21.0	14.0	5.1	2.3	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
553	Eucalyptus tereticornis	Forest Red Gum	470		470	148	20.0	14.0	5.6	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
554	Eucalyptus tereticornis	Forest Red Gum	390		390	123	21.0	14.0	4.7	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
555	Eucalyptus tereticornis	Forest Red Gum	400		400	126	21.0	13.0	4.8	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
556	Eucalyptus tereticornis	Forest Red Gum	270		270	85	17.0	10.0	3.2	1.9	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
557	Eucalyptus tereticornis	Forest Red Gum	265		265	83	14.0	7.0	3.2	1.9	Typical	-	Thinning	Die-back	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
558	Eucalyptus tereticornis	Forest Red Gum	340		340	107	21.0	13.0	4.1	2.1	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
559	Eucalyptus tereticornis	Forest Red Gum	500		500	157	21.0	16.0	6.0	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
560	Eucalyptus tereticornis	Forest Red Gum	310	260	405	127	19.0	13.0	4.9	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
561	Eucalyptus tereticornis	Forest Red Gum	515	150	536	169	21.0	15.0	6.4	2.5	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
562	Eucalyptus tereticornis	Forest Red Gum	405	270	487	153	20.0	14.0	5.8	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
563	Macaranga tanarius	Macaranga	140		140	44	10.0	7.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
564	Acacia disparrima	Hickory Wattle	115		115	36	11.0	6.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
565	Eucalyptus tereticornis	Forest Red Gum	100		100	31	9.0	1.0	2.0	1.3	Typical	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
566	Eucalyptus tereticornis	Forest Red Gum	125		125	39	13.0	6.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
567	Eucalyptus tereticornis	Forest Red Gum	380		380	119	21.0	15.0	4.6	2.2	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
568	Eucalyptus tereticornis	Forest Red Gum	415		415	130	23.0	16.0	5.0	2.3	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
569	Eucalyptus tereticornis	Forest Red Gum	310		310	97	17.0	10.0	3.7	2.0	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
570	Eucalyptus tereticornis	Forest Red Gum	315		315	99	18.0	12.0	3.8	2.0	Typical	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
571	Eucalyptus tereticornis	Forest Red Gum	115		115	36	13.0	5.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
572	Eucalyptus tereticornis	Forest Red Gum	170		170	53	14.0	7.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
573	Eucalyptus tereticornis	Forest Red Gum	100		100	31	13.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
574	Eucalyptus tereticornis	Forest Red Gum	145		145	46	14.0	6.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
575	Eucalyptus tereticornis	Forest Red Gum	480		480	151	17.0	10.0	5.8	2.4	Typical	-	Thinning	Die-back	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
576	Eucalyptus tereticornis	Forest Red Gum	140		140	44	10.0	6.0	2.0	1.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
577	Eucalyptus tereticornis	Forest Red Gum	110		110	35	9.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
578	Eucalyptus tereticornis	Forest Red Gum	190		190	60	9.0	3.0	2.3	1.6	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
579	Eucalyptus tereticornis	Forest Red Gum	145		145	46	11.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
580	Eucalyptus tereticornis	Forest Red Gum	125		125	39	10.0	4.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
581	Albezia lebbeck	Siris Tree	190		190	60	7.0	4.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
582	Eucalyptus tereticornis	Forest Red Gum	200		200	63	9.0	5.0	2.4	1.7	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
602	<i>Eucalyptus tereticornis</i>	Forest Red Gum	630		630	198	16.0	9.0	7.6	2.7	Typical	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
603	<i>Pterocarpus indicus</i>	Burmese Rosewood	170		170	53	4.0	5.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
604	<i>Pterocarpus indicus</i>	Burmese Rosewood	130		130	41	4.0	5.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
605	<i>Pterocarpus indicus</i>	Burmese Rosewood	70		70	22	3.0	2.0	2.0	1.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
606	<i>Albezia lebbeck</i>	Siris Tree	1780		1780	559	17.0	30.0	15.0	4.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 185	
607	<i>Albezia lebbeck</i>	Siris Tree	1080		1080	339	15.0	26.0	13.0	3.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 181	
608	<i>Albezia lebbeck</i>	Siris Tree	760		760	239	6.0	6.0	9.1	2.9	Typical	-	-	-	Epicormic	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 179 - Strangler Fig	
609	<i>Albezia lebbeck</i>	Siris Tree	820		820	258	15.0	13.0	9.8	3.0	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 182	
610	<i>Albezia lebbeck</i>	Siris Tree	160	90	184	58	5.0	7.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Coppice Growth	
611	<i>Albezia lebbeck</i>	Siris Tree	1275		1275	401	16.0	28.0	15.0	3.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 178 - Strangler Fig On Trunk	
612	<i>Albezia lebbeck</i>	Siris Tree	350		350	110	13.0	9.0	4.2	2.1	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 180	
613	<i>Albezia lebbeck</i>	Siris Tree	485		485	152	15.0	13.0	5.8	2.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 174	
614	<i>Albezia lebbeck</i>	Siris Tree	830		830	261	16.0	13.0	10.0	3.1	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 171	
615	<i>Albezia lebbeck</i>	Siris Tree	725		725	228	14.0	13.0	8.7	2.9	Typical	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 175 - Hollow At Base	
616	<i>Albezia lebbeck</i>	Siris Tree	830	760	1125	354	16.0	16.0	13.5	3.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 169	
617	<i>Albezia lebbeck</i>	Siris Tree	1360		1360	427	16.0	14.0	15.0	3.8	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 172	
618	<i>Albezia lebbeck</i>	Siris Tree	1560	560	1657	521	16.0	22.0	15.0	4.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 173 - Strangler Fig	
619	<i>Albezia lebbeck</i>	Siris Tree	1080		1080	339	16.0	14.0	13.0	3.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 170	
620	<i>Albezia lebbeck</i>	Siris Tree	920	1100	1434	451	16.0	28.0	15.0	3.9	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 176	
621	<i>Albezia lebbeck</i>	Siris Tree	750		750	236	16.0	16.0	9.0	2.9	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 177	
622	<i>Albezia lebbeck</i>	Siris Tree	310	225 235 160	477	150	12.0	12.0	5.7	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
623	<i>Albezia lebbeck</i>	Siris Tree	1280		1280	402	16.0	22.0	15.0	3.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain		
624	<i>Albezia lebbeck</i>	Siris Tree	1410		1410	443	17.0	14.0	15.0	3.8	Typical	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	Strangler Fig	
625	<i>Albezia lebbeck</i>	Siris Tree	715		715	225	16.0	21.0	8.6	2.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 599	
626	<i>Albezia lebbeck</i>	Siris Tree	1140		1140	358	16.0	28.0	13.7	3.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 198	
627	<i>Alstonia scholaris</i>	Milky Pine	220	200	297	93	12.0	9.0	3.6	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
628	<i>Unknown</i>	Unknown	70		70	22	3.0	2.0	2.0	1.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
629	<i>Brachychiton discolor</i>	Flame Tree	140		140	44	4.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
630	<i>Brachychiton discolor</i>	Flame Tree	155		155	49	4.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
631	<i>Brachychiton discolor</i>	Flame Tree	180		180	57	5.0	5.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
632	<i>Albezia lebbeck</i>	Siris Tree	1260		1260	396	16.0	22.0	15.0	3.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Tree Tag 111	
633	<i>Brachychiton discolor</i>	Flame Tree	175		175	55	5.0	5.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
634	<i>Calophyllum sp.</i>	Laurel	115		115	36	4.0	4.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
635	<i>Brachychiton discolor</i>	Flame Tree	120		120	38	3.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
636	<i>Brachychiton discolor</i>	Flame Tree	135		135	42	4.0	4.0	2.0	1.4	Typical	-	-	-	-																



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
657	Unknown	Unknown	260		260	82	7.0	6.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
658	Melaleuca leucadendra	Weeping Paperbark	160		160	50	5.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
659	Pterocarpus indicus	Burmese Rosewood	210		210	66	5.0	5.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
660	Pterocarpus indicus	Burmese Rosewood	220		220	69	5.0	5.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
661	Pterocarpus indicus	Burmese Rosewood	130		130	41	3.0	3.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
662	Pterocarpus indicus	Burmese Rosewood	260		260	82	5.0	5.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
663	Pterocarpus indicus	Burmese Rosewood	175		175	55	5.0	4.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
664	Ficus obliqua	Small Leaf Fig	680		680	214	8.0	11.0	8.2	2.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
665	Melaleuca leucadendra	Weeping Paperbark	175	210	273	86	9.0	6.0	3.3	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
666	Melaleuca leucadendra	Weeping Paperbark	265		265	83	7.0	5.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
667	Melaleuca leucadendra	Weeping Paperbark	335		335	105	9.0	6.0	4.0	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
668	Melaleuca leucadendra	Weeping Paperbark	90	80 60 70	152	48	3.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
669	Melaleuca leucadendra	Weeping Paperbark	470		470	148	12.0	7.0	5.6	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
670	Calophyllum sp.	Laurel	335		335	105	11.0	14.0	4.0	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
671	Calophyllum sp.	Laurel	235		235	74	10.0	7.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
672	Pterocarpus indicus	Burmese Rosewood	155		155	49	5.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
673	Pterocarpus indicus	Burmese Rosewood	150		150	47	5.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
674	Syzigium hemilamprum	Broad Leaved Lilly Pilly	190		190	60	5.0	4.0	2.3	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
675	Syzigium hemilamprum	Broad Leaved Lilly Pilly	170		170	53	5.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
676	Syzigium hemilamprum	Broad Leaved Lilly Pilly	260		260	82	6.0	6.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
677	Calophyllum sp.	Laurel	350		350	110	8.0	10.0	4.2	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 595
678	Melaleuca leucadendra	Weeping Paperbark	70		70	22	5.0	2.0	2.0	1.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
679	Melaleuca leucadendra	Weeping Paperbark	195		195	61	8.0	4.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
680	Melaleuca leucadendra	Weeping Paperbark	200	100	224	70	7.0	3.0	2.7	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
681	Melaleuca leucadendra	Weeping Paperbark	100		100	31	7.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
682	Melaleuca leucadendra	Weeping Paperbark	65	60 30	93	29	5.0	3.0	2.0	1.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
683	Melaleuca leucadendra	Weeping Paperbark	130		130	41	6.0	2.0	2.0	1.4	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
684	Melaleuca leucadendra	Weeping Paperbark	185	160	245	77	6.0	5.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
685	Calophyllum sp.	Laurel	230		230	72	7.0	8.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
686	Melaleuca leucadendra	Weeping Paperbark	100	90	135	42	5.0	4.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
687	Pandanus tectorius	Screw Pine	160		160	50	7.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
688	Melaleuca leucadendra	Weeping Paperbark	140	90 170 109 60	268	84	6.0	5.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
689	Melaleuca leucadendra	Weeping Paperbark	200		200	63	7.0	5.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
690	Corymbia tessellaris	Moreton Bay Ash	250		250	79	9.0	5.0	3.0	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
691	Melaleuca leucadendra	Weeping Paperbark	150	120 130	232	73	5.0	3.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
692	Melaleuca leucadendra	Weeping Paperbark	130	90	158	50	3.0	2.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
693	Melaleuca leucadendra	Weeping Paperbark	80	60	100	31	3.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
694	Melaleuca leucadendra	Weeping Paperbark	70	60 50	105	33	3.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
695	Melaleuca leucadendra	Weeping Paperbark	60	60	85	27																								



Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Specimen Details							Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
				Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
712	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	290		290	91	7.0	7.0	3.5	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
713	<i>Nauclea orientalis</i>	Leichardt Tree	230		230	72	11.0	5.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
714	<i>Albezia lebbeck</i>	Siris Tree	1335		1335	419	16.0	18.0	15.0	3.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 190
715	<i>Pterocarpus indicus</i>	Burmese Rosewood	80		80	25	3.0	3.0	2.0	1.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
716	<i>Albezia lebbeck</i>	Siris Tree	885		885	278	16.0	26.0	10.6	3.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
717	<i>Xanthostemon chrysanthus</i>	Review: golden penda	140		140	44	7.0	5.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
718	<i>Albezia lebbeck</i>	Siris Tree	1510		1510	474	16.0	25.0	15.0	3.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
719	<i>Albezia lebbeck</i>	Siris Tree	770		770	242	16.0	26.0	9.2	3.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
720	<i>Albezia lebbeck</i>	Siris Tree	1460		1460	459	16.0	26.0	15.0	3.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 191
721	<i>Calophyllum sp.</i>	Laurel	135		135	42	5.0	6.0	2.0	1.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
722	<i>Calophyllum sp.</i>	Laurel	100		100	31	4.0	6.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
723	<i>Nauclea orientalis</i>	Leichardt Tree	120	110	163	51	7.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
724	<i>Pterocarpus indicus</i>	Burmese Rosewood	240		240	75	8.0	7.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
725	<i>Pterocarpus indicus</i>	Burmese Rosewood	140	130	191	60	5.0	5.0	2.3	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
726	<i>Albezia lebbeck</i>	Siris Tree	1190		1190	374	15.0	21.0	14.3	3.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
727	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	240		240	75	5.0	5.0	2.9	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
728	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	170		170	53	4.0	5.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
729	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	170		170	53	4.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
730	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	150	140 80	220	69	5.0	5.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
731	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	100	90 80	157	49	4.0	3.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
732	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	90	70	114	36	3.0	2.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
733	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	150		150	47	5.0	4.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
734	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	130	80	153	48	5.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
735	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	140	140 140 80	255	80	4.0	5.0	3.1	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
736	<i>Xanthostemon chrysanthus</i>	Golden Penda	15		15	5	6.0	6.0	2.0	0.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
737	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	140	150 150	254	80	5.0	5.0	3.0	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
738	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	160	160 100	247	78	5.0	5.0	3.0	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
739	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	100	90 90 90	185	58	5.0	4.0	2.2	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
740	<i>Syzigium leuhmannii</i>	Small Leaved Lilly Pilly	60	60 50	98	31	4.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
741	<i>Waterhousia floribunda</i>	Weeping Lillypilly	220		220	69	6.0	5.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
742	<i>Waterhousia floribunda</i>	Weeping Lillypilly	170		170	53	6.0	4.0	2.0	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
743	<i>Waterhousia floribunda</i>	Weeping Lillypilly	220		220	69	8.0	6.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
744	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	200		200	63	3.0	3.0	2.4	1.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
745	<i>Syzigium hemilamprum</i>	Broad Leaved Lilly Pilly	100		100	31	3.0	3.0	2.0	1.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
746	<i>Melaleuca leucadendra</i>	Weeping Paperbark	420		420	132	12.0	7.0	5.0	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
747	<i>Melaleuca leucadendra</i>	Weeping Paperbark	400		400																									



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
767	Albezia lebbeck	Siris Tree	1045		1045	328	16.0	16.0	12.5	3.4	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Retain	
768	Delonix regia	Poinciana	875		875	275	16.0	16.0	10.5	3.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
769	Albezia lebbeck	Siris Tree	1180		1180	371	17.0	17.0	14.2	3.5	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Retain	
770	Albezia lebbeck	Siris Tree	1460		1460	459	17.0	19.0	15.0	3.9	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
771	Albezia lebbeck	Siris Tree	1165		1165	366	18.0	20.0	14.0	3.5	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
772	Albezia lebbeck	Siris Tree	1150		1150	361	16.0	18.0	13.8	3.5	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Retain	
773	Flindersia schottiana	Bumpy Ash	445		445	140	16.0	8.0	5.3	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
774	Corymbia tessellaris	Moreton Bay Ash	1120	740	1342	422	19.0	18.0	15.0	3.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
775	Ficus opposita	Sandpaper Fig	520	390	650	204	9.0	9.0	7.8	2.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
776	Corymbia tessellaris	Moreton Bay Ash	495		495	156	17.0	9.0	5.9	2.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
777	Corymbia tessellaris	Moreton Bay Ash	665		665	209	22.0	12.0	8.0	2.8	Typical	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
778	Albezia lebbeck	Siris Tree	160	130 140 110 100	290	91	7.0	7.0	3.5	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
779	Tamarindus indica	Tamarind	920	600 490	1203	378	17.0	14.0	14.4	3.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
780	Mangifera indica	Mango Tree	575		575	181	15.0	9.0	6.9	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
781	Mangifera indica	Mangto Tree	290		290	91	13.0	8.0	3.5	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
782	Mangifera indica	Mango Tree	615		615	193	16.0	11.0	7.4	2.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
783	Grevillea baileyana	White Oak	240		240	75	13.0	8.0	2.9	1.8	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	Ballymena
784	Chrysophyllum cainito	Star Apple	390		390	123	12.0	8.0	4.7	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
785	Plumeria rubra	Frangipani	270	250	368	116	9.0	9.0	4.4	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
786	Pterocarpus macrocarpus	Burma Padak	310		310	97	8.0	9.0	3.7	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
787	Pterocarpus macrocarpus	Burma Padak	210		210	66	8.0	6.0	2.5	1.7	Typical	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
788	Pterocarpus macrocarpus	Burma Padak	420		420	132	13.0	9.0	5.0	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
789	Pterocarpus macrocarpus	Burma Padak	225		225	71	9.0	7.0	2.7	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
790	Corymbia tessellaris	Moreton Bay Ash	555		555	174	21.0	11.0	6.7	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 146
791	Corymbia tessellaris	Moreton Bay Ash	435		435	137	17.0	9.0	5.2	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
792	Cryptocarya sp.	Laurel	230		230	72	8.0	10.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
793	Lophostemon confertus	Brush Box	155		155	49	8.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
794	Corymbia tessellaris	Moreton Bay Ash	435		435	137	19.0	9.0	5.2	2.3	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
795	Corymbia tessellaris	Moreton Bay Ash	495		495	156	19.0	11.0	5.9	2.5	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
796	Corymbia tessellaris	Moreton Bay Ash	475		475	149	20.0	10.0	5.7	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 149
797	Corymbia tessellaris	Moreton Bay Ash	625		625	196	21.0	12.0	7.5	2.7	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 150
798	Corymbia tessellaris	Moreton Bay Ash	255		255	80	17.0	8.0	3.1	1.9	Typical	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
799	Cryptocarya sp.	Laurel	220		220	69	8.0	8.0	2.6	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
800	Corymbia tessellaris	Moreton Bay Ash	475		475	149	21.0	9.0	5.7	2.4	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
801	Corymbia tessellaris	Moreton Bay Ash	285		285	90	13.0	7.0	3.4	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
802	Corymbia tessellaris	Moreton Bay Ash	760		760	239	22.0	13.0	9.1	2.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
803	Corymbia tessellaris	Moreton Bay Ash	440		440	138	21.0	11.0	5.3	2.3	Typical	-	-	-																



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
822	<i>Pterocarpus macrocarpus</i>	Burma Padak	270		270	85	7.0	9.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
823	<i>Pterocarpus macrocarpus</i>	Burma Padak	175		175	55	5.0	7.0	2.1	1.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
824	<i>Albezia lebbeck</i>	Siris Tree	965		965	303	13.0	18.0	11.6	3.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Tree Tag 142	
825	<i>Flindersia australis</i>	Review: crows ash	575		575	181	17.0	9.0	6.9	2.6	Typical	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
826	<i>Artocarpus heterophyllus</i>	Jackfruit	160	160 160 130 150 100	355	112	6.0	7.0	4.3	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
827	<i>Litchi cinensis</i>	Lychee	380	360 260	584	184	7.0	11.0	7.0	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
828	<i>Mangifera indica</i>	Mango Tree	740		740	232	16.0	12.0	8.9	2.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
829	<i>Albezia lebbeck</i>	Siris Tree	520		520	163	16.0	12.0	6.2	2.5	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove		
830	<i>Tamarindus indica</i>	Tamarind	360	320 310	573	180	13.0	13.0	6.9	2.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
831	<i>Ficus opposita</i>	Sandpaper Fig	160		160	50	6.0	5.0	2.0	1.5	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove		
832	<i>Mangifera indica</i>	Mango Tree	690		690	217	13.0	14.0	8.3	2.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
833	<i>Mangifera indica</i>	Mango Tree	600	520 420	898	282	13.0	12.0	10.8	3.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
834	<i>Ficus sp.</i>	Fig	710		710	223	14.0	14.0	8.5	2.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
835	<i>Ficus benjamina</i>	Weeping Fig	1540		1540	484	17.0	20.0	15.0	4.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
836	<i>Ficus benjamina</i>	Weeping Fig	1560		1560	490	16.0	20.0	15.0	4.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
837	<i>Albezia lebbeck</i>	Siris Tree	1750		1750	550	18.0	26.0	15.0	4.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Strangler Fig	
838	<i>Albezia lebbeck</i>	Siris Tree	1460		1460	459	18.0	20.0	15.0	3.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain		
839	<i>Albezia lebbeck</i>	Siris Tree	820		820	258	17.0	18.0	9.8	3.0	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain		
840	<i>Pterocarpus macrocarpus</i>	Burma Padak	350		350	110	10.0	12.0	4.2	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
841	<i>Pterocarpus macrocarpus</i>	Burma Padak	360		360	113	10.0	12.0	4.3	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
842	<i>Pterocarpus macrocarpus</i>	Burma Padak	270		270	85	8.0	11.0	3.2	1.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
843	<i>Pterocarpus macrocarpus</i>	Burma Padak	230		230	72	7.0	7.0	2.8	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
844	<i>Pterocarpus macrocarpus</i>	Burma Padak	290		290	91	7.0	7.0	3.5	2.0	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
845	<i>Pterocarpus macrocarpus</i>	Burma Padak	320		320	101	8.0	11.0	3.8	2.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
846	<i>Pterocarpus macrocarpus</i>	Burma Padak	250		250	79	7.0	12.0	3.0	1.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
847	<i>Albezia lebbeck</i>	Siris Tree	1860		1860	584	16.0	24.0	15.0	4.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
848	<i>Ficus opposita</i>	Sandpaper Fig	210		210	66	5.0	4.0	2.5	1.7	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain		
849	<i>Albezia lebbeck</i>	Siris Tree	2400		2400	754	21.0	26.0	15.0	4.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Strangler Fig	
850	<i>Albezia lebbeck</i>	Siris Tree	1200		1200	377	17.0	24.0	14.4	3.6	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
851	<i>Albezia lebbeck</i>	Siris Tree	900		900	283	17.0	22.0	10.8	3.2	Typical	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Retain		
852	<i>Albezia lebbeck</i>	Siris Tree	735		735	231	16.0	20.0	8.8	2.9	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	Strangler Fig	
853	<i>Khaya senegalensis</i>	African Mahogany	420		420	132	21.0	11.0	5.0	2.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
854	<i>Khaya senegalensis</i>	African Mahogany	370		370	116	21.0	10.0	4.4	2.2	Typical	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
855	<i>Albezia lebbeck</i>	Siris Tree	1700		1700	534	17.0	22.0	15.0	4.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain		
856	<i>Mangifera indica</i>	Mango Tree	850		850	267	17.0	13.0	10.2	3.1	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
857	<i>Mangifera indica</i>	Mango Tree	1020		1020	320	17.0	14.0	12.2	3.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
858	<i>Mangifera indica</i>	Mango Tree	1020		1020	320	17.0	18.0	12.2	3.3	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
859	<i>Albezia lebbeck</i>	Siris Tree	1430		1430	449	18.0	18.0	15.0	3.8	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	Stranger Fig	
860	<i>Brachychiton acerifolius</i>	Flame Tree	370		370	116	18.0	9.0	4.4	2.2	Typical	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		

