

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
10941 E 01	COVER SHEET	F	28/05/2026
10941 E 02	VEGETATION CLEARING NOTES	F	28/05/2026
10941 E 03	EPBC APPROVAL CONDITION COMMITMENTS	F	01/06/2026
10941 E 04	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (I)	F	28/05/2026
10941 E 05	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (II)	F	28/05/2026
10941 E 06	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (III)	F	28/05/2026
10941 E 07	EPBC & NESS OVERLAYS	F	28/05/2026
10941 E 08	CONTEXT SHEET	F	28/05/2026
10941 E 09-40	DETAIL SHEETS	F	28/05/2026
10941 E 41	VEGETATION CLEARING DIRECTION	F	28/05/2026



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Process and Management Notes*

INTRODUCTION

The Environmental Management Division of the Saunders Havill Group (SHG) was engaged by Frasers Property New Beith Pty Ltd to prepare a Vegetation Clearing and Management Plan (VC&MP) for Precinct A stage of works of the Round Mountain Project. The vegetation clearing will encompass the delivery of Precinct A residential lots, external services infrastructure and the Project’s entry road.

This VC&MP is a requirement of the Economic Development Queensland (EDQ) endorsed Natural Environment Site Strategy (NESS) for the Undullah project. The purpose of this VC&MP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The clearing works will follow general EDQ principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document. Furthermore, all Federal Environmental Protection & Biodiversity Conservation Act (EPBC) approval conditions must be followed as outlined on *Sheet 3 and 4*. The plan is required to be approved prior to clearing works commencing.

This VC&MP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

- 1. GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2024/25)
- 2. Precinct A Layout (URBIS, 2025)
- 3. Engineering design (Colliers, 2025)

PROJECT MANAGEMENT

Vegetation clearing and management processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EPBC conditions, EDQ’s guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:	Environmental Contact:
Frasers Property New Beith Pty Ltd	Saunders Havill Group
Belinda Ryan	Dr Andrew Davies

Site Contractor:	Site Arborist:
<i>To be advised</i>	<i>To be advised</i>

Site Fauna spotter-catcher:	Site Bushfire Consultant:
<i>To be advised</i>	Rob Jannsen

(Refer to *Fauna Management Plan* document for responsibilities)

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing/Flagging to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing/Flagging shall be in place prior to the pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document and acknowledge specific EPBC/EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *sheet 39* of this VC&MP and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 4 ha set out in *Section 2, Part 3* of the *Nature Conservation (Koala) Conservation Plan 2017*.

Vegetation clearing techniques:

- i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- ii. Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. When a large tree is suspected of containing fauna or potential habitat, other methods of clearing should be used, when safe to do so. These methods include (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40 cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where trees are too large for a vertical tree grab, an elevated work platform or cherry picker, where practical, may be used in conjunction with a chainsaw operator and fauna spotter-catcher to carefully remove a hollow section from the habitat tree and gently lower the section for inspection by the fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at any time during construction. Construction works including vegetation clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


Tree and mulch stockpiling locations are to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to construction staging and movement of fill.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be professionally mounted on nearby or adjacent suitable trees (see Fauna Management Plan (FMP) for further hollow salvaging details.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow-up maintenance works should be carried out on retained vegetation where required during Precinct A’s construction and maintenance periods.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - EPBC Conditions of Approval Commitments

EPBC PROTECTED MATTERS

This VC&MP outlines measures to avoid, minimise and manage impacts to matters of national environmental significance and is required to address Condition 19 of EPBC Approval 2019/8398 (Residential Development, Lot 4 RP45728, New Beith, Queensland). The protected matters are 'listed threatened species and communities (section 18 and 18A)' including:

- Koala (*Phascolarctos cinereus*) – combined populations of Queensland, New South Wales and the Australian Capital Territory
- Grey-headed Flying-fox (*Pteropus poliocephalus*)
- Greater Glider (*Petauroides volans volans*)
- Swift Parrot (*Lathamus discolor*)
- Regent Honeyeater (*Anthochaera phrygia*)

This VC&MP provides the framework for managing the clearing of vegetation in Precinct A and ensure compliance with the EPBC conditions of approval.

CONDITIONS OF APPROVAL

The following commitments are required under Conditions 8 and 9 of EPBC Approval 2019/8398, and have been addressed by this VC&MP in the following locations:

Conditions of Approval	Location in VC&MP
Clearly show all trees to be removed and retained	Sheets 9-40
Include details of all civil works likely to impact on existing vegetation	Sheets 9-40
Temporary and permanent exclusion and protection fencing tor riparian corridors and parklands	Sheets 9-40
Roles and responsibilities for site contractors, developer and the consultant group	Sheet 2
Stockpiling and site access locations	Sheet 41
A clearing sequencing plan showing the commencement of clearing and direction of removal (this should be in conjunction with the Fauna Management Plan to allow for the appropriate flushing of fauna towards surrounding safe haven areas.	Sheet 41
Links to weed management and revegetation proposals	Refer to Weed and Rehabilitation Management Plan (WRMP)
The stock piling and reuse of cleared vegetation	Sheets 4-6 and 41
Specific details on the removal of previously identified potential fauna habitat trees	Sheet 2 and further details in the Fauna Management Plan (FMP)
Where trees are shown to be retained occur within disturbance zones they should be accompanied by necessary arborist specifications incorporated into the VC&MP.	Sheet 2 and Sheet 9-40
The VC&MP will designate trees to be protected for the on-going life of the proposal which may require both immediate remedial works (Crown thinning, coppicing) and long term monitoring for the potential of future works.	Sheet 2

ENVIRONMENTAL MANAGEMENT ROLES AND RESPONSIBILITIES

It is critical for all parties to understand their responsibilities as part of the vegetation clearing 'team'.

Party	Description
Proponent	Ensure all consultants, contractors, sub-contractors or others utilizing the area are aware of the VC&MP. Appoint appropriate consultants and contractors to undertake works as prescribed on the drawings and conditioned by the Assessment Manager. Cover costs of all resources to ensure works are completed as per approved plans.
Consultants	Brief proponent on their requirements in implementing works as per the V&CMP. Attend pre-start meeting prior to clearing works commencing. Undertake monitoring and reporting to the Assessment Manager as per this plan. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Liaise with the Assessment Manager throughout all stages of approval, initial works and maintenance of works.
Assessment Manager	Provide technical expertise via commentary on the approval of documentation. Attend pre-start meeting prior to clearing works commencing. Reduce and release securities held against works at the completion of successful milestone inspections. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Accept and review maintenance reports as dictated (if required in this plan.
Contractor	Ensuring all clearing works are implemented in accordance with the VC&MP. Attend pre-start meeting prior to clearing works commencing. Hold relevant licenses in applicable vegetation clearing and fauna spotter/catcher permits, any required insurances for scope of works and an understanding of required Laws, Act, Policies and Guidelines. Recommend changes to the documentation when specific experience or on-site conditions require so.

PLANNED AVOIDANCE AND MITIGATION MEASURES FOR POTENTIAL INDIRECT IMPACTS

Under the VC&MP, planned avoidance and mitigation measures are outlined in association with the indirect impacts to the disturbance footprint and vegetation. Potential indirect impacts associated with the Precinct A and the associated mitigation controls include are as below:

Potential Indirect Impacts	Associated Mitigation Controls	Location in VC&MP
Light and noise disturbance	Construction of the project may result in increased noise and light disturbance. These impacts may disturb fauna or movement behaviours. Standard mitigation measures will restrict potential impacts to the site and impacts to fauna.	Sheet 6
Contamination, weeds and pathogens	Increased vehicle movement during the construction phase has the potential to increase the spread of weeds in the area, particularly during the vegetation clearing phase. With the implementation of standard mitigation measures, such as separating the introduced vegetation stockpiling, the project is likely to result in a negligible impact to ecological values due to the potential introduction/spread of weeds.	Sheets 6
Vehicle Movement	During construction, a large number of vehicles will be required on the subject site potentially causing fauna strike or loss of vegetation and important fauna habitat. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to vehicular movements.	Sheets 4 and 5
Waste Disposal	Inappropriate disposal of non-hazardous wastes can attract vermin and other wildlife to site as well as allowing contaminants to enter the site. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to waste.	Refer to Construction Environmental Management Plan
Earthworks, Dust and sediment	Construction activities, in particular earthworks, have the potential to generate excessive dust emissions and sediment runoff. Excessive dust can coat vegetation resulting in a reduced quality of habitat for fauna. While sediment runoff can deposit large amounts of earth over retained habitat. Further, excessive dust and sediment runoff can flow into stormwater runoff and therefore into waterbodies and can degrade overall water quality.	Sheets 6
Stockpiling	Stockpiling of construction and landscaping materials and other site debris can be washed into drainage lines and waterbodies during high rain events. Stockpiling of vegetation containing weeds must be separated from vegetation to be reused as mulch to prevent further weed transmission. With implementation of standard mitigation measures, the project is not likely to result in negative impacts from stockpiling with the placement of stockpiles away from watercourses and drains.	Sheets 5, 6 and 41



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (I)*

ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES

The following risks relating to achieving the environmental outcomes and risk management strategies and/or mitigation measures that will be applied to address identified risks are:

- **Construction Impacts and Risks**
 - Loss of habitat
 - Fragmentation of habitat
 - Disturbance to retained and surrounding habitat
- **Operational Impacts and Risks**
 - Creation of barriers to dispersal/ Fragmentation of Habitat
 - Disturbance to retained and surrounding habitat

Impact avoidance, mitigation, repair measures, and the timing of those measures, consistent with the measures and timing proposed in the Preliminary Documentation are as follows:

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Loss of habitat	Impacts have been avoided and minimised through the development design, incorporating open space and conservation areas within areas identified as providing greater environmental values (i.e. Round Mountain, Flagstone Creek and biodiversity corridors within the GFPDA Development Scheme).	Ecological surveys and habitat assessments conducted across the referral area led to the precise spatial analysis of vegetation and habitat qualities.	59.7 ha of vegetation, comprising of Round Mountain, Greater Flagstone Creek and a central corridor connecting these areas, will be retained and rehabilitated as habitat and biodiversity corridors.	At each Stage of development	The field survey applied has accurately mapped environmental values and features.	Mitigation measures (vegetation management) effectively applied.	<u>Loss of habitat</u>
Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.	The sequential clearing of vegetation will allow for the gradual loss of vegetation, giving fauna time to naturally disperse away from the disturbance.	Sequential Clearing	At all times during clearing	Sequential clearing not undertaken and fragmentation induced	Clearing completed as per sequential clearing	Sequential clearing is mandated and guided by VC&MPS, pre-clearance checklists and pre-starts <u>No residual impact</u>
	Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas away from construction,	The use of fauna exclusion fencing around construction areas will ensure fauna do not disperse into unsafe, hostile areas, again minimising the risk of injury of death.	Temporary fauna fencing	At all times during clearing	Temporary fencing not applied and Koala are injured or killed	Temporary fencing utilised at all times during the clearing process	Temporary fauna fencing is mandated and guided by FMPs and pre-clearance checklists and pre-starts <u>No residual impact</u>
	Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas.		Restricted construction hours	At all times during construction	Works outside of hours	Works area completed within mandated hours	<u>No residual impact</u>
	Restricted construction hours (i.e. daylight 6am -6pm)		Dog prohibitions	At all times during construction	Companion and security dogs within the referral area	Construction completed without dogs within the referral area	Dog controls are mandated and guided by the FMPs. <u>No residual impact</u>
	Prohibition of companion /security animals (e.g. dogs).	Each of these measures will ensure that the risk of injury or death to MNES as a result of construction are avoided and mitigated. The aim of these procedures is to support zero injuries or death to MNES as a result of construction.	Low vehicle speeds	At all times during construction	Speeds are exceeded resulting in fauna strike	Construction completed without vehicle strike	Speed limits are mandated and guided by the FMPs. <u>No residual impact</u>
	Restricted vehicle speeds (e.g. max 40km) within construction areas.		Site inductions	At all times during construction	Induction avoided	Construction completed without inductions being breached	Inductions are mandatory. <u>No residual impact</u>
	In addition to this, all construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training all personnel will be instructed on their obligations in regard to vehicle movement and construction speed limits.						



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (II)*

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Fragmentation of habitat	Vegetation clearing has the risk of fragmenting habitat areas during the construction phase. To avoid this impact, vegetation will be undertaken sequentially to allow fauna to disperse from construction areas. Clearing procedures that avoid the fragmentation of vegetation will be adopted within the FMPs and informed by the Fauna Spotter Cather reports. Clearing will be undertaken in a way that flushes fauna into the vegetation retention and rehabilitation zone and/or connected areas of habitat and will avoid flushing fauna into fragmented or hostile areas.	Habitat isolation and fragmentation is a primary concern due to its impacts on fauna. The listed fauna are able to disperse through a variety of environs, including bushland and cleared areas. The direction of clearing of vegetation in accordance with the VC&MPs will ensure that clearing does not create fragmented habitat islands that could trap fauna. Rather, procedures will be in place to ensure clearing flushes fauna away from construction areas into the vegetation retention zone and/or surrounding habitat areas that are connected to the wider landscape.	Fauna not fragmented from adjoining habitat during clearing	Fauna are not fragmented from habitat during clearing. Sequential clearing is undertaken at all times during clearing.	Fauna are fragmented by clearing	Clearing completed without fauna being fragmented	Sequential clearing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Temporary fauna fencing	At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	Temporary fauna fencing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts. <u>No residual impact</u>
			Stockpiling of cleared vegetation ensures safe fauna movement	At all times during clearing	Stockpiling creates a barrier to fauna	Stockpiling is undertaken as guided by VC&MP and FMP	Safe stockpiling is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Safe fauna dispersal locations during construction	At all times during construction	Fauna strike occurs	No fauna strikes during construction	Fauna go slow and fencing measures are applied as per the VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Low vehicle speeds	At all times during construction	Speed limits are breached resulting in fauna strike	No speed limit breaches during construction	Speed limits are mandated and guided by FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (III)*


Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Disturbance to retained and surrounding habitat	The VC&MP will include controls to avoid, minimise and mitigate risk of disturbance to retained and surrounding habitat critical to the survival of the listed species during construction, specifically: <u>Light and noise disturbance</u> Construction of the project will result in increased noise and light disturbance. These impacts may disturb fauna and disrupt foraging, reproduction or movement behaviours. Restricted construction hours (e.g. 6am-6pm) will limit disruption from light and noise impacts, as well as allow a 12 hour period for fauna to disperse and forage. <u>Earthworks – dust and sediment generation</u> Construction activities have the potential to generate dust emissions. Dust emissions during construction will be temporary. The main sources of dust will be generated via: • earthworks, including construction of the embankments, and moving, dumping and shaping material; and • wheel/wind generated dust from exposed surfaces, ie. the haul roads created for the construction phase; • vegetation and soil clearing of the land. • Rain/water generated sediment runoff from exposed surfaces Excessive deposition of dust on leaves of plants can suppress the growth and photosynthesis, resulting in reduced habitat quality for fauna. High levels of airborne dust can irritate the respiratory systems of fauna and potentially result in ingestion of dust-coated seeds and other foods. Excessive deposition of dust on open water bodies may also degrade water quality and overall habitat quality for fauna. Sediment runoff during rain events can deposit large amounts of sediment into adjacent vegetation areas and waterways causing significant degraded water and habitat quality. With the implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to any MNES utilising the local area due to the generation of dust and sediment. <u>Contamination, weeds and pathogens</u> Construction activities increase the risk of weeds, pathogens and contamination into the referral area. To manage these impacts, a Weed and Pathogen Management Plan will be prepared to identify potential weed species, and include appropriate controls for weed and pathogen management, disposal and monitoring. Weeds will be actively managed within the construction footprint and disposed of appropriately. No companion animals (e.g. dogs) will be allowed within construction areas. <u>Vehicle disturbance</u> Reduced vehicle speeds will be implemented throughout the construction area to minimise vehicle disturbances. Further, proposed construction roads will be subject to design treatments to ensure safe fauna crossing opportunities are maintained to vegetated areas and impose low vehicle speeds within construction areas. <u>Barriers to dispersal</u> Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas. Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas while clearing. Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas. <u>Contractor management</u> All construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training, all personnel will be instructed on their obligations in regard to vegetation clearing protocols and to protect native fauna. Additional controls for listed species will be presented in a toolbox talk.	Construction management and clearing controls are considered to be able to effectively avoid, minimise and mitigate risk of disturbance to listed species activities during construction, and allow for adaptive management where required.	Minimise light and noise disturbance	At all times during construction	Light and noise impacts on fauna	Light and noise disturbance is limited to daylight hours	Light and noise restrictions mandate works between 6am and 6pm in the SBMP. No residual impact
	The risk of dust emissions and sediment runoff		At all times during construction	Dust and sediment impacts on retained vegetation and fauna	Erosion and sediment control plan ESC plans implemented for all vegetation clearing phases	ESC plans will mitigate the risk of dust and sediment impacts No residual impact	
	The risk of contamination and exacerbating weeds and pathogens is minimised		At all times during construction	Contamination, weed and pathogen incursion	Contamination and weed and pathogen incursions do not occur	The VC&MP will mitigate the risk of contamination and weed and pathogen incursion No residual impact	
	Vehicle disturbance minimised- reduce number of access tracks and/or haul roads		At all times during construction	Fauna disturbance, Injury or mortality from vehicles	Fauna disturbance, Injury or mortality from vehicles is mitigated	The VC&MP will mitigate the risk of vehicle disturbance No residual impact	
	Barriers to dispersal are not created		At all times during construction	Vegetation clearing and stockpiling creates a barrier to fauna	Vegetation clearing and stockpiling is undertaken as guided by VC&MP and FMP	The VC&MP will mitigate the risk of dispersal barriers No residual impact	
	Temporary fauna fencing		At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	The VC&MP will guide temporary fencing No residual impact	
	Inductions and training		At all times during construction	Inductions avoided	All inductions are completed and records maintained	Site Inductions are mandatory No residual impact	
	Adaptive management		At all times during construction	Adaptive management not applied	Adaptive management utilised if required	The VC&MP will include adaptive management strategies to avoid recurrence of adverse incidents should they occur No residual impact	



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - EPBC and EDQ Overlays



LEGEND

- Project boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

EPBC Approval Conservation Area

NESS Low Order Remnant

Primary Site Fauna Corridor


Unconnected Supporting Habitat Area
- Saunders Havill**
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com
- DISCLAIMER**
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION. THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- SCALE (A3)**
1:9,750
- References:**
AS4970-2009 Protection of trees on development sites

0 50 100 200 300 m
- | AMENDMENTS | | DESCRIPTION | DRAWN | CHECKED |
|------------|------------|---------------|-------|---------|
| ISSUE | DATE | | | |
| F | 28/05/2026 | EPBC APPROVAL | TC | AD |
- CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD
- PROJECT
PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH
- DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN

DRAWING NO.
10941 E 07 P-A VMP F
-

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Context Detail Sheet




LEGEND


- Project boundary
- Precinct A boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Precinct A layout
- Precinct A sewer
- Precinct A earthworks batters
- Precinct A stormwater
- Master Plan
- Development area
- Open space
- Conservation area



Vegetation Clearing and Management Plan - *Detail Sheet 09*




Vegetation Clearing and Management Plan - *Detail Sheet 10*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 12



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design

- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 13*




LEGEND

- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Project boundary
- Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design
 - Proposed water design
 - NESS - Of Concern Remnant REs




Vegetation Clearing and Management Plan - *Detail Sheet 14*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 15*



LEGEND

Tree plot (incl. survey data w/ TPZ)


- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours
- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 16



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing


- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design

- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 17



LEGEND
Tree plot (incl. survey data w/ TPZ)
● Tree outside Precinct A - retention subject to future works
■ Habitat tree outside of Precinct A - retention subject to future works
○ Tree retention subject to arborist assessment
● Tree to remove in development area
■ Habitat tree to remove in development area
● Tree to remove for stormwater basin and outlet works
● Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

● Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Project boundary

■ Precinct A vegetation clearing area
■ Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Tree protection fencing


■ Tree protection fencing (BMP)
— Proposed lots
— Top and toe of batter
— Proposed contours

— Proposed retaining walls
— Proposed road and paths
— Proposed line-markings
— Proposed stormwater design

— Proposed sewer design
— Proposed water design
— NESS - Of Concern Remnant REs




Vegetation Clearing and Management Plan - *Detail Sheet 18*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 19*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design

- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 20*




LEGEND

- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Project boundary
- Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design
 - Proposed water design
 - NESS - Of Concern Remnant REs



Vegetation Clearing and Management Plan - *Detail Sheet 21*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 22*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design


Proposed water design

NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 23*



LEGEND
Tree plot (incl. survey data w/ TPZ)
● Tree outside Precinct A - retention subject to future works
■ Habitat tree outside of Precinct A - retention subject to future works
○ Tree retention subject to arborist assessment
● Tree to remove in development area
■ Habitat tree to remove in development area
● Tree to remove for stormwater basin and outlet works
● Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Precinct A vegetation clearing area
■ Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Tree protection fencing
■ Project boundary

● Tree protection fencing (BMP)
— Proposed lots
— Top and toe of batter
— Proposed contours
— Proposed retaining walls
— Proposed road and paths
— Proposed line-markings
— Proposed stormwater design

— Proposed sewer design
— Proposed water design
— NESS - Of Concern Remnant REs

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 24



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

Project boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design


Proposed water design

NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 25



LEGEND

Tree plot (incl. survey data w/ TPZ)


- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours
- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 26



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design

- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 27



LEGEND

Tree plot (incl. survey data w/ TPZ)


- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours
- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 29*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours
- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design


- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs

AMENDMENTS					
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED	
F	28/05/2026	EPBC APPROVAL	TC	AD	



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 30*




LEGEND

- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Project boundary
- Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design
 - Proposed water design
 - NESS - Of Concern Remnant REs



Vegetation Clearing and Management Plan - *Detail Sheet 31*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 32



LEGEND


- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Project boundary
- Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design
 - Proposed water design
 - NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 33



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design

- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 34



LEGEND

- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment

 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works

 - Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

 - Project boundary
- Precinct A vegetation clearing area

 - Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)

 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls


 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design

 - Proposed water design
 - NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 35*



LEGEND
Tree plot (incl. survey data w/ TPZ)
● Tree outside Precinct A - retention subject to future works
■ Habitat tree outside of Precinct A - retention subject to future works
○ Tree retention subject to arborist assessment
● Tree to remove in development area
■ Habitat tree to remove in development area
● Tree to remove for stormwater basin and outlet works
● Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

■ Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Project boundary

■ Precinct A vegetation clearing area
■ Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
■ Tree protection fencing

■ Tree protection fencing (BMP)
— Proposed lots
— Top and toe of batter
— Proposed contours

— Proposed retaining walls
— Proposed road and paths
— Proposed line-markings
SW — Proposed stormwater design

S — Proposed sewer design
W — Proposed water design
— NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 36*



LEGEND


- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Project boundary
- Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design
 - Proposed water design
 - NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 38*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works

- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Project boundary

- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing

- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design

- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 39*



LEGEND


- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
 - Tree to remove in development area
 - Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Project boundary
- Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
 - Tree protection fencing
- Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
- Proposed sewer design
 - Proposed water design
 - NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 40*



LEGEND


Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Tree retention subject to arborist assessment
- Tree to remove in development area
- Habitat tree to remove in development area
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours
- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Vegetation Clearing Direction*



LEGEND

Project boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

Existing access tracks

Vegetation clearing direction

Thinning clearing direction

Tree protection fencing

Tree protection fencing (BMP)

Vegetation stockpile locations during clearing phases



Tree Schedule (Precinct A - VMP E Extract) - 10941 Round Mountain Project Precinct B (Frasers Property New Beith Pty Ltd) Date: 2025/08/21																													
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
2	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	430		430	135	12.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
3	<i>Angophora leiocarpa</i>	Smooth-barked Apple	440		440	138	15.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
4	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	15.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
5	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
6	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
7	<i>Angophora leiocarpa</i>	Smooth-barked Apple	470		470	148	22.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
8	<i>Corymbia intermedia</i>	Pink Bloodwood	480		480	151	22.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
9	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
10	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
11	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	18.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
12	<i>Angophora leiocarpa</i>	Smooth-barked Apple	340		340	107	15.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist TBC in Precinct A
13	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Basin in Precinct A
14	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Basin in Precinct A
15	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
16	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
17	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
18	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
19	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
20	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
21	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
22	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
23	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	10.0	6.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
24	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
25	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
26	<i>Dead/Stag</i>		550		550	173	17.0	6.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention subject to future apps.
27	<i>Allocasuarina littoralis</i>	Black She-oak	200	180	269	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist TBC in Precinct A
28	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
29	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
30	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
31	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A
32	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
33	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
34	<i>Allocasuarina littoralis</i>	Black She-oak	180	100	206	65	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
35	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
36	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	20.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A
37	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-														

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
47	<i>Lophostemon suaveolens</i>	Swamp Box	340		340	107	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
48	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	21.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
49	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
50	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	19.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
51	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
52	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
53	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
54	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	12.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP	
55	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
56	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	12.0	8.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
57	<i>Dead/Stag</i>		440		440	138	18.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retention subject to future apps.	
58	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
59	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
60	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
61	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
62	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
63	<i>Allocasuarina littoralis</i>	Black She-oak	160	140	213	67	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
64	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	17.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
65	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
66	<i>Dead/Stag</i>		400		400	126	15.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
67	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
68	<i>Allocasuarina littoralis</i>	Black She-oak	160	100	189	59	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
69	<i>Petalostigma pubescens</i>	Quinine Bush	170		170	53	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
70	<i>Petalostigma pubescens</i>	Quinine Bush	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
71	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
72	<i>Petalostigma pubescens</i>	Quinine Bush	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
73	<i>Eucalyptus tereticornis</i>	Forest Red Gum	720		720	226	22.0	8.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
74	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
75	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
76	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	27.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
77	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
78	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
79	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	12.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
80	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	17.0	2.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
81	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
82	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
83	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
84	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
85	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
96	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
97	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	19.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
98	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
99	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
100	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
101	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
102	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	19.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
103	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
104	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
105	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
106	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
107	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
108	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
109	<i>Petalostigma pubescens</i>	Quinine Bush	160	150	219	69	6.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
110	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
111	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
112	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
113	<i>Alphitonia excelsa</i>	Soap Tree	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
114	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
115	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
116	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
117	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
118	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
119	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
121	<i>Alphitonia excelsa</i>	Soap Tree	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
122	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	19.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
123	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
124	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
125	<i>Corymbia intermedia</i>	Pink Bloodwood	520		520	163	24.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
126	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
127	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
128	<i>Acacia disparima</i>	Hickory Wattle	180	140	228	72	12.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
129	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
130	<i>Acacia disparima</i>	Hickory Wattle	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
131	<i>Acacia disparima</i>	Hickory Wattle	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
132	<i>Allocasuarina littoralis</i>	Black She-oak	170	150	227	71	13.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
133	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	260		260	82	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
134	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
135	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typ								

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
150	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
151	<i>Melaleuca saligna</i>	Willow Bottlebrush	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
152	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
153	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
154	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
155	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
156	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
157	<i>Acacia disparima</i>	Hickory Wattle	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
158	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
159	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
160	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
161	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
162	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
163	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
164	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	24.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
165	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
166	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
167	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
168	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
169	<i>Alphitonia excelsa</i>	Soap Tree	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
170	<i>Allocasuarina littoralis</i>	Black She-oak	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
171	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
172	<i>Allocasuarina littoralis</i>	Black She-oak	240		240	75	12.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
173	<i>Alphitonia excelsa</i>	Soap Tree	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
174	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
175	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
179	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
180	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
181	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
182	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
183	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
184	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
185	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
186	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
187	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
188	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Remove in Precinct A
189	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	Retention subject to future apps.
190	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-									

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
202	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
203	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
204	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
205	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
206	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	16.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Basin in Precinct A	
207	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
208	<i>Corymbia torelliana</i>	Cadaghi	170		170	53	7.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
209	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
210	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
211	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
212	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	26.0	14.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
213	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
215	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
216	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
217	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	24.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
218	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Basin in Precinct A	
219	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Basin in Precinct A	
220	<i>Corymbia citriodora</i>	Spotted Gum	620		620	195	24.0	8.0	7.4	2.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
221	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	22.0	8.0	6.0	2.5	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
391	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	450		450	141	20.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
392	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
393	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
394	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	10.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
395	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
396	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	14.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	Termite nest	-	Retention subject to future apps.	
397	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	19.0	9.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
398	<i>Lophostemon suaveolens</i>	Swamp Box	205		205	64	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
399	<i>Acacia disparrima</i>	Hickory Wattle	225		225	71	10.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
400	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
401	<i>Alphitonia excelsa</i>	Soap Tree	255		255	80	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
402	<i>Angophora leiocarpa</i>	Smooth-barked Apple	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
403	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	13.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Arborist TBC in Precinct A
404	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	20.0	14.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove Basin in Precinct A	
405	<i>Lophostemon suaveolens</i>	Swamp Box	160	150, 145, 145	300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
406	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	9.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.	
407	<i>Lophostemon suaveolens</i>	Swamp Box	185		185	58	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
408	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A	
409	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540	255																										

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
420	<i>Acacia disparima</i>	Hickory Wattle	275		275	86	11.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A
421	<i>Acacia disparima</i>	Hickory Wattle	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove in Precinct A
422	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	19.0	13.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
423	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	16.0	10.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention subject to BMP
424	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	18.0	11.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove in Precinct A
425	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	17.0	8.0	2.7	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
426	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
427	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	19.0	13.0	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
428	<i>Lophostemon suaveolens</i>	Swamp Box	170	140, 110	246	77	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
429	<i>Acacia disparima</i>	Hickory Wattle	200	185	272	86	10.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
430	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	16.0	9.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
431	<i>Acacia disparima</i>	Hickory Wattle	225		225	71	9.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
432	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
433	<i>Acacia disparima</i>	Hickory Wattle	230		230	72	9.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
434	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	14.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention subject to future apps.
435	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	11.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
436	<i>Eucalyptus tereticornis</i>	Forest Red Gum	345		345	108	17.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
437	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	13.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
438	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	19.0	14.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
439	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
440	<i>Acacia disparima</i>	Hickory Wattle	220	165	275	86	9.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
441	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
442	<i>Acacia disparima</i>	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
443	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
444	<i>Acacia disparima</i>	Hickory Wattle	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
445	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
446	<i>Acacia disparima</i>	Hickory Wattle	225		225	71	10.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
447	<i>Acacia disparima</i>	Hickory Wattle	205		205	64	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
448	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
449	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	295		295	93	17.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
450	<i>Petalostigma pubescens</i>	Quinine Bush	325		325	102	10.0	10.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
451	<i>Alphitonia excelsa</i>	Soap Tree	265		265	83	13.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
452	<i>Petalostigma pubescens</i>	Quinine Bush	315		315	99	12.0	8.0	3.8	2.0	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
453	<i>Petalostigma pubescens</i>	Quinine Bush	230	190	298	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
454	<i>Corymbia citriodora</i>	Spotted Gum	205		205	64	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
455	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
456	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	10.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
457	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0																						

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
469	<i>Lophostemon suaveolens</i>	Swamp Box	245		245	77	8.0	6.0	2.9	1.8	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
470	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	20.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
471	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention subject to future apps.
472	<i>Corymbia intermedia</i>	Pink Bloodwood	265		265	83	18.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention subject to BMP
473	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	21.0	14.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
474	<i>Corymbia citriodora</i>	Spotted Gum	295		295	93	18.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
475	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	275		275	86	18.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention subject to BMP
476	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to BMP
477	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	205		205	64	16.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention subject to BMP
478	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	19.0	15.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
479	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
480	<i>Acacia dispartima</i>	Hickory Wattle	165	160	230	72	10.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
481	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retention subject to future apps.
482	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	10.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
483	<i>Angophora leiocarpa</i>	Smooth-barked Apple	345		345	108	18.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
484	<i>Petalostigma pubescens</i>	Quinine Bush	195		195	61	8.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
485	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
486	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	9.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
487	<i>Eucalyptus tereticornis</i>	Forest Red Gum	265		265	83	16.0	10.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
488	<i>Petalostigma pubescens</i>	Quinine Bush	235		235	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
493	<i>Eucalyptus tereticornis</i>	Forest Red Gum	245		245	77	14.0	9.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
494	<i>Acacia dispartima</i>	Hickory Wattle	295		295	93	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
495	<i>Eucalyptus tereticornis</i>	Forest Red Gum	205		205	64	15.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
496	<i>Alphitonia excelsa</i>	Soap Tree	435		435	137	14.0	10.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
497	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	14.0	9.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
498	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
499	<i>Corymbia intermedia</i>	Pink Bloodwood	205		205	64	11.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
500	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	175	100	202	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
501	<i>Petalostigma pubescens</i>	Quinine Bush	300		300	94	8.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention subject to future apps.
502	<i>Acacia concurrens</i>	Black Wattle	265		265	83	9.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
503	<i>Dead/Slag</i>		445		445	140	15.0	8.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
504	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
510	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
511	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	205		205	64	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
512	<i>Alphitonia excelsa</i>	Soap Tree	145	130	195	61	8.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
513	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
514	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
515	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-						

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
527	<i>Lophostemon suaveolens</i>	Swamp Box	240	80	253	79	16.0	8.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
528	<i>Acacia disarrima</i>	Hickory Wattle	220		220	69	14.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
529	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	16.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
530	<i>Allocasuarina littoralis</i>	Black She-oak	215	115	244	77	11.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
531	<i>Allocasuarina littoralis</i>	Black She-oak	235		235	74	11.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
532	<i>Corymbia intermedia</i>	Pink Bloodwood	345		345	108	20.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	22.0	15.0	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
534	<i>Allocasuarina littoralis</i>	Black She-oak	205		205	64	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
535	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	21.0	14.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
536	<i>Corymbia citriodora</i>	Spotted Gum	215	200, 90	307	96	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
540	<i>Corymbia citriodora</i>	Spotted Gum	225		225	71	14.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
541	<i>Corymbia intermedia</i>	Pink Bloodwood	175		175	55	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
542	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	14.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
543	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	
544	<i>Corymbia citriodora</i>	Spotted Gum	790		790	248	25.0	17.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
545	<i>Corymbia citriodora</i>	Spotted Gum	355		355	112	20.0	16.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
546	<i>Corymbia intermedia</i>	Pink Bloodwood	335		335	105	20.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
547	<i>Eucalyptus tereticornis</i>	Forest Red Gum	255		255	80	19.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
548	<i>Corymbia citriodora</i>	Spotted Gum	540		540	170	23.0	14.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
549	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	20.0	14.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
550	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
551	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	18.0	11.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
552	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	17.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	-	
553	<i>Corymbia citriodora</i>	Spotted Gum	215		215	68	14.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
554	<i>Corymbia citriodora</i>	Spotted Gum	540		540	170	20.0	14.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
555	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
556	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	16.0	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
557	<i>Corymbia intermedia</i>	Pink Bloodwood	355		355	112	14.0	9.0	4.3	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
558	<i>Eucalyptus tereticornis</i>	Forest Red Gum	485		485	152	17.0	10.0	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
559	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	14.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
560	<i>Corymbia intermedia</i>	Pink Bloodwood	245		245	77	14.0	9.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
561	<i>Corymbia citriodora</i>	Spotted Gum	345		345	108	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
562	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
563	<i>Eucalyptus tereticornis</i>	Forest Red Gum	245		245	77	18.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
564	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	
565	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	12.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
566	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	155	145	212	67	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
567	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	185	180, 115	283	89	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
568	<i>Acacia disarrima</i>	Hickory Wattle	250		250	79	9.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-						

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1144	Dead/Stag		690		690	217	25.0	12.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
1145	Dead/Stag		660		660	207	22.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1146	Eucalyptus tereticornis	Forest Red Gum	680		680	214	25.0	15.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1147	Eucalyptus crebra	Narrow-leaved Ironbark	655		655	206	25.0	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1148	Eucalyptus crebra	Narrow-leaved Ironbark	625		625	196	23.0	15.0	7.5	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1149	Dead/Stag		500		500	157	17.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
1150	Corymbia citriodora	Spotted Gum	660		660	207	20.0	15.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-		
1151	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	21.0	13.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1152	Eucalyptus crebra	Narrow-leaved Ironbark	645		645	203	22.0	12.0	7.7	2.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-		
1153	Eucalyptus crebra	Narrow-leaved Ironbark	590		590	185	26.0	16.0	7.1	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1154	Corymbia citriodora	Spotted Gum	340	240	416	131	19.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1155	Dead/Stag		500		500	157	20.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
1156	Dead/Stag		410		410	129	6.0	1.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
1157	Dead/Stag		420		420	132	7.0	3.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-		
1158	Dead/Stag		635	270	690	217	27.0	16.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1159	Dead/Stag		560		560	176	21.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1160	Corymbia citriodora	Spotted Gum	520		520	163	25.0	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1161	Corymbia citriodora	Spotted Gum	700		700	220	22.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1162	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	26.0	17.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1163	Dead/Stag		560		560	176	6.0	2.0	6.7	2.6	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	Small	-	-	-		
1164	Eucalyptus crebra	Narrow-leaved Ironbark	735		735	231	17.0	13.0	8.8	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
1165	Eucalyptus crebra	Narrow-leaved Ironbark	830		830	261	24.0	13.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-		
1168	Eucalyptus tereticornis	Forest Red Gum	650		650	204	19.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1209	Eucalyptus tereticornis	Forest Red Gum	480		480	151	20.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1212	Eucalyptus tereticornis	Forest Red Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1213	Eucalyptus tereticornis	Forest Red Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1214	Eucalyptus tereticornis	Forest Red Gum	440		440	138	20.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1215	Eucalyptus tereticornis	Forest Red Gum	520		520	163	22.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1218	Eucalyptus tereticornis	Forest Red Gum	530		530	167	16.0	8.0	6.4	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1220	Eucalyptus crebra	Narrow-leaved Ironbark	490		490	154	20.0	8.0	5.9	2.5	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-		
1221	Corymbia citriodora	Spotted Gum	470		470	148	20.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1250	Eucalyptus crebra	Narrow-leaved Ironbark	630		630	198	19.0	10.0	7.6	2.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1251	Dead/Stag		385		385	121	9.0	1.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-		
1252	Eucalyptus crebra	Narrow-leaved Ironbark	560		560	176	15.0	8.0	6.7	2.6	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	-		
1253	Dead/Stag		720		720	226	17.0	10.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-		
1254	Alphitonia excelsa	Soap Tree	255		255	80	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1255	Acacia leiocalyx	Early-flowering Black Wattle	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1256	Alphitonia excelsa	Soap Tree	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1257	Corymbia intermedia	Pink Bloodwood	365		365	115	14.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-		
1258	Corymbia citriodora	Spotted Gum	355		355	112	16.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1259	Alphitonia excelsa	Soap Tree	280		280	88																								

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1368	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	490		490	154	17.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1369	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	8.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1370	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1371	<i>Petalostigma pubescens</i>	Quinine Bush	360		360	113	14.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1372	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	9.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1373	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	12.0	4.0	2.6	1.8	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1374	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1375	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1376	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	15.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1377	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1378	<i>Dead/Stag</i>		650		650	204	18.0	8.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	
1379	<i>Alphitonia excelsa</i>	Soap Tree	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1380	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1381	<i>Corymbia tessellaris</i>	Moreton Bay Ash	360		360	113	16.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1382	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1383	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1384	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1385	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1386	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	17.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1387	<i>Alphitonia excelsa</i>	Soap Tree	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1388	<i>Alphitonia excelsa</i>	Soap Tree	450		450	141	15.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1389	<i>Angophora leiocarpa</i>	Smooth-barked Apple	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1390	<i>Corymbia tessellaris</i>	Moreton Bay Ash	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1391	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1392	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1393	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1394	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1395	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1396	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
1397	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1398	<i>Alphitonia excelsa</i>	Soap Tree	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1399	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1400	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	14.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1401	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1402	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	8.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1403	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1404	<i>Acacia disparrima</i>	Hickory Wattle	190	180	262	82	7.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1405	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1406	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1407	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1408	<i>Acacia disparrima</</i>																												

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1417	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1418	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1419	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1420	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	17.0	7.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	-	
1421	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1422	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1423	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1424	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1425	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1426	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1427	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1428	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	19.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1429	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1430	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1514	<i>Corymbia citriodora</i>	Spotted Gum	450		450	141	27.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	23.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1516	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	26.0	20.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1517	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	24.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1518	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	26.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1519	<i>Acacia disparrima</i>	Hickory Wattle	300	200	361	113	12.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1520	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1521	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1522	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	26.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1523	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	32.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1524	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1525	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1526	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1527	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1528	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	20.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1529	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	410		410	129	27.0	18.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1530	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1531	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	26.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1532	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	17.0	13.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	32.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1534	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	28.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1535	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1536	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	22.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1537	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1538	<i>Acacia disparrima</i>	Hickory Wattle	350		350	110	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1539	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	18.0	8.0																						

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1549	<i>Corymbia torelliana</i>	Cadaghi	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1550	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	33.0	23.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1551	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1552	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	28.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1553	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	22.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1554	<i>Corymbia torelliana</i>	Cadaghi	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1555	<i>Corymbia torelliana</i>	Cadaghi	100		100	31	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1556	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1557	<i>Acacia disparrima</i>	Hickory Wattle	140	130	191	60	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1558	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-		
1559	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1560	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1561	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1562	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1563	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1564	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1565	<i>Acacia disparrima</i>	Hickory Wattle	280	130	309	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1566	<i>Petalostigma pubescens</i>	Quinine Bush	220	200	297	93	15.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1567	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1568	<i>Acacia disparrima</i>	Hickory Wattle	200	130	239	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1569	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1570	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1571	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1572	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1573	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1574	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1575	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1576	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1577	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	7.0	4.4	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1578	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	15.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1579	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1580	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1581	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1582	<i>Corymbia citriodora</i>	Spotted Gum	190	120	225	71	16.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1583	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1584	<i>Corymbia intermedia</i>	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1585	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1586	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1587	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	16.0	7.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1588	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	16.0	8.0	3.4	1.9	One-sided	-	-	-	-	-	Poor	-												

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1757	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1758	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1759	<i>Acacia disparima</i>	Hickory Wattle	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1760	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1761	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1762	<i>Acacia disparima</i>	Hickory Wattle	240	200	312	98	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1763	<i>Lophostemon suaveolens</i>	Swamp Box	150	130	198	62	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1764	<i>Acacia disparima</i>	Hickory Wattle	260	220	341	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1765	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1766	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	21.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1767	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1768	<i>Alphitonia excelsa</i>	Soap Tree	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1769	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1770	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1771	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1772	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1773	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1774	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1775	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1776	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1777	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	19.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1778	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1779	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	17.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1780	<i>Acacia disparima</i>	Hickory Wattle	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1781	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	19.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1782	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1783	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1784	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	16.0	7.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1785	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1786	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1787	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1788	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1789	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1790	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1791	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1792	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	17.0	7.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1793	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1794	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1795	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1796	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	16.0	5.0	2.9	1.8	One-sided	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	-	
1797	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	19.0	8																						

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1806	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	19.0	8.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1807	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1808	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1809	<i>Melaleuca saligna</i>	Willow Bottlebrush	200	140	244	77	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1810	<i>Melaleuca saligna</i>	Willow Bottlebrush	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1811	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1812	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1813	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1814	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1815	<i>Angophora leiocarpa</i>	Smooth-barked Apple	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1816	<i>Melaleuca saligna</i>	Willow Bottlebrush	360		360	113	15.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1817	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1818	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1819	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1820	<i>Allocasuarina littoralis</i>	Black She-oak	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1821	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1822	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1823	<i>Acacia disarrima</i>	Hickory Wattle	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1824	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1825	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1826	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1871	<i>Corymbia citriodora</i>	Spotted Gum	115		115	36	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1883	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	17.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1884	<i>Corymbia citriodora</i>	Spotted Gum	125		125	39	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1885	<i>Corymbia citriodora</i>	Spotted Gum	115		115	36	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1886	<i>Lophostemon suaveolens</i>	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1890	<i>Eucalyptus tereticornis</i>	Forest Red Gum	215		215	68	15.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1891	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1892	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1893	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1907	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1908	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1909	<i>Acacia disarrima</i>	Hickory Wattle	135		135	42	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1930	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1931	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	19.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1932	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1933	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1934	<i>Corymbia citriodora</i>	Spotted Gum	115		115	36	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1935	<i>Corymbia citriodora</i>	Spotted Gum	330	105	346	109	18.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-		
1936	<i>Corymbia citriodora</i>	Spotted Gum	295		295	93	16.0	9.0	3.5	2.0</																				

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1946	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1947	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1948	<i>Corymbia citriodora</i>	Spotted Gum	125		125	39	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1949	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	255		255	80	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1950	<i>Corymbia citriodora</i>	Spotted Gum	155		155	49	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1951	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1952	<i>Corymbia citriodora</i>	Spotted Gum	165		165	52	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1953	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	255		255	80	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1954	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1955	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1956	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1957	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1958	<i>Corymbia citriodora</i>	Spotted Gum	150	65	163	51	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1959	<i>Corymbia citriodora</i>	Spotted Gum	105		105	33	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1960	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	100	50, 80, 90	164	52	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1961	<i>Corymbia citriodora</i>	Spotted Gum	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1962	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1963	<i>Corymbia citriodora</i>	Spotted Gum	145		145	46	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1964	<i>Corymbia citriodora</i>	Spotted Gum	105		105	33	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1965	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1966	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	105		105	33	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1967	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1968	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1969	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1970	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1971	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1972	<i>Corymbia citriodora</i>	Spotted Gum	115		115	36	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1973	<i>Corymbia citriodora</i>	Spotted Gum	135	120, 90	202	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1974	<i>Corymbia citriodora</i>	Spotted Gum	130	80	153	48	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1975	<i>Corymbia citriodora</i>	Spotted Gum	100	50	112	35	16.0	8.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2453	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2454	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2455	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2456	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2467	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2468	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2469	<i>Acacia concurrens</i>	Black Wattle	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2472	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2473	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
2474	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-				

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
2489	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
2963	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	23.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
2964	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	21.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
2965	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	22.0	10.0	5.5	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	
2966	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	20.0	13.0	5.4	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	
3029	<i>Dead/Stag</i>		370		370	116	8.0	1.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3030	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	1080		1080	339	26.0	15.0	13.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3033	<i>Dead/Stag</i>		430		430	135	23.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3034	<i>Corymbia citriodora</i>	Spotted Gum	610		610	192	30.0	15.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3035	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	29.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3036	<i>Dead/Stag</i>		320		320	101	6.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3037	<i>Dead/Stag</i>		240		240	75	8.0	1.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3038	<i>Dead/Stag</i>		530		530	167	20.0	16.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3039	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	670		670	210	21.0	17.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3040	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	700		700	220	22.0	14.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	Yes	-		-	
3041	<i>Dead/Stag</i>		330		330	104	11.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3042	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420	300	516	162	34.0	19.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3043	<i>Dead/Stag</i>		450		450	141	23.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3044	<i>Corymbia citriodora</i>	Spotted Gum	810		810	254	22.0	12.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3045	<i>Dead/Stag</i>		420		420	132	16.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3420	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3489	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3490	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3491	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	17.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3492	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3493	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	16.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3494	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3495	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	17.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3496	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	15.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3497	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	17.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3498	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3499	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3500	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3501	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	380		380	119	15.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3502	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3503	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3504	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	15.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3505	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3506	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	17.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3507	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6																				

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3517	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3518	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3519	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	600		600	188	16.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3520	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3522	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3523	<i>Petalostigma pubescens</i>	Quinine Bush	310		310	97	8.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3524	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3525	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	2.0	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3526	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	17.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3527	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3528	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3529	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3531	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3532	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3533	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3534	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3535	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3536	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3537	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3538	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3539	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	16.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3540	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	630		630	198	18.0	11.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3541	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3542	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3543	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3544	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	16.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3545	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	760		760	239	16.0	9.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3546	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3547	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	16.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3548	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3549	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3550	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3551	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3552	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3553	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3554	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3555	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3556	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	14.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3557	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3558	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	640		640	201	16.0	10.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	</		

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3567	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	17.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3568	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3569	<i>Petalostigma pubescens</i>	Quinine Bush	330		330	104	8.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3570	<i>Dead/Stag</i>		560		560	176	14.0	8.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large		-	
3571	<i>Petalostigma pubescens</i>	Quinine Bush	365		365	115	7.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3572	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	410		410	129	15.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3573	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3574	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	15.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3575	<i>Petalostigma pubescens</i>	Quinine Bush	300		300	94	8.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3576	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3577	<i>Dead/Stag</i>		310		310	97	8.0	2.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	Large		-	
3578	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3580	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	16.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3581	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	16.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3582	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3583	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	14.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3584	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3585	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3586	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3587	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3588	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3594	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3595	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3596	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	16.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3597	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3598	<i>Dead/Stag</i>		320		320	101	14.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3599	<i>Angophora leiocarpa</i>	Smooth-barked Apple	330		330	104	17.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3600	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	10.0	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	
3601	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	13.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3602	<i>Corymbia citriodora</i>	Spotted Gum	350	290	455	143	12.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3603	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	12.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3604	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3605	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	12.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3606	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	13.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3607	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3608	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3609	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3610	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	16.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3611	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	13.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
3614	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-</					

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
3624	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3625	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3626	<i>Petalostigma pubescens</i>	Quinine Bush	360		360	113	6.0	3.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3627	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3628	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	23.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3629	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	14.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3630	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3631	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3632	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	22.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3633	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	13.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3634	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	23.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3635	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-		-	
3636	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3637	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3638	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	23.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3639	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	14.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3640	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3641	<i>Dead/Stag</i>		330		330	104	11.0	1.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-		
3642	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3643	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	24.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3644	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3645	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3646	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3647	<i>Dead/Stag</i>		510		510	160	17.0	3.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-		
3648	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3649	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	14.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3650	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3651	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3652	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	12.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3653	<i>Dead/Stag</i>		370		370	116	9.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-		-	
3654	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3655	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3656	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3657	<i>Dead/Stag</i>		320		320	101	7.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-		
3658	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3659	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3660	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	13.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3661	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	620		620	195	18.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-		
3662	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3663	<i>Petalostigma pubescens</i>	Quinine Bush	330		330	104	12.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3664	<i>Eucalyptus</i>																													

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
3673	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3674	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3675	<i>Dead/Stag</i>		340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3676	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3677	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3678	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3679	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3680	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3681	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	8.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3682	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3683	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	13.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3684	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3685	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3686	<i>Dead/Stag</i>		300		300	94	17.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3687	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	11.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3688	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3689	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3690	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	23.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3691	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3692	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	22.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3693	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	19.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3694	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3695	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	20.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3696	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3697	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3698	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	11.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3699	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3700	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3701	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3702	<i>Dead/Stag</i>		310		310	97	18.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-		
3703	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3704	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3705	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3706	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
3707	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
5483	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	16.0	8.0	3.8	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
5484	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
5490	<i>Dead/Stag</i>		310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-		
5491	<i>Dead/Stag</i>		300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-		
5492</																														

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6190	<i>Corymbia citriodora</i>	Spotted Gum	355		355	112	17.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6191	<i>Dead/Stag</i>		395		395	124	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-	-	-	
6192	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6193	<i>Corymbia citriodora</i>	Spotted Gum	220	170	278	87	16.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6200	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6201	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	365		365	115	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6202	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6203	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	405		405	127	19.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6204	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	355		355	112	18.0	9.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6205	<i>Dead/Stag</i>		340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6206	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	395		395	124	18.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6207	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	18.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6208	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	18.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
6209	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	19.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6210	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	325		325	102	20.0	11.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6211	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	13.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6212	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	11.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6213	<i>Alphitonia excelsa</i>	Soap Tree	320		320	101	9.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	12.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6215	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6216	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	13.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6217	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	13.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6218	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	13.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6219	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	19.0	10.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6220	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	18.0	9.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6221	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	12.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6222	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6223	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6224	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6225	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6226	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6227	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	13.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6228	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6229	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	14.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6230	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6231	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	16.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6232	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	17.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6233	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6234	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	15.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6235	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6236	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380																								

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6245	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6246	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	355		355	112	17.0	11.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6247	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	365		365	115	18.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6248	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	375		375	118	20.0	15.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6249	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	305		305	96	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6250	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6251	<i>Dead/Stag</i>		300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6252	<i>Dead/Stag</i>		300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6253	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6254	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6255	<i>Eucalyptus tereticornis</i>	Forest Red Gum	305		305	96	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6256	<i>Alphitonia excelsa</i>	Soap Tree	385		385	121	13.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6257	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	17.0	8.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6258	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	425		425	134	18.0	13.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6259	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6260	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	17.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6261	<i>Dead/Stag</i>		330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6262	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	13.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6263	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	16.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6264	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6265	<i>Dead/Stag</i>		350		350	110	13.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6267	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	415		415	130	18.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6268	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6269	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6270	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6271	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6272	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6273	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	2.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6274	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6275	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6276	<i>Dead/Stag</i>		350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6277	<i>Dead/Stag</i>		300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6278	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	19.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6279	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	
6280	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6281	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6282	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	325		325	102	16.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6283	<i>Corymbia citriodora</i>	Spotted Gum	375		375	118	21.0	10.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6284	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
6285	<i>Eucalyptus tereticornis</i>	Forest Red Gum	308		308	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-						

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
6294	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6295	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6296	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6297	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	12.0	7.0	2.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6298	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6299	<i>Dead/Stag</i>		360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	18.0	13.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-		
6302	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-		
6303	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6304	<i>Dead/Stag</i>		370		370	116	8.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-		
6305	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6307	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6308	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	22.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6309	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-		
6310	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	13.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6311	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	17.0	13.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-		
6312	<i>Eucalyptus tereticornis</i>	Forest Red Gum	515		515	162	19.0	12.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6313	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	17.0	9.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6314	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6315	<i>Dead/Stag</i>		540		540	170	17.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6316	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6317	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	17.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6318	<i>Dead/Stag</i>		460		460	145	17.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6319	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6320	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6321	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6322	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6323	<i>Dead/Stag</i>		370		370	116	11.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6324	<i>Dead/Stag</i>		320		320	101	12.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6325	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6326	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6327	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6328	<i>Angophora leiocarpa</i>	Smooth-barked Apple	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6329	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6330	<i>Dead/Stag</i>		300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6331	<i>Corymbia citriodora</i>	Spotted Gum	345		345	108	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-		
6332	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	8.0	3.6																					

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
7521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
7522	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
7523	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	365		365	115	18.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
7528	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	18.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
7529	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
7530	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	
7545	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	12.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	

