

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
10941 E 01 P-B	COVER SHEET	F	18/06/2026
10941 E 02 P-B	VEGETATION CLEARING NOTES	F	18/06/2026
10941 E 03 P-B	EPBC APPROVAL CONDITIONS COMMITMENTS	F	18/06/2026
10941 E 04 P-B	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (I)	F	18/06/2026
10941 E 05 P-B	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (II)	F	18/06/2026
10941 E 06 P-B	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (III)	F	18/06/2026
10941 E 07 P-B	EPBC & NESS OVERLAYS	F	23/06/2026
10941 E 08 P-B	CONTEXT SHEET	F	23/06/2026
10941 E 09 -35 P-B	DETAIL SHEETS	F	23/06/2026
10941 E 36 P-B	VEGETATION CLEARING DIRECTION	F	23/06/2026



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Process and Management Notes*

INTRODUCTION

The Environmental Management Division of the Saunders Havill Group (SHG) was engaged by Frasers Property New Beith Pty Ltd to prepare a Vegetation Clearing and Management Plan (VC&MP) for Precinct B stage of works of the Round Mountain Project. The vegetation clearing will encompass the delivery of Precinct B residential lots, external services infrastructure and the Project's entry road.

This VC&MP is a requirement of the Economic Development Queensland (EDQ) endorsed Natural Environment Site Strategy (NESS) for the Undullah project. The purpose of this VC&MP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The clearing works will follow general EDQ principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document. Furthermore, all Federal Environmental Protection & Biodiversity Conservation Act (EPBC) approval conditions must be followed as outlined on *Sheet 3 and 4*. The plan is required to be approved prior to clearing works commencing.

This VC&MP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

- GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2024/25)
- Precinct B Layout (URBIS, 2025)
- Engineering design (Colliers, 2025)

PROJECT MANAGEMENT

Vegetation clearing and management processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EPBC conditions, EDQ's guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:	Environmental Contact:
Frasers Property New Beith Pty Ltd	Saunders Havill Group
Belinda Ryan	Dr Andrew Davies

Site Contractor:	Site Arborist:
<i>To be advised</i>	<i>To be advised</i>

Site Fauna spotter-catcher:	Site Bushfire Consultant:
<i>To be advised</i>	Rob Janssen

(Refer to *Fauna Management Plan* document for responsibilities)

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing/Flagging to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing/Flagging shall be in place prior to the pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document and acknowledge specific EPBC/EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *sheet 36* of this VC&MP and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 4 ha set out in *Section 2, Part 3* of the *Nature Conservation (Koala) Conservation Plan 2017*.

Vegetation clearing techniques:

- By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. When a large tree is suspected of containing fauna or potential habitat, other methods of clearing should be used, when safe to do so. These methods include (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40 cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where trees are too large for a vertical tree grab, an elevated work platform or cherry picker, where practical, may be used in conjunction with a chainsaw operator and fauna spotter-catcher to carefully remove a hollow section from the habitat tree and gently lower the section for inspection by the fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at any time during construction. Construction works including vegetation clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


Tree and mulch stockpiling locations are to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to construction staging and movement of fill.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be professionally mounted on nearby or adjacent suitable trees (see Fauna Management Plan (FMP) for further hollow salvaging details.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow-up maintenance works should be carried out on retained vegetation where required during Precinct B's construction and maintenance periods.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - EPBC Conditions of Approval Commitments

EPBC PROTECTED MATTERS

This VC&MP outlines measures to avoid, minimise and manage impacts to matters of national environmental significance and is required to address Condition 19 of EPBC Approval 2019/8398 (Residential Development, Lot 4 RP45728, New Beith, Queensland). The protected matters are 'listed threatened species and communities (section 18 and 18A)' including:

- Koala (*Phascolarctos cinereus*) – combined populations of Queensland, New South Wales and the Australian Capital Territory
- Grey-headed Flying-fox (*Pteropus poliocephalus*)
- Greater Glider (*Petauroides volans volans*)
- Swift Parrot (*Lathamus discolor*)
- Regent Honeyeater (*Anthochaera phrygia*)

This VC&MP provides the framework for managing the clearing of vegetation in Precinct A and ensure compliance with the EPBC conditions of approval.

CONDITIONS OF APPROVAL

The following commitments are required under Conditions 8 and 9 of EPBC Approval 2019/8398, and have been addressed by this VC&MP in the following locations:

Conditions of Approval	Location in VC&MP
Clearly show all trees to be removed and retained	Sheets 9-35
Include details of all civil works likely to impact on existing vegetation	Sheets 9-35
Temporary and permanent exclusion and protection fencing tor riparian corridors and parklands	Sheets 9-35
Roles and responsibilities for site contractors, developer and the consultant group	Sheet 2
Stockpiling and site access locations	Sheet 36
A clearing sequencing plan showing the commencement of clearing and direction of removal (this should be in conjunction with the Fauna Management Plan to allow for the appropriate flushing of fauna towards surrounding safe haven areas.	Sheet 36
Links to weed management and revegetation proposals	Refer to Weed and Rehabilitation Management Plan (WRMP)
The stock piling and reuse of cleared vegetation	Sheets 4-6 and 36
Specific details on the removal of previously identified potential fauna habitat trees	Sheet 2 and further details in the Fauna Management Plan (FMP)
Where trees are shown to be retained occur within disturbance zones they should be accompanied by necessary arborist specifications incorporated into the VC&MP.	Sheet 2 and Sheet 9-36
The VC&MP will designate trees to be protected for the on-going life of the proposal which may require both immediate remedial works (Crown thinning, coppicing) and long term monitoring for the potential of future works.	Sheet 2

ENVIRONMENTAL MANAGEMENT ROLES AND RESPONSIBILITIES

It is critical for all parties to understand their responsibilities as part of the vegetation clearing 'team'.

Party	Description
Proponent	Ensure all consultants, contractors, sub-contractors or others utilizing the area are aware of the VC&MP. Appoint appropriate consultants and contractors to undertake works as prescribed on the drawings and conditioned by the Assessment Manager. Cover costs of all resources to ensure works are completed as per approved plans.
Consultants	Brief proponent on their requirements in implementing works as per the V&CMP. Attend pre-start meeting prior to clearing works commencing. Undertake monitoring and reporting to the Assessment Manager as per this plan. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Liaise with the Assessment Manager throughout all stages of approval, initial works and maintenance of works.
Assessment Manager	Provide technical expertise via commentary on the approval of documentation. Attend pre-start meeting prior to clearing works commencing. Reduce and release securities held against works at the completion of successful milestone inspections. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Accept and review maintenance reports as dictated (if required in this plan.
Contractor	Ensuring all clearing works are implemented in accordance with the VC&MP. Attend pre-start meeting prior to clearing works commencing. Hold relevant licenses in applicable vegetation clearing and fauna spotter/catcher permits, any required insurances for scope of works and an understanding of required Laws, Act, Policies and Guidelines. Recommend changes to the documentation when specific experience or on-site conditions require so.

PLANNED AVOIDANCE AND MITIGATION MEASURES FOR POTENTIAL INDIRECT IMPACTS

Under the VC&MP, planned avoidance and mitigation measures are outlined in association with the indirect impacts to the disturbance footprint and vegetation. Potential indirect impacts associated with the Precinct A and the associated mitigation controls include are as below:

Potential Indirect Impacts	Associated Mitigation Controls	Location in VC&MP
Light and noise disturbance	Construction of the project may result in increased noise and light disturbance. These impacts may disturb fauna or movement behaviours. Standard mitigation measures will restrict potential impacts to the site and impacts to fauna.	Sheet 6
Contamination, weeds and pathogens	Increased vehicle movement during the construction phase has the potential to increase the spread of weeds in the area, particularly during the vegetation clearing phase. With the implementation of standard mitigation measures, such as separating the introduced vegetation stockpiling, the project is likely to result in a negligible impact to ecological values due to the potential introduction/spread of weeds.	Sheets 6
Vehicle Movement	During construction, a large number of vehicles will be required on the subject site potentially causing fauna strike or loss of vegetation and important fauna habitat. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to vehicular movements.	Sheets 4 and 5
Waste Disposal	Inappropriate disposal of non-hazardous wastes can attract vermin and other wildlife to site as well as allowing contaminants to enter the site. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to waste.	Refer to Construction Environmental Management Plan
Earthworks, Dust and sediment	Construction activities, in particular earthworks, have the potential to generate excessive dust emissions and sediment runoff. Excessive dust can coat vegetation resulting in a reduced quality of habitat for fauna. While sediment runoff can deposit large amounts of earth over retained habitat. Further, excessive dust and sediment runoff can flow into stormwater runoff and therefore into waterbodies and can degrade overall water quality.	Sheets 6
Stockpiling	Stockpiling of construction and landscaping materials and other site debris can be washed into drainage lines and waterbodies during high rain events. Stockpiling of vegetation containing weeds must be separated from vegetation to be reused as mulch to prevent further weed transmission. With implementation of standard mitigation measures, the project is not likely to result in negative impacts from stockpiling with the placement of stockpiles away from watercourses and drains.	Sheets 5, 6 and 36



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (I)*

ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES

The following risks relating to achieving the environmental outcomes and risk management strategies and/or mitigation measures that will be applied to address identified risks are:

- **Construction Impacts and Risks**
 - Loss of habitat
 - Fragmentation of habitat
 - Disturbance to retained and surrounding habitat
- **Operational Impacts and Risks**
 - Creation of barriers to dispersal/ Fragmentation of Habitat
 - Disturbance to retained and surrounding habitat

Impact avoidance, mitigation, repair measures, and the timing of those measures, consistent with the measures and timing proposed in the Preliminary Documentation are as follows:

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Loss of habitat	Impacts have been avoided and minimised through the development design, incorporating open space and conservation areas within areas identified as providing greater environmental values (i.e. Round Mountain, Flagstone Creek and biodiversity corridors within the GFPDA Development Scheme).	Ecological surveys and habitat assessments conducted across the referral area led to the precise spatial analysis of vegetation and habitat qualities.	59.7 ha of vegetation, comprising of Round Mountain, Greater Flagstone Creek and a central corridor connecting these areas, will be retained and rehabilitated as habitat and biodiversity corridors.	At each Stage of development	The field survey applied has accurately mapped environmental values and features.	Mitigation measures (vegetation management) effectively applied.	<u>Loss of habitat</u>
Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas.	The sequential clearing of vegetation will allow for the gradual loss of vegetation, giving fauna time to naturally disperse away from the disturbance.	Sequential Clearing	At all times during clearing	Sequential clearing not undertaken and fragmentation induced	Clearing completed as per sequential clearing	Sequential clearing is mandated and guided by VC&MPS, pre-clearance checklists and pre-starts <u>No residual impact</u>
	Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas away from construction,		Temporary fauna fencing	At all times during clearing	Temporary fencing not applied and Koala are injured or killed	Temporary fencing utilised at all times during the clearing process	Temporary fauna fencing is mandated and guided by FMPs and pre-clearance checklists and pre-starts <u>No residual impact</u>
	Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas.	The use of fauna exclusion fencing around construction areas will ensure fauna do not disperse into unsafe, hostile areas, again minimising the risk of injury of death.	Restricted construction hours	At all times during construction	Works outside of hours	Works area completed within mandated hours	<u>No residual impact</u>
	Restricted construction hours (i.e. daylight 6am -6pm)		Dog prohibitions	At all times during construction	Companion and security dogs within the referral area	Construction completed without dogs within the referral area	Dog controls are mandated and guided by the FMPs. <u>No residual impact</u>
	Prohibition of companion /security animals (e.g. dogs).	Each of these measures will ensure that the risk of injury or death to MNES as a result of construction are avoided and mitigated. The aim of these procedures is to support zero injuries or death to MNES as a result of construction.	Low vehicle speeds	At all times during construction	Speeds are exceeded resulting in fauna strike	Construction completed without vehicle strike	Speed limits are mandated and guided by the FMPs. <u>No residual impact</u>
	Restricted vehicle speeds (e.g. max 40km) within construction areas.		Site inductions	At all times during construction	Induction avoided	Construction completed without inductions being breached	Inductions are mandatory. <u>No residual impact</u>
	In addition to this, all construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training all personnel will be instructed on their obligations in regard to vehicle movement and construction speed limits.						



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (II)*

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Fragmentation of habitat	Vegetation clearing has the risk of fragmenting habitat areas during the construction phase. To avoid this impact, vegetation will be undertaken sequentially to allow fauna to disperse from construction areas. Clearing procedures that avoid the fragmentation of vegetation will be adopted within the FMPs and informed by the Fauna Spotter Cather reports. Clearing will be undertaken in a way that flushes fauna into the vegetation retention and rehabilitation zone and/or connected areas of habitat and will avoid flushing fauna into fragmented or hostile areas.	Habitat isolation and fragmentation is a primary concern due to its impacts on fauna. The listed fauna are able to disperse through a variety of environs, including bushland and cleared areas. The direction of clearing of vegetation in accordance with the VC&MPs will ensure that clearing does not create fragmented habitat islands that could trap fauna. Rather, procedures will be in place to ensure clearing flushes fauna away from construction areas into the vegetation retention zone and/or surrounding habitat areas that are connected to the wider landscape.	Fauna not fragmented from adjoining habitat during clearing	Fauna are not fragmented from habitat during clearing. Sequential clearing is undertaken at all times during clearing.	Fauna are fragmented by clearing	Clearing completed without fauna being fragmented	Sequential clearing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Temporary fauna fencing	At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	Temporary fauna fencing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts. <u>No residual impact</u>
			Stockpiling of cleared vegetation ensures safe fauna movement	At all times during clearing	Stockpiling creates a barrier to fauna	Stockpiling is undertaken as guided by VC&MP and FMP	Safe stockpiling is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Safe fauna dispersal locations during construction	At all times during construction	Fauna strike occurs	No fauna strikes during construction	Fauna go slow and fencing measures are applied as per the VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Low vehicle speeds	At all times during construction	Speed limits are breached resulting in fauna strike	No speed limit breaches during construction	Speed limits are mandated and guided by FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (III)*


Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Disturbance to retained and surrounding habitat	The VC&MP will include controls to avoid, minimise and mitigate risk of disturbance to retained and surrounding habitat critical to the survival of the listed species during construction, specifically: <u>Light and noise disturbance</u> Construction of the project will result in increased noise and light disturbance. These impacts may disturb fauna and disrupt foraging, reproduction or movement behaviours. Restricted construction hours (e.g. 6am-6pm) will limit disruption from light and noise impacts, as well as allow a 12 hour period for fauna to disperse and forage. <u>Earthworks – dust and sediment generation</u> Construction activities have the potential to generate dust emissions. Dust emissions during construction will be temporary. The main sources of dust will be generated via: - earthworks, including construction of the embankments, and moving, dumping and shaping material; and - wheel/wind generated dust from exposed surfaces, ie. the haul roads created for the construction phase; - vegetation and soil clearing of the land. - Rain/water generated sediment runoff from exposed surfaces Excessive deposition of dust on leaves of plants can suppress the growth and photosynthesis, resulting in reduced habitat quality for fauna. High levels of airborne dust can irritate the respiratory systems of fauna and potentially result in ingestion of dust-coated seeds and other foods. Excessive deposition of dust on open water bodies may also degrade water quality and overall habitat quality for fauna. Sediment runoff during rain events can deposit large amounts of sediment into adjacent vegetation areas and waterways causing significant degraded water and habitat quality. With the implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to any MNES utilising the local area due to the generation of dust and sediment. <u>Contamination, weeds and pathogens</u> Construction activities increase the risk of weeds, pathogens and contamination into the referral area. To manage these impacts, a Weed and Pathogen Management Plan will be prepared to identify potential weed species, and include appropriate controls for weed and pathogen management, disposal and monitoring. Weeds will be actively managed within the construction footprint and disposed of appropriately. No companion animals (e.g. dogs) will be allowed within construction areas. <u>Vehicle disturbance</u> Reduced vehicle speeds will be implemented throughout the construction area to minimise vehicle disturbances. Further, proposed construction roads will be subject to design treatments to ensure safe fauna crossing opportunities are maintained to vegetated areas and impose low vehicle speeds within construction areas. <u>Barriers to dispersal</u> Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas. Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas while clearing. Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas. <u>Contractor management</u> All construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training, all personnel will be instructed on their obligations in regard to vegetation clearing protocols and to protect native fauna. Additional controls for listed species will be presented in a toolbox talk.	Construction management and clearing controls are considered to be able to effectively avoid, minimise and mitigate risk of disturbance to listed species activities during construction, and allow for adaptive management where required. Limiting hours of construction and clearing to daylight hours, allows a 12 hour period for safe dispersal. With appropriate monitoring, pre, during and post construction by the Fauna Spotter Catcher, no residual impacts area expected to occur.	Minimise light and noise disturbance	At all times during construction	Light and noise impacts on fauna	Light and noise disturbance is limited to daylight hours	Light and noise restrictions mandate works between 6am and 6pm in the SBMP. No residual impact
	The risk of dust emissions and sediment runoff		At all times during construction	Dust and sediment impacts on retained vegetation and fauna	Erosion and sediment control plan ESC plans implemented for all vegetation clearing phases	ESC plans will mitigate the risk of dust and sediment impacts No residual impact	
	The risk of contamination and exacerbating weeds and pathogens is minimised		At all times during construction	Contamination, weed and pathogen incursion	Contamination and weed and pathogen incursions do not occur	The VC&MP will mitigate the risk of contamination and weed and pathogen incursion No residual impact	
	Vehicle disturbance minimised- reduce number of access tracks and/or haul roads		At all times during construction	Fauna disturbance, Injury or mortality from vehicles	Fauna disturbance, Injury or mortality from vehicles is mitigated	The VC&MP will mitigate the risk of vehicle disturbance No residual impact	
	Barriers to dispersal are not created		At all times during construction	Vegetation clearing and stockpiling creates a barrier to fauna	Vegetation clearing and stockpiling is undertaken as guided by VC&MP and FMP	The VC&MP will mitigate the risk of dispersal barriers No residual impact	
	Temporary fauna fencing		At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	The VC&MP will guide temporary fencing No residual impact	
	Inductions and training		At all times during construction	Inductions avoided	All inductions are completed and records maintained	Site Inductions are mandatory No residual impact	
	Adaptive management		At all times during construction	Adaptive management not applied	Adaptive management utilised if required	The VC&MP will include adaptive management strategies to avoid recurrence of adverse incidents should they occur No residual impact	



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Clearing and Management Plan - EPBC and EDQ Overlays



LEGEND

Project boundary

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

NESS Low Order Remnant

EPBC Approval Conservation Area


Primary Site Fauna Corridor

Unconnected Supporting Habitat Area

AMENDMENTS		DESCRIPTION	DRAWN	CHECKED
ISSUE	DATE			
F	23/06/2026	EPBC APPROVAL	TC	AD




Vegetation Clearing and Management Plan - *Context Detail Sheet*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 09*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 10*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent




Vegetation Management Plan - *Detail Sheet 11*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 12*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 13*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent



Vegetation Management Plan - *Detail Sheet 14*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 15*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent




Vegetation Management Plan - *Detail Sheet 16*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 17*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to CPTED design measures in parks

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 18*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 19*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent




Vegetation Management Plan - *Detail Sheet 20*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 21*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent




Vegetation Management Plan - *Detail Sheet 22*




ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 23*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 24*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to CPTED design measures in parks
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths


Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area


- Bridge VCFMP clearing extent

Vegetation Management Plan - *Detail Sheet 25*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 26*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent

ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 27*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 28*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 29*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 30*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

- Habitat tree retention subject to CPTED design measures in parks
- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

- Tree to remove for stormwater basin and outlet works
- Tree to remove in development area
- Habitat tree to remove in development area

- Tree to remove within Precinct B Temporary Asset Protection Zone
- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

- Project boundary
- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

- Tree protection fencing
- Proposed lots
- Top and toe of batter

- Proposed contours
- Proposed retaining walls
- Proposed road and paths


- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design
- Proposed water design

- EPBC Conservation area
- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 31*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 32*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings


- Proposed stormwater design
- Proposed sewer design
- Proposed water design

EPBC Conservation area

- Bridge VCFMP clearing extent




Vegetation Management Plan - *Detail Sheet 33*



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 34*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - *Detail Sheet 35*



LEGEND

Tree plot (incl. survey data w/ TPZ)

- Tree to retain in this application - subject to future works
- Habitat tree to retain in this application - subject to future works
- Tree retention subject to CPTED design measures in parks

Habitat tree retention subject to CPTED design measures in parks

- Tree retention subject to arborist assessment of construction access impacts
- Tree removal subject to bridge VCFMP application

Tree to remove for stormwater basin and outlet works

- Tree to remove in development area
- Habitat tree to remove in development area

Tree to remove within Precinct B Temporary Asset Protection Zone

- Habitat tree to remove within Precinct B Temporary Asset Protection Zone

Project boundary

- Precinct B vegetation clearing area
- Precinct B Temporary Asset Protection Zone - All Trees to remove

Tree protection fencing

- Proposed lots
- Top and toe of batter

Proposed contours

- Proposed retaining walls
- Proposed road and paths

Proposed line-markings

- Proposed stormwater design
- Proposed sewer design
- Proposed water design


EPBC Conservation area

- Bridge VCFMP clearing extent



ROUND MOUNTAIN PROJECT - PRECINCT B

Vegetation Management Plan - Context Detail Sheet



LEGEND

Project boundary

Flagstone Creek

Precinct B vegetation clearing area

Precinct B Temporary Asset Protection Zone - All Trees to remove

Vegetation clearing direction

Asset protection clearing direction

Precinct B existing tracks (access to site)

Tree protection fencing

Tree protection fencing (BMP)

Indicative vegetation clearing stockpiles

Saunders
Havill

BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED OIN THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE

N

SCALE (A3)
1:4,000

References:
AS4970-2025 Protection of trees on development sites

0 10 20 40 60 80 100

m

AMENDMENTS		DESCRIPTION	DRAWN	CHECKED
ISSUE	DATE			
C	7/07/2025	BUSHFIRE MANAGEMENT	TC	AD
D	5/02/2026	Engineering Changes	HW	AD
F	23/06/2026	EPBC APPROVAL	TC	AD

CLIENT

FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT

ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE

VEGETATION MANAGEMENT PLAN

DRAWING NO.

10941 E 36 P-B VCMP F

Tree Schedule - 10941 Round Mountain Project Precinct B (Fraser's Property New Beith Pty Ltd) Date: 2025/07/29																													
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
24	Corymbia citriodora	Spotted Gum	250		250	79	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
25	Allocasuarina littoralis	Black She-oak	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
26	Dead/Stag		550		550	173	17.0	6.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
27	Allocasuarina littoralis	Black She-oak	200	180	269	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
28	Allocasuarina littoralis	Black She-oak	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
29	Allocasuarina littoralis	Black She-oak	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
30	Allocasuarina littoralis	Black She-oak	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
31	Corymbia intermedia	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
32	Acacia disparrima	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
33	Eucalyptus tereticornis	Forest Red Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
34	Allocasuarina littoralis	Black She-oak	180	100	206	65	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
35	Corymbia intermedia	Pink Bloodwood	390		390	123	17.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
55	Eucalyptus tereticornis	Forest Red Gum	380		380	119	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
56	Alphitonia excelsa	Soap Tree	310		310	97	12.0	8.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
57	Dead/Stag		440		440	138	18.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
58	Alphitonia excelsa	Soap Tree	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
59	Eucalyptus tereticornis	Forest Red Gum	200		200	63	16.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
60	Acacia disparrima	Hickory Wattle	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
61	Acacia disparrima	Hickory Wattle	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
62	Allocasuarina littoralis	Black She-oak	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
63	Allocasuarina littoralis	Black She-oak	160	140	213	67	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
64	Eucalyptus tereticornis	Forest Red Gum	440		440	138	17.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
65	Eucalyptus crebra	Narrow-leaved Ironbark	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
66	Dead/Stag		400		400	126	15.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
67	Allocasuarina littoralis	Black She-oak	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
68	Allocasuarina littoralis	Black She-oak	160	100	189	59	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
69	Petalostigma pubescens	Quinine Bush	170		170	53	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
70	Petalostigma pubescens	Quinine Bush	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
71	Allocasuarina littoralis	Black She-oak	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
72	Petalostigma pubescens	Quinine Bush	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
73	Eucalyptus tereticornis	Forest Red Gum	720		720	226	22.0	8.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
74	Alphitonia excelsa	Soap Tree	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
75	Corymbia citriodora	Spotted Gum	360		360	113	22.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
76	Corymbia citriodora	Spotted Gum	480		480	151	27.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
77	Lophostemon suaveolens	Swamp Box	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
78	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
79	Corymbia citriodora	Spotted Gum	320		320	101	12.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
80	Corymbia citriodora	Spotted Gum	380		380	119	17.0	2.0	4.6	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
81	Lophostemon suaveolens	Swamp Box	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
82	Lophostemon suaveolens	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
83	Lophostemon suaveolens	Swamp Box	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
85	Lophostemon suaveolens	Swamp Box	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
86	Lophostemon suaveolens	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
87	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
88	Lophostemon suaveolens	Swamp Box	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
89	Acacia disparrima	Hickory Wattle	240		240	75	9.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
90	Dead/Stag		540		540	170	10.0	5.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
91	Acacia disparrima	Hickory Wattle	260	160	305	96	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
92	Eucalyptus tereticornis	Forest Red Gum	250		250	79	13.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
93	Corymbia intermedia	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
94	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
95	Lophostemon suaveolens	Swamp Box	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
96	Eucalyptus tereticornis	Forest Red Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
97	Eucalyptus tereticornis	Forest Red Gum	500		500	157	19.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
98	Lophostemon suaveolens	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
99	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
100	Lophostemon suaveolens	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
101	Eucalyptus tereticornis	Forest Red Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
102	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	19.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
103	Lophostemon suaveolens	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
104	Lophostemon suaveolens	Swamp Box	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
105	Lophostemon suaveolens	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
106	Eucalyptus tereticornis	Forest Red Gum	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
107	Corymbia citriodora	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
108	Eucalyptus tereticornis	Forest Red Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
109	Petalostigma pubescens	Quinine Bush	160	150	219	69	6.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
110	Petalostigma pubescens	Quinine Bush	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
111	Eucalyptus tereticornis	Forest Red Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
112	Lophostemon suaveolens	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
113	Alphitonia excelsa	Soap Tree	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
114	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
115	Eucalyptus tereticornis	Forest Red Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
116	Lophostemon suaveolens	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
117	Lophostemon suaveolens	Swamp Box	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
118	Eucalyptus tereticornis	Forest Red Gum	300		300	94	22.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
119	Corymbia intermedia	Pink Bloodwood	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
120	Eucalyptus crebra	Narrow-leaved Ironbark	470		470	148	22.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
121	Alphitonia excelsa	Soap Tree	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
122	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	19.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
123	Eucalyptus tereticornis	Forest Red Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
124	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
125	Corymbia intermedia	Pink Bloodwood	520		520	163	24.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
126	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
127	Corymbia intermedia	Pink Bloodwood	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
128	Acacia disparrima	Hickory Wattle	180	140	228	72	12.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
129	Acacia disparrima	Hickory Wattle	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
130	Acacia disparrima	Hickory Wattle	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
131	Acacia disparrima	Hickory Wattle	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
132	Allocasuarina littoralis	Black She-oak	170	150	227	71	13.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
133	Acacia leiocalyx	Early-flowering Black Wattle	260		260	82	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
134	Acacia disparrima	Hickory Wattle	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-			



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
139	Dead/Stag		330		330	104	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
140	Alphitonia excelsa	Soap Tree	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
141	Allocasuarina littoralis	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
142	Eucalyptus tereticornis	Forest Red Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
143	Allocasuarina littoralis	Black She-oak	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
144	Lophostemon suaveolens	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
145	Eucalyptus tereticornis	Forest Red Gum	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
146	Lophostemon suaveolens	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
147	Lophostemon suaveolens	Swamp Box	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
148	Corymbia intermedia	Pink Bloodwood	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
149	Lophostemon suaveolens	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
150	Lophostemon suaveolens	Swamp Box	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
151	Melaleuca saligna	Willow Bottlebrush	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
152	Lophostemon suaveolens	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
153	Corymbia intermedia	Pink Bloodwood	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
154	Lophostemon suaveolens	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
155	Lophostemon suaveolens	Swamp Box	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
156	Corymbia intermedia	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
157	Acacia disparima	Hickory Wattle	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
158	Lophostemon suaveolens	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
159	Lophostemon suaveolens	Swamp Box	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
160	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
161	Lophostemon suaveolens	Swamp Box	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
162	Eucalyptus tereticornis	Forest Red Gum	330		330	104	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
163	Corymbia intermedia	Pink Bloodwood	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
164	Angophora leiocarpa	Smooth-barked Apple	310		310	97	24.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
165	Alphitonia excelsa	Soap Tree	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
166	Acacia disparima	Hickory Wattle	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
167	Corymbia intermedia	Pink Bloodwood	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
168	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
169	Alphitonia excelsa	Soap Tree	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
170	Allocasuarina littoralis	Black She-oak	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
171	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
172	Allocasuarina littoralis	Black She-oak	240		240	75	12.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
173	Alphitonia excelsa	Soap Tree	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
174	Eucalyptus tereticornis	Forest Red Gum	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
175	Corymbia intermedia	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
222	Corymbia intermedia	Pink Bloodwood	310		310	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
223	Allocasuarina littoralis	Black She-oak	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
224	Corymbia intermedia	Pink Bloodwood	600		600	188	15.0	8.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
225	Corymbia intermedia	Pink Bloodwood	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
226	Eucalyptus tereticornis	Forest Red Gum	690		690	217	22.0	8.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
227	Eucalyptus tereticornis	Forest Red Gum	450		450	141	17.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
228	Corymbia intermedia	Pink Bloodwood	350		350	110	17.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
229	Corymbia intermedia	Pink Bloodwood	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
230	Eucalyptus tereticornis	Forest Red Gum	400		400	126	17.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-</			



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
234	Lophostemon suaveolens	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
235	Acacia disparima	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
236	Angophora leiocarpa	Smooth-barked Apple	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
237	Corymbia intermedia	Pink Bloodwood	450		450	141	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain/subject to future app.
238	Angophora leiocarpa	Smooth-barked Apple	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
239	Corymbia intermedia	Pink Bloodwood	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
240	Acacia disparima	Hickory Wattle	240		240	75	10.0	7.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
241	Corymbia tessellaris	Moreton Bay Ash	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
242	Corymbia intermedia	Pink Bloodwood	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
243	Angophora leiocarpa	Smooth-barked Apple	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
244	Eucalyptus tereticornis	Forest Red Gum	350		350	110	15.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
245	Eucalyptus tereticornis	Forest Red Gum	430		430	135	18.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
246	Corymbia intermedia	Pink Bloodwood	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
247	Corymbia intermedia	Pink Bloodwood	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
248	Corymbia intermedia	Pink Bloodwood	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
249	Corymbia intermedia	Pink Bloodwood	580		580	182	23.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
250	Eucalyptus tereticornis	Forest Red Gum	650		650	204	24.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
251	Lophostemon suaveolens	Swamp Box	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
252	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
253	Lophostemon suaveolens	Swamp Box	330		330	104	11.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
254	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
255	Acacia disparima	Hickory Wattle	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
256	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
257	Corymbia intermedia	Pink Bloodwood	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
258	Allocasuarina littoralis	Black She-oak	250		250	79	12.0	5.0	3.0	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
259	Acacia disparima	Hickory Wattle	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
260	Acacia disparima	Hickory Wattle	200	200	283	89	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
261	Corymbia intermedia	Pink Bloodwood	390		390	123	18.0	6.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
262	Lophostemon suaveolens	Swamp Box	250		250	79	12.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
263	Corymbia intermedia	Pink Bloodwood	450		450	141	18.0	5.0	5.4	2.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
264	Corymbia intermedia	Pink Bloodwood	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
265	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
266	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
267	Eucalyptus tereticornis	Forest Red Gum	400		400	126	18.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
268	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
269	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
270	Corymbia tessellaris	Moreton Bay Ash	440		440	138	24.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
271	Eucalyptus tereticornis	Forest Red Gum	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
272	Eucalyptus tereticornis	Forest Red Gum	380		380	119	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
273	Acacia disparima	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
274	Corymbia intermedia	Pink Bloodwood	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
275	Eucalyptus tereticornis	Forest Red Gum	270		270	85	21.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
276	Corymbia intermedia	Pink Bloodwood	250		250	79	10.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
277	Corymbia intermedia	Pink Bloodwood	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
278	Corymbia intermedia	Pink Bloodwood	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
279	Eucalyptus tereticornis	Forest Red Gum	380		380	119	20.0																						



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
283	Acacia disparima	Hickory Wattle	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
284	Corymbia intermedia	Pink Bloodwood	390		390	123	24.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
285	Corymbia intermedia	Pink Bloodwood	360		360	113	23.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
286	Eucalyptus tereticornis	Forest Red Gum	490		490	154	23.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
287	Corymbia intermedia	Pink Bloodwood	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
288	Dead/Stag		340		340	107	15.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
289	Lophostemon suaveolens	Swamp Box	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
290	Eucalyptus tereticornis	Forest Red Gum	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
291	Corymbia intermedia	Pink Bloodwood	170	160	233	73	17.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
292	Angophora subvelutina	Broad-leaved Apple	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
293	Lophostemon suaveolens	Swamp Box	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
294	Eucalyptus tereticornis	Forest Red Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
295	Eucalyptus tereticornis	Forest Red Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
296	Corymbia intermedia	Pink Bloodwood	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
297	Eucalyptus tereticornis	Forest Red Gum	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
298	Angophora subvelutina	Broad-leaved Apple	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
299	Eucalyptus tereticornis	Forest Red Gum	430		430	135	22.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
300	Corymbia intermedia	Pink Bloodwood	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
301	Eucalyptus tereticornis	Forest Red Gum	290		290	91	19.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
302	Angophora subvelutina	Broad-leaved Apple	240		240	75	15.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
303	Corymbia tessellaris	Moreton Bay Ash	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
304	Corymbia tessellaris	Moreton Bay Ash	340		340	107	24.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
305	Alphitonia excelsa	Soap Tree	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
306	Eucalyptus tereticornis	Forest Red Gum	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
307	Corymbia intermedia	Pink Bloodwood	470		470	148	20.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
308	Eucalyptus tereticornis	Forest Red Gum	580		580	182	24.0	9.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
309	Eucalyptus tereticornis	Forest Red Gum	420		420	132	26.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
310	Lophostemon suaveolens	Swamp Box	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
311	Lophostemon suaveolens	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
312	Alphitonia excelsa	Soap Tree	270		270	85	13.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
313	Corymbia intermedia	Pink Bloodwood	280		280	88	25.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
314	Corymbia intermedia	Pink Bloodwood	390		390	123	24.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
315	Lophostemon suaveolens	Swamp Box	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
316	Eucalyptus tereticornis	Forest Red Gum	410		410	129	23.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
317	Lophostemon suaveolens	Swamp Box	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
318	Eucalyptus seeana	Narrow-leaved Red Gum	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
319	Lophostemon suaveolens	Swamp Box	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
320	Acacia disparima	Hickory Wattle	290		290	91	12.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
321	Eucalyptus tereticornis	Forest Red Gum	620		620	195	27.0	11.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
322	Angophora subvelutina	Broad-leaved Apple	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
323	Petalostigma pubescens	Quinine Bush	350		350	110	15.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
324	Petalostigma pubescens	Quinine Bush	360		360	113	15.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
325	Petalostigma pubescens	Quinine Bush	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
326	Corymbia torelliana	Cadaghi	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
327	Allocasuarina littoralis	Black She-oak	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical							



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
332	Acacia disparima	Hickory Wattle	230		230	72	10.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
333	Corymbia intermedia	Pink Bloodwood	480		480	151	24.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
334	Corymbia intermedia	Pink Bloodwood	550		550	173	24.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
335	Lophostemon suaveolens	Swamp Box	450		450	141	22.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Arborist - retention TBC
338	Melaleuca irbyana	Swamp Tea Tree	170	160, 140	272	86	9.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
339	Eucalyptus tereticornis	Forest Red Gum	740		740	232	25.0	11.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
340	Corymbia intermedia	Pink Bloodwood	430		430	135	19.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
341	Corymbia intermedia	Pink Bloodwood	640		640	201	21.0	9.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
342	Corymbia intermedia	Pink Bloodwood	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
343	Corymbia intermedia	Pink Bloodwood	290		290	91	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
344	Corymbia intermedia	Pink Bloodwood	410		410	129	17.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
345	Corymbia intermedia	Pink Bloodwood	420		420	132	17.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
346	Acacia disparima	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
347	Corymbia intermedia	Pink Bloodwood	430		430	135	18.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
348	Corymbia intermedia	Pink Bloodwood	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
349	Corymbia intermedia	Pink Bloodwood	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
350	Corymbia intermedia	Pink Bloodwood	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
352	Eucalyptus tereticornis	Forest Red Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
353	Eucalyptus tereticornis	Forest Red Gum	450		450	141	18.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
354	Corymbia intermedia	Pink Bloodwood	450		450	141	18.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
355	Eucalyptus tereticornis	Forest Red Gum	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
356	Corymbia intermedia	Pink Bloodwood	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
357	Eucalyptus tereticornis	Forest Red Gum	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
358	Eucalyptus tereticornis	Forest Red Gum	300		300	94	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
359	Corymbia intermedia	Pink Bloodwood	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
360	Corymbia intermedia	Pink Bloodwood	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
361	Eucalyptus tereticornis	Forest Red Gum	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
362	Eucalyptus tereticornis	Forest Red Gum	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
363	Lophostemon suaveolens	Swamp Box	240		240	75	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
364	Eucalyptus tereticornis	Forest Red Gum	590		590	185	25.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
365	Eucalyptus tereticornis	Forest Red Gum	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
366	Lophostemon suaveolens	Swamp Box	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
367	Angophora leiocarpa	Smooth-barked Apple	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
368	Lophostemon suaveolens	Swamp Box	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
369	Corymbia tessellaris	Moreton Bay Ash	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
370	Acacia disparima	Hickory Wattle	270	270	382	120	10.0	4.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
371	Corymbia intermedia	Pink Bloodwood	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
372	Lophostemon suaveolens	Swamp Box	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
373	Eucalyptus tereticornis	Forest Red Gum	520		520	163	23.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
374	Lophostemon suaveolens	Swamp Box	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
375	Corymbia intermedia	Pink Bloodwood	490		490	154	24.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
376	Eucalyptus crebra	Narrow-leaved Ironbark	410		410	129	24.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
377	Petalostigma pubescens	Quinine Bush	260		260	82	9.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
378	Corymbia intermedia	Pink Bloodwood	450		450	141	24.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
379	Corymbia intermedia	Pink Bloodwood	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical												



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
384	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
385	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	12.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
386	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
387	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
389	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
390	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
411	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
412	<i>Allocasuarina littoralis</i>	Black She-oak	205		205	64	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
413	<i>Eucalyptus tereticornis</i>	Forest Red Gum	475		475	149	20.0	15.0	5.7	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
414	<i>Acacia disparima</i>	Hickory Wattle	145	100	176	55	8.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
415	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	20.0	14.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
416	<i>Corymbia intermedia</i>	Pink Bloodwood	315		315	99	16.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.
438	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	19.0	14.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
439	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
440	<i>Acacia disparima</i>	Hickory Wattle	220	165	275	86	9.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
441	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
442	<i>Acacia disparima</i>	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
443	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
444	<i>Acacia disparima</i>	Hickory Wattle	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
445	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
446	<i>Acacia disparima</i>	Hickory Wattle	225		225	71	10.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
447	<i>Acacia disparima</i>	Hickory Wattle	205		205	64	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
448	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
449	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	295		295	93	17.0	14.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
450	<i>Petalostigma pubescens</i>	Quinine Bush	325		325	102	10.0	10.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
451	<i>Alphitonia excelsa</i>	Soap Tree	265		265	83	13.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
452	<i>Petalostigma pubescens</i>	Quinine Bush	315		315	99	12.0	8.0	3.8	2.0	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
453	<i>Petalostigma pubescens</i>	Quinine Bush	230	190	298	94	9.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
454	<i>Corymbia citriodora</i>	Spotted Gum	205		205	64	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
455	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
456	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	10.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
457	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
458	<i>Lophostemon suaveolens</i>	Swamp Box	190	180	262	82	10.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
459	<i>Allocasuarina littoralis</i>	Black She-oak	195		195	61	10.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
460	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
461	<i>Corymbia citriodora</i>	Spotted Gum	215		215	68	17.0	9.0	2.6	1.7	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
462	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	14.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
463	<i>Lophostemon suaveolens</i>	Swamp Box	225		225	71	9.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
464	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	13.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
465	<i>Corymbia citriodora</i>	Spotted Gum	195		195	61	17.0	9.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
466	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
467	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	20.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
468	<i>Lophostemon suaveolens</i>	Swamp Box	225		225	71	10.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
469	<i>Lophostemon suaveolens</i>	Swamp Box	245		245	77	8.0	6.0	2.9	1.8	Regular	-	-																



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
475	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	275		275	86	18.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
476	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
477	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	205		205	64	16.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (development area)
478	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	19.0	15.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
479	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
480	<i>Acacia disparima</i>	Hickory Wattle	165	160	230	72	10.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
481	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (development area)
482	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	10.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
483	<i>Angophora leiocarpa</i>	Smooth-barked Apple	345		345	108	18.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
484	<i>Petalostigma pubescens</i>	Quinine Bush	195		195	61	8.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
485	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
486	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	9.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
487	<i>Eucalyptus tereticornis</i>	Forest Red Gum	265		265	83	16.0	10.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
488	<i>Petalostigma pubescens</i>	Quinine Bush	235		235	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
489	<i>Eucalyptus tereticornis</i>	Forest Red Gum	305		305	96	16.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
490	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	255		255	80	18.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
491	<i>Petalostigma pubescens</i>	Quinine Bush	260		260	82	10.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
492	<i>Alphitonia excelsa</i>	Soap Tree	185		185	58	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
493	<i>Eucalyptus tereticornis</i>	Forest Red Gum	245		245	77	14.0	9.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
494	<i>Acacia disparima</i>	Hickory Wattle	295		295	93	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
495	<i>Eucalyptus tereticornis</i>	Forest Red Gum	205		205	64	15.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
496	<i>Alphitonia excelsa</i>	Soap Tree	435		435	137	14.0	10.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
497	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	14.0	9.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
498	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
499	<i>Corymbia intermedia</i>	Pink Bloodwood	205		205	64	11.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
500	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	175	100	202	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
501	<i>Petalostigma pubescens</i>	Quinine Bush	300		300	94	8.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
502	<i>Acacia concurrens</i>	Black Wattle	265		265	83	9.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
503	<i>Dead/Stag</i>		445		445	140	15.0	8.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
504	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
505	<i>Allocasuarina littoralis</i>	Black She-oak	215		215	68	10.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
506	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
507	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
508	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
509	<i>Allocasuarina littoralis</i>	Black She-oak	185	130	226	71	9.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
510	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
511	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	205		205	64	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
512	<i>Alphitonia excelsa</i>	Soap Tree	145	130	195	61	8.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
513	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
514	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
515	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
516	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
517	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	11.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.
518	<i>Lophostemon suaveolens</i>	Swamp Box	235		235	74	10.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
524	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
525	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	13.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
526	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	18.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.
527	<i>Lophostemon suaveolens</i>	Swamp Box	240	80	253	79	16.0	8.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
528	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	14.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
529	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	16.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
530	<i>Allocasuarina littoralis</i>	Black She-oak	215	115	244	77	11.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
531	<i>Allocasuarina littoralis</i>	Black She-oak	235		235	74	11.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
532	<i>Corymbia intermedia</i>	Pink Bloodwood	345		345	108	20.0	15.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	22.0	15.0	5.9	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
534	<i>Allocasuarina littoralis</i>	Black She-oak	205		205	64	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
535	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	21.0	14.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
536	<i>Corymbia citriodora</i>	Spotted Gum	215	200, 90	307	96	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
580	<i>Acacia disparrima</i>	Hickory Wattle	255	160, 220	373	117	10.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
581	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	24.0	16.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
582	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	22.0	11.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
583	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
584	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
585	<i>Acacia disparrima</i>	Hickory Wattle	190	170, 120	282	89	9.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
586	<i>Eucalyptus tereticornis</i>	Forest Red Gum	475		475	149	18.0	14.0	5.7	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
587	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	20.0	15.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
588	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	18.0	14.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
589	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	22.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
590	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	21.0	13.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
591	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	15.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
592	<i>Angophora leiocarpa</i>	Smooth-barked Apple	345		345	108	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
593	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	24.0	14.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
594	<i>Alphitonia excelsa</i>	Soap Tree	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
595	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
596	<i>Acacia concurrens</i>	Black Wattle	260		260	82	10.0	8.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
597	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	9.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
598	<i>Acacia disparrima</i>	Hickory Wattle	225		225	71	10.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
599	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	155	130, 100	226	71	9.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
600	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
601	<i>Corymbia intermedia</i>	Pink Bloodwood	255		255	80	16.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
602	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	13.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
603	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
604	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
605	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
606	<i>Allocasuarina littoralis</i>	Black She-oak	215	135	254	80	9.0	5.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
607	<i>Acacia disparrima</i>	Hickory Wattle	150	100	180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
608	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	14.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
609	<i>Acacia disparrima</i>	Hickory Wattle	150	130, 90	218	68	7.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
610	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	5.0	2.2																				



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
616	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	235		235	74	20.0	14.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
617	<i>Corymbia intermedia</i>	Pink Bloodwood	245		245	77	18.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
618	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	19.0	9.0	2.7	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
619	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	15.0	10.0	3.3	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
620	<i>Eucalyptus tereticornis</i>	Forest Red Gum	475		475	149	22.0	17.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
621	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	13.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
622	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	14.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
623	<i>Acacia disparima</i>	Hickory Wattle	245		245	77	15.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
624	<i>Corymbia intermedia</i>	Pink Bloodwood	480		480	151	17.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
625	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	16.0	10.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
626	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	17.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
627	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	22.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
628	<i>Eucalyptus tereticornis</i>	Forest Red Gum	295		295	93	14.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
629	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	21.0	14.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
630	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	185		185	58	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
631	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	19.0	14.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
632	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	23.0	17.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
633	<i>Corymbia intermedia</i>	Pink Bloodwood	345		345	108	20.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
634	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	22.0	14.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
635	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	335		335	105	25.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
636	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	22.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
637	<i>Corymbia intermedia</i>	Pink Bloodwood	360	290	462	145	17.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
638	<i>Corymbia intermedia</i>	Pink Bloodwood	435		435	137	18.0	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)	
639	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	21.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
640	<i>Eucalyptus tereticornis</i>	Forest Red Gum	295		295	93	21.0	13.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
641	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	21.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
642	<i>Lophostemon suaveolens</i>	Swamp Box	205		205	64	10.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
643	<i>Corymbia intermedia</i>	Pink Bloodwood	365	120	384	121	20.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
644	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	20.0	13.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)	
645	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	15.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
646	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	14.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
647	<i>Lophostemon suaveolens</i>	Swamp Box	255		255	80	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)	
648	<i>Alphitonia excelsa</i>	Soap Tree	355		355	112	15.0	11.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
649	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	24.0	16.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
650	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	20.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
651	<i>Corymbia intermedia</i>	Pink Bloodwood	315		315	99	17.0	11.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
652	<i>Acacia disparima</i>	Hickory Wattle	320		320	101	14.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
653	<i>Corymbia intermedia</i>	Pink Bloodwood	335		335	105	18.0	13.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
654	<i>Alphitonia excelsa</i>	Soap Tree	275		275	86	16.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
655	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
656	<i>Corymbia intermedia</i>	Pink Bloodwood	235		235	74	17.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (development area)	
657	<i>Alphitonia excelsa</i>	Soap Tree	275		275	86	7.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
658	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
659	<i>Alphitonia excelsa</i>	Soap Tree	245		245	77	14.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
660	<i>Eucalypt</i>																													



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
665	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	26.0	17.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
666	<i>Acacia disparima</i>	Hickory Wattle	220		220	69	11.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
667	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
668	<i>Acacia disparima</i>	Hickory Wattle	215		215	68	9.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
669	<i>Corymbia intermedia</i>	Pink Bloodwood	515		515	162	18.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
670	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	82	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
671	<i>Eucalyptus tereticornis</i>	Forest Red Gum	525		525	165	26.0	17.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
672	<i>Corymbia intermedia</i>	Pink Bloodwood	275		275	86	17.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
673	<i>Lophostemon suaveolens</i>	Swamp Box	195		195	61	10.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
674	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
675	<i>Lophostemon suaveolens</i>	Swamp Box	360		360	113	14.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
676	<i>Acacia disparima</i>	Hickory Wattle	210		210	66	9.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
677	<i>Eucalyptus tereticornis</i>	Forest Red Gum	275		275	86	16.0	9.0	3.3	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
682	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	25.0	17.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
683	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to future app.
684	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	18.0	11.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
685	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	21.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
686	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	14.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
687	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	16.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
688	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
689	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
690	<i>Acacia disparima</i>	Hickory Wattle	180	90	201	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
691	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
692	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	19.0	14.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
693	<i>Eucalyptus tereticornis</i>	Forest Red Gum	265		265	83	18.0	13.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
696	<i>Acacia disparima</i>	Hickory Wattle	245	190	310	97	10.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
697	<i>Eucalyptus tereticornis</i>	Forest Red Gum	345		345	108	17.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
698	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
699	<i>Petalostigma pubescens</i>	Quinine Bush	155		155	49	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
700	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	14.0	9.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
701	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	21.0	16.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
702	<i>Eucalyptus tereticornis</i>	Forest Red Gum	275		275	86	18.0	12.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
703	<i>Acacia disparima</i>	Hickory Wattle	235		235	74	9.0	7.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
704	<i>Acacia disparima</i>	Hickory Wattle	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
705	<i>Allocasuarina littoralis</i>	Black She-oak	235		235	74	8.0	7.0	2.8	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
706	<i>Eucalyptus tereticornis</i>	Forest Red Gum	305		305	96	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
707	<i>Corymbia intermedia</i>	Pink Bloodwood	285		285	90	17.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
708	<i>Allocasuarina littoralis</i>	Black She-oak	195		195	61	10.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
709	<i>Eucalyptus tereticornis</i>	Forest Red Gum	225		225	71	16.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
710	<i>Corymbia intermedia</i>	Pink Bloodwood	205		205	64	13.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
711	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
712	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
713	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	14.0	8.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
714	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	13.0	9.0	3.4	1																			



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
720	Angophora leiocarpa	Smooth-barked Apple	250		250	79	15.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
721	Angophora leiocarpa	Smooth-barked Apple	235		235	74	15.0	9.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
722	Corymbia intermedia	Pink Bloodwood	215		215	68	14.0	9.0	2.6	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
723	Lophostemon suaveolens	Swamp Box	205		205	64	13.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
724	Lophostemon suaveolens	Swamp Box	215		215	68	13.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
725	Lophostemon suaveolens	Swamp Box	200		200	63	13.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
726	Corymbia intermedia	Pink Bloodwood	230		230	72	14.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain/subject to CPTED
727	Alphitonia excelsa	Soap Tree	255		255	80	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
728	Petalostigma pubescens	Quinine Bush	200	120	233	73	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
729	Eucalyptus tereticornis	Forest Red Gum	315		315	99	17.0	13.0	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
730	Corymbia intermedia	Pink Bloodwood	210	190	283	89	14.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
731	Eucalyptus tereticornis	Forest Red Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
732	Acacia disparrima	Hickory Wattle	200		200	63	9.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
735	Lophostemon suaveolens	Swamp Box	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
736	Alphitonia excelsa	Soap Tree	240		240	75	10.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
737	Petalostigma pubescens	Quinine Bush	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
738	Petalostigma pubescens	Quinine Bush	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
739	Angophora leiocarpa	Smooth-barked Apple	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
740	Corymbia intermedia	Pink Bloodwood	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
741	Corymbia intermedia	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
742	Acacia disparrima	Hickory Wattle	240		240	75	9.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
743	Dead/Stag		480		480	151	18.0	5.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
744	Corymbia intermedia	Pink Bloodwood	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
745	Corymbia intermedia	Pink Bloodwood	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
746	Corymbia intermedia	Pink Bloodwood	240	140	278	87	15.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
747	Acacia disparrima	Hickory Wattle	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
748	Eucalyptus tereticornis	Forest Red Gum	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
749	Eucalyptus tereticornis	Forest Red Gum	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
750	Corymbia intermedia	Pink Bloodwood	560		560	176	24.0	11.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
751	Alphitonia excelsa	Soap Tree	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
752	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	17.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
753	Eucalyptus tereticornis	Forest Red Gum	400		400	126	23.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
754	Eucalyptus tereticornis	Forest Red Gum	500		500	157	23.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
755	Corymbia intermedia	Pink Bloodwood	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
756	Corymbia intermedia	Pink Bloodwood	360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
757	Petalostigma pubescens	Quinine Bush	390		390	123	14.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
758	Dead/Stag		390		390	123	9.0	1.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain/subject to CPTED
759	Corymbia intermedia	Pink Bloodwood	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
760	Corymbia intermedia	Pink Bloodwood	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
761	Corymbia intermedia	Pink Bloodwood	400		400	126	22.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
762	Eucalyptus tereticornis	Forest Red Gum	430		430	135	20.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
763	Eucalyptus tereticornis	Forest Red Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
764	Eucalyptus tereticornis	Forest Red Gum	410		410	129	19.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
765	Petalostigma pubescens	Quinine Bush	320	200, 190	422	133	13.0	9.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPT



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
771	Acacia disparrima	Hickory Wattle	250	200	320	101	14.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
772	Alphitonia excelsa	Soap Tree	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
773	Petalostigma pubescens	Quinine Bush	230		230	72	11.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
774	Petalostigma pubescens	Quinine Bush	250		250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
775	Corymbia intermedia	Pink Bloodwood	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
776	Acacia disparrima	Hickory Wattle	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
777	Corymbia intermedia	Pink Bloodwood	470		470	148	18.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
778	Alphitonia excelsa	Soap Tree	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
779	Corymbia intermedia	Pink Bloodwood	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
780	Eucalyptus tereticornis	Forest Red Gum	350		350	110	23.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
781	Lophostemon suaveolens	Swamp Box	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
782	Eucalyptus tereticornis	Forest Red Gum	380		380	119	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
783	Corymbia intermedia	Pink Bloodwood	290		290	91	19.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
784	Petalostigma pubescens	Quinine Bush	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
802	Acacia disparrima	Hickory Wattle	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
803	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	22.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
804	Eucalyptus tereticornis	Forest Red Gum	430		430	135	24.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
805	Eucalyptus crebra	Narrow-leaved Ironbark	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
806	Corymbia intermedia	Pink Bloodwood	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
807	Lophostemon suaveolens	Swamp Box	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
810	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
811	Eucalyptus tereticornis	Forest Red Gum	380		380	119	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
812	Lophostemon suaveolens	Swamp Box	380		380	119	12.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
813	Lophostemon suaveolens	Swamp Box	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
814	Lophostemon suaveolens	Swamp Box	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
815	Lophostemon suaveolens	Swamp Box	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
822	Corymbia intermedia	Pink Bloodwood	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
823	Lophostemon suaveolens	Swamp Box	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
824	Lophostemon suaveolens	Swamp Box	290		290	91	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
825	Corymbia intermedia	Pink Bloodwood	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
831	Eucalyptus tereticornis	Forest Red Gum	450		450	141	23.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
832	Allocasuarina littoralis	Black She-oak	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
833	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	19.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
834	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
835	Eucalyptus tereticornis	Forest Red Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
836	Acacia disparrima	Hickory Wattle	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
837	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	22.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
838	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	24.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
839	Dead/Stag		220		220	69	18.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
840	Angophora leiocarpa	Smooth-barked Apple	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
841	Alphitonia excelsa	Soap Tree	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
842	Corymbia intermedia	Pink Bloodwood	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
843	Corymbia intermedia	Pink Bloodwood	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
844	Eucalyptus tereticornis	Forest Red Gum	470		470	148	24.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
845	Eucalyptus tereticornis	Forest Red Gum	590		590	185	25.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
846	Eucalyptus tereticornis	Forest Red Gum	270		270</																								



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
850	Dead/Stag		280		280	88	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
851	Angophora leiocarpa	Smooth-barked Apple	160		160	50	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
852	Corymbia citriodora	Spotted Gum	300		300	94	23.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
853	Dead/Stag		300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
854	Angophora leiocarpa	Smooth-barked Apple	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
855	Eucalyptus tereticornis	Forest Red Gum	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
856	Eucalyptus tereticornis	Forest Red Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
857	Corymbia intermedia	Pink Bloodwood	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
858	Corymbia intermedia	Pink Bloodwood	190		190	60	8.0	1.0	2.3	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
859	Corymbia intermedia	Pink Bloodwood	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
860	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
861	Eucalyptus tereticornis	Forest Red Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
862	Corymbia citriodora	Spotted Gum	490		490	154	22.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
863	Corymbia citriodora	Spotted Gum	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
864	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
865	Corymbia intermedia	Pink Bloodwood	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
866	Corymbia intermedia	Pink Bloodwood	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
867	Corymbia citriodora	Spotted Gum	260		260	82	24.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
868	Eucalyptus tereticornis	Forest Red Gum	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (development area)
869	Alphitonia excelsa	Soap Tree	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
870	Corymbia intermedia	Pink Bloodwood	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
871	Eucalyptus tereticornis	Forest Red Gum	330		330	104	24.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
872	Corymbia intermedia	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
873	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	25.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
874	Alphitonia excelsa	Soap Tree	390		390	123	15.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
875	Corymbia intermedia	Pink Bloodwood	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
876	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	14.0	1.0	2.3	1.6	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
877	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	24.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
878	Angophora leiocarpa	Smooth-barked Apple	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
879	Eucalyptus tereticornis	Forest Red Gum	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
880	Alphitonia excelsa	Soap Tree	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain/subject to CPTED
881	Alphitonia excelsa	Soap Tree	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
882	Alphitonia excelsa	Soap Tree	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
883	Corymbia citriodora	Spotted Gum	390		390	123	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
884	Eucalyptus tereticornis	Forest Red Gum	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
885	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	26.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
886	Eucalyptus tereticornis	Forest Red Gum	240		240	75	20.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
887	Corymbia citriodora	Spotted Gum	360		360	113	24.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
888	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
889	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
890	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
891	Eucalyptus crebra	Narrow-leaved Ironbark	230		230	72	27.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
892	Corymbia citriodora	Spotted Gum	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
893	Corymbia citriodora	Spotted Gum	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
894	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
895	Corymbia citriodora	Spotted Gum	350		350	110	23.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
896	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	27.0																						



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
899	<i>Alphitonia excelsa</i>	Soap Tree	350		350	110	13.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
900	<i>Lophostemon suaveolens</i>	Swamp Box	390		390	123	11.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
901	<i>Petalostigma pubescens</i>	Quinine Bush	220		220	69	5.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
902	<i>Corymbia intermedia</i>	Pink Bloodwood	480		480	151	14.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
903	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
904	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
905	<i>Corymbia intermedia</i>	Pink Bloodwood	430		430	135	12.0	5.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
906	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	17.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
907	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
908	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
909	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	12.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
910	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
911	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
912	<i>Petalostigma pubescens</i>	Quinine Bush	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
913	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	126	15.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
914	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	18.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
915	<i>Petalostigma pubescens</i>	Quinine Bush	230		230	72	6.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
916	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	14.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
917	<i>Angophora subvelutina</i>	Broad-leaved Apple	430		430	135	16.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
918	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
919	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	9.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
920	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
921	<i>Petalostigma pubescens</i>	Quinine Bush	270		270	85	7.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
922	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
923	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	12.0	6.0	6.6	2.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
924	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	6.0	5.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
925	<i>Allocasuarina littoralis</i>	Black She-oak	210	140	252	79	7.0	3.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
926	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
927	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
928	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	21.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
929	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
930	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
931	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
932	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	19.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
933	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
934	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	9.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
935	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
936	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	9.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
937	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
938	<i>Angophora subvelutina</i>	Broad-leaved Apple	480		480	151	15.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
939	<i>Eucalyptus tereticornis</i>	Forest Red Gum	670		670	210	25.0	14.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
940	<i>Petalostigma pubescens</i>	Quinine Bush	240		240	75	6.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
941	<i>Corymbia tessellaris</i>	Moreton Bay Ash	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
942	<i>Acacia disparrima</i>	Hickory Wattle	240	180	300	94	6.0	4.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-													



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
948	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
949	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
950	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
951	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	14.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
984	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	6.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1009	<i>Dead/Stag</i>		270		270	85	11.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1010	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1011	<i>Acacia disparrima</i>	Hickory Wattle	290		290	91	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1012	<i>Alphitonia excelsa</i>	Soap Tree	260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1013	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	24.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1014	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1015	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	25.0	16.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1016	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	18.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1017	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	24.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1018	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	13.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1019	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	14.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1020	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	88	11.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1021	<i>Corymbia intermedia</i>	Pink Bloodwood	470		470	148	21.0	13.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1022	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1023	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1024	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1025	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	23.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1026	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	20.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1027	<i>Dead/Stag</i>		200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1028	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1029	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1030	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1031	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1032	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1033	<i>Angophora leiocarpa</i>	Smooth-barked Apple	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1034	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1035	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1036	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1037	<i>Dead/Stag</i>		300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1038	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	17.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1039	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1040	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1041	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1042	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1043	<i>Angophora leiocarpa</i>	Smooth-barked Apple	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1044	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1045	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1046	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1047	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	2																						



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1053	<i>Corymbia citriodora</i>	Spotted Gum	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1054	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1055	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1056	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	19.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1057	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1058	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1059	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1060	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1061	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1062	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	23.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1063	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1064	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1065	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	23.0	14.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1066	<i>Corymbia intermedia</i>	Pink Bloodwood	260	240	354	111	10.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1067	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1068	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1069	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1070	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	27.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1071	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	27.0	16.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1072	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	23.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1073	<i>Dead/Stag</i>		340		340	107	27.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1074	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1075	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	26.0	16.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1076	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1077	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	27.0	17.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1078	<i>Corymbia citriodora</i>	Spotted Gum	490		490	154	25.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1079	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1080	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	23.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1081	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1082	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1083	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1084	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1085	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1086	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1087	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	19.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1096	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	16.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1097	<i>Dead/Stag</i>		510		510	160	17.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1098	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	600		600	188	19.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1099	<i>Dead/Stag</i>		830		830	261	19.0	8.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1100	<i>Petalostigma pubescens</i>	Quinine Bush	600		600	188	15.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1101	<i>Dead/Stag</i>		330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Bushfire Thinning
1102	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	560		560	176	19.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Bushfire Thinning
1103	<i>Dead/Stag</i>		560		560	176	16.0	6.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small				



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1124	Angophora leiocarpa	Smooth-barked Apple	310		310	97	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
1125	Dead/Stag		400		400	126	15.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1126	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	17.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1127	Eucalyptus tereticornis	Forest Red Gum	880		880	276	19.0	9.0	10.6	3.1	One-sided	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1128	Angophora leiocarpa	Smooth-barked Apple	640		640	201	16.0	8.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1129	Angophora leiocarpa	Smooth-barked Apple	600		600	188	15.0	6.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1130	Eucalyptus tereticornis	Forest Red Gum	840		840	264	17.0	9.0	10.1	3.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1131	Eucalyptus tereticornis	Forest Red Gum	950		950	298	19.0	9.0	11.4	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1132	Eucalyptus tereticornis	Forest Red Gum	1045		1045	328	20.0	11.0	12.5	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1133	Eucalyptus tereticornis	Forest Red Gum	600		600	188	18.0	6.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1134	Eucalyptus tereticornis	Forest Red Gum	820		820	258	19.0	10.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1135	Corymbia intermedia	Pink Bloodwood	750		750	236	15.0	8.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1136	Eucalyptus tereticornis	Forest Red Gum	600		600	188	19.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1142	Corymbia intermedia	Pink Bloodwood	630		630	198	17.0	9.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1147	Eucalyptus crebra	Narrow-leaved Ironbark	655		655	206	25.0	14.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1148	Eucalyptus crebra	Narrow-leaved Ironbark	625		625	196	23.0	15.0	7.5	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1149	Dead/Stag		500		500	157	17.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
1150	Corymbia citriodora	Spotted Gum	660		660	207	20.0	15.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1151	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	21.0	13.0	7.2	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1152	Eucalyptus crebra	Narrow-leaved Ironbark	645		645	203	22.0	12.0	7.7	2.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1153	Eucalyptus crebra	Narrow-leaved Ironbark	590		590	185	26.0	16.0	7.1	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1168	Eucalyptus tereticornis	Forest Red Gum	650		650	204	19.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1169	Eucalyptus crebra	Narrow-leaved Ironbark	515		515	162	19.0	11.0	6.2	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1170	Dead/Stag		630		630	198	20.0	14.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1171	Eucalyptus tereticornis	Forest Red Gum	700		700	220	23.0	13.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1172	Eucalyptus tereticornis	Forest Red Gum	605		605	190	24.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1173	Dead/Stag		530		530	167	26.0	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1174	Eucalyptus tereticornis	Forest Red Gum	745		745	234	27.0	16.0	8.9	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1175	Eucalyptus tereticornis	Forest Red Gum	720		720	226	25.0	14.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1176	Eucalyptus tereticornis	Forest Red Gum	640		640	201	18.0	12.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1177	Eucalyptus tereticornis	Forest Red Gum	650		650	204	28.0	15.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1178	Corymbia intermedia	Pink Bloodwood	610		610	192	23.0	14.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1179	Eucalyptus tereticornis	Forest Red Gum	650		650	204	22.0	13.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1180	Corymbia intermedia	Pink Bloodwood	610		610	192	18.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1181	Eucalyptus tereticornis	Forest Red Gum	600		600	188	18.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1182	Eucalyptus tereticornis	Forest Red Gum	680		680	214	18.0	12.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1183	Corymbia intermedia	Pink Bloodwood	470		470	148	14.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1184	Eucalyptus tereticornis	Forest Red Gum	560		560	176	18.0	12.0	6.7	2.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1185	Eucalyptus tereticornis	Forest Red Gum	650		650	204	18.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1186	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	138	14.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1187	Eucalyptus crebra	Narrow-leaved Ironbark	440		440	138	14.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1188	Corymbia intermedia	Pink Bloodwood	440		440	138	14.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1189	Eucalyptus tereticornis	Forest Red Gum	580		580	182	22.0	12.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1190	Eucalyptus tereticornis	Forest Red Gum	480		480	151	20.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1191	Eucalyptus tereticornis	Forest Red Gum	480		480	151	22.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1192	Eucalyptus tereticornis																												



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1196	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	670		670	210	24.0	14.0	8.0	2.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1197	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1198	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	20.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1199	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	22.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1200	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	24.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1201	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	18.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1202	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	490		490	154	22.0	8.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1203	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	20.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1204	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	20.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1205	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	18.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1206	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	18.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1207	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	920		920	289	20.0	12.0	11.0	3.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-	Remove (development area)
1208	<i>Eucalyptus tereticornis</i>	Forest Red Gum	630		630	198	22.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1209	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	20.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1210	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	20.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1211	<i>Dead/Stag</i>		500		500	157	8.0	2.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
1212	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1213	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	20.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1215	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	22.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1216	<i>Corymbia citriodora</i>	Spotted Gum	820		820	258	20.0	8.0	9.8	3.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1217	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1218	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	16.0	8.0	6.4	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1219	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	20.0	12.0	6.4	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1220	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	490		490	154	20.0	8.0	5.9	2.5	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove (development area)
1221	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	20.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1222	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420		420	132	16.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1223	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	14.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1224	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	22.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1225	<i>Dead/Stag</i>		400		400	126	10.0	3.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.
1226	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	510		510	160	20.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1227	<i>Corymbia citriodora</i>	Spotted Gum	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1228	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	22.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove (development area)
1229	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1230	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	22.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1231	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Retain/subject to future app.
1232	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1233	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1234	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	20.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1235	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1236	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1237	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1238	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	20.0	12.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1239	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1240	<i>Alphitonia excelsa</i>	Soap Tree	270		270	85	8.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1243	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1244	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	24.0	14.0	6.4	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1248	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1249	<i>Dead/Stag</i>		390		390	123	14.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Retain/subject to future app.



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1263	<i>Corymbia intermedia</i>	Pink Bloodwood	490		490	154	17.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1264	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	19.0	11.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove (development area)
1265	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	16.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1267	<i>Corymbia intermedia</i>	Pink Bloodwood	660		660	207	16.0	9.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1268	<i>Eucalyptus tereticornis</i>	Forest Red Gum	700		700	220	16.0	7.0	8.4	2.8	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1269	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1270	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	15.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove (development area)
1271	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	620		620	195	18.0	9.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1272	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1273	<i>Allocasuarina littoralis</i>	Black She-oak	440		440	138	14.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1274	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	18.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1275	<i>Lophostemon suaveolens</i>	Swamp Box	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1276	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	17.0	7.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1277	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	18.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1278	<i>Eucalyptus tereticornis</i>	Forest Red Gum	700		700	220	18.0	8.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1279	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	17.0	7.0	5.2	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1280	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	16.0	8.0	5.4	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1281	<i>Corymbia intermedia</i>	Pink Bloodwood	550		550	173	16.0	7.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1282	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	16.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1283	<i>Dead/Stag</i>		450		450	141	16.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1284	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	17.0	7.0	5.5	2.4	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1285	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	18.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1286	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	16.0	5.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1287	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	170	16.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1288	<i>Corymbia tessellaris</i>	Moreton Bay Ash	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1289	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	17.0	6.0	5.8	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1290	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	16.0	6.0	8.2	2.8	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1291	<i>Eucalyptus tereticornis</i>	Forest Red Gum	750		750	236	21.0	12.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1292	<i>Angophora leiocarpa</i>	Smooth-barked Apple	710		710	223	18.0	9.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1293	<i>Angophora leiocarpa</i>	Smooth-barked Apple	920		920	289	18.0	13.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1294	<i>Angophora leiocarpa</i>	Smooth-barked Apple	530		530	167	16.0	6.0	6.4	2.5	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1295	<i>Corymbia torelliana</i>	Cadaghi	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1296	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	15.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1297	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1298	<i>Dead/Stag</i>		420		420	132	16.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1299	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	17.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	17.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1302	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	17.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1303	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1304	<i>Dead/Stag</i>		950		950	298	18.0	9.0	11.4	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1305	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	570		570	179	17.0	8.0	6.8	2.6	Regular	-	-	-	-														



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1312	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	15.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1313	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	18.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1314	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1315	<i>Corymbia intermedia</i>	Pink Bloodwood	350	330	481	151	17.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1316	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1317	<i>Dead/Stag</i>		310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1318	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1319	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	16.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1320	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	17.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1321	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	16.0	5.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1322	<i>Dead/Stag</i>		480		480	151	18.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1323	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1324	<i>Dead/Stag</i>		250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1325	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420		420	132	15.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termite nest	-	Remove (development area)
1326	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1327	<i>Corymbia intermedia</i>	Pink Bloodwood	560		560	176	16.0	7.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
1328	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	16.0	6.0	6.0	2.5	One-sided	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
1329	<i>Dead/Stag</i>		350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1330	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (development area)
1331	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	17.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1332	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1333	<i>Dead/Stag</i>		270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1334	<i>Dead/Stag</i>		300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1335	<i>Dead/Stag</i>		350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1336	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	18.0	9.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1337	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1338	<i>Dead/Stag</i>		450		450	141	16.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-	Remove (development area)
1339	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	540		540	170	19.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1340	<i>Dead/Stag</i>		540		540	170	18.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1341	<i>Dead/Stag</i>		950		950	298	18.0	9.0	11.4	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1342	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1343	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1344	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1345	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1346	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	17.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1347	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1348	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1349	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1350	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1351	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1352	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1353	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1354	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1355	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1356	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220																										



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1431	Dead/Stag		530		530	167	19.0	6.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1432	Corymbia citriodora	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1433	Corymbia citriodora	Spotted Gum	390		390	123	22.0	9.0	4.7	2.2	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1434	Corymbia citriodora	Spotted Gum	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1435	Eucalyptus tereticornis	Forest Red Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1436	Acacia disparima	Hickory Wattle	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1437	Corymbia citriodora	Spotted Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1438	Alphitonia excelsa	Soap Tree	140		140	44	8.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1439	Eucalyptus crebra	Narrow-leaved Ironbark	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1440	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1441	Eucalyptus tereticornis	Forest Red Gum	550		550	173	18.0	8.0	6.6	2.6	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1442	Eucalyptus tereticornis	Forest Red Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1443	Eucalyptus tereticornis	Forest Red Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1444	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1445	Eucalyptus crebra	Narrow-leaved Ironbark	140		140	44	9.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1446	Eucalyptus tereticornis	Forest Red Gum	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1447	Corymbia citriodora	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1448	Corymbia citriodora	Spotted Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1449	Eucalyptus tereticornis	Forest Red Gum	320		320	101	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1450	Corymbia citriodora	Spotted Gum	410		410	129	18.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1451	Corymbia citriodora	Spotted Gum	270		270	85	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1452	Corymbia citriodora	Spotted Gum	320		320	101	23.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1453	Eucalyptus crebra	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1454	Eucalyptus crebra	Narrow-leaved Ironbark	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1455	Corymbia intermedia	Pink Bloodwood	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1456	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1457	Corymbia intermedia	Pink Bloodwood	200		200	63	9.0	2.0	2.4	1.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1458	Corymbia intermedia	Pink Bloodwood	170		170	53	8.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1459	Corymbia intermedia	Pink Bloodwood	260		260	82	20.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1460	Corymbia intermedia	Pink Bloodwood	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1490	Acacia disparima	Hickory Wattle	140		140	44	8.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1491	Corymbia intermedia	Pink Bloodwood	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1492	Allocasuarina littoralis	Black She-oak	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1493	Corymbia intermedia	Pink Bloodwood	240		240	75	12.0	2.0	2.9	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1494	Petalostigma pubescens	Quinine Bush	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1495	Petalostigma pubescens	Quinine Bush	220		220	69	13.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1496	Corymbia intermedia	Pink Bloodwood	490		490	154	24.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1497	Petalostigma pubescens	Quinine Bush	210		210	66	8.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1498	Petalostigma pubescens	Quinine Bush	280	190	338	106	13.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1499	Petalostigma pubescens	Quinine Bush	310		310	97	13.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1500	Petalostigma pubescens	Quinine Bush	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1501	Corymbia intermedia	Pink Bloodwood	350		350	110	14.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1502	Corymbia intermedia	Pink Bloodwood	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1503	Eucalyptus tereticornis	Forest Red Gum	290		290	91	32.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1504	Petalostigma pubescens	Quinine Bush	330		330	104	9.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1505	Petalostigma pubescens	Quinine Bush	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-															



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1509	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1512	<i>Acacia disparima</i>	Hickory Wattle	160		160	50	12.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1513	<i>Acacia disparima</i>	Hickory Wattle	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1516	<i>Eucalyptus tereticornis</i>	Forest Red Gum	590		590	185	26.0	20.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1539	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1540	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	26.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1542	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1543	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1544	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1545	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1546	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1547	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1548	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1549	<i>Corymbia torelliana</i>	Cadaghi	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1550	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	33.0	23.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1551	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1552	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	28.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1594	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	160		160	50	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1595	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1596	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1597	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1598	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1599	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1600	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1601	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1602	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1603	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1604	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1605	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1606	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	11.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1607	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	15.0	3.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1608	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1609	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	69	14.0	5.0	2.6	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1610	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	19.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1611	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to CPTED
1612	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	10.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1613	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1614	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1615	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1616	<i>Alphitonia excelsa</i>	Soap Tree	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Bushfire Thinning
1617	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1618	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	14.0	5.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1619	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
1620	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240																										



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
1626	Acacia disparrima	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1627	Acacia disparrima	Hickory Wattle	200	120	233	73	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1628	Acacia disparrima	Hickory Wattle	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1629	Acacia disparrima	Hickory Wattle	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1630	Acacia disparrima	Hickory Wattle	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1631	Acacia disparrima	Hickory Wattle	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1632	Acacia disparrima	Hickory Wattle	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1633	Alphitonia excelsa	Soap Tree	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1635	Eucalyptus tereticornis	Forest Red Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1636	Acacia disparrima	Hickory Wattle	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1705	Allocasuarina littoralis	Black She-oak	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1706	Acacia disparrima	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1707	Allocasuarina littoralis	Black She-oak	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1708	Corymbia intermedia	Pink Bloodwood	400		400	126	19.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1709	Lophostemon suaveolens	Swamp Box	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1710	Lophostemon suaveolens	Swamp Box	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1711	Lophostemon suaveolens	Swamp Box	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1712	Corymbia intermedia	Pink Bloodwood	250		250	79	18.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1713	Corymbia intermedia	Pink Bloodwood	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1714	Allocasuarina littoralis	Black She-oak	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1715	Lophostemon suaveolens	Swamp Box	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1716	Allocasuarina littoralis	Black She-oak	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1717	Petalostigma pubescens	Quinine Bush	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1718	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1719	Petalostigma pubescens	Quinine Bush	300		300	94	8.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1720	Acacia disparrima	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1721	Lophostemon suaveolens	Swamp Box	170		170	53	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1722	Acacia disparrima	Hickory Wattle	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1723	Corymbia intermedia	Pink Bloodwood	610		610	192	19.0	11.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Basin)
1724	Corymbia intermedia	Pink Bloodwood	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1725	Lophostemon suaveolens	Swamp Box	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1726	Lophostemon suaveolens	Swamp Box	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1727	Corymbia intermedia	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1728	Lophostemon suaveolens	Swamp Box	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1729	Alphitonia excelsa	Soap Tree	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1730	Corymbia intermedia	Pink Bloodwood	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1731	Corymbia tessellaris	Moreton Bay Ash	200		200	63	17.0	4.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1732	Corymbia intermedia	Pink Bloodwood	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1733	Corymbia intermedia	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1734	Lophostemon suaveolens	Swamp Box	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1735	Lophostemon suaveolens	Swamp Box	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1736	Corymbia tessellaris	Moreton Bay Ash	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1737	Corymbia tessellaris	Moreton Bay Ash	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.
1738	Alphitonia excelsa	Soap Tree	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.
1739	Lophostemon suaveolens	Swamp Box	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-</								



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
1744	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
1745	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
1746	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
1747	<i>Grevillea robusta</i>	Silky Oak	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
1748	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
1749	<i>Alphitonia excelsa</i>	Soap Tree	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
1750	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC
1751	<i>Acacia disparima</i>	Hickory Wattle	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC	
1752	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist - retention TBC	
1757	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1760	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1801	<i>Allocasuarina littoralis</i>	Black She-oak	170	90	192	60	11.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1802	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1803	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1804	<i>Angophora leiocarpa</i>	Smooth-barked Apple	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1805	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1806	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	19.0	8.0	4.6	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1807	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1808	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1809	<i>Melaleuca saligna</i>	Willow Bottlebrush	200	140	244	77	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1810	<i>Melaleuca saligna</i>	Willow Bottlebrush	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1811	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1812	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1813	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1814	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1815	<i>Angophora leiocarpa</i>	Smooth-barked Apple	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1816	<i>Melaleuca saligna</i>	Willow Bottlebrush	360		360	113	15.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1817	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1818	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1819	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1820	<i>Allocasuarina littoralis</i>	Black She-oak	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1821	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
1822	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2819	<i>Eucalyptus tereticornis</i>	Forest Red Gum	650		650	204	22.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2820	<i>Dead/Stag</i>		470		470	148	9.0	1.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Bushfire Thinning	
2821	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	23.0	16.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2822	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	28.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)	
2823	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	460		460	145	25.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2824	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	440		440	138	26.0	17.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2825	<i>Dead/Stag</i>		450		450	141	19.0	4.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove - Bridge app.	
2826	<i>Dead/Stag</i>		420		420	132	18.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove - Bridge app.	
2827	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	26.0	17.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2828	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	24.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain/subject to future app.	
2829	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	32.0	16.0	5.5	2																				



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
3499	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
3515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	16.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6232	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	17.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6233	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6234	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	15.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6235	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6236	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6237	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6238	<i>Dead/Stag</i>		320		320	101	11.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6251	<i>Dead/Stag</i>		300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6252	<i>Dead/Stag</i>		300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6256	<i>Alphitonia excelsa</i>	Soap Tree	385		385	121	13.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6257	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	17.0	8.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6258	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	425		425	134	18.0	13.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6264	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6265	<i>Dead/Stag</i>		350		350	110	13.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6267	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	415		415	130	18.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6268	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6269	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6270	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	20.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6271	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6272	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6273	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	2.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6274	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6275	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6276	<i>Dead/Stag</i>		350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6277	<i>Dead/Stag</i>		300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6278	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	19.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6279	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Bushfire Thinning
6280	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6281	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6282	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	325		325	102	16.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6283	<i>Corymbia citriodora</i>	Spotted Gum	375		375	118	21.0	10.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6284	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6285	<i>Eucalyptus tereticornis</i>	Forest Red Gum	308		308	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6286	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6287	<i>Dead/Stag</i>		375		375	118	16.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Retain/subject to future app.
6288	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6289	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	15.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6290	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	16.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6291	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6292	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6293	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-														



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6299	Dead/Stag		360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6300	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6301	Eucalyptus tereticornis	Forest Red Gum	395		395	124	18.0	13.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6302	Corymbia intermedia	Pink Bloodwood	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6303	Eucalyptus tereticornis	Forest Red Gum	460		460	145	16.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6304	Dead/Stag		370		370	116	8.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Bushfire Thinning
6305	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6306	Eucalyptus tereticornis	Forest Red Gum	380		380	119	17.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6307	Corymbia citriodora	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6308	Eucalyptus tereticornis	Forest Red Gum	420		420	132	22.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6309	Corymbia citriodora	Spotted Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6310	Eucalyptus tereticornis	Forest Red Gum	335		335	105	18.0	13.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6311	Eucalyptus tereticornis	Forest Red Gum	375		375	118	17.0	13.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6312	Eucalyptus tereticornis	Forest Red Gum	515		515	162	19.0	12.0	6.2	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6313	Eucalyptus tereticornis	Forest Red Gum	395		395	124	17.0	9.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6314	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6315	Dead/Stag		540		540	170	17.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6316	Corymbia citriodora	Spotted Gum	420		420	132	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6317	Corymbia intermedia	Pink Bloodwood	325		325	102	17.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6318	Dead/Stag		460		460	145	17.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6319	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	18.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6320	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6321	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6322	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6323	Dead/Stag		370		370	116	11.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6324	Dead/Stag		320		320	101	12.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6325	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6326	Eucalyptus tereticornis	Forest Red Gum	320		320	101	15.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6327	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6328	Angophora leiocarpa	Smooth-barked Apple	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6335	Alphitonia excelsa	Soap Tree	420		420	132	13.0	9.0	5.0	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6336	Corymbia citriodora	Spotted Gum	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6337	Corymbia intermedia	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6338	Corymbia citriodora	Spotted Gum	325		325	102	17.0	9.0	3.9	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6339	Melaleuca quinquenervia	Broad-leaved Paperbark	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6340	Eucalyptus tereticornis	Forest Red Gum	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-		-	Retain/subject to future app.
6341	Eucalyptus tereticornis	Forest Red Gum	415		415	130	17.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6342	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6343	Corymbia citriodora	Spotted Gum	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6344	Corymbia citriodora	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6345	Eucalyptus tereticornis	Forest Red Gum	350		350	110	12.0	3.0	4.2	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6346	Eucalyptus tereticornis	Forest Red Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6347	Alphitonia excelsa	Soap Tree	330		330	104	9.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6348	Corymbia citriodora	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6349	Corymbia citriodora	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6350	Eucalyptus tereticornis	Forest Red Gum	310		310	97	12.0	4.																					



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6354	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6355	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6356	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6357	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	11.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6358	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	14.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6359	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6360	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Retain/subject to future app.
6361	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	18.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Retain/subject to future app.
6374	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	13.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6375	<i>Petalostigma pubescens</i>	Quinine Bush	420		420	132	7.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6376	<i>Dead/Stag</i>		330		330	104	12.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6377	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6378	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	17.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6379	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	13.0	13.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6380	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6381	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	18.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6382	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6383	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6384	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	17.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6385	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6386	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6387	<i>Petalostigma pubescens</i>	Quinine Bush	410		410	129	8.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6394	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6395	<i>Petalostigma pubescens</i>	Quinine Bush	330		330	104	8.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6396	<i>Alphitonia excelsa</i>	Soap Tree	350		350	110	13.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6397	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6398	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6399	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6400	<i>Petalostigma pubescens</i>	Quinine Bush	400		400	126	7.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6401	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6402	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6403	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	17.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6404	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6405	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6406	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	17.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6407	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6408	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6409	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6410	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6411	<i>Corymbia citriodora</i>	Spotted Gum	365		365	115	17.0	8.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6412	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18.0	12.0	4.2	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6413	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6414	<i>Dead/Stag</i>		340		340	107	14.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6415	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	13.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-					



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6421	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	17.0	10.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6422	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	11.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6423	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	305		305	96	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6424	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	9.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6425	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	17.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6426	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6427	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	23.0	16.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6428	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6429	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6430	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6431	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	9.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6432	<i>Petalostigma pubescens</i>	Quinine Bush	370	310	483	152	8.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6433	<i>Petalostigma pubescens</i>	Quinine Bush	320		320	101	7.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6434	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6435	<i>Dead/Stag</i>		380		380	119	9.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6436	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	17.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6437	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	16.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)
6438	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	16.0	10.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)
6439	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)
6440	<i>Eucalyptus tereticornis</i>	Forest Red Gum	445		445	140	17.0	8.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6441	<i>Eucalyptus tereticornis</i>	Forest Red Gum	465		465	146	16.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6442	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6443	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6444	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	11.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6445	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6446	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6447	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6448	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6449	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	13.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6450	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6451	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	16.0	8.0	4.3	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6452	<i>Corymbia intermedia</i>	Pink Bloodwood	250	230	340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)
6453	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	14.0	8.0	4.4	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6454	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6455	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6456	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6457	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6458	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	335		335	105	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6459	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	17.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6460	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6461	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6462	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6463	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6464	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical</												



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6470	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6471	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6472	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6473	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6474	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6475	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6476	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6477	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	16.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6478	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6479	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6480	<i>Eucalyptus tereticornis</i>	Forest Red Gum	305		305	96	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6481	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6482	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6483	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	375		375	118	19.0	8.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6484	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6485	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6486	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	17.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6487	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6488	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6489	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	17.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6490	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	17.0	11.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6491	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	18.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6492	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6493	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6494	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6495	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6496	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	151	23.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6497	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6498	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6499	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	22.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6500	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6501	<i>Dead/Stag</i>		350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6502	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	12.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6503	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		-	Remove (development area)
6504	<i>Corymbia intermedia</i>	Pink Bloodwood	375		375	118	17.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6505	<i>Corymbia intermedia</i>	Pink Bloodwood	305		305	96	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6506	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6507	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		-	Remove (development area)
6508	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	19.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6509	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6510	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6511	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6512	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	18.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6513	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical</							



Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6519	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6520	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6522	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6523	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6524	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6525	<i>Corymbia intermedia</i>	Pink Bloodwood	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6526	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6527	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	13.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6528	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6529	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6530	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6531	<i>Dead/Stag</i>		350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6532	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6534	<i>Corymbia intermedia</i>	Pink Bloodwood	490		490	154	14.0	4.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6535	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	17.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6536	<i>Eucalyptus tereticornis</i>	Forest Red Gum	308		308	97	16.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6537	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6538	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6539	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6540	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6541	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	315		315	99	16.0	6.0	3.8	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6542	<i>Angophora leiocarpa</i>	Smooth-barked Apple	315		315	99	15.0	7.0	3.8	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6543	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	19.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6544	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	17.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6545	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6546	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6547	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	11.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6548	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
6549	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	9.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
6550	<i>Corymbia intermedia</i>	Pink Bloodwood	305		305	96	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
6551	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	15.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6552	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6553	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6554	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6555	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6556	<i>Acacia disparima</i>	Hickory Wattle	300		300	94	8.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6557	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	16.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6558	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6559	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6560	<i>Eucalyptus tereticornis</i>	Forest Red Gum	385		385	121	18.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6561	<i>Corymbia intermedia</i>	Pink Bloodwood	450		450	141	19.0	13.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (development area)
6562	<i>Eucalyptus tereticornis</i>	Forest Red Gum	435		435	137	17.0	7.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6563	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	19.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (development area)
6564	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	18.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6565	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6566	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)
6567	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (development area)



Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6568	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	18.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6569	<i>Eucalyptus tereticornis</i>	Forest Red Gum	565		565	177	21.0	11.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6570	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6571	<i>Alphitonia excelsa</i>	Soap Tree	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6572	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6573	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6574	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	23.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6575	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6576	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	20.0	11.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6577	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6578	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	19.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6579	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6580	<i>Dead/Stag</i>		300		300	94	13.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6581	<i>Alphitonia excelsa</i>	Soap Tree	300		300	94	11.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6582	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6583	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	18.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6584	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6585	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6586	<i>Dead/Stag</i>		340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6587	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	11.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6588	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	10.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6589	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	11.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6590	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6591	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	14.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6592	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6593	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6594	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6595	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6596	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	9.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6597	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6598	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6599	<i>Lophostemon suaveolens</i>	Swamp Box	600		600	188	16.0	7.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6600	<i>Lophostemon suaveolens</i>	Swamp Box	430		430	135	16.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6601	<i>Grevillea robusta</i>	Silky Oak	350		350	110	17.0	4.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6602	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6603	<i>Lophostemon suaveolens</i>	Swamp Box	320	260	412	130	14.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6604	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6605	<i>Grevillea robusta</i>	Silky Oak	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6606	<i>Lophostemon suaveolens</i>	Swamp Box	540		540	170	16.0	6.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6607	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6608	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6609	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	12.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6610	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6611	<i>Lophostemon suaveolens</i>	Swamp Box	500		500	157	16.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6612	<i>Grevillea robusta</i>	Silky Oak	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6613	<i>Lophostemon suaveolens</i>	Swamp Box	410		410	129	18.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6614	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6615	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6616	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	15.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
6617	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	11.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6618	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6619	<i>Casuarina cunninghamiana</i>	River She-oak	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6620	<i>Grevillea robusta</i>	Silky Oak	400		400	126	18.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6621	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	15.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6622	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	18.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6623	<i>Petalostigma pubescens</i>	Quinine Bush	350	220	413	130	9.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6624	<i>Petalostigma pubescens</i>	Quinine Bush	650		650	204	10.0	8.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6625	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6626	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6627	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6628	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning	
6629	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning	
6630	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning	
6631	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6632	<i>Lophostemon suaveolens</i>	Swamp Box	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6633	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	18.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6634	<i>Allocasuarina littoralis</i>	Black She-oak	300		300	94	10.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6635	<i>Lophostemon suaveolens</i>	Swamp Box	400		400	126	17.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6636	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6637	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	18.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6638	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning	
6639	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	15.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning	
6640	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	14.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6641	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	18.0	14.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6642	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	11.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6643	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	17.0	15.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6644	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6645	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6646	<i>Lophostemon suaveolens</i>	Swamp Box	400		400	126	16.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6647	<i>Corymbia tessellaris</i>	Moreton Bay Ash	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6648	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	157	22.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6649	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	18.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6650	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6651	<i>Lophostemon suaveolens</i>	Swamp Box	420		420	132	14.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6652	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	10.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6653	<i>Grevillea robusta</i>	Silky Oak	340		340	107	16.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6654	<i>Corymbia intermedia</i>	Pink Bloodwood	600		600	188	20.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6655	<i>Lophostemon suaveolens</i>	Swamp Box	390		390	123	12.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6656	<i>Corymbia tessellaris</i>	Moreton Bay Ash	350		350	110	24.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6657	<i>Lophostemon suaveolens</i>	Swamp Box	340		340	107	14.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6658	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6659	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	15.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6660	<i>Dead/Stag</i>		450		45																									



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	
6667	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6668	<i>Lophostemon suaveolens</i>	Swamp Box	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6669	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	26.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6670	<i>Lophostemon suaveolens</i>	Swamp Box	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6671	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	22.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6672	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6673	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	18.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6674	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	18.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6675	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	20.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6676	<i>Lophostemon suaveolens</i>	Swamp Box	340	230	410	129	10.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6677	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	14.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6678	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	20.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6679	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6680	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6681	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	20.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6682	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	17.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6683	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6684	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	20.0	8.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6685	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6686	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6687	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	21.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6688	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6689	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6690	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6691	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	22.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6692	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	14.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6693	<i>Eucalyptus tereticornis</i>	Forest Red Gum	510		510	160	20.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6694	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	20.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6695	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6696	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	18.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6697	<i>Angophora leiocarpa</i>	Smooth-barked Apple	350		350	110	20.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6698	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	14.0	4.0	3.8	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6699	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6700	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	116	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6701	<i>Angophora leiocarpa</i>	Smooth-barked Apple	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6702	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6703	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6704	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	16.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6705	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6706	<i>Lophostemon suaveolens</i>	Swamp Box	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6707	<i>Angophora leiocarpa</i>	Smooth-barked Apple	330		330	104	12.0	4.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6708	<i>Angophora leiocarpa</i>	Smooth-barked Apple	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)	
6721	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	20.0	17.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.	
6722	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-					



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6734	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6735	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	6.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6736	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	22.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6737	<i>Lophostemon suaveolens</i>	Swamp Box	340		340	107	14.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6738	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	20.0	5.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6739	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	20.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6740	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	22.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6741	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6742	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6743	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	24.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6744	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	26.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6745	<i>Dead/Stag</i>		480		480	151	16.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		-	Remove (development area)
6746	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	19.0	16.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6747	<i>Eucalyptus tereticornis</i>	Forest Red Gum	530		530	167	18.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6748	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	24.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6749	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	22.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6750	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	22.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6751	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	22.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6752	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6753	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6754	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	20.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6755	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6756	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6757	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6758	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6759	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	20.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6760	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6761	<i>Lophostemon suaveolens</i>	Swamp Box	390		390	123	12.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6762	<i>Corymbia intermedia</i>	Pink Bloodwood	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6763	<i>Corymbia intermedia</i>	Pink Bloodwood	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6764	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	22.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6765	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	21.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6766	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	21.0	16.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6767	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	18.0	15.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6768	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6769	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	19.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6770	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	15.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6771	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	15.0	10.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6772	<i>Petalostigma pubescens</i>	Quinine Bush	330		330	104	10.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove (development area)
6773	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6774	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6775	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	8.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6776	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6777	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	14.0	4.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-			



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
6783	Angophora leiocarpa	Smooth-barked Apple	460		460	145	20.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6784	Corymbia citriodora	Spotted Gum	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6785	Corymbia citriodora	Spotted Gum	300		300	94	18.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6786	Eucalyptus tereticornis	Forest Red Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6787	Corymbia citriodora	Spotted Gum	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6788	Corymbia citriodora	Spotted Gum	320		320	101	17.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6789	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6790	Alphitonia excelsa	Soap Tree	300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6791	Corymbia citriodora	Spotted Gum	300		300	94	22.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6792	Corymbia citriodora	Spotted Gum	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6793	Corymbia citriodora	Spotted Gum	260	260	368	116	17.0	19.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6794	Corymbia citriodora	Spotted Gum	330		330	104	22.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6795	Corymbia citriodora	Spotted Gum	330		330	104	22.0	18.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6796	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	21.0	17.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6797	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	16.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6799	Eucalyptus tereticornis	Forest Red Gum	330		330	104	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
6817	Corymbia intermedia	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6818	Eucalyptus crebra	Narrow-leaved Ironbark	520		520	163	20.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6819	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	20.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6832	Eucalyptus tereticornis	Forest Red Gum	320		320	101	17.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
6833	Eucalyptus tereticornis	Forest Red Gum	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
7506	Corymbia citriodora	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7507	Corymbia citriodora	Spotted Gum	315		315	99	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7515	Corymbia citriodora	Spotted Gum	310		310	97	17.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7516	Corymbia citriodora	Spotted Gum	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7517	Eucalyptus tereticornis	Forest Red Gum	430		430	135	21.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7518	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7519	Corymbia citriodora	Spotted Gum	305		305	96	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7520	Eucalyptus tereticornis	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7521	Eucalyptus tereticornis	Forest Red Gum	365		365	115	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7522	Corymbia citriodora	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7523	Eucalyptus crebra	Narrow-leaved Ironbark	365		365	115	18.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7524	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7525	Corymbia citriodora	Spotted Gum	345		345	108	19.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7526	Eucalyptus tereticornis	Forest Red Gum	390		390	123	20.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Bushfire Thinning
7527	Corymbia citriodora	Spotted Gum	400		400	126	12.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7528	Eucalyptus tereticornis	Forest Red Gum	420		420	132	18.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7529	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7530	Eucalyptus crebra	Narrow-leaved Ironbark	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7531	Eucalyptus crebra	Narrow-leaved Ironbark	425		425	134	20.0	11.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7532	Eucalyptus tereticornis	Forest Red Gum	380		380	119	18.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7533	Corymbia citriodora	Spotted Gum	300		300	94	17.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7536	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
7537	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention
8001	<i>Lophostemon suaveolens</i>	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.
8002	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.
8003	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.
8004	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.
8005	<i>Petalostigma quadriloculare</i>		110	110	156	49	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.
8006	<i>Alphitonia excelsa</i>	Soap Tree	250		250	79	7.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Remove - Bridge app.
8007	<i>Allocasuarina littoralis</i>	Black She-oak	250		250	79	7.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8008	<i>Corymbia intermedia</i>	Pink Bloodwood	370	300	476	150	18.0	8.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8009	<i>Dead/Stag</i>		420		420	132	14.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		-	Retain/subject to future app.
8010	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	16.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8011	<i>Corymbia intermedia</i>	Pink Bloodwood	420		420	132	20.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8012	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	6.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8024	<i>Allocasuarina littoralis</i>	Black She-oak	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8025	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8026	<i>Petalostigma pubescens</i>	Quinine Bush	360		360	113	7.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8027	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8028	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	7.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8029	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8030	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8031	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8032	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	22.0	12.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8033	<i>Lophostemon suaveolens</i>	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8034	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8035	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8036	<i>Lophostemon suaveolens</i>	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8037	<i>Acacia concurrens</i>	Black Wattle	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8038	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8039	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8040	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8041	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	22.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8042	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	16.0	7.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8043	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	22.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8044	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8045	<i>Corymbia tessellaris</i>	Moreton Bay Ash	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.
8046	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		-	Retain/subject to future app.