CONTEXT AREA 5 (NORTH), FLAGSTONE

Vegetation Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
9850 E 01 CA5_N VMP A	COVER SHEET	A	01/05/2026
9850 E 02 CA5_N VMP A	VEGETATION CLEARING NOTES	A	01/05/2026
9850 E 03 CA5_N VMP A	CONTEXT SHEET	A	01/05/2026
9850 E 04-71 CA5_N VMP A	DETAIL SHEET/S	A	01/05/2026
9850 E 72 CA5_N VMP A	CLEARING DIRECTION	A	01/05/2026
9850 E A1 CA5_N VMP A	APPENDIX 1. TREE SCHEDULE	A	01/05/2026

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV2026-FLA-4804

Date: 15/07/2026

Queensland Government

Saunders Havill

PATHWAYS TO SUCCESS



Context Area 5 (North), Flagstone

Vegetation Management Plan - *Notes*

INTRODUCTION

The *Environmental Management Division* of Saunders Havill was engaged by PEET Flagstone City to prepare a *Vegetation Management Plan* (*VMP*) for the removal of vegetation in Context Area 5, Flagstone City.

This VMP was drafted in support of an operational works vegetation clearing application covering the approved context plan area for CA5. The *VMP* will manage the vegetation clearing practices during operational work stages. The clearing works will follow the general principal for vegetation clearing documented on this sheet and be read in conjunction with the *Fauna Management Plan* document.

To assist in the spatial depiction of the clearing area and better allocate a tree retention and removal status, ecologists from Saunders Havill completed a tree survey using Trimble GNSS based GPS units. The survey collected the following features of trees within and adjoining the development extent as provided by the project Urban Designers (RPS):

- Reference number and point location
- Botanical Name / Common Name
- Trunk DBH
- AS4970-2025 – Tree Protection Zone
- Height and Spread
- Canopy and Trunk Condition
- Fauna and Habitat Values Details

CLEARING PHASES AND PROCESS

The following phases are required for clearing to be undertaken on this property and a copy of this *VMP* must be present with the clearing contractor on-site:

PHASE 1 – Demarcation

Tree Protection Fencing/flagging to be installed prior to the commencement of any clearing works on the site. Tree protection fencing is to be located at or beyond 12 x diameter at breast height (DBH) unless approved by an appointed Arborist around trees designated for retention or as per the locations shown in this drawing package (refer Fencing Note). Fencing shall clearly demark the extent of works ensuring no additional vegetation will be cleared.

PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection by the Environmental Coordinator. A fauna spotter pre-works assessment report must be carried out prior to the pre-start meeting and provided to the clearing contractor (Refer to *Fauna Management Plan* accompanying this application for details).


PHASE 3 - Undertake Clearing Works

Undertake removal of vegetation once approved for removal by the appointed fauna spotter. Clearing will occur in the direction outlined in *Fauna Management Plan* and will be managed by the appointed fauna spotter to allow all fauna to move unimpeded away from works areas. The contractor is to follow any tree felling directions of the appointed fauna spotter/arborist, including but not limited to, an excavator vertical tree grab attachment or cherry picker, where the use of bulldozer is not appropriate.


PHASE 4 - Post clearing Works

Cleared vegetation is to be reused on or off premises. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and this section should be suitably mounted on nearby or adjacent suitable trees. Carry out assessment of all retained trees by a qualified arborist along the edge of development once civil works have been completed. Implement any tree management measures if advised by the arborist.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2025 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	21/04/2026	CLIENT DRAFT	TF	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 02 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Context Detail Sheet*



LEGEND

Context Area 5 North boundary

Context Area 5 Development Plan (North)

- Development Area
- Conservation Area
- Corridor Open Space
- Proposed Parks
- Drainage

PEET Upper Waterway Limit- no clearing in the waterway downstream of this point

- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:8,000

References:
AS4970-2025 Protection of trees on development sites

0 100 200 300 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 03 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 04*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 04 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 05*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 05 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 06*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 06 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 07*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 07 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 08*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone

PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 08 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 09*

Trees outside of Context Area 5 boundary are subject to separate or future applications.

Fauna friendly tree protection fencing to be installed where adjacent trees to be retained may be impacted by vegetation clearing works.

6071 6072 6073 6074 6070 6053 6054 6055 6056

LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area

Detail Context

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 09 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 10*



LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 10 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 11*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 11 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 12*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 12 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 13*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 13 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 14*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone

PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 14 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 15*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 15 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 16*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 16 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 17*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 17 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 18*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 18 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 19*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 19 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 20*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 20 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 21*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT: PEET Flagstone


PROJECT: Context Area 5 (North), Flagstone City

DRAWING TITLE: VEGETATION MANAGEMENT PLAN

DRAWING NO.: **9850 E 21 CA5_N VMP A**

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 22*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 22 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 23*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone

PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 23 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 24*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 24 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 25*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 25 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 26*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 26 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 27*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 27 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 28*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 28 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 29*



LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 29 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 30*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 30 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 31*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 31 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 32*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 32 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 33*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 33 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 34*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE

VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 34 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 35*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE

VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 35 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 36*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 36 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 37*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 37 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 38*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone

PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 38 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 39*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 39 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 40*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 40 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 41*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 41 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 42*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 42 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 43*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 43 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 44*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 44 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 45*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 45 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 46*



LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 46 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 47*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 47 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 48*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 48 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 49*



LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area

Detail Context

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 49 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 50*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 50 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 51*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 51 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 52*



LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design (SW)
- Sewer Design (S)
- Water Design (W)

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area

Detail Context

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 52 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 53*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 53 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 54*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 54 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 55*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 55 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 56*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 56 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 57*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET
Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 57 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 58*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 58 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 59*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 59 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 60*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 60 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 61*



LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 61 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 62*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill

BOWENHILLS | SPRINGFIELD

1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)

1:400

References:

AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 62 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 63*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 63 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 64*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 64 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 65*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 65 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 66*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT

PEET Flagstone

PROJECT

Context Area 5 (North), Flagstone City

DRAWING TITLE


VEGETATION MANAGEMENT PLAN

DRAWING NO.

9850 E 66 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 67*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 67 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 68*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 68 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 69*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 69 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 70*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- SW Drainage Design
- S Sewer Design
- W Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 70 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Detail Sheet 71*




LEGEND

- Context Area 5 North works extent
- Earthworks - fill area
- Earthworks - cut area
- Proposed Lots
- Proposed Roads and Footpaths
- Batters
- Design contours
- Retaining Walls
- Drainage Design
- Sewer Design
- Water Design

GPS Tree Plot (w/ TPZ)

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain in CA5 North VMP, removal subject to future /other Project VMP applications
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- *Melaleuca irbyana* specimen
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point
- Fauna friendly protection fencing
- Conservation area



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

SCALE (A3)
1:400

References:
AS4970-2025 Protection of trees on development sites

0 1 2 4 6 8 10 12 14 16 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET
Flagstone


PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 71 CA5_N VMP A

Context Area 5 (North), Flagstone

Vegetation Management Plan - *Vegetation Clearing Direction*



LEGEND

- Context Area 5 North boundary
- PEET Upper Waterway Limit- no clearing in the waterway downstream of this point

GPS Tree Plot

- Tree to retain in CA5 North application
- Tree to remove in CA5 North application
- Tree retention subject to arborist assessment and/or future engineering works
- Tree to retain, subject to CA4 VMP application
- Neighbouring tree to retain, future retention subject to neighbouring VMP application/s
- Fauna friendly protection fencing
- Clearing direction (indicative)
- Vegetation stockpile (indicative)
- Conservation area

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:8,000

References:
AS4970-2025 Protection of trees on development sites

0 100 200 300 m

AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	1/05/2026	CLIENT DRAFT	TC	AD

CLIENT
PEET Flagstone

PROJECT
Context Area 5 (North), Flagstone City

DRAWING TITLE
VEGETATION MANAGEMENT PLAN

DRAWING NO.
9850 E 72 CA5_N VMP A

Appendix 1. Tree Schedule - 9850
Flagstone City (Flagstone West - Context Area 5 North)
Date: 2026/04/30

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
266-b	*Angophora leiocarpa*	Smooth-barked Apple	325		325	102	15.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
267-b	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
467-b	*Acacia disparrima*	Hickory Wattle	240		240	75	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain - subject to CA4 VMP	
480-b	*Corymbia citriodora*	Spotted Gum	300	170	345	108	12.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
481-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	9.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
482-b	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
483-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	11.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
484-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	490		490	154	18.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
502-b	*Corymbia intermedia*	Pink Bloodwood	390		390	123	12.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
503-b	*Acacia disparrima*	Hickory Wattle	310		310	97	9.0	3.0		2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
505-b	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	13.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
506-b	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	11.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
507-b	*Dead/Stag*		310		310	97	8.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
508-b	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	14.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
543-b	*Acacia concurrens*	Black Wattle	200		200	63	7.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
544-b	*Acacia concurrens*	Black Wattle	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
545-b	*Acacia concurrens*	Black Wattle	210		210	66	8.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
546-b	*Acacia concurrens*	Black Wattle	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
547-b	*Corymbia citriodora*	Spotted Gum	460		460	145	14.0	4.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
548-b	*Corymbia citriodora*	Spotted Gum	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
549-b	*Dead/Stag*		570		570	179	12.0	3.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
550-b	*Acacia concurrens*	Black Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
551-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
552-b	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
553-b	*Acacia concurrens*	Black Wattle	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
554-b	*Acacia concurrens*	Black Wattle	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
555-b	*Acacia concurrens*	Black Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
556-b	*Acacia concurrens*	Black Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
557-b	*Acacia concurrens*	Black Wattle	150		150	47	7.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
558-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
559-b	*Acacia concurrens*	Black Wattle	100	80	128	40	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
560-b	*Acacia concurrens*	Black Wattle	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
561-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
562-b	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
563-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
564-b	*Acacia leiocalyx*	Early-flowering Black Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
565-b	*Acacia leiocalyx*	Early-flowering Black Wattle	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
566-b	*Acacia concurrens*	Black Wattle	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
567-b	*Corymbia citriodora*	Spotted Gum	510		510	160	14.0	5.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
568-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	12.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
569-b	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
570-b	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
571-b	*Acacia concurrens*	Black Wattle	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
572-b	*Acacia concurrens*	Black Wattle	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
573-b	*Dead/Stag*		1210		1210	380	7.0	1.0	14.5	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
574-b	*Eucalyptus moluccana*	Gum-topped Box	550		550	173	20.0	6.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
575-b	*Corymbia citriodora*	Spotted Gum	290		290	91	14.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
576-b	*Corymbia citriodora*	Spotted Gum	270		270	85	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
577-b	*Acacia concurrens*	Black Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
578-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
579-b	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
580-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
581-b	*Acacia concurrens*	Black Wattle	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
582-b	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
583-b	*Acacia concurrens*	Black Wattle	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
584-b	*Corymbia citriodora*	Spotted Gum	290		290	91	12.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
585-b	*Corymbia citriodora*	Spotted Gum	370		370	116	12.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
586-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
587-b	*Acacia concurrens*	Black Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
588-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	17.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
589-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	570		570	179	15.0	5.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
590-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	115		115	36	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
591-b	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
592-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
593-b	*Corymbia citriodora*	Spotted Gum	455		455	143	18.0	11.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
594-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
595-b	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
596-b	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
597-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
598-b	*Alphitonia excelsa*	Soap Tree	220		220	69	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
599-b	*Corymbia intermedia*	Pink Bloodwood	155		155	49	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
600-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
601-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	10.0	7.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
602-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Retention Corridor	
603-b	*Corymbia citriodora*	Spotted Gum	355		355	112	16.0	9.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
604-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
605-b	*Corymbia intermedia*	Pink Bloodwood	245		245	77	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
606-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
607-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
608-b	*Angophora leiocarpa*	Smooth-barked Apple	390		390	123	19.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
609-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
610-b	*Corymbia intermedia*	Pink Bloodwood	440		440	138	17.0	12.0	5.3	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
611-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
612-b	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
613-b	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
614-b	*Corymbia citriodora*	Spotted Gum	400		400	126	21.0	14.0	4.8	2.3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
615-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
616-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
617-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
618-b	*Corymbia intermedia*	Pink Bloodwood	215		215	68	15.0	7.0	2.6	1.7	Regular	-	-	Die-back	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
619-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	8.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
620-b	*Eucalyptus moluccana*	Gum-topped Box	255		255	80	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
621-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	20.0	11.0	4.2	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	Native	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
622-b	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
625-b	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
626-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	18.0	14.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
628-b	*Corymbia intermedia*	Pink Bloodwood	255		255	80	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
629-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
630-b	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
637-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
638-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
639-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	21.0	12.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
640-b	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
641-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
669-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
790-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
791-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
792-b	*Eucalyptus moluccana*	Gum-topped Box	190		190	60	18.0	9.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
794-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	17.0	7.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
795-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
796-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
797-b	*Corymbia intermedia*	Pink Bloodwood	265	140 110	319	100	17.0	9.0	3.8	2.0	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
799-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	22.0	16.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
800-b	*Corymbia citriodora*	Spotted Gum	105		105	33	15.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
801-b	*Corymbia intermedia*	Pink Bloodwood	100	100	141	44	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
802-b	*Eucalyptus tereticornis*	Forest Red Gum	225		225	71	18.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
803-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
804-b	*Corymbia citriodora*	Spotted Gum	110		110	35	17.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
805-b	*Corymbia citriodora*	Spotted Gum	105		105	33	17.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
806-b	*Lophostemon suaveolens*	Swamp Box	105		105	33	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
807-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	21.0	14.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
808-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	415		415	130	24.0	16.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
809-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
810-b	*Corymbia intermedia*	Pink Bloodwood	290		290	91	21.0	14.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
811-b	*Corymbia intermedia*	Pink Bloodwood	455		455	143	20.0	15.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
812-b	*Dead/Stag*		360		360	113	19.0	16.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
813-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
814-b	*Corymbia intermedia*	Pink Bloodwood	265		265	83	18.0	8.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
815-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
816-b	*Corymbia citriodora*	Spotted Gum	105		105	33	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
817-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
818-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	225		225	71	19.0	8.0	2.7	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
819-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	165		165	52	6.0	3.0	2.0	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
820-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
821-b	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
822-b	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
823-b	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
824-b	*Corymbia intermedia*	Pink Bloodwood	340		340	107	19.0	12.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
825-b	*Lophostemon suaveolens*	Swamp Box	265		265	83	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
826-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	16.0	13.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
827-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350		350	110	17.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
828-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	330		330	104	17.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
829-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
830-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	345		345	108	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
831-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
832-b	*Eucalyptus moluccana*	Gum-topped Box	215		215	68	18.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
833-b	*Corymbia citriodora*	Spotted Gum	390		390	123	24.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
834-b	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	5.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
835-b	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	2.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
836-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
837-b	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
838-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	640		640	201	26.0	17.0	7.7	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
839-b	*Corymbia intermedia*	Pink Bloodwood	430		430	135	17.0	14.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
840-b	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
841-b	*Corymbia intermedia*	Pink Bloodwood	305		305	96	18.0	9.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
842-b	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
843-b	*Corymbia intermedia*	Pink Bloodwood	380		380	119	18.0	13.0	4.6	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
844-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
845-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
846-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
847-b	*Corymbia intermedia*	Pink Bloodwood	145		145	46	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
848-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
849-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
850-b	*Lophostemon suaveolens*	Swamp Box	225		225	71	17.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
851-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	370	310 300	568	179	15.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
852-b	*Eucalyptus tereticornis*	Forest Red Gum	715		715	225	24.0	16.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
853-b	*Corymbia intermedia*	Pink Bloodwood	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
854-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
855-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	165		165	52	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
856-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
857-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	615		615	193	27.0	18.0	7.4	2.7	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
858-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
859-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
860-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
861-b	*Corymbia intermedia*	Pink Bloodwood	255		255	80	17.0	8.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
862-b	*Corymbia intermedia*	Pink Bloodwood	345		345	108	17.0	8.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
863-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	545		545	171	25.0	15.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
864-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
865-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	5.0	2.0	1.5	Regular	-	Thinning	Die-back	-	-	Typical	-	Introduced	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
866-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
867-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	115		115	36	15.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
868-b	*Alphitonia excelsa*	Soap Tree	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
869-b	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	12.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
870-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
871-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
872-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
873-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
874-b	*Lophostemon suaveolens*	Swamp Box	155		155	49	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
875-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
876-b	*Lophostemon suaveolens*	Swamp Box	145		145	46	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
877-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
878-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
879-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
880-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	175		175	55	15.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
881-b	*Alphitonia excelsa*	Soap Tree	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
882-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
883-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
884-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
885-b	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
886-b	*Angophora leiocarpa*	Smooth-barked Apple	145		145	46	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
887-b	*Corymbia intermedia*	Pink Bloodwood	315		315	99	10.0	5.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
888-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
889-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	540		540	170	26.0	14.0	6.5	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
890-b	*Corymbia intermedia*	Pink Bloodwood	420		420	132	18.0	13.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
891-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
892-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
893-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
894-b	*Alphitonia excelsa*	Soap Tree	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
895-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
896-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
897-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	435		435	137	24.0	14.0	5.2	2.3	Regular	-	-	Die-back	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
898-b	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
899-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	19.0	13.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
900-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	445		445	140	23.0	14.0	5.3	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
901-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	157	26.0	17.0	6.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
902-b	*Dead/Stag*		490		490	154	8.0	1.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
903-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	335		335	105	25.0	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
904-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
905-b	*Dead/Stag*		420		420	132	18.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
906-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
907-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
908-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
909-b	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
910-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	145		145	46	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
911-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	115		115	36	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
912-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	175		175	55	8.0	3.0	2.1	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
913-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
914-b	*Corymbia intermedia*	Pink Bloodwood	405		405	127	19.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
915-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
916-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	17.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
917-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
918-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
919-b	*Corymbia intermedia*	Pink Bloodwood	165		165	52	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
920-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	125		125	39	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
921-b	*Corymbia intermedia*	Pink Bloodwood	355		355	112	19.0	13.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
922-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
923-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
924-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
925-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	16.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
926-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
927-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
928-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
929-b	*Lophostemon suaveolens*	Swamp Box	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
930-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
931-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
932-b	*Corymbia intermedia*	Pink Bloodwood	255		255	80	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
933-b	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
934-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
935-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
936-b	*Corymbia citriodora*	Spotted Gum	100		100	31	15.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
937-b	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	18.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
938-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
939-b	*Corymbia intermedia*	Pink Bloodwood	320		320	101	18.0	10.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
940-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
941-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
942-b	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
943-b	*Corymbia citriodora*	Spotted Gum	180	70	193	61	15.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
944-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
945-b	*Corymbia intermedia*	Pink Bloodwood	300	120	323	102	20.0	14.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
946-b	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	20.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
947-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
948-b	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	24.0	14.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
949-b	*Lophostemon suaveolens*	Swamp Box	175		175	55	15.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
950-b	*Lophostemon suaveolens*	Swamp Box	190	130	230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
951-b	*Dead/Stag*		220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
952-b	*Lophostemon suaveolens*	Swamp Box	215		215	68	15.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
953-b	*Lophostemon suaveolens*	Swamp Box	255		255	80	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
954-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
955-b	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	11.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
956-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
957-b	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
958-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
959-b	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	260		260	82	17.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
960-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
961-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
962-b	*Lophostemon suaveolens*	Swamp Box	155		155	49	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
963-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	225		225	71	18.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
964-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
965-b	*Lophostemon suaveolens*	Swamp Box	175		175	55	13.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
966-b	*Corymbia intermedia*	Pink Bloodwood	185		185	58	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
967-b	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
968-b	*Lophostemon suaveolens*	Swamp Box	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
969-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
970-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
971-b	*Corymbia citriodora*	Spotted Gum	110		110	35	16.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
972-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
973-b	*Corymbia intermedia*	Pink Bloodwood	130	80	153	48	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
977-b	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
980-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
981-b	*Corymbia intermedia*	Pink Bloodwood	150	110	186	58	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
982-b	*Acacia disparrima*	Hickory Wattle	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
991-b	*Lophostemon suaveolens*	Swamp Box	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
992-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
993-b	*Corymbia citriodora*	Spotted Gum	105		105	33	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
998-b	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1006-b	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	20.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1007-b	*Lophostemon suaveolens*	Swamp Box	185		185	58	9.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1008-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1009-b	*Corymbia intermedia*	Pink Bloodwood	380		380	119	21.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1010-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1011-b	*Corymbia intermedia*	Pink Bloodwood	580		580	182	24.0	17.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1012-b	*Corymbia intermedia*	Pink Bloodwood	435		435	137	24.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1013-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	8.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1016-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	17.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
1017-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1018-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1019-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	115		115	36	16.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1020-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1022-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1023-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1024-b	*Lophostemon suaveolens*	Swamp Box	215		215	68	16.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1025-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	17.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
1026-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	18.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
1027-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	23.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
1037-b	*Corymbia intermedia*	Pink Bloodwood	380		380	119	14.0	6.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1043-b	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1044-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	175		175	55	17.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1045-b	*Corymbia intermedia*	Pink Bloodwood	420		420	132	24.0	12.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
1046-b	*Corymbia intermedia*	Pink Bloodwood	380		380	119	24.0	14.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
1068-b	*Corymbia citriodora*	Spotted Gum	125		125	39	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1069-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	17.0	6.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1070-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1071-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1089-b	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1090-b	*Corymbia intermedia*	Pink Bloodwood	255		255	80	18.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1091-b	*Corymbia citriodora*	Spotted Gum	225		225	71	18.0	10.0	2.7	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1093-b	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	13.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1094-b	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1095-b	*Angophora leiocarpa*	Smooth-barked Apple	460		460	145	24.0	16.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1096-b	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1097-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	135		135	42	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1098-b	*Acacia concurrens*	Black Wattle	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1099-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1100-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1101-b	*Acacia concurrens*	Black Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1102-b	*Acacia concurrens*	Black Wattle	210	170	270	85	9.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1103-b	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1104-b	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1105-b	*Angophora leiocarpa*	Smooth-barked Apple	175		175	55	16.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1106-b	*Lophostemon suaveolens*	Swamp Box	115		115	36	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1107-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1108-b	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1109-b	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1110-b	*Acacia concurrens*	Black Wattle	150	140	205	64	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1111-b	*Acacia concurrens*	Black Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1112-b	*Angophora leiocarpa*	Smooth-barked Apple	115		115	36	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1113-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1114-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	115		115	36	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1115-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1116-b	*Acacia concurrens*	Black Wattle	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1117-b	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1118-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	110	156	49	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1119-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	115		115	36	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1120-b	*Acacia concurrens*	Black Wattle	240		240	75	6.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1121-b	*Acacia concurrens*	Black Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1122-b	*Acacia concurrens*	Black Wattle	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1123-b	*Eucalyptus tereticornis*	Forest Red Gum	115		115	36	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1124-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1125-b	*Angophora leiocarpa*	Smooth-barked Apple	115		115	36	13.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1126-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	115		115	36	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1127-b	*Acacia concurrens*	Black Wattle	230		230	72	7.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1128-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1129-b	*Acacia concurrens*	Black Wattle	205		205	64	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1130-b	*Acacia concurrens*	Black Wattle	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1131-b	*Acacia concurrens*	Black Wattle	200		200	63	7.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	Present	-	Retain - subject to CA4 VMP	
1132-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	80	60	100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1133-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1134-b	*Acacia disparrima*	Hickory Wattle	245		245	77	6.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1135-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
1136-b	*Eucalyptus tereticornis*	Forest Red Gum	265		265	83	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1137-b	*Corymbia intermedia*	Pink Bloodwood	215		215	68	13.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
1138-b	*Lophostemon suaveolens*	Swamp Box	250		250	79	17.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1139-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	510		510	160	19.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1140-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	445		445	140	18.0	13.0	5.3	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1141-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1142-b	*Acacia concurrens*	Black Wattle	210		210	66	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1143-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1144-b	*Lophostemon suaveolens*	Swamp Box	250		250	79	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1145-b	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1146-b	*Angophora leiocarpa*	Smooth-barked Apple	175		175	55	17.0	10.0	2.1	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1147-b	*Lophostemon suaveolens*	Swamp Box	115		115	36	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1148-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1149-b	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	18.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1150-b	*Angophora leiocarpa*	Smooth-barked Apple	225		225	71	17.0	10.0	2.7	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1151-b	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	18.0	14.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1152-b	*Lophostemon suaveolens*	Swamp Box	135		135	42	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1153-b	*Eucalyptus tereticornis*	Forest Red Gum	660		660	207	21.0	16.0	7.9	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1154-b	*Angophora leiocarpa*	Smooth-barked Apple	235		235	74	20.0	13.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1155-b	*Corymbia intermedia*	Pink Bloodwood	290	230	370	116	21.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
1156-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1157-b	*Lophostemon suaveolens*	Swamp Box	90	40	98	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1158-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1159-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1160-b	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	2.0	1.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1161-b	*Corymbia intermedia*	Pink Bloodwood	220	150	266	84	19.0	12.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	Present	-	Retain CA5 - North	
1162-b	*Corymbia intermedia*	Pink Bloodwood	395		395	124	20.0	15.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1163-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North	
1164-b	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1165-b	*Angophora leiocarpa*	Smooth-barked Apple	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1168-b	*Angophora leiocarpa*	Smooth-barked Apple	115		115	36	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1169-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1170-b	*Lophostemon suaveolens*	Swamp Box	105	100	145	46	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1171-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1172-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
1307-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1308-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1309-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1310-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1311-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1312-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1313-b	*Lophostemon suaveolens*	Swamp Box	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1314-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1315-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1316-b	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1317-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240	190	306	96	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1318-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1319-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1320-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1321-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1322-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1323-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1324-b	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1325-b	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1326-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1327-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1328-b	*Lophostemon suaveolens*	Swamp Box	240	170	294	92	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1329-b	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1330-b	*Eucalyptus moluccana*	Gum-topped Box	370		370	116	19.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1331-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1332-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1333-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1334-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1335-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1336-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1337-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1338-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1339-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1340-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1341-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1342-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1343-b	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1344-b	*Corymbia intermedia*	Pink Bloodwood	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1345-b	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1346-b	*Eucalyptus moluccana*	Gum-topped Box	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1347-b	*Eucalyptus moluccana*	Gum-topped Box	770		770	242	20.0	12.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1348-b	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1349-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1350-b	*Eucalyptus moluccana*	Gum-topped Box	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1351-b	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1352-b	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1353-b	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1354-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1355-b	*Eucalyptus moluccana*	Gum-topped Box	460		460	145	20.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1356-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1357-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	100	100 90	168	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1358-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1359-b	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1360-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1361-b	*Corymbia citriodora*	Spotted Gum	490		490	154	22.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1362-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	340	280 370	575	181	10.0	11.0	6.9	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1363-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1364-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1365-b	*Lophostemon suaveolens*	Swamp Box	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1366-b	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	21.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1367-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1368-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1369-b	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1370-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1371-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1372-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1373-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1374-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1375-b	*Eucalyptus moluccana*	Gum-topped Box	130	90	158	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1376-b	*Corymbia henryi*	Large-leaved Spotted Gum	220	120 110 100	291	92	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1377-b	*Eucalyptus moluccana*	Gum-topped Box	800		800	251	24.0	13.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1378-b	*Eucalyptus moluccana*	Gum-topped Box	460		460	145	20.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1379-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1380-b	*Lophostemon suaveolens*	Swamp Box	110	90	142	45	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1381-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1382-b	*Lophostemon suaveolens*	Swamp Box	110	90	142	45	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1383-b	*Eucalyptus moluccana*	Gum-topped Box	390		390	123	20.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1384-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1385-b	*Lophostemon suaveolens*	Swamp Box	100	80	128	40	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1386-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1387-b	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1388-b	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1389-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1390-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1391-b	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1392-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1393-b	*Lophostemon suaveolens*	Swamp Box	250		250	79	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1394-b	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1395-b	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1396-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1397-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1398-b	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	18.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1399-b	*Lophostemon suaveolens*	Swamp Box	200	80	215	68	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1400-b	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1401-b	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1402-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1403-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1404-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1405-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1406-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350	310	468	147	12.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1407-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1408-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1409-b	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1410-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1411-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1412-b	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1413-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1414-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1415-b	*Corymbia henryi*	Large-leaved Spotted Gum	180	140 130 100	281	88	14.0	9.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1416-b	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1417-b	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1418-b	*Corymbia citriodora*	Spotted Gum	140		140	44	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1419-b	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1420-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1421-b	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1422-b	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1423-b	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1424-b	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1425-b	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1426-b	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1427-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1428-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1429-b	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1430-b	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1431-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1432-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1433-b	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1434-b	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1435-b	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1436-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1437-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1438-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1439-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	20.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1440-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1441-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1442-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	150	250	79	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1443-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1444-b	*Corymbia intermedia*	Pink Bloodwood	630		630	198	21.0	13.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1445-b	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1446-b	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1447-b	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1448-b	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1449-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1450-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1451-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1452-b	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1453-b	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1454-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1455-b	*Corymbia henryi*	Large-leaved Spotted Gum	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1456-b	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1457-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1458-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1459-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1460-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1461-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1462-b	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1463-b	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1464-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1465-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1466-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1467-b	*Corymbia citriodora*	Spotted Gum	470		470	148	22.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1468-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1469-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1470-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1471-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1472-b	*Corymbia citriodora*	Spotted Gum	640		640	201	22.0	11.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1473-b	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1474-b	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1475-b	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1476-b	*Angophora floribunda*	Rough-barked Apple	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1477-b	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1478-b	*Corymbia citriodora*	Spotted Gum	610		610	192	22.0	10.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1479-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1480-b	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1481-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1482-b	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1483-b	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	23.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1484-b	*Alphitonia excelsa*	Soap Tree	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1485-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1486-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1487-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1488-b	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1489-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1490-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1491-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	420		420	132	22.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1492-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	12.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1493-b	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1494-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1495-b	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1496-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1497-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1498-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1499-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1500-b	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1501-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1502-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	15.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1503-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1504-b	*Corymbia intermedia*	Pink Bloodwood	210	160	264	83	12.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1505-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1506-b	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1507-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1508-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1509-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1510-b	*Eucalyptus moluccana*	Gum-topped Box	440		440	138	20.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1511-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1512-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1513-b	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1514-b	*Corymbia citriodora*	Spotted Gum	620		620	195	21.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1515-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	11.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1516-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1517-b	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1518-b	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1519-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1520-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1521-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	18.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1522-b	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1523-b	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1524-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1525-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1526-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1527-b	*Eucalyptus moluccana*	Gum-topped Box	460		460	145	20.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1528-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	17.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1529-b	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1530-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1531-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1532-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1533-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1534-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1535-b	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1536-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	85	21.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1537-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1538-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1539-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1540-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1541-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180	170 170	300	94	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1542-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190	150	242	76	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1543-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1544-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1545-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1546-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1547-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1548-b	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1549-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1550-b	*Corymbia gummifera*	Red Bloodwood	230		230	72	18.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1551-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1552-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1553-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1554-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1555-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	22.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1556-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1557-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1558-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1559-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1560-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1561-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	13.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1562-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1563-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1564-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1565-b	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1566-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1567-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1568-b	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1569-b	*Corymbia intermedia*	Pink Bloodwood	400		400	126	18.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1570-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1571-b	*Corymbia intermedia*	Pink Bloodwood	540		540	170	20.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1572-b	*Acacia concurrens*	Black Wattle	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1573-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1574-b	*Acacia concurrens*	Black Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1575-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1576-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1577-b	*Corymbia henryi*	Large-leaved Spotted Gum	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1578-b	*Corymbia intermedia*	Pink Bloodwood	160	170	233	73	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1579-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1580-b	*Corymbia trachyphloia*	Brown Bloodwood	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1581-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1582-b	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1583-b	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1584-b	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1585-b	*Eucalyptus moluccana*	Gum-topped Box	480		480	151	15.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1586-b	*Corymbia henryi*	Large-leaved Spotted Gum	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1587-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1588-b	*Corymbia citriodora*	Spotted Gum	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1589-b	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1590-b	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	26.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1591-b	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	13.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1592-b	*Corymbia trachyphloia*	Brown Bloodwood	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1593-b	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	6.0	1.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1594-b	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1595-b	*Corymbia citriodora*	Spotted Gum	70		70	22	4.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1596-b	*Corymbia henryi*	Large-leaved Spotted Gum	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1597-b	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1598-b	*Corymbia citriodora*	Spotted Gum	260		260	82	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1599-b	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1600-b	*Corymbia trachyphloia*	Brown Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1601-b	*Corymbia henryi*	Large-leaved Spotted Gum	80		80	25	5.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1602-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1603-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	17.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1604-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1605-b	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1606-b	*Dead/Stag*		140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1607-b	*Corymbia intermedia*	Pink Bloodwood	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1608-b	*Corymbia citriodora*	Spotted Gum	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1609-b	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1610-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1611-b	*Corymbia intermedia*	Pink Bloodwood	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1612-b	*Eucalyptus moluccana*	Gum-topped Box	150	230 120	300	94	10.0	6.0	3.6	2.0	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1613-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1614-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1615-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1616-b	*Corymbia citriodora*	Spotted Gum	60		60	19	5.0	1.0	2.0	1.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1617-b	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1618-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	14.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1619-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1620-b	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1621-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	5.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1622-b	*Corymbia intermedia*	Pink Bloodwood	450		450	141	17.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1623-b	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1624-b	*Corymbia citriodora*	Spotted Gum	710		710	223	18.0	10.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1625-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	9.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1626-b	*Corymbia intermedia*	Pink Bloodwood	680		680	214	18.0	10.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1627-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1628-b	*Corymbia citriodora*	Spotted Gum	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1629-b	*Corymbia citriodora*	Spotted Gum	170	50	177	56	8.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1630-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1631-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1632-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1633-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	6.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1634-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1635-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1636-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1637-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1638-b	*Corymbia citriodora*	Spotted Gum	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1639-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1640-b	*Corymbia trachyphloia*	Brown Bloodwood	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1641-b	*Corymbia citriodora*	Spotted Gum	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1642-b	*Corymbia trachyphloia*	Brown Bloodwood	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1643-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1644-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1645-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	8.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1646-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1647-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1648-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	5.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1649-b	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1650-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1651-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1652-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1653-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1654-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1655-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	5.0	4.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1656-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	17.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1657-b	*Corymbia intermedia*	Pink Bloodwood	520		520	163	18.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1658-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1659-b	*Lophostemon suaveolens*	Swamp Box	290		290	91	6.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1660-b	*Lophostemon suaveolens*	Swamp Box	50		50	16	3.0	1.0	2.0	0.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1661-b	*Lophostemon suaveolens*	Swamp Box	80		80	25	3.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1662-b	*Lophostemon suaveolens*	Swamp Box	80		80	25	3.0	1.0	2.0	1.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1663-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1664-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1665-b	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	14.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1666-b	*Lophostemon suaveolens*	Swamp Box	160	130	206	65	7.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1667-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1668-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1669-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1670-b	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1671-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1672-b	*Corymbia intermedia*	Pink Bloodwood	220		220	69	6.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1673-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1674-b	*Corymbia intermedia*	Pink Bloodwood	410		410	129	17.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1675-b	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	7.0	2.0	3.0	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1676-b	*Eucalyptus tereticornis*	Forest Red Gum	710		710	223	20.0	9.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1677-b	*Corymbia intermedia*	Pink Bloodwood	90		90	28	3.0	1.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1678-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	11.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1679-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1680-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	6.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1681-b	*Allocasuarina littoralis*	Black She-oak	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1682-b	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1683-b	*Allocasuarina littoralis*	Black She-oak	240		240	75	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1684-b	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1685-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1686-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1687-b	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1688-b	*Eucalyptus moluccana*	Gum-topped Box	230	180 100 110	328	103	14.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1689-b	*Eucalyptus moluccana*	Gum-topped Box	240	170 300 210	470	148	17.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1690-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1691-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1692-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1693-b	*Dead/Stag*		300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention Corridor	
1694-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1695-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1696-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1697-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1698-b	*Corymbia citriodora*	Spotted Gum	720		720	226	12.0	8.0	8.6	2.9	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1699-b	*Corymbia citriodora*	Spotted Gum	620		620	195	22.0	10.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1700-b	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1701-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1702-b	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1703-b	*Corymbia citriodora*	Spotted Gum	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1704-b	*Corymbia henryi*	Large-leaved Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1705-b	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	9.0	4.2	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1706-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1707-b	*Corymbia henryi*	Large-leaved Spotted Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1708-b	*Eucalyptus moluccana*	Gum-topped Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1709-b	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1710-b	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1711-b	*Corymbia henryi*	Large-leaved Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1712-b	*Corymbia henryi*	Large-leaved Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1713-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1714-b	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1715-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1716-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1717-b	*Corymbia citriodora*	Spotted Gum	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1718-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1719-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1720-b	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1721-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1722-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1723-b	*Corymbia citriodora*	Spotted Gum	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1724-b	*Corymbia henryi*	Large-leaved Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1725-b	*Corymbia henryi*	Large-leaved Spotted Gum	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1726-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1727-b	*Corymbia citriodora*	Spotted Gum	60		60	19	4.0	1.0	2.0	1.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1728-b	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	7.0	1.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1729-b	*Corymbia citriodora*	Spotted Gum	190		190	60	10.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1730-b	*Corymbia citriodora*	Spotted Gum	610		610	192	18.0	10.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1731-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1732-b	*Corymbia henryi*	Large-leaved Spotted Gum	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1733-b	*Corymbia henryi*	Large-leaved Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1734-b	*Corymbia henryi*	Large-leaved Spotted Gum	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1735-b	*Corymbia citriodora*	Spotted Gum	130	90	158	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1736-b	*Corymbia citriodora*	Spotted Gum	180		180	57	7.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1737-b	*Corymbia intermedia*	Pink Bloodwood	90	90	127	40	3.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1738-b	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1739-b	*Corymbia citriodora*	Spotted Gum	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1740-b	*Corymbia citriodora*	Spotted Gum	90		90	28	5.0	1.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1741-b	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1742-b	*Corymbia citriodora*	Spotted Gum	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1743-b	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1744-b	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1745-b	*Corymbia citriodora*	Spotted Gum	90		90	28	5.0	1.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1746-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	14.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1747-b	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1748-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1749-b	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1750-b	*Corymbia citriodora*	Spotted Gum	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1751-b	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1752-b	*Corymbia henryi*	Large-leaved Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1753-b	*Corymbia citriodora*	Spotted Gum	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1754-b	*Corymbia citriodora*	Spotted Gum	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1755-b	*Corymbia henryi*	Large-leaved Spotted Gum	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1756-b	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1757-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1758-b	*Corymbia citriodora*	Spotted Gum	390		390	123	13.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1759-b	*Corymbia citriodora*	Spotted Gum	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1760-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	14.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1761-b	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1762-b	*Allocasuarina littoralis*	Black She-oak	230		230	72	12.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1763-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1764-b	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1765-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1766-b	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1767-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1768-b	*Corymbia citriodora*	Spotted Gum	90		90	28	4.0	1.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1769-b	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1770-b	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	17.0	8.0	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1771-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1772-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1773-b	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1774-b	*Corymbia citriodora*	Spotted Gum	90		90	28	4.0	1.0	2.0	1.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1775-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1776-b	*Alphitonia excelsa*	Soap Tree	200		200	63	7.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1777-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	19.0	11.0	6.6	2.6	Regular	-	Thinning	Die-back	-	-	Poor	Major	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1778-b	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1779-b	*Corymbia trachyphloia*	Brown Bloodwood	180	150	234	74	9.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1780-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1781-b	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1782-b	*Corymbia intermedia*	Pink Bloodwood	480		480	151	16.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1783-b	*Corymbia intermedia*	Pink Bloodwood	220		220	69	7.0	2.0	2.6	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1784-b	*Eucalyptus moluccana*	Gum-topped Box	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1785-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1786-b	*Lophostemon suaveolens*	Swamp Box	250		250	79	11.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1787-b	*Eucalyptus moluccana*	Gum-topped Box	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1788-b	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1789-b	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1790-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1791-b	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1792-b	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1793-b	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	25.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1794-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1795-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1796-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1797-b	*Corymbia citriodora*	Spotted Gum	240		240	75	11.0	2.0	2.9	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1798-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1799-b	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1800-b	*Corymbia citriodora*	Spotted Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1801-b	*Corymbia citriodora*	Spotted Gum	410		410	129	20.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1802-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1803-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1804-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	15.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1805-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1806-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1807-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
1808-b	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1809-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1810-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1811-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1812-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1813-b	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1814-b	*Allocasuarina littoralis*	Black She-oak	290		290	91	7.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1815-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1816-b	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1817-b	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1818-b	*Corymbia henryi*	Large-leaved Spotted Gum	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1819-b	*Eucalyptus biturbinata*	Large-fruited Grey Gum	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1820-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	2.0	1.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1821-b	*Corymbia intermedia*	Pink Bloodwood	120	40	126	40	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1822-b	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1823-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1824-b	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1825-b	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1826-b	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	25.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1827-b	*Corymbia intermedia*	Pink Bloodwood	290		290	91	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1828-b	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1829-b	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1830-b	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1831-b	*Eucalyptus moluccana*	Gum-topped Box	730		730	229	28.0	15.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1832-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1833-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1834-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1835-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1836-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	25.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1837-b	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	21.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1838-b	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1839-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1840-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	19.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1841-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1842-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1843-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	14.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1844-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1845-b	*Lophostemon suaveolens*	Swamp Box	100	30	104	33	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1846-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1847-b	*Corymbia intermedia*	Pink Bloodwood	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1848-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	17.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1849-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1850-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	1200		1200	377	25.0	16.0	14.4	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1851-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1852-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	19.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1853-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1854-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1855-b	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1856-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1857-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	360		360	113	14.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1858-b	*Corymbia intermedia*	Pink Bloodwood	540		540	170	13.0	7.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1859-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	480		480	151	15.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1860-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	15.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1861-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1862-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1863-b	*Dead/Stag*		170		170	53	5.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
1864-b	*Allocasuarina littoralis*	Black She-oak	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1865-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1866-b	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	19.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1867-b	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	11.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention Corridor	
1868-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1869-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1870-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	250		250	79	13.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1871-b	*Eucalyptus moluccana*	Gum-topped Box	600		600	188	23.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1872-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	440		440	138	16.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1873-b	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1874-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	12.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1875-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1876-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1877-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1878-b	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1879-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1880-b	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1881-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1882-b	*Eucalyptus moluccana*	Gum-topped Box	380	250	455	143	16.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1883-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1884-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1885-b	*Eucalyptus moluccana*	Gum-topped Box	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1886-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1887-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	390		390	123	16.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1888-b	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1889-b	*Eucalyptus moluccana*	Gum-topped Box	460		460	145	21.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1890-b	*Allocasuarina littoralis*	Black She-oak	240		240	75	9.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1891-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	500		500	157	18.0	5.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1892-b	*Lophostemon suaveolens*	Swamp Box	110	70	130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1893-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	230		230	72	8.0	1.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1894-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1895-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1896-b	*Lophostemon suaveolens*	Swamp Box	128		128	40	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1897-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	14.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1899-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	580		580	182	17.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1900-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1901-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1902-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1903-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1904-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1905-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1906-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1907-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1908-b	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1909-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1910-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1911-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1912-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1913-b	*Lophostemon suaveolens*	Swamp Box	130	80	153	48	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1914-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1915-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1916-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	630		630	198	17.0	6.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1917-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1918-b	*Lophostemon suaveolens*	Swamp Box	270	90	285	89	12.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1919-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1920-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1921-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1922-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1923-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1924-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1925-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1926-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1927-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1928-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1929-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1930-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1931-b	*Lophostemon suaveolens*	Swamp Box	290		290	91	13.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1932-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1933-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1934-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1935-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1936-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1937-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1938-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1939-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1940-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1941-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1942-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1943-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1944-b	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1945-b	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1946-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	15.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1947-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1948-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1949-b	*Eucalyptus moluccana*	Gum-topped Box	620		620	195	26.0	9.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1950-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1951-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1952-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1953-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1954-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1955-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
1956-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1957-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1958-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1959-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
1962-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	340		340	107	15.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1963-b	*Corymbia intermedia*	Pink Bloodwood	620		620	195	14.0	8.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1964-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	16.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1965-b	*Corymbia intermedia*	Pink Bloodwood	560		560	176	17.0	11.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1966-b	*Corymbia intermedia*	Pink Bloodwood	440		440	138	17.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1967-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1968-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1969-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	17.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1970-b	*Corymbia intermedia*	Pink Bloodwood	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1971-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	360		360	113	16.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1972-b	*Corymbia intermedia*	Pink Bloodwood	590		590	185	18.0	8.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1973-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1974-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1975-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	480		480	151	19.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1976-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1977-b	*Dead/Stag*		730		730	229	25.0	12.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
1978-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1979-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	520		520	163	24.0	15.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1980-b	*Angophora subvelutina*	Broad-leaved Apple	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1981-b	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1982-b	*Corymbia citriodora*	Spotted Gum	450		450	141	22.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1983-b	*Dead/Stag*		400		400	126	12.0	1.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
1984-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1985-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	310		310	97	17.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1986-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	560		560	176	20.0	11.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1987-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1988-b	*Angophora leiocarpa*	Smooth-barked Apple	540		540	170	25.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1989-b	*Eucalyptus moluccana*	Gum-topped Box	580		580	182	23.0	9.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2710-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	80 80 80	171	54	5.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2711-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2712-b	*Acacia concurrens*	Black Wattle	310		310	97	11.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2713-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2714-b	*Acacia concurrens*	Black Wattle	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2715-b	*Eucalyptus moluccana*	Gum-topped Box	130	130	184	58	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2716-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2717-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2718-b	*Eucalyptus moluccana*	Gum-topped Box	150	90	175	55	10.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2719-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2720-b	*Eucalyptus moluccana*	Gum-topped Box	160	110 110	223	70	11.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2721-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2722-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2723-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2724-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2725-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2726-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2727-b	*Angophora leiocarpa*	Smooth-barked Apple	190	170	255	80	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2728-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2729-b	*Eucalyptus moluccana*	Gum-topped Box	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2730-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2731-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2732-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2733-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2734-b	*Eucalyptus moluccana*	Gum-topped Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2735-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2736-b	*Eucalyptus moluccana*	Gum-topped Box	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2737-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2738-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	580		580	182	22.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2739-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2740-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2741-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2742-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2743-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2744-b	*Eucalyptus moluccana*	Gum-topped Box	180	110	211	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2745-b	*Corymbia intermedia*	Pink Bloodwood	120	90	150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2746-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2747-b	*Corymbia torelliana*	Cadaghi	200	180	269	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2748-b	*Eucalyptus moluccana*	Gum-topped Box	160	100	189	59	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2749-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2750-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2751-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	80	128	40	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2752-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2753-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2754-b	*Eucalyptus moluccana*	Gum-topped Box	140	100	172	54	11.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2755-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2756-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2757-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2758-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2759-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2760-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2761-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2762-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2763-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2764-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2765-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2766-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2767-b	*Eucalyptus moluccana*	Gum-topped Box	160	150	219	69	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2768-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2769-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2770-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2771-b	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2772-b	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2773-b	*Corymbia citriodora*	Spotted Gum	120	60	134	42	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2774-b	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2775-b	*Corymbia citriodora*	Spotted Gum	140	110	178	56	12.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2776-b	*Eucalyptus moluccana*	Gum-topped Box	110	70	130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2777-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2778-b	*Eucalyptus moluccana*	Gum-topped Box	110	70	130	41	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2779-b	*Corymbia citriodora*	Spotted Gum	100	50	112	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2780-b	*Corymbia citriodora*	Spotted Gum	140	110	178	56	9.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2781-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2782-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2783-b	*Corymbia citriodora*	Spotted Gum	160	120	200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2784-b	*Eucalyptus moluccana*	Gum-topped Box	120	110	163	51	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2785-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2786-b	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2787-b	*Eucalyptus moluccana*	Gum-topped Box	110	90	142	45	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2788-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2789-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2790-b	*Eucalyptus moluccana*	Gum-topped Box	150	130	198	62	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2791-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2792-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2793-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2794-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	22.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2795-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110	90	142	45	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2796-b	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2797-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2798-b	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2799-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2800-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	130	130	184	58	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2801-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2802-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2803-b	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2804-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2805-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2806-b	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2807-b	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2808-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	100	90	135	42	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2809-b	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2810-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2811-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2812-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2813-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2814-b	*Corymbia citriodora*	Spotted Gum	130	80	153	48	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2815-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2816-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2817-b	*Corymbia citriodora*	Spotted Gum	130	80	153	48	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2818-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2819-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	710		710	223	22.0	11.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2820-b	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2821-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2822-b	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2823-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2824-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2825-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2826-b	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2827-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2828-b	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2829-b	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2830-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2831-b	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2832-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2833-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2834-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2835-b	*Angophora subvelutina*	Broad-leaved Apple	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2836-b	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2837-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2838-b	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2839-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2840-b	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2841-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2842-b	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2843-b	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2844-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2845-b	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2846-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2847-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2848-b	*Eucalyptus moluccana*	Gum-topped Box	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2849-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2850-b	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2851-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2852-b	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2853-b	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2854-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2855-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2856-b	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2857-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	22.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2858-b	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2859-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2860-b	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2861-b	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2862-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2863-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2864-b	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2865-b	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	16.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2866-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2867-b	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2868-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2869-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	9.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2870-b	*Corymbia intermedia*	Pink Bloodwood	540		540	170	22.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2871-b	*Lophostemon suaveolens*	Swamp Box	280		280	88	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2872-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2873-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2874-b	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2875-b	*Corymbia citriodora*	Spotted Gum	350		350	110	21.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2876-b	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2877-b	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2878-b	*Corymbia citriodora*	Spotted Gum	540		540	170	22.0	13.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2879-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2880-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2881-b	*Lophostemon suaveolens*	Swamp Box	420		420	132	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2882-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2883-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	20.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2884-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2886-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230	170	286	90	13.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2887-b	*Lophostemon suaveolens*	Swamp Box	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2888-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2889-b	*Eucalyptus racemosa*	Scribbly Gum	580		580	182	22.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2890-b	*Alphitonia excelsa*	Soap Tree	210	160	264	83	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2891-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2892-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2893-b	*Alphitonia excelsa*	Soap Tree	220		220	69	15.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2894-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2895-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2896-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2897-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	510		510	160	15.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2898-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	650		650	204	23.0	11.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2899-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	141	20.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2900-b	*Corymbia intermedia*	Pink Bloodwood	380		380	119	22.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2901-b	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2902-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2903-b	*Corymbia intermedia*	Pink Bloodwood	520	90	528	166	21.0	10.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2904-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2905-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	620		620	195	23.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2906-b	*Alphitonia excelsa*	Soap Tree	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2907-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2914-b	*Dead/Stag*		220		220	69	9.0	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	Present	-	Retain - subject to CA4 VMP	
2915-b	*Corymbia citriodora*	Spotted Gum	270		270	85	8.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2916-b	*Corymbia citriodora*	Spotted Gum	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2917-b	*Dead/Stag*		170		170	53	7.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain - subject to CA4 VMP	
2918-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2919-b	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2920-b	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2921-b	*Corymbia intermedia*	Pink Bloodwood	400		400	126	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2922-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2923-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2924-b	*Corymbia intermedia*	Pink Bloodwood	600		600	188	17.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2925-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2926-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2927-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2928-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2929-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	13.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2930-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2931-b	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2932-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2933-b	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2934-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2935-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120	90 100	180	57	5.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2936-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	10	110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2937-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2938-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2939-b	*Corymbia intermedia*	Pink Bloodwood	500		500	157	16.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2940-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2941-b	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	19.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2942-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2943-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2944-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2945-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	12.0	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2946-b	*Corymbia citriodora*	Spotted Gum	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2947-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2948-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2949-b	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2950-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2951-b	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	18.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2952-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2953-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	9.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2954-b	*Eucalyptus tereticornis*	Forest Red Gum	570		570	179	24.0	12.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2955-b	*Corymbia citriodora*	Spotted Gum	280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2956-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2957-b	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2958-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2959-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2960-b	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2961-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2962-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2963-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	12.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2968-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2969-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2970-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2971-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2972-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2973-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	330	260	420	132	15.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2974-b	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	18.0	7.0	7.1	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2975-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	440		440	138	17.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2976-b	*Dead/Stag*		450		450	141	12.0	2.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain - subject to CA4 VMP	
2977-b	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2978-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	8.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2979-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2980-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2981-b	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2982-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	8.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2983-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	320		320	101	12.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2984-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2985-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2986-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350		350	110	12.0	2.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2987-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	24.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2988-b	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2989-b	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2990-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	11.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2991-b	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2992-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2993-b	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2994-b	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2995-b	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
2998-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3011-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3012-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3013-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3015-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3016-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3017-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3018-b	*Corymbia intermedia*	Pink Bloodwood	320		320	101	16.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3019-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3020-b	*Lophostemon suaveolens*	Swamp Box	280		280	88	9.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3021-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3022-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	17.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3023-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3024-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3025-b	*Acacia concurrens*	Black Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3026-b	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3027-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3028-b	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3029-b	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3030-b	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3031-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3032-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3033-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3034-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	12.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3035-b	*Lophostemon suaveolens*	Swamp Box	128		128	40	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3036-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3037-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3038-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3039-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3040-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	11.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3041-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3042-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3043-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	11.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3044-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3045-b	*Lophostemon suaveolens*	Swamp Box	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3046-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3047-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3048-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3049-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3050-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3051-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3052-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3053-b	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3054-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3143-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	300	280	410	129	11.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3144-b	*Corymbia intermedia*	Pink Bloodwood	510		510	160	14.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3145-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	10.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3146-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3147-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3148-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3149-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3150-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3151-b	*Lophostemon suaveolens*	Swamp Box	280		280	88	10.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3152-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3153-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3154-b	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	11.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3155-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3156-b	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3157-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3158-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	14.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3159-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3160-b	*Eucalyptus moluccana*	Gum-topped Box	690		690	217	18.0	7.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3161-b	*Dead/Stag*		320		320	101	7.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3162-b	*Dead/Stag*		390		390	123	13.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
3163-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3164-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3165-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3166-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3167-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3168-b	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3169-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3170-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3171-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3172-b	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3173-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3174-b	*Dead/Stag*		350		350	110	16.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
3175-b	*Dead/Stag*		210		210	66	7.0	1.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3176-b	*Corymbia citriodora*	Spotted Gum	110	90 70 70	173	54	9.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3177-b	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3178-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3179-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3180-b	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3181-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3182-b	*Corymbia citriodora*	Spotted Gum	330		330	104	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3183-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3184-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3185-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3186-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3187-b	*Corymbia citriodora*	Spotted Gum	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3188-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3189-b	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3190-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3191-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3192-b	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3193-b	*Corymbia citriodora*	Spotted Gum	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3194-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3195-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3196-b	*Eucalyptus moluccana*	Gum-topped Box	390		390	123	14.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3197-b	*Eucalyptus moluccana*	Gum-topped Box	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3198-b	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3199-b	*Lophostemon suaveolens*	Swamp Box	160	130	206	65	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3200-b	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3201-b	*Corymbia citriodora*	Spotted Gum	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3202-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3203-b	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3204-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3205-b	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	14.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3206-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	13.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3207-b	*Lophostemon suaveolens*	Swamp Box	130	90 70	173	54	9.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3208-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	6.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3209-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3210-b	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	18.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3211-b	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3212-b	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3213-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3214-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3215-b	*Lophostemon suaveolens*	Swamp Box	160	80	179	56	11.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3216-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	16.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3217-b	*Corymbia citriodora*	Spotted Gum	220	110	246	77	19.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3218-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3219-b	*Lophostemon suaveolens*	Swamp Box	110	100	149	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3220-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3221-b	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3222-b	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3223-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3224-b	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3225-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3226-b	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3227-b	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3228-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3229-b	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3230-b	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3231-b	*Corymbia citriodora*	Spotted Gum	860		860	270	18.0	5.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3232-b	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3233-b	*Corymbia citriodora*	Spotted Gum	390		390	123	13.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3234-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3235-b	*Corymbia citriodora*	Spotted Gum	370		370	116	13.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3236-b	*Corymbia citriodora*	Spotted Gum	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3237-b	*Allocasuarina littoralis*	Black She-oak	210	170 140	304	96	8.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3238-b	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3239-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3240-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	16.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3241-b	*Corymbia citriodora*	Spotted Gum	170	140 100	242	76	10.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3242-b	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3243-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3244-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3245-b	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	14.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3246-b	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3247-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3248-b	*Corymbia citriodora*	Spotted Gum	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3249-b	*Corymbia intermedia*	Pink Bloodwood	100	100	141	44	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3250-b	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3251-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3252-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	15.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3253-b	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3254-b	*Corymbia citriodora*	Spotted Gum	420		420	132	14.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3255-b	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3256-b	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3257-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3258-b	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3259-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3260-b	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3261-b	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3262-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3263-b	*Dead/Stag*		280		280	88	3.0	1.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3264-b	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3265-b	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3266-b	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3267-b	*Corymbia citriodora*	Spotted Gum	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3268-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3269-b	*Dead/Stag*		180		180	57	5.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3270-b	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3271-b	*Corymbia citriodora*	Spotted Gum	160	110	194	61	11.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3272-b	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3273-b	*Corymbia intermedia*	Pink Bloodwood	290		290	91	13.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3274-b	*Corymbia citriodora*	Spotted Gum	290		290	91	14.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3275-b	*Corymbia intermedia*	Pink Bloodwood	180	160	241	76	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3276-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3277-b	*Corymbia citriodora*	Spotted Gum	760		760	239	22.0	10.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3278-b	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3279-b	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3280-b	*Dead/Stag*		170		170	53	5.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3281-b	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3282-b	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3283-b	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3284-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3285-b	*Corymbia citriodora*	Spotted Gum	420		420	132	16.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3286-b	*Eucalyptus moluccana*	Gum-topped Box	460		460	145	13.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3287-b	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3288-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3289-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3290-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3291-b	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3292-b	*Dead/Stag*		220		220	69	8.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3293-b	*Corymbia citriodora*	Spotted Gum	440		440	138	20.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3294-b	*Eucalyptus moluccana*	Gum-topped Box	440		440	138	18.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3295-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3296-b	*Eucalyptus moluccana*	Gum-topped Box	410		410	129	19.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3297-b	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3298-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3299-b	*Lophostemon suaveolens*	Swamp Box	120	110 110 80	212	67	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3300-b	*Corymbia citriodora*	Spotted Gum	660		660	207	18.0	6.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3301-b	*Eucalyptus moluccana*	Gum-topped Box	670		670	210	20.0	6.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3302-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3303-b	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3304-b	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3305-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3306-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3307-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3308-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3309-b	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3310-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	11.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3311-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	160	256	80	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3312-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3313-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3314-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3315-b	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3316-b	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3317-b	*Eucalyptus tereticornis*	Forest Red Gum	780		780	245	25.0	8.0	9.4	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3318-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3319-b	*Corymbia citriodora*	Spotted Gum	310		310	97	11.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3320-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160	110	194	61	9.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3321-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3322-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	330		330	104	10.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3323-b	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3324-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3325-b	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	14.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3326-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3327-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3328-b	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3329-b	*Dead/Stag*		480		480	151	9.0	4.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3330-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3331-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3332-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3333-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3334-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3335-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3336-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3337-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3338-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	320		320	101	9.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3339-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3340-b	*Corymbia intermedia*	Pink Bloodwood	490		490	154	14.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3341-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3342-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3343-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3344-b	*Dead/Stag*		200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3345-b	*Corymbia citriodora*	Spotted Gum	330		330	104	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3346-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3347-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3348-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3349-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3350-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3351-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3352-b	*Allocasuarina littoralis*	Black She-oak	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3353-b	*Allocasuarina littoralis*	Black She-oak	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3354-b	*Allocasuarina littoralis*	Black She-oak	300	170	345	108	9.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3355-b	*Allocasuarina littoralis*	Black She-oak	270		270	85	9.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3759-b	*Corymbia citriodora*	Spotted Gum	410		410	129	19.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3761-b	*Corymbia intermedia*	Pink Bloodwood	370		370	116	19.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3762-b	*Eucalyptus moluccana*	Gum-topped Box	510		510	160	17.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3763-b	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	24.0	14.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3764-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain - subject to CA4 VMP	
3765-b	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	23.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
3766-b	*Eucalyptus moluccana*	Gum-topped Box	430		430	135	21.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3767-b	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	20.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
3807-b	*Angophora leiocarpa*	Smooth-barked Apple	450		450	141	15.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain - subject to CA4 VMP	
3808-b	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	10.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3809-b	*Angophora leiocarpa*	Smooth-barked Apple	320	160	358	112	9.0	5.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3810-b	*Acacia concurrens*	Black Wattle	300		300	94	10.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3811-b	*Angophora leiocarpa*	Smooth-barked Apple	430		430	135	16.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3812-b	*Angophora leiocarpa*	Smooth-barked Apple	400		400	126	15.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3813-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	17.0	7.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3814-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	18.0	9.0	6.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3815-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3816-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	460		460	145	14.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3824-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	26.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3825-b	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	15.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3837-b	*Angophora leiocarpa*	Smooth-barked Apple	470		470	148	20.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3838-b	*Angophora leiocarpa*	Smooth-barked Apple	490		490	154	19.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3867-b	*Dead/Stag*		280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3868-b	*Lophostemon suaveolens*	Swamp Box	260		260	82	6.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3869-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	15.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3870-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3871-b	*Corymbia citriodora*	Spotted Gum	310		310	97	7.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3872-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3873-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	8.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3874-b	*Eucalyptus moluccana*	Gum-topped Box	550		550	173	24.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3875-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3876-b	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	13.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3877-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3878-b	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	15.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3879-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3880-b	*Corymbia intermedia*	Pink Bloodwood	470		470	148	15.0	5.0	5.6	2.4	One-sided	-	-	-	-	Lopped	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Retention Corridor	
3881-b	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3882-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	1.0	2.0	1.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Retention Corridor	
3883-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Poor	-	-	-	-	-	-	Retention Corridor	
3884-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3885-b	*Dead/Stag*		150		150	47	10.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3886-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3887-b	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3888-b	*Dead/Stag*		160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3889-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Retention Corridor	
3890-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3891-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3892-b	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	10.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3893-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention Corridor	
3894-b	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	16.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3895-b	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	17.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3896-b	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3897-b	*Eucalyptus moluccana*	Gum-topped Box	410		410	129	18.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3898-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Poor	-	-	-	-	-	-	Retention Corridor	
3899-b	*Corymbia intermedia*	Pink Bloodwood	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3900-b	*Eucalyptus moluccana*	Gum-topped Box	390		390	123	16.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3901-b	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3902-b	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3903-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3904-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3905-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3906-b	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3907-b	*Eucalyptus moluccana*	Gum-topped Box	400		400	126	15.0	6.0	4.8	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3908-b	*Corymbia intermedia*	Pink Bloodwood	230	170	286	90	10.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3909-b	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3910-b	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3911-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	820		820	258	24.0	9.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention Corridor	
3912-b	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3913-b	*Dead/Stag*		510		510	160	5.0	2.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3914-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Retention Corridor	
3915-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3916-b	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3917-b	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3918-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3919-b	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3920-b	*Corymbia citriodora*	Spotted Gum	890		890	280	25.0	11.0	10.7	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3921-b	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3922-b	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3923-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	300		300	94	7.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3924-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3925-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3926-b	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3927-b	*Dead/Stag*		480		480	151	6.0	1.0	5.8	2.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3928-b	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3929-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3930-b	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3931-b	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3932-b	*Corymbia citriodora*	Spotted Gum	420		420	132	17.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3933-b	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3934-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3935-b	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3936-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3937-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3938-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3939-b	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3940-b	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3941-b	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3942-b	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	11.0	4.0	5.5	2.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3943-b	*Corymbia citriodora*	Spotted Gum	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3944-b	*Dead/Stag*		360		360	113	7.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	Old	Yes	-	-	-	Retain - subject to CA4 VMP	
3945-b	*Corymbia intermedia*	Pink Bloodwood	330		330	104	9.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
3946-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3947-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	10.0	3.0	3.2	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3948-b	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3949-b	*Corymbia citriodora*	Spotted Gum	200		200	63	11.0	4.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3950-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
3951-b	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3952-b	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
3953-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	10.0	3.0	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	Introduced	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3954-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3955-b	*Corymbia citriodora*	Spotted Gum	200	140	244	77	7.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3956-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3957-b	*Corymbia intermedia*	Pink Bloodwood	120	90	150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3958-b	*Eucalyptus moluccana*	Gum-topped Box	580		580	182	15.0	7.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3959-b	*Lophostemon suaveolens*	Swamp Box	110	40	117	37	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3960-b	*Acacia concurrens*	Black Wattle	200		200	63	5.0	4.0	2.4	1.7	One-sided	Spreading	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3961-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	200		200	63	10.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3962-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3963-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3966-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3967-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3968-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3969-b	*Lophostemon suaveolens*	Swamp Box	140	70 70 50	179	56	5.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3970-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	2.0	2.3	1.6	One-sided	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3971-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	10.0	3.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3972-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	8.0	3.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3973-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	11.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3974-b	*Corymbia citriodora*	Spotted Gum	380		380	119	13.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3975-b	*Lophostemon suaveolens*	Swamp Box	340	140	368	116	8.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3978-b	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3979-b	*Corymbia citriodora*	Spotted Gum	118		118	37	5.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
3982-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4028-b	*Corymbia citriodora*	Spotted Gum	118	20	120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4029-b	*Corymbia citriodora*	Spotted Gum	120	40	126	40	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4030-b	*Corymbia citriodora*	Spotted Gum	220	70	231	73	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4031-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	5.0	3.0	2.0	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4032-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4033-b	*Eucalyptus moluccana*	Gum-topped Box	360		360	113	14.0	5.0	4.3	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4034-b	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	14.0	4.0	3.7	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4035-b	*Eucalyptus moluccana*	Gum-topped Box	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4036-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
4037-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	3.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
4038-b	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	11.0	5.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4039-b	*Corymbia citriodora*	Spotted Gum	240		240	75	8.0	3.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4040-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4041-b	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4042-b	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4043-b	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4044-b	*Dead/Stag*		260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	Yes	-	-	-	Retention Corridor	
4045-b	*Corymbia citriodora*	Spotted Gum	140	100 40 30	179	56	8.0	4.0	2.1	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4046-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4047-b	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4048-b	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	1.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4049-b	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4050-b	*Corymbia citriodora*	Spotted Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4051-b	*Corymbia intermedia*	Pink Bloodwood	110	90 90 80	186	59	5.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4052-b	*Corymbia citriodora*	Spotted Gum	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4053-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	5.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4054-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4055-b	*Corymbia citriodora*	Spotted Gum	140		140	44	5.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4056-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	230		230	72	5.0	3.0	2.8	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4057-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4058-b	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4059-b	*Corymbia intermedia*	Pink Bloodwood	380		380	119	12.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4060-b	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	12.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4061-b	*Lophostemon suaveolens*	Swamp Box	280		280	88	10.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
4062-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	4.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4063-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4064-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	520		520	163	14.0	5.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4065-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4066-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4067-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	6.0	2.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4068-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4069-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4070-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	8.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4071-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4072-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	3.0	2.2	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4073-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	410		410	129	8.0	3.0	4.9	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4074-b	*Lophostemon suaveolens*	Swamp Box	400		400	126	10.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4075-b	*Lophostemon suaveolens*	Swamp Box	340	300	453	142	10.0	8.0	5.4	2.4	Irregular	-	-	-	-	-	Typical	Minor	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4076-b	*Lophostemon suaveolens*	Swamp Box	370		370	116	40.0	3.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4077-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	390	390	552	173	8.0	5.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4078-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	410		410	129	10.0	4.0	4.9	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4079-b	*Lophostemon suaveolens*	Swamp Box	360		360	113	11.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4080-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	840		840	264	14.0	5.0	10.1	3.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4081-b	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	18.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4082-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	540		540	170	11.0	5.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4083-b	*Dead/Stag*		600		600	188	11.0	4.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4084-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	18.0	3.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4085-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4086-b	*Corymbia intermedia*	Pink Bloodwood	340		340	107	12.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4087-b	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4088-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4089-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4090-b	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	1.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4091-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	90 70	158	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4092-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	150		150	47	7.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4093-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	5.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4094-b	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4095-b	*Corymbia tessellaris*	Moreton Bay Ash	160	130	206	65	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4096-b	*Corymbia citriodora*	Spotted Gum	390		390	123	12.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4097-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4098-b	*Corymbia citriodora*	Spotted Gum	120	90	150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4099-b	*Corymbia citriodora*	Spotted Gum	460		460	145	12.0	4.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4100-b	*Acacia concurrens*	Black Wattle	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4101-b	*Acacia concurrens*	Black Wattle	230		230	72	5.0	3.0	2.8	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4102-b	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	8.0	4.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4103-b	*Corymbia citriodora*	Spotted Gum	400		400	126	12.0	3.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4104-b	*Corymbia citriodora*	Spotted Gum	120		120	38	5.0	1.0	2.0	1.4	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4105-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	460		460	145	14.0	4.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4106-b	*Corymbia citriodora*	Spotted Gum	300		300	94	11.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4107-b	*Corymbia citriodora*	Spotted Gum	390		390	123	10.0	3.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4108-b	*Corymbia citriodora*	Spotted Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4109-b	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	1.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4110-b	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4111-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4112-b	*Acacia concurrens*	Black Wattle	220		220	69	5.0	4.0	2.6	1.8	Regular	Spreading	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4113-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4114-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4115-b	*Acacia concurrens*	Black Wattle	230		230	72	5.0	4.0	2.8	1.8	Regular	Spreading	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4116-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4117-b	*Acacia concurrens*	Black Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4118-b	*Corymbia citriodora*	Spotted Gum	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4119-b	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	3.0	2.0	1.3	Irregular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4120-b	*Dead/Stag*		480		480	151	7.0	1.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain - subject to CA4 VMP	
4121-b	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4122-b	*Lophostemon suaveolens*	Swamp Box	120	110	163	51	5.0	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4123-b	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4124-b	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4125-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4126-b	*Corymbia citriodora*	Spotted Gum	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4127-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4128-b	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4129-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	120	50 60	143	45	6.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4130-b	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4131-b	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4132-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4133-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4134-b	*Acacia concurrens*	Black Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4135-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4136-b	*Lophostemon suaveolens*	Swamp Box	130	130	184	58	5.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4137-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4138-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4139-b	*Corymbia intermedia*	Pink Bloodwood	400		400	126	11.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4140-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4141-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4142-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4143-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4144-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4145-b	*Lophostemon suaveolens*	Swamp Box	130	110 110	203	64	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4146-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4147-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4148-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	5.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4149-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4150-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4151-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4152-b	*Acacia concurrens*	Black Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4153-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4154-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4155-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4156-b	*Lophostemon suaveolens*	Swamp Box	130	40	136	43	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4157-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120	100	156	49	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4158-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	100	149	47	5.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4159-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4160-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4161-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4162-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4163-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4164-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4165-b	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4166-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	570		570	179	14.0	7.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4167-b	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4168-b	*Corymbia intermedia*	Pink Bloodwood	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4169-b	*Corymbia intermedia*	Pink Bloodwood	420		420	132	12.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4170-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
4171-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	730		730	229	12.0	6.0	8.8	2.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4172-b	*Lophostemon suaveolens*	Swamp Box	100	80	128	40	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4173-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	100	149	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4174-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4175-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	10.0	5.0	4.3	2.2	Regular	-	Thinning	-	-	-	Typical	-	Native	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4176-b	*Corymbia citriodora*	Spotted Gum	210		210	66	6.0	5.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	Major	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4177-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4178-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	420		420	132	12.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4179-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260	240	354	111	9.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4180-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	560		560	176	8.0	4.0	6.7	2.6	One-sided	-	-	-	-	-	Poor	Minor	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4181-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4182-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4183-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4184-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4185-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4186-b	*Lophostemon suaveolens*	Swamp Box	280		280	88	8.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4187-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	14.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4188-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	1.0	2.0	1.4	Regular	-	Thinning	-	-	-	Poor	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4189-b	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4190-b	*Corymbia intermedia*	Pink Bloodwood	280		280	88	8.0	3.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4191-b	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4192-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	3.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	-	Present	-	Retain - subject to CA4 VMP	
4193-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	12.0	4.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4194-b	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4195-b	*Corymbia citriodora*	Spotted Gum	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4196-b	*Angophora leiocarpa*	Smooth-barked Apple	208		208	65	7.0	4.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4197-b	*Corymbia intermedia*	Pink Bloodwood	700		700	220	11.0	6.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4198-b	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4199-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4200-b	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	12.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4201-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4202-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	12.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4203-b	*Eucalyptus propinqua*	Small-fruited Grey Gum	280		280	88	10.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4204-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	12.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4205-b	*Corymbia citriodora*	Spotted Gum	330		330	104	11.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4206-b	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4216-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	6.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4217-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
4218-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
4219-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4220-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	14.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4221-b	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4222-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4224-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4225-b	*Eucalyptus tereticornis*	Forest Red Gum	228		228	72	12.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
4226-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4227-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4228-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain - subject to CA4 VMP	
4229-b	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	16.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4230-b	*Angophora leiocarpa*	Smooth-barked Apple	590		590	185	16.0	6.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4231-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	Present	-	Retain - subject to CA4 VMP	
4232-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4233-b	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4234-b	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4235-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4236-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4237-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4238-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4239-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4240-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	1.0	2.0	1.5	One-sided	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4241-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4242-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4243-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4244-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4245-b	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4246-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4247-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4248-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4248-b	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4248-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	270		270	85	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4249-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4250-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	85	9.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4405-b	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4406-b	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4407-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4408-b	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4409-b	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4410-b	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4411-b	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4412-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4413-b	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4414-b	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4415-b	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4416-b	*Corymbia intermedia*	Pink Bloodwood	160	150	219	69	11.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4417-b	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4418-b	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4419-b	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4420-b	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4421-b	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4422-b	*Corymbia citriodora*	Spotted Gum	110	90	142	45	12.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4423-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4424-b	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4425-b	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4426-b	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4427-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4428-b	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4429-b	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4430-b	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4431-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4432-b	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4433-b	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4434-b	*Corymbia citriodora*	Spotted Gum	270		270	85	13.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4435-b	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4436-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	7.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4437-b	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4438-b	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4439-b	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4440-b	*Corymbia citriodora*	Spotted Gum	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4441-b	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4442-b	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	22.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4443-b	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4444-b	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4445-b	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4446-b	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4447-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	85	18.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4448-b	*Corymbia citriodora*	Spotted Gum	250	180	308	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4449-b	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4450-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4451-b	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4452-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4453-b	*Corymbia citriodora*	Spotted Gum	180	130 150	268	84	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4454-b	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	17.0	8.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4455-b	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4456-b	*Corymbia citriodora*	Spotted Gum	190	140	236	74	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4457-b	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4458-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4459-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4460-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4461-b	*Corymbia citriodora*	Spotted Gum	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4462-b	*Corymbia citriodora*	Spotted Gum	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4463-b	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4464-b	*Lophostemon suaveolens*	Swamp Box	120	120	170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4465-b	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4466-b	*Corymbia citriodora*	Spotted Gum	240		240	75	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4467-b	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4468-b	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	14.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4469-b	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4470-b	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4471-b	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4472-b	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4473-b	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4474-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4475-b	*Corymbia citriodora*	Spotted Gum	400		400	126	17.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4476-b	*Eucalyptus moluccana*	Gum-topped Box	550		550	173	22.0	7.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4477-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	13.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4478-b	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4479-b	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4480-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4481-b	*Corymbia citriodora*	Spotted Gum	190	140	236	74	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4482-b	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4483-b	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4484-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4485-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4486-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4487-b	*Corymbia intermedia*	Pink Bloodwood	210	90 80	242	76	13.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4488-b	*Corymbia citriodora*	Spotted Gum	530		530	167	17.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4489-b	*Corymbia intermedia*	Pink Bloodwood	390		390	123	14.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4490-b	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4491-b	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4492-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4493-b	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4494-b	*Corymbia intermedia*	Pink Bloodwood	410		410	129	15.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4495-b	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4496-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4497-b	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4498-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4499-b	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4500-b	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4501-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4502-b	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4503-b	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4504-b	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	17.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4505-b	*Eucalyptus moluccana*	Gum-topped Box	580		580	182	21.0	13.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4506-b	*Corymbia intermedia*	Pink Bloodwood	240		240	75	19.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4507-b	*Corymbia citriodora*	Spotted Gum	140	140	198	62	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4508-b	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4509-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4510-b	*Corymbia intermedia*	Pink Bloodwood	550		550	173	18.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4511-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4512-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4513-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4514-b	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4515-b	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4516-b	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4517-b	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	2.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4518-b	*Corymbia intermedia*	Pink Bloodwood	170	110	202	64	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4519-b	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4520-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4521-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4522-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4523-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4524-b	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4525-b	*Eucalyptus moluccana*	Gum-topped Box	140	100	172	54	12.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4526-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4527-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4528-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4529-b	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	18.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4530-b	*Eucalyptus moluccana*	Gum-topped Box	470		470	148	20.0	13.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4531-b	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	15.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4532-b	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4533-b	*Eucalyptus moluccana*	Gum-topped Box	720		720	226	17.0	9.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4534-b	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4535-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4536-b	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4537-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4538-b	*Corymbia citriodora*	Spotted Gum	550		550	173	18.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4539-b	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4540-b	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4541-b	*Eucalyptus moluccana*	Gum-topped Box	410		410	129	20.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4542-b	*Corymbia citriodora*	Spotted Gum	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4543-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4544-b	*Corymbia citriodora*	Spotted Gum	450		450	141	20.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4545-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4546-b	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4547-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4548-b	*Eucalyptus moluccana*	Gum-topped Box	470		470	148	21.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4549-b	*Corymbia citriodora*	Spotted Gum	460		460	145	20.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4550-b	*Lophostemon suaveolens*	Swamp Box	160	80	179	56	7.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4551-b	*Eucalyptus moluccana*	Gum-topped Box	430		430	135	20.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4552-b	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	21.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4553-b	*Corymbia intermedia*	Pink Bloodwood	350		350	110	16.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4554-b	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4555-b	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4556-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4557-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4558-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4559-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4560-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4561-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4562-b	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4563-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4564-b	*Eucalyptus moluccana*	Gum-topped Box	530		530	167	20.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4565-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4566-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4567-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4568-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4569-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	460		460	145	18.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4570-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4571-b	*Corymbia intermedia*	Pink Bloodwood	120	60	134	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4572-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4573-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4574-b	*Corymbia intermedia*	Pink Bloodwood	470		470	148	18.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4575-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4576-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4577-b	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4578-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4579-b	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4580-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4581-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4582-b	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4583-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4584-b	*Lophostemon suaveolens*	Swamp Box	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4585-b	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4586-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4587-b	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4588-b	*Eucalyptus moluccana*	Gum-topped Box	520		520	163	20.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4589-b	*Corymbia intermedia*	Pink Bloodwood	500		500	157	19.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4590-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4591-b	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	20.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4592-b	*Corymbia intermedia*	Pink Bloodwood	410		410	129	16.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4593-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	630		630	198	22.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4594-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4595-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160	140	213	67	10.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4596-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4597-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4598-b	*Corymbia intermedia*	Pink Bloodwood	560		560	176	19.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4599-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4600-b	*Corymbia intermedia*	Pink Bloodwood	160	160	226	71	9.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4601-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4602-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4603-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4604-b	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	20.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4605-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4606-b	*Eucalyptus tereticornis*	Forest Red Gum	590		590	185	20.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4607-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4608-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4609-b	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4610-b	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4611-b	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4612-b	*Allocasuarina littoralis*	Black She-oak	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4613-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4614-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4615-b	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4616-b	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4617-b	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4618-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4619-b	*Corymbia citriodora*	Spotted Gum	500		500	157	20.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4620-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4621-b	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4622-b	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4623-b	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4624-b	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4625-b	*Corymbia henryi*	Large-leaved Spotted Gum	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4626-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4627-b	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4628-b	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4629-b	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4630-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4634-b	*Corymbia henryi*	Large-leaved Spotted Gum	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4635-b	*Corymbia henryi*	Large-leaved Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4640-b	*Corymbia henryi*	Large-leaved Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4644-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4645-b	*Corymbia henryi*	Large-leaved Spotted Gum	120	80	144	45	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4646-b	*Corymbia henryi*	Large-leaved Spotted Gum	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4649-b	*Lophostemon suaveolens*	Swamp Box	120	80	144	45	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4651-b	*Corymbia henryi*	Large-leaved Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4652-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4653-b	*Corymbia henryi*	Large-leaved Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4654-b	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	20.0	8.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4661-b	*Corymbia henryi*	Large-leaved Spotted Gum	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4662-b	*Corymbia henryi*	Large-leaved Spotted Gum	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4663-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4681-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4683-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4684-b	*Corymbia henryi*	Large-leaved Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4685-b	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	20.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4686-b	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4687-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4688-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4689-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4690-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4691-b	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4692-b	*Corymbia henryi*	Large-leaved Spotted Gum	120		120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4693-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4694-b	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4695-b	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4696-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4697-b	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	18.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4698-b	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4699-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4700-b	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4701-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4702-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	10.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4703-b	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4704-b	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4705-b	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4706-b	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4707-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4708-b	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4709-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4710-b	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4711-b	*Eucalyptus seeana*	Narrow-leaved Red Gum	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4712-b	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4713-b	*Eucalyptus moluccana*	Gum-topped Box	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4714-b	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4715-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4716-b	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	22.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4717-b	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4718-b	*Eucalyptus tereticornis*	Forest Red Gum	790		790	248	24.0	14.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4719-b	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4720-b	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	20.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4721-b	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4722-b	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	16.0	8.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4723-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	15.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4724-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4725-b	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4726-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4727-b	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4728-b	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4729-b	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4730-b	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4731-b	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4732-b	*Lophostemon suaveolens*	Swamp Box	140	100	172	54	6.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4733-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4734-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4735-b	*Lophostemon suaveolens*	Swamp Box	130		130	41	3.0	3.0	2.0	1.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4736-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4737-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4738-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain CA5 - North	
4739-b	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4740-b	*Melaleuca irbyana*	Swamp Tea Tree	180	170 100	267	84	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4741-b	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	3.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4742-b	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4743-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	470		470	148	20.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain CA5 - North	
4744-b	*Corymbia intermedia*	Pink Bloodwood	330		330	104	18.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4745-b	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	20.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4746-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4747-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	930		930	292	20.0	15.0	11.2	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4748-b	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4749-b	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4750-b	*Corymbia intermedia*	Pink Bloodwood	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
4751-b	*Dead/Stag*		200		200	63	7.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4752-b	*Lophostemon suaveolens*	Swamp Box	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4753-b	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4754-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4755-b	*Allocasuarina littoralis*	Black She-oak	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4756-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4757-b	*Angophora leiocarpa*	Smooth-barked Apple	480		480	151	19.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4758-b	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4759-b	*Corymbia intermedia*	Pink Bloodwood	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4760-b	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4761-b	*Lophostemon suaveolens*	Swamp Box	310		310	97	9.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4762-b	*Corymbia intermedia*	Pink Bloodwood	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4763-b	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4764-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4765-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4766-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4767-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4768-b	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4769-b	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4770-b	*Eucalyptus moluccana*	Gum-topped Box	220	160	272	85	15.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4771-b	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4772-b	*Allocasuarina littoralis*	Black She-oak	210		210	66	9.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4773-b	*Eucalyptus moluccana*	Gum-topped Box	530		530	167	24.0	6.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4774-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4775-b	*Eucalyptus tereticornis*	Forest Red Gum	620		620	195	22.0	6.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4776-b	*Eucalyptus moluccana*	Gum-topped Box	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4777-b	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4778-b	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	20.0	4.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4779-b	*Corymbia intermedia*	Pink Bloodwood	360		360	113	18.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4780-b	*Dead/Stag*		340		340	107	3.0	1.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
4781-b	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	25.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4782-b	*Acacia disparrima*	Hickory Wattle	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4783-b	*Lophostemon suaveolens*	Swamp Box	270		270	85	10.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4784-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4785-b	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4786-b	*Dead/Stag*		270		270	85	6.0	1.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4787-b	*Allocasuarina littoralis*	Black She-oak	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4788-b	*Acacia disparrima*	Hickory Wattle	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4789-b	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	20.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4790-b	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	22.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4791-b	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	19.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4792-b	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	20.0	5.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4793-b	*Eucalyptus moluccana*	Gum-topped Box	600		600	188	21.0	6.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4795-b	*Allocasuarina littoralis*	Black She-oak	220		220	69	9.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4796-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	11.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4797-b	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4798-b	*Acacia disparrima*	Hickory Wattle	250	200	320	101	9.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4799-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4800-b	*Acacia disparrima*	Hickory Wattle	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4801-b	*Acacia disparrima*	Hickory Wattle	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4802-b	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4803-b	*Dead/Stag*		280		280	88	8.0	1.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4804-b	*Eucalyptus moluccana*	Gum-topped Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4805-b	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4806-b	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4807-b	*Lophostemon suaveolens*	Swamp Box	330		330	104	10.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4808-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4809-b	*Allocasuarina littoralis*	Black She-oak	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4810-b	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4812-b	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4816-b	*Eucalyptus moluccana*	Gum-topped Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4817-b	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4818-b	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	16.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neigbouring application	
4820-b	*Angophora leiocarpa*	Smooth-barked Apple	340		340	107	15.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4821-b	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4822-b	*Corymbia citriodora*	Spotted Gum	370		370	116	16.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4823-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	16.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4824-b	*Corymbia intermedia*	Pink Bloodwood	450		450	141	12.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4825-b	*Melaleuca quinquenervia*	Broad-leaved Paperbark	340		340	107	11.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4826-b	*Corymbia intermedia*	Pink Bloodwood	320		320	101	11.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4827-b	*Corymbia intermedia*	Pink Bloodwood	890		890	280	18.0	8.0	10.7	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4828-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	17.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4829-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	15.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4830-b	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	13.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4831-b	*Dead/Stag*		520		520	163	18.0	4.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4832-b	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	18.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4833-b	*Corymbia intermedia*	Pink Bloodwood	570		570	179	18.0	6.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4834-b	*Corymbia intermedia*	Pink Bloodwood	510		510	160	13.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4835-b	*Eucalyptus tereticornis*	Forest Red Gum	730		730	229	13.0	5.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4836-b	*Angophora leiocarpa*	Smooth-barked Apple	380		380	119	14.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4837-b	*Corymbia intermedia*	Pink Bloodwood	470		470	148	12.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4838-b	*Eucalyptus moluccana*	Gum-topped Box	750		750	236	16.0	5.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4839-b	*Corymbia citriodora*	Spotted Gum	320		320	101	13.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4840-b	*Corymbia citriodora*	Spotted Gum	370		370	116	13.0	4.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
1	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	10.0	5.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
3	*Acacia disparrima*	Hickory Wattle	200	160 110	279	88	6.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4	*Acacia disparrima*	Hickory Wattle	210	140 120	279	88	6.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5	*Allocasuarina littoralis*	Black She-oak	230		230	72	5.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	6.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
7	*Acacia disparrima*	Hickory Wattle	210	170	270	85	6.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
8	*Corymbia citriodora*	Spotted Gum	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
9	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
10	*Corymbia citriodora*	Spotted Gum	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
11	*Corymbia citriodora*	Spotted Gum	310	160	349	110	15.0	7.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
12	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
13	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
14	*Casuarina cunninghamiana*	River She-oak	220		220	69	5.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
15	*Acacia disparrima*	Hickory Wattle	230	220 160	356	112	5.0	3.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
16	*Eucalyptus moluccana*	Gum-topped Box	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
17	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	12.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
18	*Corymbia henryi*	Large-leaved Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
19	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
20	*Corymbia citriodora*	Spotted Gum	145		145	46	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
21	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
22	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
23	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	12.0	4.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove CA5 - North	
24	*Corymbia citriodora*	Spotted Gum	400		400	126	15.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
25	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
26	*Eucalyptus moluccana*	Gum-topped Box	870		870	273	19.0	9.0	10.4	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
27	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
28	*Eucalyptus moluccana*	Gum-topped Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
29	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
30	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	13.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
31	*Petalostigma pubescens*	Quinine Bush	230		230	72	5.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
32	*Angophora leiocarpa*	Smooth-barked Apple	170	150	227	71	12.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
33	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
34	*Corymbia citriodora*	Spotted Gum	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
35	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
36	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
37	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
38	*Acacia disparrima*	Hickory Wattle	220		220	69	5.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
39	*Corymbia citriodora*	Spotted Gum	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
40	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
41	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
42	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
43	*Corymbia citriodora*	Spotted Gum	580		580	182	16.0	10.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
44	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
45	*Corymbia citriodora*	Spotted Gum	220	130	256	80	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
46	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
47	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
48	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
49	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
50	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
51	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
52	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
53	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
54	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
55	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
56	*Corymbia citriodora*	Spotted Gum	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
57	*Corymbia citriodora*	Spotted Gum	170	100	197	62	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
58	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
59	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
60	*Corymbia citriodora*	Spotted Gum	290		290	91	14.0	4.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
61	*Corymbia citriodora*	Spotted Gum	120	110	163	51	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
62	*Dead/Stag*		220		220	69	3.0	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
63	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
64	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
65	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
66	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
67	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
68	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
69	*Corymbia torelliana*	Cadaghi	170		170	53	6.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
70	*Eucalyptus crebra*	Narrow-leaved Ironbark	580		580	182	14.0	10.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
71	*Corymbia citriodora*	Spotted Gum	350		350	110	19.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
72	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
73	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
74	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
75	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
76	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
77	*Corymbia citriodora*	Spotted Gum	1330		1330	418	20.0	16.0	15.0	3.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	Present	-	Refer neighbouring application	
78	*Dead/Stag*		220		220	69	6.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
79	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
80	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
81	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
82	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
83	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
84	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
85	*Corymbia citriodora*	Spotted Gum	400		400	126	17.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
86	*Corymbia intermedia*	Pink Bloodwood	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
87	*Corymbia citriodora*	Spotted Gum	115		115	36	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
88	*Corymbia citriodora*	Spotted Gum	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
89	*Corymbia henryi*	Large-leaved Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
90	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
91	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
92	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
93	*Corymbia citriodora*	Spotted Gum	330		330	104	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
94	*Acacia concurrens*	Black Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
95	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
96	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
97	*Corymbia citriodora*	Spotted Gum	190	150	242	76	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
98	*Corymbia citriodora*	Spotted Gum	580		580	182	15.0	6.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
99	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
100	*Corymbia citriodora*	Spotted Gum	130	150 160	255	80	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
101	*Corymbia citriodora*	Spotted Gum	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
102	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
103	*Corymbia citriodora*	Spotted Gum	200		200	63	7.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
104	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
105	*Corymbia henryi*	Large-leaved Spotted Gum	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
106	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
107	*Corymbia citriodora*	Spotted Gum	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
108	*Corymbia henryi*	Large-leaved Spotted Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
109	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
110	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
111	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
112	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
113	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
114	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
115	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
116	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	1.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
117	*Corymbia intermedia*	Pink Bloodwood	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
118	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
119	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
120	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
121	*Eucalyptus seeana*	Narrow-leaved Red Gum	490		490	154	14.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
122	*Corymbia citriodora*	Spotted Gum	125		125	39	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
123	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
124	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
125	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
126	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
127	*Corymbia citriodora*	Spotted Gum	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
128	*Corymbia citriodora*	Spotted Gum	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
129	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
130	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
131	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
132	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
133	*Corymbia citriodora*	Spotted Gum	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
134	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
135	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
136	*Corymbia citriodora*	Spotted Gum	300	210	366	115	18.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
137	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
138	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
139	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
140	*Corymbia citriodora*	Spotted Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
141	*Eucalyptus seeana*	Narrow-leaved Red Gum	660		660	207	16.0	6.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
142	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
143	*Dead/Stag*		268		268	84	7.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
144	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
145	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
146	*Dead/Stag*		230		230	72	10.0	1.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
147	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
148	*Corymbia citriodora*	Spotted Gum	180		180	57	10.0	2.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
149	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
150	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
151	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
152	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
153	*Lophostemon suaveolens*	Swamp Box	230		230	72	7.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
154	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
155	*Corymbia citriodora*	Spotted Gum	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
156	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	10.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
157	*Corymbia intermedia*	Pink Bloodwood	230	150	275	86	7.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
158	*Lophostemon suaveolens*	Swamp Box	100	100 110	179	56	5.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
159	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	14.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
160	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	8.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
161	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	10.0	4.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
162	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	15.0	4.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
163	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
164	*Eucalyptus crebra*	Narrow-leaved Ironbark	550		550	173	18.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
165	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
166	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
167	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
168	*Eucalyptus crebra*	Narrow-leaved Ironbark	600		600	188	17.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention Corridor	
169	*Eucalyptus crebra*	Narrow-leaved Ironbark	140	150	205	64	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
170	*Allocasuarina littoralis*	Black She-oak	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
171	*Allocasuarina littoralis*	Black She-oak	210	190	283	89	6.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
172	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
173	*Acacia concurrens*	Black Wattle	260		260	82	5.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
174	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
175	*Acacia concurrens*	Black Wattle	210		210	66	6.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
176	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	14.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Remove CA5 - North	
177	*Corymbia intermedia*	Pink Bloodwood	620		620	195	14.0	7.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
178	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
179	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
180	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
181	*Corymbia intermedia*	Pink Bloodwood	370		370	116	11.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
182	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
183	*Acacia concurrens*	Black Wattle	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
184	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
185	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
186	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
187	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
188	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
189	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
190	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
191	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	130	184	58	5.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
192	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	130	191	60	5.0	1.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
193	*Acacia concurrens*	Black Wattle	260		260	82	7.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
194	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
195	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
196	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
197	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
198	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
199	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
200	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
201	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
202	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	90	158	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
203	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
204	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
205	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
206	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
207	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
208	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
209	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
210	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
211	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
212	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
213	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
214	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
215	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
216	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
217	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	100	141	44	4.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
218	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	4.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
219	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
220	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
221	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
222	*Dead/Stag*		210		210	66	5.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
223	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
224	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
225	*Acacia concurrens*	Black Wattle	220		220	69	5.0	4.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
226	*Corymbia intermedia*	Pink Bloodwood	260		260	82	10.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention Corridor	
227	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
228	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
229	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
230	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
231	*Corymbia intermedia*	Pink Bloodwood	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
232	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
233	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
234	*Corymbia intermedia*	Pink Bloodwood	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
235	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
238	*Dead/Stag*		210		210	66	4.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
247	*Corymbia intermedia*	Pink Bloodwood	190		190	60	6.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
248	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
249	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
258	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
260	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
261	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	10.0	3.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
262	*Corymbia intermedia*	Pink Bloodwood	370		370	116	12.0	8.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
263	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
264	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	110	156	49	4.0	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
265	*Corymbia citriodora*	Spotted Gum	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
266	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
267	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
268	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
269	*Dead/Stag*		210		210	66	4.0	1.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
270	*Allocasuarina littoralis*	Black She-oak	200		200	63	5.0	2.0	2.4	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention Corridor	
271	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	6.0	2.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
272	*Corymbia citriodora*	Spotted Gum	520		520	163	12.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
273	*Corymbia citriodora*	Spotted Gum	370		370	116	15.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
274	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	80	161	51	5.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
275	*Corymbia citriodora*	Spotted Gum	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
276	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
277	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	7.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
278	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160	140	213	67	6.0	2.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
279	*Corymbia citriodora*	Spotted Gum	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
280	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	18.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
281	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
282	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
283	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190	130	230	72	8.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
284	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
285	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210	130 160	294	92	9.0	7.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
286	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
287	*Corymbia intermedia*	Pink Bloodwood	320		320	101	15.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
288	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
289	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
290	*Acacia concurrens*	Black Wattle	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
291	*Acacia concurrens*	Black Wattle	200	150	250	79	7.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
292	*Acacia concurrens*	Black Wattle	270	140 120	327	103	6.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
293	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
294	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
295	*Corymbia intermedia*	Pink Bloodwood	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
296	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
297	*Corymbia intermedia*	Pink Bloodwood	260		260	82	10.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
298	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	150	205	64	5.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
299	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	90	135	42	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
300	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	19.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
301	*Corymbia intermedia*	Pink Bloodwood	300		300	94	9.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention Corridor	
302	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
303	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
304	*Corymbia intermedia*	Pink Bloodwood	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
305	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
306	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
307	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	90	135	42	3.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
308	*Acacia leiocalyx*	Early-flowering Black Wattle	330		330	104	5.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
309	*Corymbia intermedia*	Pink Bloodwood	450		450	141	13.0	6.0	5.4	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
310	*Corymbia intermedia*	Pink Bloodwood	270	250	368	116	7.0	6.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
311	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
312	*Allocasuarina littoralis*	Black She-oak	320		320	101	7.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
313	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	19.0	10.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
314	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	9.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
315	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
316	*Corymbia citriodora*	Spotted Gum	350		350	110	15.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
317	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
318	*Corymbia citriodora*	Spotted Gum	350		350	110	15.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
319	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
320	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
321	*Corymbia citriodora*	Spotted Gum	670		670	210	25.0	13.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
322	*Corymbia citriodora*	Spotted Gum	300		300	94	11.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
323	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
324	*Melaleuca quinquenervia*	Broad-leaved Paperbark	310	240	392	123	7.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
325	*Corymbia citriodora*	Spotted Gum	670		670	210	19.0	10.0	8.0	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
326	*Corymbia intermedia*	Pink Bloodwood	300		300	94	7.0	5.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
327	*Corymbia citriodora*	Spotted Gum	560		560	176	18.0	10.0	6.7	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
328	*Corymbia citriodora*	Spotted Gum	360		360	113	22.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
329	*Corymbia intermedia*	Pink Bloodwood	490		490	154	17.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
330	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	19.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
331	*Corymbia citriodora*	Spotted Gum	440		440	138	18.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
332	*Corymbia citriodora*	Spotted Gum	440		440	138	20.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
333	*Eucalyptus seeana*	Narrow-leaved Red Gum	330		330	104	12.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
334	*Eucalyptus moluccana*	Gum-topped Box	450	160	478	150	10.0	6.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
335	*Eucalyptus moluccana*	Gum-topped Box	710		710	223	18.0	12.0	8.5	2.9	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove CA5 - North	
336	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
337	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
338	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	25.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
339	*Dead/Stag*		360		360	113	4.0	1.0	4.3	2.2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
340	*Corymbia intermedia*	Pink Bloodwood	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
341	*Eucalyptus crebra*	Narrow-leaved Ironbark	740		740	232	25.0	7.0	8.9	2.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
342	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
343	*Corymbia intermedia*	Pink Bloodwood	330		330	104	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
344	*Corymbia intermedia*	Pink Bloodwood	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
345	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
346	*Corymbia citriodora*	Spotted Gum	360		360	113	21.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
347	*Corymbia citriodora*	Spotted Gum	390		390	123	25.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
348	*Dead/Stag*		350		350	110	4.0	1.0	4.2	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
349	*Corymbia citriodora*	Spotted Gum	430		430	135	23.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
350	*Dead/Stag*		330		330	104	5.0	1.0	4.0	2.1	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
351	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
352	*Corymbia intermedia*	Pink Bloodwood	490		490	154	18.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
353	*Corymbia citriodora*	Spotted Gum	370		370	116	23.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
354	*Corymbia citriodora*	Spotted Gum	500	150	522	164	24.0	10.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
355	*Corymbia citriodora*	Spotted Gum	470		470	148	22.0	12.0	5.6	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
356	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
357	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
358	*Corymbia intermedia*	Pink Bloodwood	350		350	110	16.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
359	*Corymbia citriodora*	Spotted Gum	470	250	532	167	17.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
360	*Dead/Stag*		560		560	176	19.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
361	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
362	*Corymbia intermedia*	Pink Bloodwood	390	220	448	141	17.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
363	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
364	*Corymbia intermedia*	Pink Bloodwood	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
365	*Corymbia intermedia*	Pink Bloodwood	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
366	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
367	*Corymbia citriodora*	Spotted Gum	410		410	129	16.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
368	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	10.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
369	*Eucalyptus sideroph\loia*	Northern Grey Ironbark	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
370	*Corymbia citriodora*	Spotted Gum	520		520	163	15.0	7.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
371	*Corymbia citriodora*	Spotted Gum	350		350	110	14.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
372	*Corymbia citriodora*	Spotted Gum	350		350	110	19.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
373	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
374	*Corymbia citriodora*	Spotted Gum	150		150	47	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
375	*Lophostemon suaveolens*	Swamp Box	190	140	236	74	7.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
376	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
377	*Corymbia intermedia*	Pink Bloodwood	240		240	75	7.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
378	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	14.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
379	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	70	130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
380	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
381	*Lophostemon suaveolens*	Swamp Box	100	100	141	44	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
382	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	11.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
383	*Corymbia citriodora*	Spotted Gum	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
384	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	40 60	123	39	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
385	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
386	*Corymbia citriodora*	Spotted Gum	370		370	116	14.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
387	*Corymbia intermedia*	Pink Bloodwood	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
388	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	15.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
389	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
390	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
391	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
392	*Dead/Stag*		280		280	88	5.0	1.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
393	*Corymbia intermedia*	Pink Bloodwood	270		270	85	10.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
394	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
395	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
396	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
397	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	6.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
398	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
399	*Corymbia citriodora*	Spotted Gum	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
400	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	6.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
401	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
402	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
403	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
404	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	6.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
405	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
406	*Lophostemon suaveolens*	Swamp Box	310		310	97	8.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
407	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
408	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
409	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
410	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
411	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	170	262	82	7.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
412	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
413	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
414	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	10.0	2.0	4.6	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
415	*Corymbia intermedia*	Pink Bloodwood	130	80	153	48	4.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
416	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
417	*Lophostemon suaveolens*	Swamp Box	190		190	60	5.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
418	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
419	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
420	*Lophostemon suaveolens*	Swamp Box	150		150	47	4.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
421	*Corymbia citriodora*	Spotted Gum	190		190	60	9.0	1.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
422	*Corymbia citriodora*	Spotted Gum	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
423	*Corymbia citriodora*	Spotted Gum	370		370	116	19.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
424	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
425	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
426	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	4.0	1.0	2.3	1.6	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
427	*Corymbia intermedia*	Pink Bloodwood	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
428	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	9.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
429	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
430	*Corymbia intermedia*	Pink Bloodwood	330		330	104	15.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
431	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
432	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
433	*Corymbia citriodora*	Spotted Gum	100	70 50	132	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
434	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
435	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
436	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
437	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
438	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
439	*Acacia disparrima*	Hickory Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
440	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
441	*Corymbia citriodora*	Spotted Gum	210		210	66	8.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
442	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
443	*Corymbia citriodora*	Spotted Gum	120	90	150	47	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
444	*Corymbia citriodora*	Spotted Gum	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
445	*Corymbia intermedia*	Pink Bloodwood	110		110	35	2.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
446	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
447	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
448	*Corymbia citriodora*	Spotted Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
449	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
450	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
451	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
452	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
453	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
454	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
455	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
456	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
457	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
458	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
459	*Corymbia intermedia*	Pink Bloodwood	170		170	53	5.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
460	*Corymbia citriodora*	Spotted Gum	220		220	69	8.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
461	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
462	*Corymbia intermedia*	Pink Bloodwood	330		330	104	13.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
463	*Corymbia intermedia*	Pink Bloodwood	250		250	79	9.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
464	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
465	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
466	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
467	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
468	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
469	*Corymbia citriodora*	Spotted Gum	250		250	79	8.0	3.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
470	*Dead/Stag*		290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
471	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
472	*Corymbia citriodora*	Spotted Gum	100	60 70	136	43	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
473	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
474	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
475	*Corymbia citriodora*	Spotted Gum	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
476	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
477	*Corymbia citriodora*	Spotted Gum	130		130	41	5.0	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
478	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
479	*Corymbia citriodora*	Spotted Gum	210		210	66	6.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
480	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
481	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
482	*Dead/Stag*		120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
483	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
484	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
485	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
486	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
487	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	6.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
488	*Lophostemon suaveolens*	Swamp Box	240		240	75	7.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
489	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
490	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
491	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
492	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
493	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
494	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
495	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
496	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
497	*Corymbia citriodora*	Spotted Gum	260	110	282	89	13.0	5.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
498	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
499	*Corymbia citriodora*	Spotted Gum	270		270	85	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
500	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
501	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
502	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
503	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
504	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
505	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
506	*Corymbia citriodora*	Spotted Gum	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
507	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
508	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
509	*Corymbia citriodora*	Spotted Gum	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
510	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
511	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
512	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
513	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
514	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
515	*Dead/Stag*		380		380	119	10.0	3.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
516	*Corymbia citriodora*	Spotted Gum	280		280	88	10.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
517	*Corymbia citriodora*	Spotted Gum	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
518	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
519	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
520	*Eucalyptus crebra*	Narrow-leaved Ironbark	430		430	135	18.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
521	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	151	22.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
522	*Corymbia intermedia*	Pink Bloodwood	290		290	91	12.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
523	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
524	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
525	*Corymbia intermedia*	Pink Bloodwood	430		430	135	17.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
526	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
527	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
528	*Corymbia intermedia*	Pink Bloodwood	490		490	154	16.0	5.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
529	*Eucalyptus tereticornis*	Forest Red Gum	620		620	195	22.0	6.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
530	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
531	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
532	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	25.0	7.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
533	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	22.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
540	*Corymbia citriodora*	Spotted Gum	560		560	176	26.0	8.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
541	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
542	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
543	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
544	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
545	*Corymbia citriodora*	Spotted Gum	680		680	214	19.0	7.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
546	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
547	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
548	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
549	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	17.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
550	*Corymbia citriodora*	Spotted Gum	250		250	79	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
551	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	17.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
552	*Eucalyptus crebra*	Narrow-leaved Ironbark	430		430	135	20.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
553	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
554	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
555	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
556	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
557	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
558	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
559	*Dead/Stag*		130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
560	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
561	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
563	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	167	24.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
564	*Corymbia intermedia*	Pink Bloodwood	540		540	170	24.0	7.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
565	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
566	*Lophostemon suaveolens*	Swamp Box	270		270	85	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
567	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	19.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
568	*Corymbia intermedia*	Pink Bloodwood	350		350	110	13.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
569	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
570	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
571	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
572	*Corymbia citriodora*	Spotted Gum	500		500	157	22.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
573	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
574	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
575	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
576	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
577	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	20.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
578	*Corymbia citriodora*	Spotted Gum	300	240	384	121	20.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
579	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	21.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
580	*Corymbia citriodora*	Spotted Gum	440		440	138	22.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
581	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
582	*Corymbia citriodora*	Spotted Gum	650		650	204	24.0	7.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
583	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
584	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
585	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	21.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
586	*Corymbia citriodora*	Spotted Gum	420		420	132	24.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
587	*Corymbia intermedia*	Pink Bloodwood	430		430	135	20.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
588	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
589	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
590	*Corymbia citriodora*	Spotted Gum	420		420	132	21.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
591	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
592	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
593	*Corymbia citriodora*	Spotted Gum	390		390	123	20.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
594	*Corymbia citriodora*	Spotted Gum	340		340	107	24.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
595	*Corymbia citriodora*	Spotted Gum	630		630	198	25.0	7.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
596	*Corymbia intermedia*	Pink Bloodwood	540		540	170	21.0	5.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
597	*Corymbia citriodora*	Spotted Gum	640		640	201	18.0	9.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
598	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
599	*Corymbia citriodora*	Spotted Gum	680		680	214	23.0	10.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
600	*Corymbia intermedia*	Pink Bloodwood	380		380	119	14.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
601	*Corymbia intermedia*	Pink Bloodwood	420		420	132	21.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
602	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
603	*Lophostemon suaveolens*	Swamp Box	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
604	*Melaleuca quinquenervia*	Broad-leaved Paperbark	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
605	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
606	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
607	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	20.0	5.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
608	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
609	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
610	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
612	*Allocasuarina littoralis*	Black She-oak	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
613	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
617	*Corymbia intermedia*	Pink Bloodwood	470		470	148	17.0	6.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
618	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
619	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
669	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
670	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
671	*Corymbia citriodora*	Spotted Gum	210	200 190	347	109	13.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
672	*Corymbia intermedia*	Pink Bloodwood	310	240	392	123	14.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
673	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
674	*Eucalyptus crebra*	Narrow-leaved Ironbark	610		610	192	16.0	6.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
675	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
676	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
677	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
678	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1207	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	8.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1208	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1209	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	16.0	6.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1210	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1211	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1212	*Dead/Stag*		270		270	85	14.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1213	*Corymbia citriodora*	Spotted Gum	330		330	104	12.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1214	*Dead/Stag*		170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1215	*Corymbia citriodora*	Spotted Gum	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1216	*Corymbia citriodora*	Spotted Gum	270		270	85	10.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1217	*Corymbia citriodora*	Spotted Gum	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1218	*Corymbia citriodora*	Spotted Gum	350		350	110	15.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1219	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1220	*Corymbia citriodora*	Spotted Gum	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1221	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	Present	-	Refer neighbouring application	
1222	*Corymbia citriodora*	Spotted Gum	280		280	88	15.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1223	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1224	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1225	*Dead/Stag*		230		230	72	15.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1226	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1227	*Melaleuca quinquenervia*	Broad-leaved Paperbark	340		340	107	7.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1228	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	16.0	5.0	4.6	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1229	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	7.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1230	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	9.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1231	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1232	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	170	262	82	5.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1233	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1234	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1235	*Eucalyptus siderophloia*	Northern Grey Ironbark	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1236	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	4.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1237	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	14.0	7.0	2.8	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1238	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1239	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1240	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1241	*Eucalyptus seeana*	Narrow-leaved Red Gum	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1242	*Dead/Stag*		240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1243	*Dead/Stag*		500		500	157	17.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Refer neighbouring application	
1244	*Dead/Stag*		140		140	44	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1245	*Dead/Stag*		150		150	47	5.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1246	*Eucalyptus seeana*	Narrow-leaved Red Gum	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1247	*Allocasuarina littoralis*	Black She-oak	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
1342	*Corymbia intermedia*	Pink Bloodwood	250		250	79	7.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1343	*Corymbia citriodora*	Spotted Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1344	*Dead/Stag*		220		220	69	10.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
1345	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
1839	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1840	*Dead/Stag*		510		510	160	16.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1841	*Angophora leiocarpa*	Smooth-barked Apple	560		560	176	26.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1842	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1843	*Corymbia intermedia*	Pink Bloodwood	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1844	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1845	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1846	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1847	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1848	*Acacia concurrens*	Black Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1849	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1850	*Lophostemon suaveolens*	Swamp Box	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1851	*Eucalyptus siderophloia*	Northern Grey Ironbark	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1852	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1853	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1854	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1855	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1856	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1857	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1858	*Eucalyptus siderophloia*	Northern Grey Ironbark	820		820	258	35.0	20.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1859	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1860	*Acacia disparrima*	Hickory Wattle	250		250	79	8.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1861	*Corymbia intermedia*	Pink Bloodwood	370		370	116	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1862	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1863	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1864	*Lophostemon suaveolens*	Swamp Box	190		190	60	3.0	1.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1865	*Acacia disparrima*	Hickory Wattle	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1866	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1867	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1868	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1869	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1870	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1871	*Corymbia intermedia*	Pink Bloodwood	310		310	97	19.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1872	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1873	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1874	*Acacia leiocalyx*	Early-flowering Black Wattle	260		260	82	7.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1882	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	26.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1883	*Corymbia intermedia*	Pink Bloodwood	320		320	101	13.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1913	*Corymbia intermedia*	Pink Bloodwood	420		420	132	17.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1914	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1915	*Corymbia intermedia*	Pink Bloodwood	330		330	104	14.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1916	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	17.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1917	*Corymbia citriodora*	Spotted Gum	410		410	129	19.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Remove CA5 - North	
1918	*Eucalyptus moluccana*	Gum-topped Box	450		450	141	16.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1919	*Corymbia intermedia*	Pink Bloodwood	460		460	145	18.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1920	*Melaleuca quinquenervia*	Broad-leaved Paperbark	530		530	167	11.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
1921	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2068	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	15.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2069	*Corymbia citriodora*	Spotted Gum	420		420	132	18.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2070	*Eucalyptus crebra*	Narrow-leaved Ironbark	550		550	173	18.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2071	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	16.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2072	*Eucalyptus crebra*	Narrow-leaved Ironbark	560		560	176	16.0	6.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2073	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	15.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2074	*Corymbia citriodora*	Spotted Gum	400		400	126	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2075	*Corymbia citriodora*	Spotted Gum	390		390	123	15.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2076	*Eucalyptus moluccana*	Gum-topped Box	690		690	217	18.0	7.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2077	*Eucalyptus moluccana*	Gum-topped Box	510		510	160	16.0	5.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2078	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2079	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	14.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2080	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	15.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2081	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	17.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2082	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	15.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2083	*Corymbia citriodora*	Spotted Gum	350		350	110	14.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2084	*Corymbia citriodora*	Spotted Gum	390		390	123	17.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2085	*Corymbia citriodora*	Spotted Gum	510		510	160	18.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2086	*Corymbia citriodora*	Spotted Gum	480		480	151	19.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2087	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	17.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2088	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2089	*Corymbia citriodora*	Spotted Gum	350		350	110	16.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2090	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2105	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2114	*Corymbia citriodora*	Spotted Gum	440		440	138	18.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2115	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2573	*Corymbia intermedia*	Pink Bloodwood	190		190	60	19.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2575	*Corymbia intermedia*	Pink Bloodwood	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2576	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2577	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	22.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2578	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2579	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	27.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2580	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2581	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	20.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2582	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2583	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2584	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2585	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2586	*Acacia disparrima*	Hickory Wattle	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
2587	*Acacia disparrima*	Hickory Wattle	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2588	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2589	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2590	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2591	*Corymbia intermedia*	Pink Bloodwood	600		600	188	20.0	13.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2592	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2593	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2594	*Corymbia intermedia*	Pink Bloodwood	290		290	91	14.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2595	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2596	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2597	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2598	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	21.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2599	*Allocasuarina littoralis*	Black She-oak	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2600	*Angophora leiocarpa*	Smooth-barked Apple	350		350	110	12.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2601	*Corymbia intermedia*	Pink Bloodwood	440		440	138	14.0	5.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2602	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2603	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2604	*Eucalyptus tereticornis*	Forest Red Gum	760		760	239	22.0	11.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2605	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2606	*Dead/Stag*		270		270	85	14.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2607	*Corymbia intermedia*	Pink Bloodwood	340		340	107	13.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2608	*Lophostemon suaveolens*	Swamp Box	310		310	97	10.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2609	*Dead/Stag*		290		290	91	5.0	2.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
2610	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2611	*Lophostemon suaveolens*	Swamp Box	270		270	85	8.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2612	*Lophostemon suaveolens*	Swamp Box	260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2613	*Lophostemon suaveolens*	Swamp Box	250		250	79	8.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2614	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2615	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2616	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2617	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2618	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2619	*Dead/Stag*		390		390	123	7.0	2.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
2620	*Melaleuca quinquenervia*	Broad-leaved Paperbark	340	270	434	136	10.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2621	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2622	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2623	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2624	*Corymbia intermedia*	Pink Bloodwood	340		340	107	14.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2625	*Corymbia intermedia*	Pink Bloodwood	370		370	116	16.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2626	*Corymbia intermedia*	Pink Bloodwood	250		250	79	10.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2627	*Dead/Stag*		350		350	110	6.0	2.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2628	*Melaleuca quinquenervia*	Broad-leaved Paperbark	340		340	107	10.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2629	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2630	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	8.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2631	*Corymbia intermedia*	Pink Bloodwood	480		480	151	19.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2632	*Melaleuca quinquenervia*	Broad-leaved Paperbark	390		390	123	14.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2633	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2634	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160	140	213	67	10.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2635	*Lophostemon suaveolens*	Swamp Box	320		320	101	11.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2636	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2637	*Corymbia intermedia*	Pink Bloodwood	560		560	176	25.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2638	*Corymbia intermedia*	Pink Bloodwood	330		330	104	10.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2639	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2640	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2641	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2642	*Corymbia intermedia*	Pink Bloodwood	310		310	97	11.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2643	*Corymbia intermedia*	Pink Bloodwood	550		550	173	17.0	6.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2644	*Corymbia intermedia*	Pink Bloodwood	470		470	148	26.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2645	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
2646	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2647	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2648	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2649	*Acacia concurrens*	Black Wattle	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2650	*Lophostemon suaveolens*	Swamp Box	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2651	*Allocasuarina littoralis*	Black She-oak	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2652	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2653	*Allocasuarina littoralis*	Black She-oak	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2654	*Dead/Stag*		230		230	72	11.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Refer neighbouring application	
2655	*Acacia disparrima*	Hickory Wattle	280		280	88	10.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2656	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2657	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Refer neighbouring application	
2658	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2659	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2660	*Lophostemon suaveolens*	Swamp Box	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2661	*Allocasuarina littoralis*	Black She-oak	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2662	*Dead/Stag*		320		320	101	18.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Refer neighbouring application	
2663	*Corymbia citriodora*	Spotted Gum	420		420	132	23.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2664	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2665	*Acacia disparrima*	Hickory Wattle	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2666	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2667	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2668	*Corymbia citriodora*	Spotted Gum	210		210	66	9.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2669	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2670	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2671	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2672	*Acacia disparrima*	Hickory Wattle	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2673	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2674	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2675	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2676	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2677	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2678	*Allocasuarina littoralis*	Black She-oak	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2679	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2680	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2681	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2682	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2683	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2684	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2685	*Corymbia citriodora*	Spotted Gum	240		240	75	19.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2686	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2687	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2688	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2689	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2690	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2691	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2692	*Corymbia citriodora*	Spotted Gum	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2693	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2694	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2695	*Corymbia citriodora*	Spotted Gum	370		370	116	19.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2696	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2697	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2698	*Allocasuarina littoralis*	Black She-oak	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2699	*Dead/Stag*		230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Refer neighbouring application	
2700	*Acacia disparrima*	Hickory Wattle	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2701	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2702	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2703	*Acacia concurrens*	Black Wattle	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2704	*Acacia concurrens*	Black Wattle	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2705	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2706	*Acacia concurrens*	Black Wattle	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2707	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2708	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2709	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	21.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2710	*Acacia disparrima*	Hickory Wattle	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2711	*Alphitonia excelsa*	Soap Tree	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2712	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	22.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2713	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2714	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2715	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2716	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2717	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2718	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2719	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2720	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2721	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2722	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2723	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2724	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2725	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2726	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2727	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2728	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2729	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2730	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2731	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2732	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2733	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2734	*Corymbia citriodora*	Spotted Gum	440		440	138	25.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2735	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2736	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2737	*Corymbia citriodora*	Spotted Gum	280		280	88	27.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2738	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2739	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2740	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2741	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2742	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2743	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2744	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2745	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2746	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2747	*Corymbia citriodora*	Spotted Gum	520		520	163	27.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2748	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2749	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	16.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2750	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2751	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2752	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2753	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2754	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2755	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2756	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2757	*Corymbia citriodora*	Spotted Gum	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2758	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2759	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2760	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2761	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2762	*Corymbia citriodora*	Spotted Gum	320		320	101	23.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2763	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2764	*Corymbia citriodora*	Spotted Gum	260		260	82	24.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2765	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2766	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2767	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2768	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2769	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2770	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2771	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2772	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2773	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2774	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2775	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2776	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2777	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2778	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2779	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2780	*Corymbia citriodora*	Spotted Gum	260		260	82	27.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2781	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2782	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2783	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2784	*Acacia disparrima*	Hickory Wattle	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2785	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2786	*Corymbia tessellaris*	Moreton Bay Ash	370		370	116	24.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2787	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
2788	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2789	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	19.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2790	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	20.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2791	*Corymbia intermedia*	Pink Bloodwood	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2792	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	28.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2793	*Allocasuarina littoralis*	Black She-oak	310	300 190	471	148	8.0	5.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2794	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	26.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2795	*Eucalyptus tereticornis*	Forest Red Gum	620		620	195	23.0	9.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2796	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2797	*Corymbia intermedia*	Pink Bloodwood	290		290	91	22.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2798	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2799	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2800	*Eucalyptus tereticornis*	Forest Red Gum	760		760	239	21.0	9.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2801	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2802	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2803	*Lophostemon suaveolens*	Swamp Box	340		340	107	18.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2804	*Eucalyptus tereticornis*	Forest Red Gum	630		630	198	26.0	8.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2805	*Melaleuca quinquenervia*	Broad-leaved Paperbark	290		290	91	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2806	*Lophostemon suaveolens*	Swamp Box	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2807	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2808	*Lophostemon suaveolens*	Swamp Box	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2809	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2810	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2811	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2812	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2813	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2814	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2815	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2816	*Acacia disparrima*	Hickory Wattle	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2817	*Lophostemon suaveolens*	Swamp Box	330		330	104	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2818	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2819	*Corymbia citriodora*	Spotted Gum	340		340	107	17.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2820	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2821	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	27.0	3.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2822	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2823	*Acacia concurrens*	Black Wattle	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2824	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2825	*Lophostemon suaveolens*	Swamp Box	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2826	*Lophostemon suaveolens*	Swamp Box	330		330	104	9.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2827	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	27.0	7.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2828	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2829	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350		350	110	18.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2830	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2831	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2832	*Eucalyptus tereticornis*	Forest Red Gum	760		760	239	18.0	6.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2833	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2834	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2835	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	11.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2836	*Corymbia intermedia*	Pink Bloodwood	420		420	132	22.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2837	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2838	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2839	*Corymbia intermedia*	Pink Bloodwood	350		350	110	19.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention Corridor	
2845	*Corymbia intermedia*	Pink Bloodwood	350		350	110	15.0	8.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2846	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2848	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	7.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2849	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2878	*Corymbia citriodora*	Spotted Gum	105		105	33	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2879	*Corymbia intermedia*	Pink Bloodwood	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2880	*Corymbia intermedia*	Pink Bloodwood	240		240	75	18.0	8.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retention TBC	
2881	*Corymbia intermedia*	Pink Bloodwood	505		505	159	15.0	8.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2882	*Lophostemon suaveolens*	Swamp Box	165		165	52	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2883	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2884	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2885	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2886	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2887	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2888	*Lophostemon suaveolens*	Swamp Box	160	100	189	59	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2889	*Lophostemon suaveolens*	Swamp Box	90	80	120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2890	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2891	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2892	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2893	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2894	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2895	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	7.0	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2896	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	15.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2897	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2898	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2899	*Lophostemon suaveolens*	Swamp Box	110		110	35	15.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2908	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	5.0	2.0	2.0	1.3	One-sided	-	-	Die-back	Epicormic	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2909	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2910	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	19.0	7.0	2.5	1.7	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2911	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention TBC	
2912	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2913	*Corymbia citriodora*	Spotted Gum	100		100	31	16.0	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2914	*Corymbia citriodora*	Spotted Gum	340		340	107	21.0	9.0	4.1	2.1	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2915	*Lophostemon suaveolens*	Swamp Box	130	90	158	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2916	*Corymbia intermedia*	Pink Bloodwood	120	80	144	45	13.0	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2917	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2918	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	9.0	3.1	1.9	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2919	*Lophostemon suaveolens*	Swamp Box	110	90 90	168	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2920	*Eucalyptus tereticornis*	Forest Red Gum	80	80	113	36	14.0	4.0	2.0	1.3	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2921	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2922	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	18.0	6.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2923	*Corymbia citriodora*	Spotted Gum	200		200	63	19.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2924	*Lophostemon suaveolens*	Swamp Box	165		165	52	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2925	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2926	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2927	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2931	*Lophostemon suaveolens*	Swamp Box	130		130	41	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2932	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2933	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2934	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2935	*Corymbia intermedia*	Pink Bloodwood	360		360	113	16.0	10.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2936	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2937	*Corymbia intermedia*	Pink Bloodwood	380		380	119	17.0	11.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2938	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	10.0	3.6	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2939	*Corymbia intermedia*	Pink Bloodwood	300		300	94	19.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2940	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2941	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retention TBC	
2942	*Lophostemon suaveolens*	Swamp Box	290		290	91	15.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2943	*Eucalyptus seeana*	Narrow-leaved Red Gum	270	220	348	109	16.0	11.0	4.2	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2944	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2945	*Corymbia intermedia*	Pink Bloodwood	470		470	148	21.0	16.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2946	*Lophostemon suaveolens*	Swamp Box	135		135	42	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2947	*Corymbia intermedia*	Pink Bloodwood	340		340	107	19.0	10.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2948	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	63	17.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2949	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2950	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2951	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2952	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2953	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	6.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2954	*Eucalyptus seeana*	Narrow-leaved Red Gum	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2955	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2956	*Corymbia intermedia*	Pink Bloodwood	340		340	107	20.0	11.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2957	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2958	*Eucalyptus seeana*	Narrow-leaved Red Gum	270		270	85	16.0	10.0	3.2	1.9	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2959	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	9.0	2.4	1.7	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2960	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2961	*Eucalyptus seeana*	Narrow-leaved Red Gum	220		220	69	16.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2962	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	10.0	6.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2963	*Corymbia intermedia*	Pink Bloodwood	135		135	42	9.0	5.0	2.0	1.4	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2964	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180	150	234	74	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2965	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230	220	318	100	15.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2966	*Lophostemon suaveolens*	Swamp Box	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2967	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2968	*Corymbia intermedia*	Pink Bloodwood	335		335	105	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2969	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	11.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2970	*Melaleuca quinquenervia*	Broad-leaved Paperbark	175		175	55	14.0	7.0	2.1	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2971	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2972	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	6.0	2.5	1.7	Regular	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2973	*Corymbia intermedia*	Pink Bloodwood	255		255	80	21.0	11.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2974	*Melaleuca quinquenervia*	Broad-leaved Paperbark	215		215	68	13.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2975	*Corymbia citriodora*	Spotted Gum	310		310	97	8.0	2.0	3.7	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2976	*Eucalyptus tereticornis*	Forest Red Gum	215		215	68	17.0	6.0	2.6	1.7	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2977	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2978	*Corymbia intermedia*	Pink Bloodwood	245		245	77	19.0	10.0	2.9	1.8	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2979	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2980	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2981	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2982	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	7.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2983	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North	
2984	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain CA5 - North	
2985	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350		350	110	16.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2986	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	17.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2987	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2988	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	8.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2989	*Lophostemon suaveolens*	Swamp Box	125		125	39	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2990	*Lophostemon suaveolens*	Swamp Box	125		125	39	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2991	*Corymbia intermedia*	Pink Bloodwood	385		385	121	19.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2992	*Corymbia intermedia*	Pink Bloodwood	465		465	146	20.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North	
2993	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2994	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	8.0	2.6	1.8	One-sided	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2995	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2996	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	6.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
2997	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	19.0	8.0	2.9	1.8	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2998	*Angophora leiocarpa*	Smooth-barked Apple	215		215	68	13.0	9.0	2.6	1.7	Irregular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
2999	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	9.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3000	*Corymbia citriodora*	Spotted Gum	100		100	31	15.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3001	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3002	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3003	*Melaleuca quinquenervia*	Broad-leaved Paperbark	255		255	80	18.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3004	*Corymbia intermedia*	Pink Bloodwood	360		360	113	21.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3005	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3006	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	13.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3007	*Corymbia intermedia*	Pink Bloodwood	390		390	123	19.0	13.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3008	*Corymbia intermedia*	Pink Bloodwood	240		240	75	18.0	7.0	2.9	1.8	One-sided	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3009	*Corymbia intermedia*	Pink Bloodwood	310		310	97	21.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retention TBC	
3010	*Corymbia intermedia*	Pink Bloodwood	250		250	79	20.0	11.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3011	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	16.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3012	*Corymbia intermedia*	Pink Bloodwood	270		270	85	20.0	12.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3013	*Corymbia intermedia*	Pink Bloodwood	240		240	75	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3014	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3015	*Lophostemon suaveolens*	Swamp Box	180		180	57	17.0	5.0	2.2	1.6	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3016	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3017	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3018	*Lophostemon suaveolens*	Swamp Box	165		165	52	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3019	*Lophostemon suaveolens*	Swamp Box	185		185	58	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3020	*Corymbia intermedia*	Pink Bloodwood	330		330	104	20.0	12.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3021	*Corymbia intermedia*	Pink Bloodwood	325		325	102	19.0	13.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3022	*Corymbia intermedia*	Pink Bloodwood	215		215	68	18.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3023	*Melaleuca quinquenervia*	Broad-leaved Paperbark	195	190	272	86	16.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3024	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3025	*Corymbia intermedia*	Pink Bloodwood	150		150	47	17.0	1.0	2.0	1.5	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3026	*Corymbia intermedia*	Pink Bloodwood	355		355	112	19.0	13.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3027	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3028	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3029	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3030	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3031	*Corymbia intermedia*	Pink Bloodwood	330		330	104	22.0	14.0	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3032	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3033	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	19.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3034	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	8.0	3.0	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3035	*Corymbia intermedia*	Pink Bloodwood	300	190	355	112	18.0	13.0	4.3	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3036	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3037	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3038	*Lophostemon suaveolens*	Swamp Box	300	110 110 90	350	110	15.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Retention TBC	
3039	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3040	*Angophora leiocarpa*	Smooth-barked Apple	315		315	99	19.0	14.0	3.8	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3041	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3042	*Lophostemon suaveolens*	Swamp Box	125		125	39	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3043	*Melaleuca quinquenervia*	Broad-leaved Paperbark	185		185	58	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3047	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3059	*Corymbia citriodora*	Spotted Gum	110	105	152	48	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3091	*Lophostemon suaveolens*	Swamp Box	110	80	136	43	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3092	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	10.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3093	*Corymbia intermedia*	Pink Bloodwood	190	150	242	76	17.0	9.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg	-	Poor	-	-	-	-	-	-	Retention TBC	
3094	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3610	*Corymbia intermedia*	Pink Bloodwood	310		310	97	11.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3611	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3612	*Corymbia intermedia*	Pink Bloodwood	250		250	79	9.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3613	*Eucalyptus propinqua*	Small-fruited Grey Gum	240		240	75	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3614	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3615	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3616	*Corymbia intermedia*	Pink Bloodwood	380		380	119	12.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3617	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3618	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3619	*Corymbia intermedia*	Pink Bloodwood	280	260	382	120	16.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3620	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	110	170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3621	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	110 100	185	58	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3622	*Lophostemon suaveolens*	Swamp Box	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3623	*Lophostemon suaveolens*	Swamp Box	260		260	82	9.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3624	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	167	17.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3625	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3626	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3627	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	167	14.0	6.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3628	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3629	*Lophostemon suaveolens*	Swamp Box	308		308	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3630	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3631	*Lophostemon suaveolens*	Swamp Box	260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3632	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3633	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3634	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3635	*Corymbia intermedia*	Pink Bloodwood	470		470	148	18.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3636	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3637	*Corymbia intermedia*	Pink Bloodwood	250		250	79	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3638	*Corymbia citriodora*	Spotted Gum	190		190	60	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3639	*Lophostemon suaveolens*	Swamp Box	280		280	88	9.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3640	*Eucalyptus crebra*	Narrow-leaved Ironbark	538		538	169	26.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3641	*Corymbia intermedia*	Pink Bloodwood	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3642	*Corymbia intermedia*	Pink Bloodwood	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3643	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3644	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3645	*Corymbia intermedia*	Pink Bloodwood	420		420	132	20.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3646	*Corymbia intermedia*	Pink Bloodwood	230		230	72	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3647	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3648	*Corymbia intermedia*	Pink Bloodwood	450		450	141	17.0	4.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3649	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3650	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3651	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3652	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3653	*Lophostemon suaveolens*	Swamp Box	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3654	*Lophostemon suaveolens*	Swamp Box	420		420	132	12.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3655	*Corymbia intermedia*	Pink Bloodwood	280		280	88	10.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3656	*Corymbia intermedia*	Pink Bloodwood	510		510	160	14.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3657	*Corymbia intermedia*	Pink Bloodwood	400		400	126	14.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3658	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	16.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3659	*Lophostemon suaveolens*	Swamp Box	370		370	116	15.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3660	*Melaleuca quinquenervia*	Broad-leaved Paperbark	390		390	123	14.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3661	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3662	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3663	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	151	22.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3664	*Melaleuca quinquenervia*	Broad-leaved Paperbark	410		410	129	15.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3665	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3666	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3667	*Corymbia citriodora*	Spotted Gum	310		310	97	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3668	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3669	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3670	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3671	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3672	*Corymbia intermedia*	Pink Bloodwood	380		380	119	14.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3673	*Corymbia intermedia*	Pink Bloodwood	420		420	132	17.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3674	*Corymbia intermedia*	Pink Bloodwood	450		450	141	21.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3675	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3676	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3677	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3678	*Eucalyptus crebra*	Narrow-leaved Ironbark	490		490	154	26.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3679	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3680	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3681	*Corymbia intermedia*	Pink Bloodwood	510		510	160	22.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3682	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3683	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3684	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3685	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3686	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3687	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3688	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	13.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3689	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3690	*Acacia concurrens*	Black Wattle	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3691	*Eucalyptus crebra*	Narrow-leaved Ironbark	600		600	188	27.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3692	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3693	*Lophostemon suaveolens*	Swamp Box	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3694	*Eucalyptus crebra*	Narrow-leaved Ironbark	540		540	170	25.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3695	*Corymbia intermedia*	Pink Bloodwood	340		340	107	27.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3696	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3697	*Eucalyptus crebra*	Narrow-leaved Ironbark	590		590	185	19.0	7.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3698	*Lophostemon suaveolens*	Swamp Box	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3699	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3700	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3701	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3702	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3703	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3704	*Acacia concurrens*	Black Wattle	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3705	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3706	*Dead/Stag*		460		460	145	5.0	1.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North (subject to future app.)	
3707	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3708	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3709	*Eucalyptus crebra*	Narrow-leaved Ironbark	590		590	185	26.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3710	*Eucalyptus crebra*	Narrow-leaved Ironbark	580		580	182	23.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3711	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3712	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3713	*Corymbia intermedia*	Pink Bloodwood	350		350	110	15.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3714	*Corymbia intermedia*	Pink Bloodwood	330		330	104	21.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3715	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3716	*Corymbia intermedia*	Pink Bloodwood	410		410	129	20.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3717	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3718	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	141	22.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3719	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3720	*Corymbia intermedia*	Pink Bloodwood	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3721	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3722	*Corymbia intermedia*	Pink Bloodwood	360		360	113	23.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3723	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3724	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3725	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3726	*Corymbia intermedia*	Pink Bloodwood	380		380	119	20.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3727	*Corymbia intermedia*	Pink Bloodwood	250		250	79	10.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3728	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3729	*Eucalyptus crebra*	Narrow-leaved Ironbark	590		590	185	27.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3730	*Melaleuca quinquenervia*	Broad-leaved Paperbark	480		480	151	18.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3731	*Eucalyptus crebra*	Narrow-leaved Ironbark	570		570	179	24.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3732	*Eucalyptus crebra*	Narrow-leaved Ironbark	600		600	188	21.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3733	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3734	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3735	*Corymbia intermedia*	Pink Bloodwood	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3737	*Corymbia intermedia*	Pink Bloodwood	320		320	101	24.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3738	*Corymbia intermedia*	Pink Bloodwood	358		358	112	25.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3739	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3740	*Corymbia intermedia*	Pink Bloodwood	650		650	204	22.0	10.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3741	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
3742	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3743	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3744	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3745	*Lophostemon suaveolens*	Swamp Box	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3746	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3747	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3748	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3749	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	17.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3750	*Angophora leiocarpa*	Smooth-barked Apple	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3751	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
3758	*Alphitonia excelsa*	Soap Tree	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
3902	*Angophora leiocarpa*	Smooth-barked Apple	350		350	110	25.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4288	*Corymbia intermedia*	Pink Bloodwood	650		650	204	18.0	14.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4289	*Lophostemon suaveolens*	Swamp Box	130	70	148	46	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4290	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4291	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4292	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	7.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4293	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4294	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4295	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4296	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4297	*Corymbia intermedia*	Pink Bloodwood	380		380	119	22.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4298	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4299	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	13.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4300	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4301	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260	180	316	99	12.0	5.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4302	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4303	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4304	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4305	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	90	166	52	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4306	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4307	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4308	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4309	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4310	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4311	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4312	*Acacia disparrima*	Hickory Wattle	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4313	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4314	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4315	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4316	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4317	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4318	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4319	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4320	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4321	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4322	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4323	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4324	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4325	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4326	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4327	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4328	*Melaleuca quinquenervia*	Broad-leaved Paperbark	460		460	145	12.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4329	*Dead/Stag*		280		280	88	4.0	1.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North	
4330	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4331	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4332	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4333	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4334	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	8.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4335	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4336	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4337	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120	110	163	51	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4338	*Melaleuca quinquenervia*	Broad-leaved Paperbark	450		450	141	8.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4339	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4340	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	13.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4341	*Corymbia intermedia*	Pink Bloodwood	330		330	104	14.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4342	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4343	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	17.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4344	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4345	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4346	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4347	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	4.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4348	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4349	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4350	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4351	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4352	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4353	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4354	*Corymbia intermedia*	Pink Bloodwood	380		380	119	17.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4355	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	7.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4356	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4357	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4358	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4359	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	12.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4360	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4361	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4362	*Corymbia citriodora*	Spotted Gum	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4363	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4364	*Corymbia intermedia*	Pink Bloodwood	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4365	*Lophostemon suaveolens*	Swamp Box	280		280	88	12.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4366	*Corymbia citriodora*	Spotted Gum	180		180	57	11.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4367	*Dead/Stag*		580		580	182	16.0	5.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North	
4368	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	13.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4369	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4370	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	14.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4371	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4372	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4373	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4374	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	17.0	2.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4375	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4376	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4377	*Eucalyptus crebra*	Narrow-leaved Ironbark	820		820	258	16.0	7.0	9.8	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North	
4378	*Corymbia intermedia*	Pink Bloodwood	260		260	82	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4379	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	22.0	5.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4380	*Angophora leiocarpa*	Smooth-barked Apple	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4381	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	Present	-	Retain CA5 - North	
4382	*Lophostemon suaveolens*	Swamp Box	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4383	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4384	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4385	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4386	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4387	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4388	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4389	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4390	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4391	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4392	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4393	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4394	*Eucalyptus siderophloia*	Northern Grey Ironbark	620		620	195	11.0	4.0	7.4	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4395	*Corymbia citriodora*	Spotted Gum	160	80	179	56	6.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4396	*Corymbia citriodora*	Spotted Gum	430		430	135	12.0	3.0	5.2	2.3	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4397	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4398	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4399	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	5.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4400	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4401	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4402	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4403	*Lophostemon suaveolens*	Swamp Box	150	60	162	51	4.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4404	*Lophostemon suaveolens*	Swamp Box	110	100	149	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4405	*Acacia disparrima*	Hickory Wattle	210		210	66	4.0	3.0	2.5	1.7	Regular	Spreading	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4406	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4407	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4408	*Corymbia intermedia*	Pink Bloodwood	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4409	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4410	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4411	*Corymbia citriodora*	Spotted Gum	210		210	66	10.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4412	*Corymbia intermedia*	Pink Bloodwood	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4413	*Corymbia citriodora*	Spotted Gum	110	60	125	39	5.0	1.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4414	*Corymbia citriodora*	Spotted Gum	108		108	34	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4415	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4416	*Corymbia citriodora*	Spotted Gum	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4417	*Eucalyptus siderophloia*	Northern Grey Ironbark	730		730	229	11.0	5.0	8.8	2.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4418	*Corymbia citriodora*	Spotted Gum	390	200 190	478	150	10.0	6.0	5.7	2.4	Irregular	-	Thinning	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4419	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4420	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4421	*Corymbia citriodora*	Spotted Gum	120	100	156	49	6.0	1.0	2.0	1.5	Regular	-	Thinning		-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4422	*Eucalyptus siderophloia*	Northern Grey Ironbark	230	50	235	74	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4423	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4424	*Lophostemon suaveolens*	Swamp Box	160		160	50	4.0	2.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4425	*Dead/Stag*		520		520	163	11.0	4.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	Old	Yes	-	-	-	Retain CA5 - North (subject to future app.)	
4426	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4427	*Corymbia citriodora*	Spotted Gum	1000		1000	314	13.0	5.0	12.0	3.3	Regular	Spreading	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North (subject to future app.)	
4428	*Lophostemon suaveolens*	Swamp Box	330		330	104	6.0	5.0	4.0	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4429	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4430	*Lophostemon suaveolens*	Swamp Box	230		230	72	7.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4431	*Acacia concurrens*	Black Wattle	210	160	264	83	5.0	5.0	3.2	1.9	One-sided	Spreading	Thinning	Die-back	-	-	Poor	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4432	*Acacia concurrens*	Black Wattle	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4433	*Corymbia citriodora*	Spotted Gum	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4434	*Dead/Stag*		610		610	192	11.0	3.0	7.3	2.7	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	Yes	-	-	-	Retain CA5 - North (subject to future app.)	
4435	*Lophostemon suaveolens*	Swamp Box	310		310	97	7.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4436	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4437	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4438	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4439	*Corymbia intermedia*	Pink Bloodwood	240		240	75	9.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4440	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	10.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4441	*Corymbia citriodora*	Spotted Gum	360		360	113	8.0	2.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4442	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4443	*Eucalyptus siderophloia*	Northern Grey Ironbark	300		300	94	7.0	3.0	3.6	2.0	One-sided	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4444	*Lophostemon suaveolens*	Swamp Box	260	90	275	86	5.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4445	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	12.0	5.0	6.0	2.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4446	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4447	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4448	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	7.0	6.0	3.1	1.9	Regular	Spreading	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4449	*Corymbia citriodora*	Spotted Gum	590		590	185	13.0	5.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4450	*Corymbia intermedia*	Pink Bloodwood	280		280	88	11.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4451	*Lophostemon suaveolens*	Swamp Box	210		210	66	5.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4452	*Corymbia citriodora*	Spotted Gum	470		470	148	10.0	3.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4453	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	11.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4454	*Allocasuarina littoralis*	Black She-oak	210	90 90	246	77	5.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4455	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4456	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4457	*Lophostemon suaveolens*	Swamp Box	200		200	63	5.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4458	*Corymbia intermedia*	Pink Bloodwood	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4459	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4460	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4461	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4462	*Lophostemon suaveolens*	Swamp Box	130	90 60	169	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4463	*Corymbia citriodora*	Spotted Gum	240		240	75	7.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4464	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4465	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4466	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4467	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4468	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4469	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	11.0	6.0	7.2	2.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4470	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4471	*Corymbia citriodora*	Spotted Gum	160		160	50	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4472	*Corymbia citriodora*	Spotted Gum	140		140	44	5.0	1.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4473	*Lophostemon suaveolens*	Swamp Box	110	80	136	43	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4474	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	5.0	5.0	3.1	1.9	One-sided	Spreading	Thinning	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4475	*Eucalyptus siderophloia*	Northern Grey Ironbark	860		860	270	16.0	10.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4476	*Allocasuarina littoralis*	Black She-oak	230	100	251	79	5.0	2.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4477	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4478	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	11.0	2.0	3.8	2.1	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4479	*Corymbia citriodora*	Spotted Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4480	*Corymbia citriodora*	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4481	*Corymbia intermedia*	Pink Bloodwood	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4482	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	10.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4483	*Corymbia citriodora*	Spotted Gum	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4484	*Eucalyptus siderophloia*	Northern Grey Ironbark	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4485	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4486	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4487	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4488	*Corymbia intermedia*	Pink Bloodwood	290		290	91	7.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4489	*Eucalyptus crebra*	Narrow-leaved Ironbark	710		710	223	14.0	6.0	8.5	2.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4490	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4491	*Melaleuca quinquenervia*	Broad-leaved Paperbark	310		310	97	6.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4492	*Lophostemon suaveolens*	Swamp Box	310		310	97	6.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4493	*Corymbia intermedia*	Pink Bloodwood	230		230	72	10.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4494	*Corymbia intermedia*	Pink Bloodwood	20		20	6	6.0	3.0	2.0	0.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4495	*Corymbia intermedia*	Pink Bloodwood	320		320	101	8.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4497	*Lophostemon suaveolens*	Swamp Box	190	180	262	82	5.0	4.0	3.1	1.9	Regular	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4498	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4499	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4500	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230	190	298	94	8.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4501	*Corymbia intermedia*	Pink Bloodwood	300		300	94	9.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4502	*Corymbia citriodora*	Spotted Gum	500		500	157	13.0	5.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4503	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4504	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4505	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4506	*Lophostemon suaveolens*	Swamp Box	240		240	75	5.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4507	*Corymbia intermedia*	Pink Bloodwood	400		400	126	11.0	3.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4508	*Corymbia intermedia*	Pink Bloodwood	490		490	154	11.0	4.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North	
4509	*Acacia concurrens*	Black Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4510	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4511	*Lophostemon suaveolens*	Swamp Box	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4512	*Lophostemon suaveolens*	Swamp Box	140	130 110	220	69	5.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4513	*Acacia leiocalyx*	Early-flowering Black Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4514	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4515	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4516	*Corymbia intermedia*	Pink Bloodwood	650		650	204	10.0	5.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4517	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260	230	347	109	7.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4518	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4519	*Corymbia intermedia*	Pink Bloodwood	420		420	132	8.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4520	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4521	*Lophostemon suaveolens*	Swamp Box	150	110	186	58	5.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4522	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	11.0	5.0	5.2	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4523	*Corymbia intermedia*	Pink Bloodwood	360		360	113	8.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove CA5 - North	
4524	*Lophostemon suaveolens*	Swamp Box	230		230	72	5.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4525	*Allocasuarina littoralis*	Black She-oak	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4526	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4527	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4528	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4529	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4530	*Melaleuca quinquenervia*	Broad-leaved Paperbark	340		340	107	4.0	2.0	4.1	2.1	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4531	*Allocasuarina littoralis*	Black She-oak	230		230	72	5.0	3.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4532	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4533	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4534	*Lophostemon suaveolens*	Swamp Box	180	120	216	68	6.0	2.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4535	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Refer neighbouring application	
4536	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	5.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4537	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	5.0	2.0	2.0	1.4	One-sided	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4538	*Corymbia intermedia*	Pink Bloodwood	420		420	132	9.0	4.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4539	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	5.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4540	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4541	*Lophostemon suaveolens*	Swamp Box	210		210	66	5.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4542	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4543	*Lophostemon suaveolens*	Swamp Box	200		200	63	5.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4544	*Lophostemon suaveolens*	Swamp Box	250		250	79	6.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4545	*Lophostemon suaveolens*	Swamp Box	200		200	63	5.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4546	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4547	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4548	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4549	*Corymbia intermedia*	Pink Bloodwood	300		300	94	9.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Refer neighbouring application	
4550	*Melaleuca quinquenervia*	Broad-leaved Paperbark	250	150	292	92	5.0	2.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4551	*Lophostemon suaveolens*	Swamp Box	160	120 100	224	70	6.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4552	*Corymbia intermedia*	Pink Bloodwood	280		280	88	10.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Refer neighbouring application	
4553	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4554	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4555	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4556	*Lophostemon suaveolens*	Swamp Box	200		200	63	5.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4557	*Allocasuarina littoralis*	Black She-oak	210		210	66	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4558	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4559	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4560	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4561	*Lophostemon suaveolens*	Swamp Box	290		290	91	6.0	2.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4562	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4563	*Melaleuca quinquenervia*	Broad-leaved Paperbark	400		400	126	7.0	3.0	4.8	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4564	*Eucalyptus propinqua*	Small-fruited Grey Gum	310		310	97	11.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4565	*Lophostemon suaveolens*	Swamp Box	170		170	53	5.0	2.0	2.0	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4566	*Corymbia intermedia*	Pink Bloodwood	320		320	101	6.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4567	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4568	*Corymbia citriodora*	Spotted Gum	300		300	94	9.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4569	*Corymbia citriodora*	Spotted Gum	170		170	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4570	*Corymbia citriodora*	Spotted Gum	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4571	*Corymbia citriodora*	Spotted Gum	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4572	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4573	*Corymbia citriodora*	Spotted Gum	360		360	113	12.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4574	*Corymbia citriodora*	Spotted Gum	400		400	126	12.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4575	*Corymbia citriodora*	Spotted Gum	300		300	94	10.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4576	*Corymbia citriodora*	Spotted Gum	300		300	94	9.0	4.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4577	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	8.0	2.0	2.6	1.8	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
4578	*Corymbia citriodora*	Spotted Gum	230		230	72	7.0	2.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4579	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4580	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4581	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4582	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	7.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4583	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4584	*Corymbia citriodora*	Spotted Gum	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4585	*Corymbia citriodora*	Spotted Gum	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4586	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4587	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4588	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4589	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4590	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	11.0	5.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4591	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4592	*Corymbia citriodora*	Spotted Gum	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4593	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	7.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4594	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	8.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4595	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4596	*Corymbia citriodora*	Spotted Gum	180		180	57	7.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4597	*Eucalyptus tereticornis*	Forest Red Gum	790		790	248	11.0	5.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4598	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4599	*Corymbia citriodora*	Spotted Gum	460		460	145	12.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4600	*Acacia concurrens*	Black Wattle	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4601	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	10.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4602	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4603	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4604	*Corymbia citriodora*	Spotted Gum	300		300	94	11.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4605	*Eucalyptus siderophloia*	Northern Grey Ironbark	640		640	201	7.0	6.0	7.7	2.7	Regular	Spreading	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4606	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4607	*Acacia disparrima*	Hickory Wattle	290		290	91	5.0	3.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4608	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4609	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	10.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4610	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4611	*Corymbia citriodora*	Spotted Gum	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4612	*Corymbia intermedia*	Pink Bloodwood	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4613	*Corymbia citriodora*	Spotted Gum	420		420	132	15.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4614	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	19.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4615	*Corymbia citriodora*	Spotted Gum	400		400	126	19.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4616	*Corymbia citriodora*	Spotted Gum	430		430	135	21.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4617	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4618	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	18.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4619	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4620	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4621	*Eucalyptus crebra*	Narrow-leaved Ironbark	510		510	160	20.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove CA5 - North	
4622	*Corymbia intermedia*	Pink Bloodwood	390		390	123	17.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4623	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	20.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4624	*Corymbia intermedia*	Pink Bloodwood	310	120	332	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4625	*Corymbia intermedia*	Pink Bloodwood	330		330	104	18.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4626	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4627	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4628	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	24.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4629	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	16.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4630	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	7.0	4.4	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4631	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	19.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4632	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	23.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4633	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	20.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4634	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4635	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4636	*Corymbia citriodora*	Spotted Gum	440		440	138	16.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4637	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4638	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	23.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4639	*Eucalyptus crebra*	Narrow-leaved Ironbark	400		400	126	17.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4640	*Corymbia intermedia*	Pink Bloodwood	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4641	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	15.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4642	*Corymbia citriodora*	Spotted Gum	410		410	129	21.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4643	*Corymbia citriodora*	Spotted Gum	460		460	145	22.0	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4644	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4645	*Corymbia citriodora*	Spotted Gum	330		330	104	15.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4646	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	15.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4647	*Eucalyptus tereticornis*	Forest Red Gum	520		520	163	14.0	9.0	6.2	2.5	Regular	-	-	-	Epicormic	Lopped	Typical	Minor	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4648	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	9.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4649	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	11.0	2.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4650	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4651	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	9.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4652	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	16.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4653	*Corymbia intermedia*	Pink Bloodwood	190	210	283	89	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4654	*Corymbia intermedia*	Pink Bloodwood	160	170 110	258	81	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4655	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4656	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4657	*Corymbia citriodora*	Spotted Gum	350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4658	*Corymbia citriodora*	Spotted Gum	440		440	138	19.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4659	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4660	*Corymbia citriodora*	Spotted Gum	410		410	129	23.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4661	*Corymbia citriodora*	Spotted Gum	430		430	135	18.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4662	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	141	18.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4663	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4664	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4665	*Corymbia intermedia*	Pink Bloodwood	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4666	*Corymbia intermedia*	Pink Bloodwood	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4667	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4668	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	13.0	5.0	4.1	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4669	*Corymbia citriodora*	Spotted Gum	410		410	129	17.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4670	*Corymbia citriodora*	Spotted Gum	340		340	107	23.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4671	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	18.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4672	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4673	*Acacia disparrima*	Hickory Wattle	220	180	284	89	110.0	9.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4674	*Acacia leiocalyx*	Early-flowering Black Wattle	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4675	*Acacia disparrima*	Hickory Wattle	170	160	233	73	10.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4676	*Acacia disparrima*	Hickory Wattle	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4677	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4678	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	18.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4679	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	8.0	1.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4680	*Eucalyptus tereticornis*	Forest Red Gum	200	110	228	72	11.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4681	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4682	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4683	*Corymbia citriodora*	Spotted Gum	140	130 130 70	241	76	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4684	*Lophostemon suaveolens*	Swamp Box	120	120	170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4685	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4686	*Lophostemon suaveolens*	Swamp Box	160	110	194	61	7.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4687	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4688	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	14.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4689	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4690	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4691	*Lophostemon suaveolens*	Swamp Box	130	120	177	56	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4692	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4693	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4694	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4695	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4696	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4697	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4698	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4699	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4706	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4707	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4708	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4709	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4710	*Corymbia citriodora*	Spotted Gum	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4711	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4712	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4713	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4714	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4715	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4716	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4717	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4718	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	6.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain CA5 - North (subject to future app.)	
4719	*Corymbia citriodora*	Spotted Gum	120	100	156	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4720	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4721	*Corymbia citriodora*	Spotted Gum	190		190	60	11.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4722	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4723	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4724	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4725	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4726	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4727	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4728	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4729	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4730	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4731	*Corymbia citriodora*	Spotted Gum	210	170	270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4732	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4733	*Lophostemon suaveolens*	Swamp Box	160	100 90 70	220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4734	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4735	*Eucalyptus crebra*	Narrow-leaved Ironbark	570		570	179	20.0	10.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4736	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4737	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4738	*Eucalyptus crebra*	Narrow-leaved Ironbark	170	100	197	62	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4739	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4740	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4741	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4742	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4743	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4744	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4745	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4746	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4747	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4748	*Lophostemon suaveolens*	Swamp Box	110	100	149	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4749	*Corymbia citriodora*	Spotted Gum	120	80	144	45	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4750	*Corymbia citriodora*	Spotted Gum	420	180	457	144	17.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4751	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4752	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	15.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4755	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	151	19.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4756	*Eucalyptus moluccana*	Gum-topped Box	450		450	141	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4757	*Dead/Stag*		390		390	123	16.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North (subject to future app.)	
4758	*Corymbia citriodora*	Spotted Gum	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4759	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
4760	*Corymbia intermedia*	Pink Bloodwood	400		400	126	18.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4761	*Corymbia citriodora*	Spotted Gum	450		450	141	20.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4762	*Corymbia citriodora*	Spotted Gum	360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4763	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4764	*Corymbia citriodora*	Spotted Gum	370		370	116	16.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4765	*Corymbia citriodora*	Spotted Gum	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4766	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4767	*Corymbia citriodora*	Spotted Gum	520		520	163	21.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4768	*Corymbia citriodora*	Spotted Gum	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4769	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4770	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4771	*Corymbia intermedia*	Pink Bloodwood	360		360	113	13.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
4772	*Corymbia intermedia*	Pink Bloodwood	260	170	311	98	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4773	*Corymbia citriodora*	Spotted Gum	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4774	*Corymbia citriodora*	Spotted Gum	270	200 160 160	405	127	14.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4775	*Corymbia intermedia*	Pink Bloodwood	420		420	132	15.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4776	*Corymbia intermedia*	Pink Bloodwood	240	160 170	335	105	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4777	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4778	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	167	18.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4779	*Dead/Stag*		480		480	151	19.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
4780	*Dead/Stag*		810		810	254	22.0	12.0	9.7	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
4781	*Dead/Stag*		390		390	123	17.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
4782	*Corymbia citriodora*	Spotted Gum	410		410	129	17.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4783	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4784	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4785	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190	190	269	84	8.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4786	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4787	*Corymbia intermedia*	Pink Bloodwood	360		360	113	15.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4788	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4789	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4790	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4791	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4792	*Corymbia intermedia*	Pink Bloodwood	450		450	141	15.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4793	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4794	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	9.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4795	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180	170	248	78	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4796	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180	150	234	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4797	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4798	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4799	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4800	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4801	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4802	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	17.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4803	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4804	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4805	*Petalostigma pubescens*	Quinine Bush	330		330	104	8.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4806	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4807	*Corymbia intermedia*	Pink Bloodwood	430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4808	*Eucalyptus seeana*	Narrow-leaved Red Gum	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4809	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4810	*Eucalyptus seeana*	Narrow-leaved Red Gum	370		370	116	14.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4811	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	100	172	54	6.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4812	*Eucalyptus seeana*	Narrow-leaved Red Gum	350		350	110	15.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4813	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4814	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4815	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4816	*Eucalyptus seeana*	Narrow-leaved Red Gum	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4817	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4818	*Corymbia intermedia*	Pink Bloodwood	420		420	132	16.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4819	*Eucalyptus seeana*	Narrow-leaved Red Gum	390		390	123	15.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4820	*Corymbia intermedia*	Pink Bloodwood	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4821	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4822	*Lophostemon suaveolens*	Swamp Box	120	90	150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
4823	*Corymbia intermedia*	Pink Bloodwood	360		360	113	14.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4824	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4825	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4826	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160	140	213	67	8.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4827	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4828	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4829	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4830	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4831	*Corymbia intermedia*	Pink Bloodwood	110	100 50	157	49	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4832	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4833	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4834	*Eucalyptus seeana*	Narrow-leaved Red Gum	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4835	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4836	*Eucalyptus seeana*	Narrow-leaved Red Gum	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4837	*Corymbia intermedia*	Pink Bloodwood	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4838	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
4839	*Corymbia intermedia*	Pink Bloodwood	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4840	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4841	*Eucalyptus seeana*	Narrow-leaved Red Gum	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4842	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4843	*Corymbia citriodora*	Spotted Gum	160	100	189	59	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4844	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4845	*Corymbia citriodora*	Spotted Gum	190	90	210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4846	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4847	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4848	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4849	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4850	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4851	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4852	*Lophostemon suaveolens*	Swamp Box	140	110	178	56	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4853	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4854	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4855	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4856	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4857	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4858	*Eucalyptus seeana*	Narrow-leaved Red Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4859	*Eucalyptus seeana*	Narrow-leaved Red Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4860	*Corymbia intermedia*	Pink Bloodwood	330		330	104	13.0	7.0	4.0	2.1	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4861	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	20.0	9.0	7.0	2.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Retention TBC	
4862	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240	90 90	272	85	8.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4863	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4864	*Corymbia intermedia*	Pink Bloodwood	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4865	*Eucalyptus seeana*	Narrow-leaved Red Gum	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4866	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4867	*Dead/Stag*		300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retention TBC	
4868	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4869	*Eucalyptus seeana*	Narrow-leaved Red Gum	400		400	126	12.0	7.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4870	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4871	*Corymbia intermedia*	Pink Bloodwood	450		450	141	18.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4872	*Corymbia intermedia*	Pink Bloodwood	360		360	113	14.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4873	*Eucalyptus seeana*	Narrow-leaved Red Gum	410		410	129	17.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4874	*Corymbia citriodora*	Spotted Gum	140	130	191	60	12.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4875	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4876	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4877	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4878	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4879	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4880	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4881	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4882	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4883	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4884	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4885	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4886	*Corymbia intermedia*	Pink Bloodwood	290		290	91	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4887	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4888	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4889	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4890	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	15.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4891	*Corymbia intermedia*	Pink Bloodwood	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4892	*Eucalyptus seeana*	Narrow-leaved Red Gum	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4893	*Eucalyptus seeana*	Narrow-leaved Red Gum	430		430	135	14.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4894	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4895	*Eucalyptus seeana*	Narrow-leaved Red Gum	180	120	216	68	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4896	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4897	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4898	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4899	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4900	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4901	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4902	*Corymbia citriodora*	Spotted Gum	180	70	193	61	13.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4903	*Corymbia citriodora*	Spotted Gum	480		480	151	17.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4904	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4905	*Corymbia intermedia*	Pink Bloodwood	310		310	97	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4906	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4907	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4908	*Lophostemon suaveolens*	Swamp Box	220		220	69	5.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4909	*Eucalyptus crebra*	Narrow-leaved Ironbark	450		450	141	21.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4910	*Corymbia citriodora*	Spotted Gum	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4911	*Corymbia citriodora*	Spotted Gum	140	110 100	204	64	8.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4912	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4913	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4914	*Corymbia intermedia*	Pink Bloodwood	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retention TBC	
4915	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4916	*Corymbia citriodora*	Spotted Gum	250		250	79	15.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4917	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4918	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
4919	*Corymbia citriodora*	Spotted Gum	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4920	*Lophostemon suaveolens*	Swamp Box	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4921	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4922	*Corymbia citriodora*	Spotted Gum	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4923	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4924	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4925	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4926	*Corymbia citriodora*	Spotted Gum	420		420	132	18.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4927	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	16.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4928	*Corymbia intermedia*	Pink Bloodwood	350		350	110	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4929	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4930	*Corymbia citriodora*	Spotted Gum	420		420	132	18.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4931	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4932	*Corymbia citriodora*	Spotted Gum	400		400	126	21.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4933	*Corymbia citriodora*	Spotted Gum	430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4934	*Eucalyptus crebra*	Narrow-leaved Ironbark	480		480	151	16.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4935	*Corymbia citriodora*	Spotted Gum	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4936	*Corymbia citriodora*	Spotted Gum	450		450	141	20.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4937	*Corymbia citriodora*	Spotted Gum	390		390	123	16.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4938	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4939	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4940	*Corymbia citriodora*	Spotted Gum	350		350	110	16.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4941	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4942	*Corymbia intermedia*	Pink Bloodwood	430		430	135	16.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4943	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4944	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	18.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4945	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	22.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4946	*Corymbia citriodora*	Spotted Gum	310	150	344	108	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4947	*Corymbia intermedia*	Pink Bloodwood	300	110	320	100	15.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4948	*Acacia disparrima*	Hickory Wattle	360		360	113	8.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4949	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4950	*Corymbia henryi*	Large-leaved Spotted Gum	300	190	355	112	16.0	8.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4951	*Corymbia citriodora*	Spotted Gum	460		460	145	22.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4952	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4953	*Angophora leiocarpa*	Smooth-barked Apple	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4954	*Corymbia citriodora*	Spotted Gum	410		410	129	16.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4955	*Corymbia citriodora*	Spotted Gum	360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4956	*Corymbia henryi*	Large-leaved Spotted Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4957	*Corymbia henryi*	Large-leaved Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4958	*Corymbia henryi*	Large-leaved Spotted Gum	320		320	101	16.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4959	*Corymbia henryi*	Large-leaved Spotted Gum	360		360	113	18.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4960	*Corymbia henryi*	Large-leaved Spotted Gum	360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4961	*Corymbia henryi*	Large-leaved Spotted Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4962	*Corymbia henryi*	Large-leaved Spotted Gum	340		340	107	14.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4963	*Corymbia henryi*	Large-leaved Spotted Gum	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4964	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4965	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4966	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4967	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	16.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4968	*Corymbia henryi*	Large-leaved Spotted Gum	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4969	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	15.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4970	*Corymbia citriodora*	Spotted Gum	470		470	148	18.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4971	*Acacia concurrens*	Black Wattle	330		330	104	8.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4972	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4973	*Corymbia intermedia*	Pink Bloodwood	340		340	107	12.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4974	*Acacia concurrens*	Black Wattle	320		320	101	8.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4975	*Corymbia henryi*	Large-leaved Spotted Gum	370		370	116	20.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4976	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4977	*Corymbia citriodora*	Spotted Gum	520		520	163	18.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4978	*Corymbia henryi*	Large-leaved Spotted Gum	490		490	154	18.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4979	*Corymbia henryi*	Large-leaved Spotted Gum	440		440	138	18.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4980	*Corymbia henryi*	Large-leaved Spotted Gum	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4981	*Corymbia henryi*	Large-leaved Spotted Gum	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4982	*Corymbia henryi*	Large-leaved Spotted Gum	470		470	148	20.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4983	*Corymbia citriodora*	Spotted Gum	430		430	135	16.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4984	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4985	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4986	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4987	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4988	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4989	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4990	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4991	*Eucalyptus seeana*	Narrow-leaved Red Gum	330		330	104	14.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4992	*Lophostemon suaveolens*	Swamp Box	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
4993	*Corymbia intermedia*	Pink Bloodwood	360	100	374	117	18.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4994	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4995	*Lophostemon suaveolens*	Swamp Box	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4996	*Angophora leiocarpa*	Smooth-barked Apple	410		410	129	16.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4997	*Corymbia intermedia*	Pink Bloodwood	590		590	185	16.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4998	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	15.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
4999	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	16.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5000	*Corymbia intermedia*	Pink Bloodwood	410		410	129	16.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5001	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5002	*Acacia concurrens*	Black Wattle	300		300	94	8.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5003	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5004	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5005	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5006	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	18.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5007	*Corymbia henryi*	Large-leaved Spotted Gum	360		360	113	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5008	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	17.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5009	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5010	*Corymbia intermedia*	Pink Bloodwood	310	70	318	100	17.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5011	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5012	*Corymbia citriodora*	Spotted Gum	270	120	295	93	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5013	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	17.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5014	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5015	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5016	*Corymbia intermedia*	Pink Bloodwood	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5017	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5018	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5019	*Corymbia citriodora*	Spotted Gum	410		410	129	17.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5020	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5021	*Corymbia citriodora*	Spotted Gum	380		380	119	17.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5022	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5023	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5024	*Corymbia citriodora*	Spotted Gum	470		470	148	20.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5025	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5026	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5027	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5028	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5029	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5030	*Corymbia henryi*	Large-leaved Spotted Gum	370		370	116	19.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5031	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5407	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5408	*Corymbia citriodora*	Spotted Gum	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5409	*Corymbia citriodora*	Spotted Gum	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5410	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5411	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5412	*Corymbia citriodora*	Spotted Gum	270		270	85	13.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5413	*Corymbia intermedia*	Pink Bloodwood	390		390	123	16.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove CA5 - North	
5414	*Angophora leiocarpa*	Smooth-barked Apple	500		500	157	19.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5415	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5416	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5417	*Angophora leiocarpa*	Smooth-barked Apple	340	160	376	118	21.0	10.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain CA5 - North	
5418	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240	110	264	83	7.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5419	*Corymbia intermedia*	Pink Bloodwood	380		380	119	16.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5420	*Corymbia intermedia*	Pink Bloodwood	600		600	188	20.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5421	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5422	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5423	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5424	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5425	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5426	*Corymbia intermedia*	Pink Bloodwood	380		380	119	16.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5427	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5428	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5429	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5430	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5431	*Lophostemon suaveolens*	Swamp Box	310		310	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain CA5 - North	
5432	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5433	*Corymbia intermedia*	Pink Bloodwood	390		390	123	15.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5434	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5435	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5436	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5437	*Eucalyptus crebra*	Narrow-leaved Ironbark	620		620	195	23.0	12.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5438	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5439	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5440	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5441	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5442	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5443	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	12.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5444	*Eucalyptus siderophloia*	Northern Grey Ironbark	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5445	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190	200	276	87	13.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5446	*Melaleuca quinquenervia*	Broad-leaved Paperbark	310	140	340	107	11.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5447	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5448	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5449	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	6.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5450	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5451	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5452	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5453	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	6.0	3.2	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5454	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5455	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5456	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5457	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5458	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5459	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5460	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5461	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5462	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5594	*Lophostemon suaveolens*	Swamp Box	400		400	126	12.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5600	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	15.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5601	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	23.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5602	*Acacia leiocalyx*	Early-flowering Black Wattle	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5605	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5606	*Melaleuca quinquenervia*	Broad-leaved Paperbark	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5607	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5608	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5609	*Melaleuca quinquenervia*	Broad-leaved Paperbark	290	260	389	122	16.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5611	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	120	163	51	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5612	*Alphitonia excelsa*	Soap Tree	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
5613	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5614	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5615	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5616	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5617	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5618	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	2.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5619	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5620	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5621	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5622	*Allocasuarina littoralis*	Black She-oak	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5623	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5624	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5625	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5626	*Melaleuca quinquenervia*	Broad-leaved Paperbark	300		300	94	7.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5627	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	2.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5628	*Lophostemon suaveolens*	Swamp Box	130		130	41	2.0	1.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5629	*Angophora leiocarpa*	Smooth-barked Apple	190	160 60	256	80	6.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5630	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5631	*Angophora leiocarpa*	Smooth-barked Apple	200	180	269	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5632	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5633	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	6.0	2.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5634	*Acacia leiocalyx*	Early-flowering Black Wattle	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5635	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5636	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5637	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5638	*Eucalyptus seeana*	Narrow-leaved Red Gum	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5639	*Acacia leiocalyx*	Early-flowering Black Wattle	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5640	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5641	*Lophostemon suaveolens*	Swamp Box	130		130	41	3.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
5642	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5643	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5644	*Lophostemon suaveolens*	Swamp Box	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5645	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5646	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5647	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5648	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5649	*Corymbia intermedia*	Pink Bloodwood	420		420	132	14.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5650	*Corymbia intermedia*	Pink Bloodwood	140		140	44	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5651	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5652	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	23.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5653	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5654	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5655	*Lophostemon suaveolens*	Swamp Box	150		150	47	3.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5656	*Lophostemon suaveolens*	Swamp Box	210		210	66	6.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5657	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5658	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5659	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150	120	192	60	7.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5660	*Lophostemon suaveolens*	Swamp Box	160		160	50	3.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5661	*Allocasuarina littoralis*	Black She-oak	290		290	91	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5662	*Lophostemon suaveolens*	Swamp Box	150		150	47	3.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5663	*Lophostemon suaveolens*	Swamp Box	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5664	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5665	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5666	*Corymbia citriodora*	Spotted Gum	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5667	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5668	*Corymbia intermedia*	Pink Bloodwood	430		430	135	17.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5669	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5670	*Lophostemon suaveolens*	Swamp Box	170	110	202	64	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5671	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5672	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5673	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5674	*Lophostemon suaveolens*	Swamp Box	100		100	31	2.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5675	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5676	*Corymbia intermedia*	Pink Bloodwood	290		290	91	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5677	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	16.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5678	*Corymbia intermedia*	Pink Bloodwood	280		280	88	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5679	*Corymbia intermedia*	Pink Bloodwood	460		460	145	12.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5680	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5681	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5682	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5683	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5684	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5685	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5686	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5687	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5688	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5689	*Eucalyptus seeana*	Narrow-leaved Red Gum	420		420	132	16.0	9.0	5.0	2.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5690	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5691	*Allocasuarina littoralis*	Black She-oak	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5692	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5693	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170	120	208	65	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5694	*Lophostemon suaveolens*	Swamp Box	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5695	*Lophostemon suaveolens*	Swamp Box	160		160	50	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5696	*Corymbia intermedia*	Pink Bloodwood	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5697	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5698	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5699	*Corymbia intermedia*	Pink Bloodwood	290		290	91	8.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5700	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5701	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5702	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5703	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5704	*Lophostemon suaveolens*	Swamp Box	180	150	234	74	6.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5705	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5706	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5707	*Corymbia intermedia*	Pink Bloodwood	270		270	85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5708	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5709	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5710	*Corymbia intermedia*	Pink Bloodwood	380		380	119	14.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5711	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	170	262	82	7.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5712	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5713	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220	160	272	85	7.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5714	*Corymbia intermedia*	Pink Bloodwood	350		350	110	13.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5715	*Corymbia intermedia*	Pink Bloodwood	320		320	101	13.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5716	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5717	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5718	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5719	*Allocasuarina littoralis*	Black She-oak	290		290	91	6.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5720	*Corymbia citriodora*	Spotted Gum	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5721	*Corymbia citriodora*	Spotted Gum	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5722	*Corymbia citriodora*	Spotted Gum	380		380	119	13.0	7.0	4.6	2.2	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	Yes	-	-	-	Refer neighbouring application	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5723	*Corymbia intermedia*	Pink Bloodwood	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5724	*Alphitonia excelsa*	Soap Tree	290		290	91	11.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5725	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5726	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5727	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5728	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5729	*Corymbia citriodora*	Spotted Gum	200		200	63	9.0	4.0	2.4	1.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5730	*Dead/Stag*		320		320	101	10.0	1.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Refer neighbouring application	
5731	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5732	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5733	*Corymbia citriodora*	Spotted Gum	290		290	91	13.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5734	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5735	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5736	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	7.0	4.0	2.1	Regular	-	Thinning	Die-back			Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5737	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5738	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5739	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5740	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5741	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5742	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	1.0	2.0	1.3	Regular	-		Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5743	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5744	*Allocasuarina littoralis*	Black She-oak	200		200	63	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5745	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5746	*Corymbia citriodora*	Spotted Gum	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5747	*Corymbia citriodora*	Spotted Gum	290		290	91	10.0	2.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5748	*Corymbia citriodora*	Spotted Gum	530		530	167	16.0	9.0	6.4	2.5	Regular	-	Thinning	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5749	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5750	*Corymbia citriodora*	Spotted Gum	80	80	113	36	5.0	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5751	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5752	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5753	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5754	*Corymbia citriodora*	Spotted Gum	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5755	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5756	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5757	*Corymbia citriodora*	Spotted Gum	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5758	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
5759	*Allocasuarina littoralis*	Black She-oak	200		200	63	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5760	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5761	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5762	*Corymbia citriodora*	Spotted Gum	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5763	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5764	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	23.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5765	*Corymbia citriodora*	Spotted Gum	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5766	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	7.0	3.5	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
5767	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Refer neighbouring application	
6038	*Eucalyptus tereticornis*	Forest Red Gum	660		660	207	15.0	11.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6039	*Acacia concurrens*	Black Wattle	210		210	66	5.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6057	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	11.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6058	*Corymbia intermedia*	Pink Bloodwood	300		300	94	12.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6059	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	14.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6060	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	13.0	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6061	*Melaleuca quinquenervia*	Broad-leaved Paperbark	330		330	104	7.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6062	*Corymbia intermedia*	Pink Bloodwood	410		410	129	12.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6063	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	7.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6064	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350		350	110	9.0	3.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6066	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	9.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6067	*Melaleuca quinquenervia*	Broad-leaved Paperbark	260		260	82	7.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6068	*Corymbia intermedia*	Pink Bloodwood	490		490	154	14.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6069	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6432	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	14.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6433	*Lophostemon suaveolens*	Swamp Box	170		170	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6434	*Corymbia intermedia*	Pink Bloodwood	220		220	69	7.0	1.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6435	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	13.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6436	*Corymbia intermedia*	Pink Bloodwood	200		200	63	4.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6437	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6438	*Lophostemon suaveolens*	Swamp Box	190		190	60	6.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6439	*Lophostemon suaveolens*	Swamp Box	160		160	50	4.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6440	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	14.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6441	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6442	*Lophostemon suaveolens*	Swamp Box	100	100	141	44	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6443	*Lophostemon suaveolens*	Swamp Box	130	120 90	198	62	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6444	*Corymbia citriodora*	Spotted Gum	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6445	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6446	*Lophostemon suaveolens*	Swamp Box	160		160	50	4.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6447	*Dead/Stag*		430		430	135	15.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove CA5 - North	
6448	*Eucalyptus siderophloia*	Northern Grey Ironbark	640		640	201	17.0	8.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6449	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6450	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	15.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6451	*Corymbia intermedia*	Pink Bloodwood	210		210	66	6.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6452	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6453	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	15.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6454	*Eucalyptus siderophloia*	Northern Grey Ironbark	510		510	160	16.0	9.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6455	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6456	*Angophora leiocarpa*	Smooth-barked Apple	530		530	167	16.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6457	*Lophostemon suaveolens*	Swamp Box	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6458	*Eucalyptus seeana*	Narrow-leaved Red Gum	350		350	110	13.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6459	*Eucalyptus seeana*	Narrow-leaved Red Gum	490		490	154	19.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6460	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6461	*Corymbia intermedia*	Pink Bloodwood	400		400	126	16.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6462	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6463	*Lophostemon suaveolens*	Swamp Box	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6464	*Lophostemon suaveolens*	Swamp Box	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6465	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	13.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6466	*Corymbia intermedia*	Pink Bloodwood	290	270	396	124	12.0	7.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6467	*Corymbia intermedia*	Pink Bloodwood	280		280	88	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6468	*Lophostemon suaveolens*	Swamp Box	100		100	31	2.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6469	*Lophostemon suaveolens*	Swamp Box	190		190	60	5.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6470	*Eucalyptus siderophloia*	Northern Grey Ironbark	220	180	284	89	10.0	4.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6471	*Corymbia intermedia*	Pink Bloodwood	520		520	163	15.0	11.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6472	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6473	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	15.0	5.0	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6474	*Acacia disparrima*	Hickory Wattle	200	150 80	262	82	6.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6475	*Angophora leiocarpa*	Smooth-barked Apple	500		500	157	16.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6476	*Eucalyptus siderophloia*	Northern Grey Ironbark	610		610	192	20.0	10.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6477	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	11.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6478	*Lophostemon suaveolens*	Swamp Box	180		180	57	4.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6479	*Lophostemon suaveolens*	Swamp Box	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6480	*Lophostemon suaveolens*	Swamp Box	260		260	82	5.0	2.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6481	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6482	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	19.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6483	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6484	*Eucalyptus siderophloia*	Northern Grey Ironbark	350		350	110	23.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6485	*Lophostemon suaveolens*	Swamp Box	250		250	79	7.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6486	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6487	*Corymbia intermedia*	Pink Bloodwood	250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6488	*Corymbia intermedia*	Pink Bloodwood	270		270	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6489	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6490	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6491	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	15.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6492	*Eucalyptus siderophloia*	Northern Grey Ironbark	490		490	154	20.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6493	*Corymbia intermedia*	Pink Bloodwood	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6494	*Eucalyptus siderophloia*	Northern Grey Ironbark	410		410	129	10.0	2.0	4.9	2.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6495	*Corymbia intermedia*	Pink Bloodwood	490		490	154	18.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6496	*Corymbia intermedia*	Pink Bloodwood	170		170	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6497	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6498	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	12.0	4.0	3.5	2.0	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6499	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6500	*Eucalyptus tereticornis*	Forest Red Gum	570		570	179	20.0	9.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6501	*Acacia leiocalyx*	Early-flowering Black Wattle	240		240	75	6.0	5.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6502	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6503	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	3.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6504	*Lophostemon suaveolens*	Swamp Box	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6505	*Corymbia intermedia*	Pink Bloodwood	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6506	*Corymbia intermedia*	Pink Bloodwood	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6507	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6508	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	11.0	2.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6509	*Corymbia intermedia*	Pink Bloodwood	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6510	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6511	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6512	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6513	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6514	*Lophostemon suaveolens*	Swamp Box	150		150	47	2.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6515	*Eucalyptus siderophloia*	Northern Grey Ironbark	400		400	126	21.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6516	*Eucalyptus siderophloia*	Northern Grey Ironbark	390		390	123	20.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6517	*Lophostemon suaveolens*	Swamp Box	190		190	60	3.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6518	*Eucalyptus siderophloia*	Northern Grey Ironbark	450		450	141	25.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6519	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	11.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6520	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6521	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	11.0	5.0	3.5	2.0	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6522	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6523	*Lophostemon suaveolens*	Swamp Box	120		120	38	3.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6524	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6525	*Eucalyptus seeana*	Narrow-leaved Red Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6526	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	23.0	10.0	4.4	2.2	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6527	*Eucalyptus siderophloia*	Northern Grey Ironbark	340		340	107	23.0	8.0	4.1	2.1	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6528	*Lophostemon suaveolens*	Swamp Box	170		170	53	3.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6529	*Lophostemon suaveolens*	Swamp Box	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6530	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6531	*Lophostemon suaveolens*	Swamp Box	140		140	44	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6532	*Eucalyptus siderophloia*	Northern Grey Ironbark	630		630	198	28.0	13.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6533	*Corymbia intermedia*	Pink Bloodwood	190	160	248	78	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6534	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6535	*Corymbia intermedia*	Pink Bloodwood	290		290	91	9.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6536	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6537	*Eucalyptus siderophloia*	Northern Grey Ironbark	650		650	204	26.0	11.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6538	*Corymbia intermedia*	Pink Bloodwood	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6539	*Acacia disparrima*	Hickory Wattle	220		220	69	4.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6540	*Lophostemon suaveolens*	Swamp Box	110	110	156	49	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6541	*Eucalyptus siderophloia*	Northern Grey Ironbark	500		500	157	25.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6542	*Lophostemon suaveolens*	Swamp Box	200	100	224	70	7.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6543	*Lophostemon suaveolens*	Swamp Box	110	60	125	39	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6544	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	22.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6545	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6546	*Lophostemon suaveolens*	Swamp Box	120		120	38	3.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6547	*Corymbia intermedia*	Pink Bloodwood	300		300	94	10.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6548	*Acacia disparrima*	Hickory Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6549	*Eucalyptus siderophloia*	Northern Grey Ironbark	700		700	220	25.0	12.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6550	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6551	*Eucalyptus moluccana*	Gum-topped Box	280		280	88	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6552	*Eucalyptus moluccana*	Gum-topped Box	490		490	154	17.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6553	*Corymbia intermedia*	Pink Bloodwood	200		200	63	6.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6554	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6555	*Corymbia intermedia*	Pink Bloodwood	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6556	*Eucalyptus moluccana*	Gum-topped Box	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6557	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	13.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6558	*Corymbia intermedia*	Pink Bloodwood	320		320	101	15.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6559	*Lophostemon suaveolens*	Swamp Box	200	130	239	75	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6560	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
6561	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6562	*Lophostemon suaveolens*	Swamp Box	160	100 100 90 190	300	94	6.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6563	*Corymbia intermedia*	Pink Bloodwood	300	210	366	115	15.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6564	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6565	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6566	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6567	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6568	*Lophostemon suaveolens*	Swamp Box	260		260	82	7.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6569	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6570	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6571	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6572	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6573	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6574	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6575	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6576	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	17.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6577	*Lophostemon suaveolens*	Swamp Box	200	150	250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6578	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6579	*Alphitonia excelsa*	Soap Tree	180	170 150	289	91	8.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6580	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6581	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6582	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6583	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6584	*Eucalyptus siderophloia*	Northern Grey Ironbark	600		600	188	17.0	11.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6585	*Eucalyptus siderophloia*	Northern Grey Ironbark	550		550	173	25.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6586	*Lophostemon suaveolens*	Swamp Box	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6587	*Eucalyptus siderophloia*	Northern Grey Ironbark	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6588	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	14.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6589	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6590	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	12.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6591	*Corymbia citriodora*	Spotted Gum	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6592	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6593	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6594	*Eucalyptus siderophloia*	Northern Grey Ironbark	370		370	116	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6595	*Corymbia intermedia*	Pink Bloodwood	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retention TBC	
6596	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6597	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6598	*Corymbia intermedia*	Pink Bloodwood	360		360	113	26.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6599	*Eucalyptus moluccana*	Gum-topped Box	290		290	91	11.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6600	*Corymbia intermedia*	Pink Bloodwood	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6601	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	13.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6602	*Eucalyptus siderophloia*	Northern Grey Ironbark	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6603	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6604	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6605	*Corymbia intermedia*	Pink Bloodwood	180		180	57	6.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6606	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	3.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6607	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6608	*Corymbia intermedia*	Pink Bloodwood	120		120	38	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6609	*Eucalyptus siderophloia*	Northern Grey Ironbark	670		670	210	28.0	13.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6610	*Eucalyptus siderophloia*	Northern Grey Ironbark	470		470	148	25.0	11.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6611	*Corymbia citriodora*	Spotted Gum	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6612	*Lophostemon suaveolens*	Swamp Box	180	90	201	63	4.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6613	*Eucalyptus moluccana*	Gum-topped Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6614	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6615	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6616	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6617	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6618	*Lophostemon suaveolens*	Swamp Box	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6619	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	30.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6620	*Eucalyptus siderophloia*	Northern Grey Ironbark	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6621	*Melaleuca quinquenervia*	Broad-leaved Paperbark	530		530	167	10.0	6.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6622	*Corymbia intermedia*	Pink Bloodwood	150	70 90 70	201	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6623	*Eucalyptus seeana*	Narrow-leaved Red Gum	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6624	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6625	*Corymbia tessellaris*	Moreton Bay Ash	260	120 100	303	95	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6626	*Eucalyptus siderophloia*	Northern Grey Ironbark	330		330	104	10.0	5.0	4.0	2.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6627	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6628	*Angophora leiocarpa*	Smooth-barked Apple	130	30	133	42	6.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6629	*Eucalyptus siderophloia*	Northern Grey Ironbark	290		290	91	16.0	7.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6630	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6631	*Corymbia intermedia*	Pink Bloodwood	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6632	*Eucalyptus siderophloia*	Northern Grey Ironbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
6633	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6634	*Corymbia trachyphloia*	Brown Bloodwood	200		200	63	8.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6635	*Lophostemon suaveolens*	Swamp Box	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6637	*Corymbia intermedia*	Pink Bloodwood	290		290	91	14.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6638	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	23.0	11.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6639	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North	
6640	*Corymbia citriodora*	Spotted Gum	100	50	112	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove CA5 - North	
7394	*Corymbia intermedia*	Pink Bloodwood	420		420	132	20.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	
7395	*Corymbia intermedia*	Pink Bloodwood	400		400	126	14.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain CA5 - North (subject to future app.)	