

DEV2013/427

19 July 2013

Department of
**State Development,
Infrastructure and Planning**

Economic Development Queensland
C/- Konrad Grinlaubs
Brazier Motti
595 Flinders Street
TOWNSVILLE QLD 4810

Dear Konrad


**SECTION 89(1)(a) PDA DEVELOPMENT APPROVAL FOR A PDA
DEVELOPMENT APPLICATION FOR A PDA DEVELOPMENT PERMIT FOR A
RECONFIGURING A LOT (1 INTO 39 RESIDENTIAL LOTS, ROAD AND
BALANCE) WITH PLAN OF DEVELOPMENT AT 180-202 RIVER BOULEVARD,
OONOONBA DESCRIBED AS LOT 9000 ON SP255445**

On 18 July 2013 the Minister for Economic Development Queensland (MEDQ) approved the Priority Development Area (PDA) development application pursuant to s.85(4)(b) of the *Economic Development Act 2012*. MEDQ has decided to grant all of the PDA development approval applied for subject to PDA development conditions set out in the attached PDA Development Approval Package.

The PDA development application and the decision notice can also be viewed in the MEDQ Development Approvals Register via the MEDQ website <http://edq.qld.gov.au/infrastructure-and-planning/priority-development-area-development-approvals.html>.

Should you have any queries in relation to the decision notice, please do not hesitate to contact Patrick Atkinson on 3024 4178.

Yours Sincerely



Patrick Atkinson
Development Assessment Manager

PDA Decision Notice – Approval

Site information		
Name of urban development area (PDA)	Ooononba	
Site address	180-202 River Boulevard, Ooononba	
Lot on plan description	Lot number	Lot description
	9000	SP255445
PDA development application details		
MEDQ reference number	DEV2013/427	
Lodgement date	28 February 2013	
Type of application	☐ New development involving:- ☐ Reconfiguring a lot ☐ Development permit	
Description of proposal applied for	Stage 18 - Subdivision of 1 into 39 residential lots, balance lot and new road with a plan of development	

PDA development approval details		
Decision of the MEDQ [delete other than the applicable decision]	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice	
Decision date	18 July 2013	
Currency period	4 years from Decision date	
Plans and specification		
The plans and specifications approved by the MEDQ and referred to in the PDA development conditions concerning the PDA development approval are detailed below.		
Approved plans, reports and specifications	Number (if applicable)	Date (if applicable)
1. Proposed Reconfiguration	29060/074 C	23 rd January 2013
2. Plan of Development	29060/080 C	7 th March 2013
3. The Village-Stage 18 Riveredge Boulevard, Ooononba Preliminary Services Layout	ULD018/SK01 Rev 1	21/02/13
4. Stage 18 Landscape Plan	ULD55_LDA1003 Rev 02	08.05.2013
5. Engineering Report Water and Sewerage Master Planning	ULD100/R01 Rev A	2 October 2012
6. 'The Village' Ooononba, Townsville Flood Investigation to support Amended Master Plan	R.B18717 003 02.doc	December 2012
7. Proposed Residential Development Site – Ooononba, Townsville	17013B/sw	10 th August 2012

8.	Acid Sulfate Soil Investigation for the Proposed Oonoonba Urban Land Development Site	60158509:T552/10:SMB/DC	23 July 2010
9.	Acid Sulfate Soil Management Plan for Urban Land Development Authority Oonoonba Urban Land Development Area	5625/04	September 2010
PDA Development Conditions			
1	Carry out the approved development Carry out the development generally in accordance with the approved plan/s. drawing/s and document/s.		Prior to survey plan endorsement
2	Maintain the Approved Development Maintain the approved development (including landscaping, parking, driveways and other external spaces) in accordance with the approved drawing(s) and /or documents, and any relevant approval required by the conditions.		To be maintained
3	Environmental Management Register a) Land is to be remediated in accordance with the Department of Environment and Heritage Protection's (DEHP) Draft Guidelines for the Assessment & Management of Contaminated Land in Queensland. b) Submit to EDQ a Suitability Statement obtained from DEHP removing the site from the Environmental Management Register (EMR).		a) Prior to commencement of site works b) Prior to survey plan endorsement
4	Affordable Housing Submit to Economic Development Queensland (EDQ) an estimate of how across the transitioned UDA will deliver for Townsville: c) a minimum of 50% of all dwellings available for rent by households on or below the median annual income price and d) a minimum of 40% of all dwellings available for rent by households on a low to moderate income.		Prior to survey plan endorsement
5	Accessible Housing a) Provide 10% of product as accessible in accordance with the EDQ <i>Accessible Housing Guideline No.2</i> . b) Provide to the EDQ written evidence that part a) of this condition has been complied with.		Prior to commencement of use.

6	Internal Water Reticulation a) Submit to EDQ detailed water reticulation plans, certified by a Registered Professional Engineer Queensland (RPEQ- Civil) designed generally in accordance with the approved The Village-Stage 18 Riveredge Boulevard, Oonoonba Preliminary Services Layout number ULD018/SK01 Rev 1 dated 21/02/13, Water Services Association of Australia's (WSAA) 'Water Supply Code of Australia – WSA 03-2002 and Townsville City Council's (TCC) standards. b) Construct the works in accordance with the part a) certified plans c) Submit to EDQ 'as-constructed' plans including an asset register in a format acceptable to Townsville City Council checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil).	a) Prior to commencement of site works b) Prior to survey plan endorsement c) Prior to survey plan endorsement
7	External Water Upgrade a) Construct the works generally in accordance with the approved Engineering Report Water and Sewer Master Planning Report No. ULD100/R01 Rev A dated 2 October 2012, Water Services Association of Australia's (WSAA) 'Water Supply Code of Australia – WSA 03-2002 or Townsville City Council's (TCC) standards whichever is applicable. b) Submit to the EDQ 'as-constructed' plans including an asset register in a format acceptable to Townsville City Council checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil).	a) Prior to survey plan endorsement b) Prior to survey plan endorsement
8	Sewer Reticulation a) Submit to EDQ detailed sewer reticulation plans, certified by a Registered Professional Engineer Queensland (RPEQ- Civil), designed generally in accordance with the approved The Village-Stage 18 Riveredge Boulevard, Oonoonba Preliminary Services Layout number ULD018/SK01 Rev 1 dated 21/02/13, Water Services Association of Australia's (WSAA) "Sewerage Code of Australia – WSA 02-2002' or Townsville City Council' standards whichever is applicable. b) Construct the works in accordance with the part a) certified plans c) Submit to EDQ 'as-constructed' plans including an asset register in a format acceptable to Townsville City Council checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil).	a) Prior to commencement of site works b) Prior to survey plan endorsement c) Prior to survey plan endorsement

9	Stormwater – Quality a) Submit to EDQ for compliance endorsement detailed stormwater quality plans, certified by a Registered Professional Engineer Queensland (RPEQ- Civil). b) Construct the works in accordance with the endorsed plans from part a) of this condition. c) Submit to the EDQ ‘as-constructed’ plans including an asset register in a format acceptable to Townsville City Council checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil).	a) Prior to commencement of site works b) Prior to survey plan endorsement c) Prior to survey plan endorsement
10	Stormwater - Quantity a) Submit to EDQ for compliance endorsement detailed stormwater drainage plans, certified by a Registered Professional Engineer Queensland (RPEQ- Civil), designed generally in accordance with QUDM 2008, Townsville City Council standards and the approved ‘The Village’ Oonoonba Townsville Flood Investigation to support Amended Master Plan document no. R.B18717 003 02.doc dated December 2012. The plans are to demonstrate that there is no change to the overall flood storage volumes. b) Construct the works in accordance with the endorsed plans from part a) of this condition. c) Submit to EDQ ‘as-constructed’ plans including an asset register in a format acceptable to Townsville City Council checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil).	a) Prior to commencement of site works b) Prior to survey plan endorsement c) Prior to survey plan endorsement
11	Easements over infrastructure – water supply, sewerage, drainage Public utility easements must be provided, in favour of and at no cost to Townsville City Council (TCC), over Council infrastructure that becomes contributed assets located in private land. The terms of the easements must be to the satisfaction of the Chief Executive Officer, and the easement documents must be executed prior to the endorsement of the survey plan.	Prior to survey plan endorsement
12	Filling and Excavation a) Submit to EDQ an Earthworks Management Plan certified by a RPEQ specialising in geotechnical engineering, generally in accordance with the approved report titled Proposed Residential Development Site – Oonoonba, Townsville number 17013B/sw dated 10 th August 2012. b) Submit certification by a RPEQ specialising in geotechnical engineering stating that all constructed cut/fill batters and/or retaining structures have achieved adequate stability with a factor of safety greater than 1.5 and that all cut and fill operations have been carried out in accordance with AS3798 – <i>Guidelines on Earthworks for Commercial and Residential Developments</i> and any unsuitable material encountered has been treated or replaced with suitable replacement material.	a) Prior to commencement of work b) Prior to survey plan endorsement

13	Internal Roadworks a) Submit to EDQ engineering design/construction drawings, checked and certified by a Registered Professional Engineer of Queensland (RPEQ-Civil) generally in accordance with the approved The Village-Stage 18 Riveredge Boulevard, Oonoomba Preliminary Services Layout number ULD018/SK01 Rev 1 dated 21/02/13. b) Construct the works in accordance with the part a) certified plans and Townsville City Council road construction standards. c) Submit to EDQ 'as-constructed' plans including an asset register in a format acceptable to Townsville City Council checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil).	a) Prior to commencement of works b) Prior to survey plan endorsement c) Prior to survey plan endorsement.
14	Street Lighting Design and install a street lighting system (including connections and energising) to all roads within the development at no cost to Council The design and construction of the street lighting system must: • be undertaken by a Registered Professional Engineer Queensland (RPEQ-Electrical) • be in accordance with Townsville City Council's Planning Scheme Engineering Design Guidelines • meet the relevant requirements of the electricity supplier • and be acceptable to the electricity supplier as 'Rate 2 Public Lighting'.	Prior to survey plan endorsement
15	Electricity Submit to EDQ either: • written evidence from an authorised electricity supplier (e.g. Ergon) demonstrating that existing underground low-voltage electricity supply is available to the newly created lots or • written evidence that the applicant has entered into an agreement with an authorised electricity supplier (e.g. Ergon) to provide underground electricity services.	Prior to survey plan endorsement
16	Telecommunications Submit to EDQ documentation from an authorised telecommunication service provider confirming that satisfactory arrangements have been made for the provision of underground telecommunication services to each new lot within the proposed subdivision.	Prior to survey plan endorsement
17	Broadband Provide infrastructure within the development to accommodate NBN services in accordance with NBN Co Limited 'New Developments: Deployment of the NBN Co Conduit and Pit Network – Guidelines for Developers', Doc. No NBN-TE-CTO-194, issue date 1 st April 2011.	Prior to survey plan endorsement

18	Service Conduits & Mains Supply and install all service conduits and meet the cost of any alterations to public utility mains, existing mains, services or installations required in association with the approved development in accordance with Townsville City Council's Planning Scheme Engineering Design Guidelines.	Prior to survey plan endorsement
19	Soil Erosion and Sediment Control a) Submit to the EDQ Principal Engineer an Erosion and Sediment Control (E&SC) Program prepared, certified by a Registered Professional Engineer Queensland (RPEQ) generally in accordance with Townsville City Council's (TCC) Technical Design Guidelines and <i>ICEA Best Practice Erosion & Sediment Control – November 2008</i> . b) The E&SC shall be closely monitored by a Registered Professional Engineer Queensland (RPEQ)	a) Prior to commencement of works b) At all times during construction
20	Acid Sulphate Soils a) The management of acid sulphate soils shall be generally in accordance with the approved: • Acid Sulfate Soil Investigation for the Proposed Oonoonba Urban Land Development Site number 60158509:T552/10:SMB/DC dated 23 July 2010 and • Acid Sulfate Soil Management Plan for Urban Land Development Authority Oonoonba Urban Land Development Area number 5625/04 dated September 2010. b) Submit to EDQ a 'Dewatering Management Plan' certified by a RPEQ specialising in environmental engineering to ensure that environmental risk to nearby ecosystems is minimised. c) Obtain and provide to EDQ certification from a RPEQ specialising in environmental engineering, stating that all works have been completed in accordance with documents listed in part a) above.	a) Prior to commencement of works b) Prior to survey plan endorsement c) Prior to survey plan endorsement

21	Streetscape and Landscape Works a) Prepare and submit to EDQ a detailed Streetscape Works Plan(s) detailing proposed streetscape works to be undertaken generally in accordance with the approved Landscape Plan number ULD_55LDA1003 Rev 2 dated 8.5.2013. The plans are to detail: • appropriate pavement treatments including finished surface levels, cross-falls and longitudinal grades • appropriate footpath locations • street tree location and species, the ground preparation works and monthly maintenance plan • road uses adjacent to the kerbing (e.g. public transport stops, parking bays, No Standing zones etc). The plan is to be prepared by an Australian Institute of Landscape Architects registered landscape architect. b) Undertake the works in accordance with the approved streetscape works required under part a) of this condition. Works are to be carried out in accordance with the following standards: • AS1428.1 Design of Access and Mobility • AS1428.4 Tactile Ground Surface Indicators • Best Trade Practice (Part B of the Compliance Certificate – Landscape Works) and • AS/NZA 1158.3.1, 1999 Pedestrian Area Lighting. This work is to be certified by a suitably qualified urban design/landscape architect or registered Practicing Engineer – Queensland RPEQ professional in accordance with the ULDA Certification Procedures Manual and to the satisfaction of EDQ. c) On completion of this work submit written certification and “as constructed” plans certified by a suitably qualified urban design/landscape architect or registered Practicing Engineer – Queensland RPEQ professional to EDQ demonstrating compliance with this condition.	a) Prior to commencement of works on site b) Prior to survey plan endorsement c) Prior to survey plan endorsement
22	Repair damage to Kerb, Footpath or Road Repair to the satisfaction of EDQ any damage to existing kerb and channel, road verge or roadway (including removal of concrete slurry from footpaths, roads, kerb and channel and stormwater gullies and pipes) that may occur during any works carried out in association with the approved development.	Prior to survey plan endorsement

23	Construction Management Plan a) Submit to EDQ a Site Based Construction Management Plan that includes but is not limited to: • provision for the management of traffic around and through the site during and outside of construction work hours. Access to the site is to be obtained from Lakeside Drive. • provision for parking and materials delivery during and outside of construction hours of work • management of dust generated from the site during and outside construction work hours; • management of sedimentation and erosion which complies with management of groundwater and surface water collection, treatment and disposal in accordance with Townsville City Council's standards.; • management of contaminated soils (if required), including removal, treatment and replacement in accordance with site remediation plans prepared and approved specifically for this site. The construction management plan shall be prepared in consultation with the professionals responsible for individual site related management plans to ensure that all aspects of the construction and environmental management are included. The construction management plan shall be reviewed and approved by the principal consultant overseeing and certifying the construction works. b) All work shall be undertaken in accordance with the construction management plan which must be current and available on site at all times during the construction period.	a) Prior to commencement of site works b) During site works and prior to survey plan endorsement
24	Pre-Construction Self Certification No work shall commence until EDQ acknowledges in writing receipt of certification package(s) from the Project Coordinator in accordance with Section 6.4.a) of the <i>ULDA Certification Procedures Manual</i>.	Prior to commencement of works
25	Post-Construction Self Certification Submit Post-Construction (Practical Completion) Certification, approved forms and "As-Constructed" plans including an asset register, certified by a Registered Professional Engineer Queensland (RPEQ), that the plans are a true record of the works "As-Constructed" in accordance with Section 6.4.b) of the <i>ULDA Certification Procedures Manual</i>.	Prior to survey plan endorsement
26	Infrastructure Contributions Pay to EDQ, a monetary contribution towards the cost of the provision of essential infrastructure. The contribution will be based on Townsville City Council's applicable infrastructure charging document for the area. These charges will be indexed each year by the three year rolling average of the Queensland Roads and Bridges Index.	Prior to survey plan endorsement

ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval, some specific advices are outlined below. Other advices may include other approvals under the *Economic Development Act 2012* as well as the *Sustainable Planning Act 2009* (e.g. for building work), the *Plumbing and Drainage Act 2002* and the *Commonwealth Environmental Protection and Biodiversity Act 1999*. Carrying out development may also be subject to 'duty of care' legislation such as the *Aboriginal Cultural Heritage Act 2003*. For advice on other approvals that may be necessary in relation to your proposal, please seek professional advice.

Please note: The above information has been provided to the applicant as an advice only, and does not form part of the development approval conditions. This advice has been provided to the applicant to inform them of other obligations they may have to comply with (under state legislation or local laws) prior to their activity commencing.

**** End of Package ****

