

ROUND MOUNTAIN PROJECT - PRECINCT A - EPBC ACT APPROVAL: RESIDENTIAL DEVELOPMENT LOT RP45728, NEW BEITH, QLD (EPBC 2019/8398) Vegetation Clearing and Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
10941 E 01	COVER SHEET	G	18/08/2026
10941 E 02	VEGETATION CLEARING NOTES	G	18/08/2026
10941 E 03	EPBC APPROVAL CONDITION COMMITMENTS	G	18/08/2026
10941 E 04	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (I)	G	17/08/2026
10941 E 05	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (II)	G	17/08/2026
10941 E 06	ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES (III)	G	17/08/2026
10941 E 07	EPBC & NESS OVERLAYS	G	17/08/2026
10941 E 08	EPBC FAUNA FENCING AND WILDLIFE SOLUTIONS STRATEGY	G	17/08/2026
10941 E 09	CONTEXT SHEET	G	18/08/2026
10941 E 10-41	DETAIL SHEETS	G	17/08/2026
10941 E 42	VEGETATION CLEARING DIRECTION	G	18/08/2026
10941 E A01	ATTACHMENT 1: PRECINCT A VCMP TREE SCHEDULE	G	18/08/2026



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Process and Management Notes*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026



INTRODUCTION

The Environmental Management Division of the Saunders Havill Group (SHG) was engaged by Frasers Property New Beith Pty Ltd to prepare a Vegetation Clearing and Management Plan (VC&MP) for Precinct A stage of works of the Round Mountain Project. The vegetation clearing will encompass the delivery of Precinct A residential lots, external services infrastructure and the Project's entry road.

This VC&MP is a requirement of the Economic Development Queensland (EDQ) endorsed Natural Environment Site Strategy (NESS) for the Undullah project. The purpose of this VC&MP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The clearing works will follow general EDQ principles for vegetation clearing documented on this sheet and the *Fauna Management Plan* document. Furthermore, all Federal Environmental Protection & Biodiversity Conservation Act (EPBC) approval conditions must be followed as outlined on *Sheet 3 and 4*. The plan is required to be approved prior to clearing works commencing.

This VC&MP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

- GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2024/25). All trees over 100mm DSH were recorded within 20m of the earthworks interface with habitat trees (trees over 300mm DSH and/or with hollows) recorded through balance areas.
- Precinct A Layout (URBIS, 2025)
- Engineering design (Colliers, 2025)

The Queensland Code of Practice for the Welfare of Wild Animals Affected by Land Clearing and Other Habitat Impacts and Wildlife/Spotter/Catches (Draft) and the Queensland Koala Sensitive Design Guideline were considered and applied to this document where relevant.

PROJECT MANAGEMENT

Vegetation clearing and management processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EPBC conditions, EDQ's guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:
Frasers Property New Beith Pty Ltd
Belinda Ryan

Environmental Contact:
Saunders Havill Group
Dr Andrew Davies

Site Contractor:
To be advised

Site Arborist:
To be advised

Site Fauna spotter-catcher:
To be advised
(Refer to *Fauna Management Plan* document for responsibilities)

Site Bushfire Consultant:
Rob Janssen

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing/Flagging to be installed

Tree protection fauna friendly fencing to be installed prior to the commencement of any clearing works on the site (see top left diagram). Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing/Flagging shall be in place prior to the pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed in the *Fauna Management Plan* document and acknowledge specific EPBC/EDQ approval requirements.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *Sheet 42* of this VC&MP and managed by the appointed fauna spotter to allow all fauna unimpeded movement north and west towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 4 ha set out in *Section 2, Part 3* of the *Nature Conservation (Koala) Conservation Plan 2017*.

Once clearing is finalized, and prior to construction, the fencing will be changed to fauna exclusion style fencing (refer bottom right diagram) immediately surrounding construction areas.

Monitoring and Reporting:

Tree protection fencing is to be inspected daily prior to clearing works and recorded by the Site Supervisor. Any failures in the fencing are to be repaired prior to clearing or construction if adjacent to works or within 24 hours if elsewhere on site. The location of stockpiling and site access localities are to be inspected daily and recorded by the Site Supervisor. All works undertaken by the Arborist during clearing and proposed ongoing post-works on retained vegetation are to be reported in an Arborist report for submission to the Environmental Coordinator at the completion of each Stage of clearing. The commitments and outcomes guided by this VC&MP are to be reviewed and reported within Annual Compliance Reports and Independent Audits as per EPBC approval conditions.

Vegetation clearing techniques:

- By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.
- Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. When a large tree is suspected of containing fauna or potential habitat, other methods of clearing should be used, when safe to do so. These methods include (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40 cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where trees are too large for a vertical tree grab, an elevated work platform or cherry picker, where practical, may be used in conjunction with a chainsaw operator and fauna spotter-catcher to carefully remove a hollow section from the habitat tree and gently lower the section for inspection by the fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at any time during construction. Construction works including vegetation clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


Tree and mulch stockpiling locations are to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to construction staging and movement of fill.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be professionally mounted on nearby or adjacent suitable trees (see Fauna Management Plan (FMP) for further hollow salvaging details.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow-up maintenance works should be carried out on retained vegetation where required during Precinct A's construction and maintenance periods.

Tree Protection Fencing - Fauna Friendly



Post Clearing Tree Protection Fence - Fauna Exclusion



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *EPBC Conditions of Approval Commitments*

DECLARATION OF ACCURACY

In making this declaration, I am aware that section 491 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) makes it an offence in certain circumstances to knowingly provide false or misleading information or documents to specified persons who are known to be performing a duty or carrying out a function under the EPBC Act or the *Environment Protection and Biodiversity Conservation Regulations 2000* (Cth). The offence is punishable on conviction by imprisonment or a fine, or both.

Signed	
Full name	Andrew Davies
Position	Manager Environmental Division / Associate Partner
Organisation	Saunders Havill Pty Ltd
Date	17 August 2026

EPBC PROTECTED MATTERS

This VC&MP outlines measures to avoid, minimise and manage impacts to matters of national environmental significance and is required to address Condition 19 of EPBC Approval 2019/8398 (Residential Development, Lot 4 RP45728, New Beith, Queensland). The protected matters are 'listed threatened species and communities (section 18 and 18A)' including:

- Koala (*Phascolarctos cinereus*) – combined populations of Queensland, New South Wales and the Australian Capital Territory
- Grey-headed Flying-fox (*Pteropus poliocephalus*)
- Greater Glider (*Petauroides volans volans*)
- Swift Parrot (*Lathamus discolor*)
- Regent Honeyeater (*Anthochaera phrygia*)

This VC&MP provides the framework for managing the clearing of vegetation in Precinct A and ensure compliance with the EPBC conditions of approval.

CONDITIONS OF APPROVAL

The following commitments are required under Conditions 8 and 9 of EPBC Approval 2019/8398, and have been addressed by this VC&MP in the following locations:

Preliminary Documentation Commitments	Location in VC&MP
Clearly show all trees to be removed and retained	All trees to be removed and retained are clearly shown on Sheets 10-41
Include details of all civil works likely to impact on existing vegetation	All civil works have been imported to Sheets 10-41
Temporary and permanent exclusion and protection fencing tor riparian corridors and parklands	Temporary fauna friendly and exclusion fencing is outlined on Sheet 2 EPBC. This will allow fauna to escape during clearing and then exclude them from the construction site once cleared. The endorsed permanent fauna fencing and wildlife solutions are management is depicted on Sheet 8. These will ensure fauna within the specified corridor and conservation areas are protected and safe passage is facilitated. Tree protection fencing during clearing is depicted on Sheets 10-41. This will allow for retained trees to be protected during the clearing process.
Roles and responsibilities for site contractors, developer and the consultant group	Roles and responsibilities for site contractors, the developer and consultant group are set out on Sheet 3.

Stockpiling and site access locations	Stockpiling and site access locations are depicted on Sheet 42 to ensure that stockpiles are appropriately located and site access is safely facilitated.
Links to weed management and revegetation proposals	Refer to Weed and Rehabilitation Management Plan (WRMP)
The stock piling and reuse of cleared vegetation	Stockpiling and reuse is specifically outlined on Sheet 2 where the mulching and reuse of felled trees and salvage of hollows and habitat values is specified. Further details relevant to the EPBC assessment are outlined on Sheets 4-6 and stockpiling locations and site access are depicted on Sheet 42.
Specific details on the removal of previously identified potential fauna habitat trees	Habitat trees identified under the EPBC assessment as potentially suitable habitat for Greater Glider, Swift Parrot and Regent Honeyeater are identified on Sheets 10-41.
Where trees are shown to be retained occur within disturbance zones they should be accompanied by necessary arborist specifications incorporated into the VC&MP.	Arborist specifications under the relevant Australian Standard are outlined on Sheet 2 and with Arborist managed trees depicted on Sheet 10-41. The Arborist will manage any retained trees that may be impacted by works and will report on all management undertaken.
The VC&MP will designate trees to be protected for the on-going life of the proposal which may require both immediate remedial works and long term monitoring for the potential of future works	Trees to be protected and managed by the Arborist are depicted on Sheets 10-41. The arborist will designate management requirements including for retained trees in post-works reporting.

ENVIRONMENTAL MANAGEMENT ROLES AND RESPONSIBILITIES

It is critical for all parties to understand their responsibilities as part of the vegetation clearing 'team'.

Party	Description
Proponent	Ensure all consultants, contractors, sub-contractors or others utilizing the area are aware of the VC&MP. Appoint appropriate consultants and contractors to undertake works as prescribed on the drawings and conditioned by the Assessment Manager. Cover costs of all resources to ensure works are completed as per approved plans.
Consultants	Brief proponent on their requirements in implementing works as per the V&CMP. Attend pre-start meeting prior to clearing works commencing. Undertake monitoring and reporting to the Assessment Manager as per this plan. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Liaise with the Assessment Manager throughout all stages of approval, initial works and maintenance of works.
Assessment Manager	Provide technical expertise via commentary on the approval of documentation. Attend pre-start meeting prior to clearing works commencing. Reduce and release securities held against works at the completion of successful milestone inspections. Be available to respond to technical queries to the approved documentation when on-site conditions require changes. Accept and review maintenance reports as dictated (if required in this plan.

Contractor	Ensuring all clearing works are implemented in accordance with the VC&MP. Attend pre-start meeting prior to clearing works commencing. Hold relevant licenses in applicable vegetation clearing and fauna spotter/catcher permits, any required insurances for scope of works and an understanding of required Laws, Act, Policies and Guidelines. Recommend changes to the documentation when specific experience or on-site conditions require so.
------------	---

PLANNED AVOIDANCE AND MITIGATION MEASURES FOR POTENTIAL INDIRECT IMPACTS

Under the VC&MP, planned avoidance and mitigation measures are outlined in association with the indirect impacts to the disturbance footprint and vegetation. Potential indirect impacts associated with the Precinct A and the associated mitigation controls include are as below:

Potential Indirect Impacts	Associated Mitigation Controls	Location in VC&MP
Light and noise disturbance	Construction of the project may result in increased noise and light disturbance. These impacts may disturb fauna or movement behaviours. Standard mitigation measures will restrict potential impacts to the site and impacts to fauna.	Sheet 6
Contamination, weeds and pathogens	Increased vehicle movement during the construction phase has the potential to increase the spread of weeds in the area, particularly during the vegetation clearing phase. With the implementation of standard mitigation measures, such as separating the introduced vegetation stockpiling, the project is likely to result in a negligible impact to ecological values due to the potential introduction/spread of weeds.	Sheets 6
Vehicle Movement	During construction, a large number of vehicles will be required on the subject site potentially causing fauna strike or loss of vegetation and important fauna habitat. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to vehicular movements.	Sheets 4 and 5
Waste Disposal	Inappropriate disposal of non-hazardous wastes can attract vermin and other wildlife to site as well as allowing contaminants to enter the site. With implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to ecological values due to waste.	Refer to Construction Environmental Management Plan
Earthworks, Dust and sediment	Construction activities, in particular earthworks, have the potential to generate excessive dust emissions and sediment runoff. Excessive dust can coat vegetation resulting in a reduced quality of habitat for fauna. While sediment runoff can deposit large amounts of earth over retained habitat. Further, excessive dust and sediment runoff can flow into stormwater runoff and therefore into waterbodies and can degrade overall water quality.	Sheets 6
Stockpiling	Stockpiling of construction and landscaping materials and other site debris can be washed into drainage lines and waterbodies during high rain events. Stockpiling of vegetation containing weeds must be separated from vegetation to be reused as mulch to prevent further weed transmission. With implementation of standard mitigation measures, the project is not likely to result in negative impacts from stockpiling with the placement of stockpiles away from watercourses and drains.	Sheets 5, 6 and 42



PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL
Approval no: DEV-2026-FLA-4880
Date: 7 October 2026

Queensland Government

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (I)*

Trigger Table

Trigger	Implication	Management
V&MP not utilised	Heightened risk to retained vegetation during clearing.	This VC&MP is to form part of the pre-clearance environmental package to be reviewed at the prestart and located on site at all times during clearing. Ensure that the VC&MP is part of the package and utilised as required.
Arborist not utilised	Heightened risk to retained vegetation during clearing.	No clearing to commence unless an Arborist has been appointed as mandated.
Sequential Clearing not undertaken	Heightened risk to retained vegetation during clearing.	Sequential clearing is outlined in the VC&MP and mandated. To be utilised at all times.
Temporary Fencing not utilised or fails	Heightened risk to retained vegetation during clearing.	Temporary fencing is mandated as specified on the VC&MP. Daily fence checks to be implemented.
Site inductions not completed	Site personnel unaware of vegetation management procedures	This VC&MP is to form part of the pre-clearance environmental package to be reviewed at the prestart and located on site at all times during clearing. Ensure that the VC&MP is part of the package and reviewed as required.
Stockpiling not undertaken appropriately	Unmanaged stockpiles can risk fauna and habitat values are not salvaged	Stockpiling and habitat salvage is outlined in the VC&MP and mandated. To be utilised at all times.
Trees designated for retention are cleared	Trees that should be retained have been cleared	Arborist to review and report corrections to Environmental Coordinator to update the VC&MP accordingly.

ENVIRONMENTAL IMPACTS, RISKS & MANAGEMENT MEASURES

The following risks relating to achieving the environmental outcomes and risk management strategies and/or mitigation measures that will be applied to address identified risks are:

- Construction Impacts and Risks
 - Loss of habitat
 - Fragmentation of habitat
 - Disturbance to retained and surrounding habitat
- Operational Impacts and Risks
 - Creation of barriers to dispersal/ Fragmentation of Habitat
 - Disturbance to retained and surrounding habitat

Impact avoidance, mitigation, repair measures, and the timing of those measures, consistent with the measures and timing proposed in the Preliminary Documentation are as follows:

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Loss of habitat	Impacts have been avoided and minimised through the development design, incorporating open space and conservation areas within areas identified as providing greater environmental values (i.e. Round Mountain, Flagstone Creek and biodiversity corridors within the GFPDA Development Scheme).	Ecological surveys and habitat assessments conducted across the referral area led to the precise spatial analysis of vegetation and habitat qualities.	59.7 ha of vegetation, comprising of Round Mountain, Greater Flagstone Creek and a central corridor connecting these areas, will be retained and rehabilitated as habitat and biodiversity corridors.	At each Stage of development	The field survey applied has accurately mapped environmental values and features.	Mitigation measures (vegetation management) effectively applied.	<u>Loss of habitat</u>
Risk of injury or mortality to MNES from vegetation clearing and construction	Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas. Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas away from construction, Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas.	The sequential clearing of vegetation will allow for the gradual loss of vegetation, giving fauna time to naturally disperse away from the disturbance. The use of fauna exclusion fencing around construction areas will ensure fauna do not disperse into unsafe, hostile	Sequential Clearing Temporary fauna fencing	At all times during clearing At all times during clearing	Sequential clearing not undertaken and fragmentation induced Temporary fencing not applied and Koala are injured or killed	Clearing completed as per sequential clearing Temporary fencing utilised at all times during the clearing process	Sequential clearing is mandated and guided by VC&MPS, pre-clearance checklists and pre-starts <u>No residual impact</u> Temporary fauna fencing is mandated and guided by FMPs and pre-clearance checklists and pre-starts <u>No residual impact</u>



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026

Queensland
Government

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (II)*

Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Fragmentation of habitat	Vegetation clearing has the risk of fragmenting habitat areas during the construction phase. To avoid this impact, vegetation will be undertaken sequentially to allow fauna to disperse from construction areas. Clearing procedures that avoid the fragmentation of vegetation will be adopted within the FMPs and informed by the Fauna Spotter Cather reports. Clearing will be undertaken in a way that flushes fauna into the vegetation retention and rehabilitation zone and/or connected areas of habitat and will avoid flushing fauna into fragmented or hostile areas.	Habitat isolation and fragmentation is a primary concern due to its impacts on fauna. The listed fauna are able to disperse through a variety of environs, including bushland and cleared areas. The direction of clearing of vegetation in accordance with the VC&MPs will ensure that clearing does not create fragmented habitat islands that could trap fauna. Rather, procedures will be in place to ensure clearing flushes fauna away from construction areas into the vegetation retention zone and/or surrounding habitat areas that are connected to the wider landscape.	Fauna not fragmented from adjoining habitat during clearing	Fauna are not fragmented from habitat during clearing. Sequential clearing is undertaken at all times during clearing.	Fauna are fragmented by clearing	Clearing completed without fauna being fragmented	Sequential clearing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Temporary fauna fencing	At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	Temporary fauna fencing is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts. <u>No residual impact</u>
			Stockpiling of cleared vegetation ensures safe fauna movement	At all times during clearing	Stockpiling creates a barrier to fauna	Stockpiling is undertaken as guided by VC&MP and FMP	Safe stockpiling is mandated and guided by VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Safe fauna dispersal locations during construction	At all times during construction	Fauna strike occurs	No fauna strikes during construction	Fauna go slow and fencing measures are applied as per the VC&MPs, FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>
			Low vehicle speeds	At all times during construction	Speed limits are breached resulting in fauna strike	No speed limit breaches during construction	Speed limits are mandated and guided by FMPs, pre-clearance checklists and pre-starts <u>No residual impact</u>



PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026


Queensland
Government

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Environmental Impacts, Risks and Management Measures (III)*


Construction Impacts

Impact	Avoidance and Mitigation Measures	Evaluation of the Effectiveness of Measures	Mitigation	Timeline	Risk Assessment	Milestone	Residual Impact
Disturbance to retained and surrounding habitat	The VC&MP will include controls to avoid, minimise and mitigate risk of disturbance to retained and surrounding habitat critical to the survival of the listed species during construction, specifically: <u>Light and noise disturbance</u> Construction of the project will result in increased noise and light disturbance. These impacts may disturb fauna and disrupt foraging, reproduction or movement behaviours. Restricted construction hours (e.g. 6am-6pm) will limit disruption from light and noise impacts, as well as allow a 12 hour period for fauna to disperse and forage. <u>Earthworks – dust and sediment generation</u> Construction activities have the potential to generate dust emissions. Dust emissions during construction will be temporary. The main sources of dust will be generated via: • earthworks, including construction of the embankments, and moving, dumping and shaping material; and • wheel/wind generated dust from exposed surfaces, ie. the haul roads created for the construction phase; • vegetation and soil clearing of the land. • Rain/water generated sediment runoff from exposed surfaces Excessive deposition of dust on leaves of plants can suppress the growth and photosynthesis, resulting in reduced habitat quality for fauna. High levels of airborne dust can irritate the respiratory systems of fauna and potentially result in ingestion of dust-coated seeds and other foods. Excessive deposition of dust on open water bodies may also degrade water quality and overall habitat quality for fauna. Sediment runoff during rain events can deposit large amounts of sediment into adjacent vegetation areas and waterways causing significant degraded water and habitat quality. With the implementation of standard mitigation measures, the project is likely to result in a temporary and minor impact to any MNES utilising the local area due to the generation of dust and sediment. <u>Contamination, weeds and pathogens</u> Construction activities increase the risk of weeds, pathogens and contamination into the referral area. To manage these impacts, a Weed and Pathogen Management Plan will be prepared to identify potential weed species, and include appropriate controls for weed and pathogen management, disposal and monitoring. Weeds will be actively managed within the construction footprint and disposed of appropriately. No companion animals (e.g. dogs) will be allowed within construction areas. <u>Vehicle disturbance</u> Reduced vehicle speeds will be implemented throughout the construction area to minimise vehicle disturbances. Further, proposed construction roads will be subject to design treatments to ensure safe fauna crossing opportunities are maintained to vegetated areas and impose low vehicle speeds within construction areas. <u>Barriers to dispersal</u> Vegetation will be cleared sequentially. Clearing will be conducted so that fauna are flushed into safe, vegetated areas and it will avoid pushing fauna into fragmented areas. Temporary fauna friendly fencing will allow fauna to safely disperse into vegetated areas while clearing. Temporary fauna exclusion fencing will then be erected to prevent fauna dispersing into construction areas. <u>Contractor management</u> All construction personnel shall attend environmental training as part of the referral area induction process prior to entering the work site. As part of this training, all personnel will be instructed on their obligations in regard to vegetation clearing protocols and to protect native fauna. Additional controls for listed species will be presented in a toolbox talk.	Construction management and clearing controls are considered to be able to effectively avoid, minimise and mitigate risk of disturbance to listed species activities during construction, and allow for adaptive management where required. Limiting hours of construction and clearing to daylight hours, allows a 12 hour period for safe dispersal. With appropriate monitoring, pre, during and post construction by the Fauna Spotter Catcher, no residual impacts area expected to occur.	Minimise light and noise disturbance	At all times during construction	Light and noise impacts on fauna	Light and noise disturbance is limited to daylight hours	Light and noise restrictions mandate works between 6am and 6pm in the SBMP. No residual impact
	The risk of dust emissions and sediment runoff		At all times during construction	Dust and sediment impacts on retained vegetation and fauna	Erosion and sediment control plan ESC plans implemented for all vegetation clearing phases	ESC plans will mitigate the risk of dust and sediment impacts No residual impact	
	The risk of contamination and exacerbating weeds and pathogens is minimised		At all times during construction	Contamination, weed and pathogen incursion	Contamination and weed and pathogen incursions do not occur	The VC&MP will mitigate the risk of contamination and weed and pathogen incursion No residual impact	
	Vehicle disturbance minimised- reduce number of access tracks and/or haul roads		At all times during construction	Fauna disturbance, Injury or mortality from vehicles	Fauna disturbance, Injury or mortality from vehicles is mitigated	The VC&MP will mitigate the risk of vehicle disturbance No residual impact	
	Barriers to dispersal are not created		At all times during construction	Vegetation clearing and stockpiling creates a barrier to fauna	Vegetation clearing and stockpiling is undertaken as guided by VC&MP and FMP	The VC&MP will mitigate the risk of dispersal barriers No residual impact	
	Temporary fauna fencing		At all times during construction	Temporary fences are not applied	Temporary fencing utilised at all times during construction	The VC&MP will guide temporary fencing No residual impact	
	Inductions and training		At all times during construction	Inductions avoided	All inductions are completed and records maintained	Site Inductions are mandatory No residual impact	
	Adaptive management		At all times during construction	Adaptive management not applied	Adaptive management utilised if required	The VC&MP will include adaptive management strategies to avoid recurrence of adverse incidents should they occur No residual impact	



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - EPBC and EDQ Overlays




LEGEND




-  Project boundary
-  Precinct A vegetation clearing area
-  Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
-  EPBC Approval Conservation Area
-  NESS Low Order Remnant
-  Primary Site Fauna Corridor
-  Unconnected Supporting Habitat Area

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *DCCEEW Endorsed Fauna Fencing and Wildlife Solutions Strategy*




LEGEND

-  Project boundary
-  Master Plan
-  Development area
-  Open space
-  Conservation area
-  Fauna Friendly Crossing Solution
-  Fauna Exclusion Directional Fence
-  Fauna Protection Measures
(Safety Signage, Fencing, Open Space Buffers and Topographical Boundaries to be Utilised According to Adjacent Fauna Risk Factors)



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Context Detail Sheet



LEGEND

Project boundary

Precinct A boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

Precinct A layout

Precinct A stormwater

Precinct A sewer

Precinct A earthworks batters

Q100 flood line

Master Plan

Development area

Open space

Conservation area

Saunders
Havill

BOWENHILLS| SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION. THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.


SCALE (A3)
1:4,500

References:
AS 4970-2009 Protection of trees on development sites

0 10 20 40 60 80 100

m

AMENDMENTS		DESCRIPTION EDQ RFI	DRAWN TC	CHECKED AD
ISSUE G	DATE 18/08/2026			

CLIENT

FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT

PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE


VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 09 P-A VMP G

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 10*



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant REs
- Q100 - Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 11



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 - Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 12



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan


- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line

Vegetation Clearing and Management Plan - *Detail Sheet 13*

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026



DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION. THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.



SCALE (A3)
1:450

References:

AS4970-2009 Protection of trees on development sites



AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECK
G	17/08/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 13 P-A VMP G



ROUND MOUNTAIN PROJECT - PRECINCT A


Vegetation Clearing and Management Plan - Detail Sheet 14

PLANS AND DOCUMENTS referred to in the PDA DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-4880

Date: 7 October 2026

Queensland Government



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line

Saunders Havill

BOWENHILLS | SPRINGFIELD


1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION. THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

References:
AS 4970 - 2009 Protection of trees on development sites

SCALE (A3)
1:450



AMENDMENTS		DESCRIPTION	DRAWN	CHECKED
ISSUE	DATE			
G	17/08/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD


PROJECT
PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.
10941 E 14 P-A VMP G

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 15*




- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
 - Habitat tree to remove in development area
- Tree to remove in development area
 - Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Habitat tree to remove for stormwater basin and outlet works
 - Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
 - EPBC identified habitat tree
- Project boundary
 - Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
- Proposed water design
 - NESS - Of Concern Remnant REs
 - Q100 flood line




Vegetation Clearing and Management Plan - *Detail Sheet 16*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 17



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 18



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan


- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 - Q100 flood line

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 19



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan


- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 20



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line



Vegetation Clearing and Management Plan - *Detail Sheet 21*

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026



DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.



SCALE (A3)
1:450

References:
AS4970-2009 Protection of trees on development sites



AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECK
G	17/08/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398


DRAWING NO.

10941 E 21 P-A VMP G



Vegetation Clearing and Management Plan - *Detail Sheet 22*

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026



DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.



SCALE (A3)
1:450

References:
AS4970-2009 Protection of trees on development sites



AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
G	17/08/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398

DRAWING NO.

10941 E 22 P-A VMP G



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 23



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line


ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 24

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan


- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 25



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

Tree to remove in development area

Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works

Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove for stormwater basin and outlet works

Tree to remove for stormwater basin and outlet works

Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

EPBC identified habitat tree

Project boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design


NESS - Of Concern Remnant RES

Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 26



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant REs
- Q100 flood line



Vegetation Clearing and Management Plan - *Detail Sheet 27*

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026



DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION. THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.



CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398


DRAWING NO.

10941 E 27 P-A VMP G



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 28




- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
 - Habitat tree to remove in development area
- Tree to remove in development area
 - Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Habitat tree to remove for stormwater basin and outlet works
 - Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
 - EPBC identified habitat tree
- Project boundary
 - Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
- Proposed water design
 - NESS - Of Concern Remnant RES
 - Q100 - Q100 flood line

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 29



- Tree plot (incl. survey data w/ TPZ)**
 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
 - Habitat tree to remove in development area
- Tree to remove in development area
 - Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Habitat tree to remove for stormwater basin and outlet works
 - Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
 - EPBC identified habitat tree
- Project boundary
 - Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
- Proposed water design
 - NESS - Of Concern Remnant RES
 - Q100 flood line




ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 30*

PLANS AND DOCUMENTS
referred to in the PDA
DEVELOPMENT APPROVAL

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026


Queensland
Government



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan


- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 31*



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant REs
- Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 32




- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
 - Habitat tree to remove in development area
- Tree to remove in development area
 - Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Habitat tree to remove for stormwater basin and outlet works
 - Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
 - EPBC identified habitat tree
- Project boundary
 - Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
- Proposed water design
 - NESS - Of Concern Remnant RES
 - Q100 flood line

Vegetation Clearing and Management Plan - *Detail Sheet 33*

Approval no: DEV-2026-FLA-4880
Date: 7 October 2026



DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION. THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OR RELIANCE UPON THE CONTEXTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.



SCALE (A3)
1:450

References:

AS4970-2009 Protection of trees on development sites



AMENDMENTS				
ISSUE	DATE	DESCRIPTION	DRAWN	CHECK
G	17/08/2026	EDQ RFI	TC	AD

CLIENT
FRASERS PROPERTY NEW
BEITH PTY LTD

PROJECT
PRECINCT A,
ROUND MOUNTAIN PROJECT,
NEW BEITH

DRAWING TITLE
VEGETATION CLEARING AND
MANAGEMENT PLAN - EPBC 2019/8398


DRAWING NO.

10941 E 33 P-A VMP G



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 34



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours

- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant RES
- Q100 flood line

ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 35



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours


- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design

- Proposed water design
- NESS - Of Concern Remnant REs
- Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 36*




- Tree plot (incl. survey data w/ TPZ)**

 - Tree outside Precinct A - retention subject to future works
 - Habitat tree outside of Precinct A - retention subject to future works
 - Habitat tree to remove in development area
- Tree to remove in development area
 - Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
 - Tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Habitat tree to remove for stormwater basin and outlet works
 - Tree to remove for stormwater basin and outlet works
 - Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
 - EPBC identified habitat tree
- Project boundary
 - Precinct A vegetation clearing area
 - Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- Tree protection fencing
 - Tree protection fencing (BMP)
 - Proposed lots
 - Top and toe of batter
 - Proposed contours
- Proposed retaining walls
 - Proposed road and paths
 - Proposed line-markings
 - Proposed stormwater design
 - Proposed sewer design
- Proposed water design
 - NESS - Of Concern Remnant REs
 - Q100 flood line




ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - Detail Sheet 37



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 38*



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area
- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

Habitat tree to remove for stormwater basin and outlet works

Tree to remove for stormwater basin and outlet works

Tree within Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

EPBC identified habitat tree

Project boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

Tree protection fencing

Tree protection fencing (BMP)

Proposed lots

Top and toe of batter

Proposed contours

Proposed retaining walls

Proposed road and paths

Proposed line-markings

Proposed stormwater design

Proposed sewer design

Proposed water design


NESS - Of Concern Remnant REs

Q100 flood line



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Detail Sheet 39*



Tree plot (incl. survey data w/ TPZ)

- Tree outside Precinct A - retention subject to future works
- Habitat tree outside of Precinct A - retention subject to future works
- Habitat tree to remove in development area

- Tree to remove in development area
- Habitat tree retention to be determined by Arborist during clearing works and reported as part of post-works
- Tree retention to be determined by Arborist during clearing works and reported as part of post-works

- Habitat tree to remove for stormwater basin and outlet works
- Tree to remove for stormwater basin and outlet works
- Tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Habitat tree within Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan
- EPBC identified habitat tree

- Project boundary
- Precinct A vegetation clearing area
- Precinct A Bushfire Management Zone - trees to be thinned to 30% cover max as per Bushfire Management Plan

- Tree protection fencing
- Tree protection fencing (BMP)
- Proposed lots
- Top and toe of batter
- Proposed contours
- Proposed retaining walls
- Proposed road and paths
- Proposed line-markings
- Proposed stormwater design
- Proposed sewer design
- Proposed water design
- NESS - Of Concern Remnant REs
- Q100 flood line




Vegetation Clearing and Management Plan - *Detail Sheet 41*



ROUND MOUNTAIN PROJECT - PRECINCT A

Vegetation Clearing and Management Plan - *Vegetation Clearing Direction*



LEGEND

Project boundary

Precinct A vegetation clearing area

Precinct A Bushfire Management Zone – trees to be thinned to 30% cover max as per Bushfire Management Plan

Existing access tracks

Vegetation clearing direction

Thinning clearing direction

Tree protection fencing

Tree protection fencing (BMP)

Vegetation stockpile locations during clearing phases





Attachment 1: Tree Schedule (Precinct A - VCMP G Extract) - 10941
Round Mountain Project Precinct A (Fraser's Property New Beith Pty Ltd) - EPBC Act Approval: Residential Development, Lot 4 RP45728, New Beith, Qld (EPBC 2019/8398)
Date: 2026/08/18

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value					Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Retention
1	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	200		200	63	10.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
2	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	430		430	135	12.0	6.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
3	<i>Angophora leiocarpa</i>	Smooth-barked Apple	440		440	138	15.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
4	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	15.0	6.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
7	<i>Angophora leiocarpa</i>	Smooth-barked Apple	470		470	148	22.0	7.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
8	<i>Corymbia intermedia</i>	Pink Bloodwood	480		480	151	22.0	9.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
9	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
10	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	12.0	4.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
11	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450		450	141	18.0	7.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
12	<i>Angophora leiocarpa</i>	Smooth-barked Apple	340		340	107	15.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
13	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
14	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
15	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	240		240	75	12.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
16	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	11.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
17	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
18	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	18.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
19	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	12.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
20	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
21	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
22	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
23	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	10.0	6.0	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
24	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	8.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
25	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	8.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
26	<i>Dead/Stag</i>		550		550	173	17.0	6.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retain in P-A
27	<i>Allocasuarina littoralis</i>	Black She-oak	200	180	269	85	9.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
28	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
29	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
30	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
31	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
32	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
33	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	75	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
34	<i>Allocasuarina littoralis</i>	Black She-oak	180	100	206	65	8.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
35	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	123	17.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A



Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
36	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	20.0	10.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
37	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	150		150	47	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
38	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
39	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
40	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	9.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
41	<i>Acacia disparrima</i>	Hickory Wattle	200	190	276	87	12.0	7.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
42	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	13.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
43	<i>Acacia disparrima</i>	Hickory Wattle	340		340	107	14.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
44	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	75	9.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
45	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	16.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Retention subject to BMP
46	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
47	<i>Lophostemon suaveolens</i>	Swamp Box	340		340	107	15.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
48	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	21.0	8.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
49	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	18.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
50	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	19.0	5.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
51	<i>Lophostemon suaveolens</i>	Swamp Box	320		320	101	12.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
52	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	8.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
53	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
54	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	12.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
55	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	16.0	6.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
56	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	12.0	8.0	3.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
57	<i>Dead/Stag</i>		440		440	138	18.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retain in P-A
58	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
59	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	16.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
60	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	15.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
61	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	15.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
62	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
63	<i>Allocasuarina littoralis</i>	Black She-oak	160	140	213	67	11.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
64	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	17.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	Retain in P-A
65	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	14.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
66	<i>Dead/Stag</i>		400		400	126	15.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
67	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	11.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
68	<i>Allocasuarina littoralis</i>	Black She-oak	160	100	189	59	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
69	<i>Petalostigma pubescens</i>	Quinine Bush	170		170	53	9.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
70	<i>Petalostigma pubescens</i>	Quinine Bush	180		180	57	10.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
71	<i>Allocasuarina littoralis</i>	Black She-oak	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
72	<i>Petalostigma pubescens</i>	Quinine Bush	240		240	75	8.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
73	<i>Eucalyptus tereticornis</i>	Forest Red Gum	720		720	226	22.0	8.0	8.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
74	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
75	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	22.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
76	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	27.0	12.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
77	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
78	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
79	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	12.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
80	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	17.0	2.0	4.6	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
81	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	12.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
82	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
83	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	10.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
84	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	14.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
85	<i>Lophostemon suaveolens</i>	Swamp Box	270		270	85	11.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
86	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	9.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
87	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
88	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	9.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
89	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	9.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
90	<i>Dead/Stag</i>		540		540	170	10.0	5.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retain in P-A
91	<i>Acacia disparrima</i>	Hickory Wattle	260	160	305	96	12.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
92	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	79	13.0	3.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
93	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
94	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	18.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
95	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	13.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
96	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	18.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
97	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	157	19.0	7.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
98	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
99	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	12.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
100	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	9.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
101	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
102	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	19.0	7.0	3.7	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
103	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	12.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
104	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	14.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
105	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
106	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	12.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
107	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
108	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	14.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
109	<i>Petalostigma pubescens</i>	Quinine Bush	160	150	219	69	6.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
110	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	8.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
111	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	9.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
112	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
113	<i>Alphitonia excelsa</i>	Soap Tree	190		190	60	8.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
114	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	16.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
115	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	19.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	Retain in P-A
116	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
117	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	12.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
119	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	16.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
122	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	19.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
123	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
124	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
125	<i>Corymbia intermedia</i>	Pink Bloodwood	520		520	163	24.0	12.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
126	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
127	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	9.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
128	<i>Acacia disparrima</i>	Hickory Wattle	180	140	228	72	12.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
129	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	14.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
130	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	15.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
131	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
132	<i>Allocasuarina littoralis</i>	Black She-oak	170	150	227	71	13.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
133	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	260		260	82	10.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
134	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
135	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
136	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	210		210	66	12.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
137	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
144	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
145	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	14.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
146	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
147	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	9.0	4.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
148	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	12.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
149	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	66	8.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
150	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	15.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
151	<i>Melaleuca saligna</i>	Willow Bottlebrush	260		260	82	11.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
152	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	8.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
153	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	14.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
154	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
155	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	11.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
156	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	12.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
157	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	11.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
158	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
159	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	15.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
160	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
161	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
162	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
163	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	17.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
164	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	24.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
165	<i>Alphitonia excelsa</i>	Soap Tree	310		310	97	14.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
166	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
167	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	16.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
168	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
169	<i>Alphitonia excelsa</i>	Soap Tree	280		280	88	14.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
170	<i>Allocasuarina littoralis</i>	Black She-oak	190		190	60	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
171	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
172	<i>Allocasuarina littoralis</i>	Black She-oak	240		240	75	12.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
173	<i>Alphitonia excelsa</i>	Soap Tree	260		260	82	12.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
174	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
175	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
179	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
180	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	12.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
181	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	14.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
182	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
183	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	14.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
184	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
185	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	12.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
186	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	15.0	6.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
187	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
188	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	17.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
189	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
190	<i>Corymbia citriodora</i>	Spotted Gum	180		180	57	12.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
191	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
192	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	15.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
193	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	14.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Retain in P-A
194	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	18.0	8.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
195	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	12.0	4.0	3.1	Regular	Spreading	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Retention
196	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	16.0	6.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
197	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
198	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	18.0	4.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
199	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	15.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
200	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
201	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	88	14.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
202	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
203	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
204	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200		200	63	9.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
205	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
206	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	16.0	7.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
207	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
208	<i>Corymbia torelliana</i>	Cadaghi	170		170	53	7.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
209	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	14.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
210	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	15.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
211	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
212	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	26.0	14.0	8.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
213	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
215	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	18.0	6.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
216	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	53	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
217	<i>Eucalyptus tereticornis</i>	Forest Red Gum	520		520	163	24.0	9.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
218	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
219	<i>Alphitonia excelsa</i>	Soap Tree	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
220	<i>Corymbia citriodora</i>	Spotted Gum	620		620	195	24.0	8.0	7.4	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
221	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	500		500	157	22.0	8.0	6.0	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
391	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	450		450	141	20.0	13.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
392	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	220		220	69	9.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
393	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	310		310	97	17.0	10.0	3.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
394	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	10.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
395	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	17.0	9.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
396	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	14.0	7.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	Termite nest	Retain in P-A
397	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	19.0	9.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
398	<i>Lophostemon suaveolens</i>	Swamp Box	205		205	64	8.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
399	<i>Acacia disparrima</i>	Hickory Wattle	225		225	71	10.0	7.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
400	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	14.0	7.0	2.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
401	<i>Alphitonia excelsa</i>	Soap Tree	255		255	80	10.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
402	Angophora leiocarpa	Smooth-barked Apple	290		290	91	16.0	9.0	3.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
403	Lophostemon suaveolens	Swamp Box	290		290	91	13.0	7.0	3.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
404	Eucalyptus tereticornis	Forest Red Gum	530		530	167	20.0	14.0	6.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
405	Lophostemon suaveolens	Swamp Box	160	150, 145, 145	300	94	10.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Remove in P-A
406	Acacia disparrima	Hickory Wattle	180		180	57	9.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
407	Lophostemon suaveolens	Swamp Box	185		185	58	9.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
408	Acacia disparrima	Hickory Wattle	260		260	82	9.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
409	Eucalyptus tereticornis	Forest Red Gum	540	255	597	188	22.0	14.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
410	Eucalyptus tereticornis	Forest Red Gum	425		425	134	20.0	11.0	5.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
411	Allocasuarina littoralis	Black She-oak	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
412	Allocasuarina littoralis	Black She-oak	205		205	64	13.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
413	Eucalyptus tereticornis	Forest Red Gum	475		475	149	20.0	15.0	5.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
414	Acacia disparrima	Hickory Wattle	145	100	176	55	8.0	5.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
415	Eucalyptus tereticornis	Forest Red Gum	375		375	118	20.0	14.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
416	Corymbia intermedia	Pink Bloodwood	315		315	99	16.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Remove in P-A
417	Allocasuarina littoralis	Black She-oak	205		205	64	12.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
418	Allocasuarina littoralis	Black She-oak	225		225	71	11.0	7.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
419	Acacia disparrima	Hickory Wattle	275	195	337	106	13.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
420	Acacia disparrima	Hickory Wattle	275		275	86	11.0	9.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
421	Acacia disparrima	Hickory Wattle	170		170	53	10.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
422	Eucalyptus tereticornis	Forest Red Gum	340		340	107	19.0	13.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
423	Corymbia intermedia	Pink Bloodwood	375		375	118	16.0	10.0	4.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retention subject to BMP
424	Corymbia intermedia	Pink Bloodwood	370		370	116	18.0	11.0	4.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Remove in P-A
425	Corymbia intermedia	Pink Bloodwood	225		225	71	17.0	8.0	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
426	Eucalyptus tereticornis	Forest Red Gum	300		300	94	17.0	9.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
427	Eucalyptus tereticornis	Forest Red Gum	480		480	151	19.0	13.0	5.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
428	Lophostemon suaveolens	Swamp Box	170	140, 110	246	77	9.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
429	Acacia disparrima	Hickory Wattle	200	185	272	86	10.0	6.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
430	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	16.0	9.0	3.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
431	Acacia disparrima	Hickory Wattle	225		225	71	9.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
432	Acacia disparrima	Hickory Wattle	180		180	57	9.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
433	Acacia disparrima	Hickory Wattle	230		230	72	9.0	6.0	2.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
434	Corymbia intermedia	Pink Bloodwood	275		275	86	14.0	10.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
435	Eucalyptus tereticornis	Forest Red Gum	335		335	105	18.0	11.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
436	Eucalyptus tereticornis	Forest Red Gum	345		345	108	17.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
437	Eucalyptus tereticornis	Forest Red Gum	415		415	130	17.0	13.0	5.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
438	Eucalyptus tereticornis	Forest Red Gum	490		490	154	19.0	14.0	5.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
439	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	12.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
440	<i>Acacia disparrima</i>	Hickory Wattle	220	165	275	86	9.0	7.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
441	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	9.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
442	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	9.0	5.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
443	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	9.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
444	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
445	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
446	<i>Acacia disparrima</i>	Hickory Wattle	225		225	71	10.0	6.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
447	<i>Acacia disparrima</i>	Hickory Wattle	205		205	64	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
448	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	16.0	9.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
449	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	295		295	93	17.0	14.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
450	<i>Petalostigma pubescens</i>	Quinine Bush	325		325	102	10.0	10.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
451	<i>Alphitonia excelsa</i>	Soap Tree	265		265	83	13.0	9.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
452	<i>Petalostigma pubescens</i>	Quinine Bush	315		315	99	12.0	8.0	3.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
453	<i>Petalostigma pubescens</i>	Quinine Bush	230	190	298	94	9.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
454	<i>Corymbia citriodora</i>	Spotted Gum	205		205	64	17.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
455	<i>Corymbia citriodora</i>	Spotted Gum	160		160	50	14.0	7.0	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
456	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	10.0	4.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
457	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	18.0	15.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
458	<i>Lophostemon suaveolens</i>	Swamp Box	190	180	262	82	10.0	8.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
459	<i>Allocasuarina littoralis</i>	Black She-oak	195		195	61	10.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
460	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	17.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
461	<i>Corymbia citriodora</i>	Spotted Gum	215		215	68	17.0	9.0	2.6	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	Retain in P-A
462	<i>Lophostemon suaveolens</i>	Swamp Box	215		215	68	14.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
463	<i>Lophostemon suaveolens</i>	Swamp Box	225		225	71	9.0	6.0	2.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	Retain in P-A
464	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	13.0	8.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
465	<i>Corymbia citriodora</i>	Spotted Gum	195		195	61	17.0	9.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
466	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	8.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
467	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	138	20.0	14.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
468	<i>Lophostemon suaveolens</i>	Swamp Box	225		225	71	10.0	6.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
469	<i>Lophostemon suaveolens</i>	Swamp Box	245		245	77	8.0	6.0	2.9	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
470	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	20.0	14.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
471	<i>Lophostemon suaveolens</i>	Swamp Box	290		290	91	10.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
472	<i>Corymbia intermedia</i>	Pink Bloodwood	265		265	83	18.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retention subject to BMP
473	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	21.0	14.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
474	<i>Corymbia citriodora</i>	Spotted Gum	295		295	93	18.0	12.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
475	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	275		275	86	18.0	12.0	3.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retention subject to BMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
476	<i>Corymbia citriodora</i>	Spotted Gum	290		290	91	19.0	10.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
477	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	205		205	64	16.0	10.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Retention subject to BMP
478	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	19.0	15.0	4.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retain in P-A
479	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	6.0	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
480	<i>Acacia disparrima</i>	Hickory Wattle	165	160	230	72	10.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
481	<i>Petalostigma pubescens</i>	Quinine Bush	200		200	63	10.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Retain in P-A
482	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	10.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
483	<i>Angophora leiocarpa</i>	Smooth-barked Apple	345		345	108	18.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
484	<i>Petalostigma pubescens</i>	Quinine Bush	195		195	61	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
485	<i>Petalostigma pubescens</i>	Quinine Bush	185		185	58	8.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
486	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	9.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
487	<i>Eucalyptus tereticornis</i>	Forest Red Gum	265		265	83	16.0	10.0	3.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
494	<i>Acacia disparrima</i>	Hickory Wattle	295		295	93	10.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
495	<i>Eucalyptus tereticornis</i>	Forest Red Gum	205		205	64	15.0	7.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
496	<i>Alphitonia excelsa</i>	Soap Tree	435		435	137	14.0	10.0	5.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
497	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	210		210	66	14.0	9.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
498	<i>Allocasuarina littoralis</i>	Black She-oak	180		180	57	9.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
499	<i>Corymbia intermedia</i>	Pink Bloodwood	205		205	64	11.0	8.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
500	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	175	100	202	63	10.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
501	<i>Petalostigma pubescens</i>	Quinine Bush	300		300	94	8.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
502	<i>Acacia concurrens</i>	Black Wattle	265		265	83	9.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
511	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	205		205	64	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
512	<i>Alphitonia excelsa</i>	Soap Tree	145	130	195	61	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
513	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	10.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
514	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	10.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
515	<i>Allocasuarina littoralis</i>	Black She-oak	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
516	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
517	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	11.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
518	<i>Lophostemon suaveolens</i>	Swamp Box	235		235	74	10.0	6.0	2.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
519	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	170	20.0	16.0	6.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
520	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	14.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Retain in P-A
521	<i>Acacia disparrima</i>	Hickory Wattle	255		255	80	14.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
522	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
523	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	17.0	13.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
524	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	12.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
525	<i>Alphitonia excelsa</i>	Soap Tree	240		240	75	13.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retain in P-A
526	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	18.0	12.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
527	<i>Lophostemon suaveolens</i>	Swamp Box	240	80	253	79	16.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
528	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	14.0	9.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
529	<i>Corymbia intermedia</i>	Pink Bloodwood	225		225	71	16.0	9.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
530	<i>Allocasuarina littoralis</i>	Black She-oak	215	115	244	77	11.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
531	<i>Allocasuarina littoralis</i>	Black She-oak	235		235	74	11.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
532	<i>Corymbia intermedia</i>	Pink Bloodwood	345		345	108	20.0	15.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	490		490	154	22.0	15.0	5.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
534	<i>Allocasuarina littoralis</i>	Black She-oak	205		205	64	12.0	8.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
535	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	21.0	14.0	4.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
540	<i>Corymbia citriodora</i>	Spotted Gum	225		225	71	14.0	7.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
541	<i>Corymbia intermedia</i>	Pink Bloodwood	175		175	55	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
542	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	14.0	9.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
543	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retain in P-A
544	<i>Corymbia citriodora</i>	Spotted Gum	790		790	248	25.0	17.0	9.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
545	<i>Corymbia citriodora</i>	Spotted Gum	355		355	112	20.0	16.0	4.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
546	<i>Corymbia intermedia</i>	Pink Bloodwood	335		335	105	20.0	14.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
547	<i>Eucalyptus tereticornis</i>	Forest Red Gum	255		255	80	19.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
548	<i>Corymbia citriodora</i>	Spotted Gum	540		540	170	23.0	14.0	6.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
549	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	20.0	14.0	3.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
550	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	9.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
551	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	18.0	11.0	3.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
552	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	17.0	14.0	4.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	Retain in P-A
553	<i>Corymbia citriodora</i>	Spotted Gum	215		215	68	14.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
554	<i>Corymbia citriodora</i>	Spotted Gum	540		540	170	20.0	14.0	6.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
555	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	9.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
556	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	16.0	11.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
557	<i>Corymbia intermedia</i>	Pink Bloodwood	355		355	112	14.0	9.0	4.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
558	<i>Eucalyptus tereticornis</i>	Forest Red Gum	485		485	152	17.0	10.0	5.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
559	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	14.0	5.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
560	<i>Corymbia intermedia</i>	Pink Bloodwood	245		245	77	14.0	9.0	2.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
561	<i>Corymbia citriodora</i>	Spotted Gum	345		345	108	16.0	10.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
562	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
563	<i>Eucalyptus tereticornis</i>	Forest Red Gum	245		245	77	18.0	10.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
564	<i>Alphitonia excelsa</i>	Soap Tree	200		200	63	15.0	9.0	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retain in P-A
565	<i>Alphitonia excelsa</i>	Soap Tree	180		180	57	12.0	8.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
566	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	155	145	212	67	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
567	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	185	180, 115	283	89	14.0	6.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
568	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	9.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
569	<i>Acacia concurrens</i>	Black Wattle	215		215	68	8.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
570	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200	100	224	70	11.0	6.0	2.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
571	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	11.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
572	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	190		190	60	9.0	7.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
573	<i>Corymbia torelliana</i>	Cadaghi	185		185	58	7.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
574	<i>Ficus rubiginosa</i>	Port Jackson Fig	180	315, 310	477	150	8.0	7.0	5.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
575	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	20.0	14.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
576	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	10.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
577	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	200		200	63	9.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
578	<i>Dead/Stag</i>		775		775	243	9.0	4.0	9.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	Remove in P-A
579	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	455		455	143	18.0	14.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1088	<i>Eucalyptus tereticornis</i>	Forest Red Gum	720		720	226	22.0	11.0	8.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1089	<i>Eucalyptus tereticornis</i>	Forest Red Gum	740		740	232	19.0	9.0	8.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retain in P-A
1090	<i>Eucalyptus tereticornis</i>	Forest Red Gum	610		610	192	18.0	9.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1091	<i>Eucalyptus tereticornis</i>	Forest Red Gum	640		640	201	18.0	8.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1092	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330	360	488	153	17.0	5.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1093	<i>Dead/Stag</i>		550		550	173	16.0	7.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1094	<i>Eucalyptus tereticornis</i>	Forest Red Gum	620		620	195	19.0	8.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1095	<i>Eucalyptus tereticornis</i>	Forest Red Gum	750		750	236	19.0	9.0	9.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1096	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	16.0	8.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1097	<i>Dead/Stag</i>		510		510	160	17.0	8.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1098	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	600		600	188	19.0	9.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1099	<i>Dead/Stag</i>		830		830	261	19.0	8.0	10.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1100	<i>Petalostigma pubescens</i>	Quinine Bush	600		600	188	15.0	7.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1101	<i>Dead/Stag</i>		330		330	104	16.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retention subject to BMP
1102	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	560		560	176	19.0	9.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retention subject to BMP
1103	<i>Dead/Stag</i>		560		560	176	16.0	6.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1104	<i>Dead/Stag</i>		620		620	195	16.0	6.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1105	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	580		580	182	19.0	9.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1106	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	19.0	8.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1107	<i>Dead/Stag</i>		330		330	104	16.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1108	<i>Dead/Stag</i>		620		620	195	18.0	8.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retention subject to BMP
1109	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	16.0	7.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1110	<i>Eucalyptus tereticornis</i>	Forest Red Gum	830		830	261	17.0	10.0	10.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1111	<i>Dead/Stag</i>		600		600	188	17.0	6.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	Small	-	-	Remove in P-A
1112	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	173	18.0	9.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1113	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	19.0	10.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1114	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	14.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Remove in P-A
1115	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Remove in P-A
1116	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	640		640	201	18.0	8.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1117	<i>Dead/Stag</i>		700		700	220	17.0	7.0	8.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1118	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	17.0	7.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1119	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	610		610	192	18.0	9.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1120	<i>Dead/Stag</i>		400		400	126	8.0	1.0	4.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	Large	-	-	Remove in P-A
1121	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	570		570	179	17.0	7.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1122	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	157	17.0	8.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
1123	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	500		500	157	15.0	6.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1124	<i>Angophora leiocarpa</i>	Smooth-barked Apple	310		310	97	15.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retain in P-A
1131	<i>Eucalyptus tereticornis</i>	Forest Red Gum	950		950	298	19.0	9.0	11.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1132	<i>Eucalyptus tereticornis</i>	Forest Red Gum	1045		1045	328	20.0	11.0	12.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1133	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600		600	188	18.0	6.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1134	<i>Eucalyptus tereticornis</i>	Forest Red Gum	820		820	258	19.0	10.0	9.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1137	<i>Eucalyptus tereticornis</i>	Forest Red Gum	730		730	229	23.0	13.0	8.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1138	<i>Eucalyptus tereticornis</i>	Forest Red Gum	560		560	176	20.0	9.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1139	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	25.0	14.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1140	<i>Corymbia intermedia</i>	Pink Bloodwood	650		650	204	23.0	13.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1141	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	182	18.0	12.0	7.0	Regular	-	-	-	-	-	Typical	-	Native	Trunk Dmg.	-	Typical	-	-	-	-	-	Remove in P-A
1142	<i>Corymbia intermedia</i>	Pink Bloodwood	630		630	198	17.0	9.0	7.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1143	<i>Eucalyptus tereticornis</i>	Forest Red Gum	690		690	217	23.0	13.0	8.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1144	<i>Dead/Stag</i>		690		690	217	25.0	12.0	8.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1145	<i>Dead/Stag</i>		660		660	207	22.0	12.0	7.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1146	<i>Eucalyptus tereticornis</i>	Forest Red Gum	680		680	214	25.0	15.0	8.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1147	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	655		655	206	25.0	14.0	7.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1148	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	625		625	196	23.0	15.0	7.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1149	<i>Dead/Stag</i>		500		500	157	17.0	14.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retention subject to BMP
1150	<i>Corymbia citriodora</i>	Spotted Gum	660		660	207	20.0	15.0	7.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retention subject to BMP
1151	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	600		600	188	21.0	13.0	7.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1152	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	645		645	203	22.0	12.0	7.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1153	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	590		590	185	26.0	16.0	7.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1154	<i>Corymbia citriodora</i>	Spotted Gum	340	240	416	131	19.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1155	<i>Dead/Stag</i>		500		500	157	20.0	9.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Retention subject to BMP
1156	<i>Dead/Stag</i>		410		410	129	6.0	1.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1157	<i>Dead/Stag</i>		420		420	132	7.0	3.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	Remove in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1158	Dead/Stag		635	270	690	217	27.0	16.0	8.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1159	Dead/Stag		560		560	176	21.0	10.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1160	Corymbia citriodora	Spotted Gum	520		520	163	25.0	13.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1161	Corymbia citriodora	Spotted Gum	700		700	220	22.0	14.0	8.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1162	Eucalyptus crebra	Narrow-leaved Ironbark	600		600	188	26.0	17.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1163	Dead/Stag		560		560	176	6.0	2.0	6.7	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1164	Eucalyptus crebra	Narrow-leaved Ironbark	735		735	231	17.0	13.0	8.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1165	Eucalyptus crebra	Narrow-leaved Ironbark	830		830	261	24.0	13.0	10.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Remove in P-A
1168	Eucalyptus tereticornis	Forest Red Gum	650		650	204	19.0	12.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1209	Eucalyptus tereticornis	Forest Red Gum	480		480	151	20.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1212	Eucalyptus tereticornis	Forest Red Gum	450		450	141	22.0	10.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1213	Eucalyptus tereticornis	Forest Red Gum	450		450	141	22.0	10.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1214	Eucalyptus tereticornis	Forest Red Gum	440		440	138	20.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1215	Eucalyptus tereticornis	Forest Red Gum	520		520	163	22.0	12.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1218	Eucalyptus tereticornis	Forest Red Gum	530		530	167	16.0	8.0	6.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1220	Eucalyptus crebra	Narrow-leaved Ironbark	490		490	154	20.0	8.0	5.9	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1221	Corymbia citriodora	Spotted Gum	470		470	148	20.0	10.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1250	Eucalyptus crebra	Narrow-leaved Ironbark	630		630	198	19.0	10.0	7.6	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1251	Dead/Stag		385		385	121	9.0	1.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	Remove in P-A
1252	Eucalyptus crebra	Narrow-leaved Ironbark	560		560	176	15.0	8.0	6.7	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1253	Dead/Stag		720		720	226	17.0	10.0	8.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1254	Alphitonia excelsa	Soap Tree	255		255	80	9.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1255	Acacia leiocalyx	Early-flowering Black Wattle	210		210	66	8.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1256	Alphitonia excelsa	Soap Tree	200		200	63	10.0	4.0	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1257	Corymbia intermedia	Pink Bloodwood	365		365	115	14.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	Retain in P-A
1258	Corymbia citriodora	Spotted Gum	355		355	112	16.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1259	Alphitonia excelsa	Soap Tree	280		280	88	13.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retain in P-A
1260	Corymbia citriodora	Spotted Gum	480		480	151	17.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1261	Corymbia intermedia	Pink Bloodwood	260		260	82	14.0	7.0	3.1	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1262	Dead/Stag		400		400	126	10.0	4.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	Remove in P-A
1363	Eucalyptus crebra	Narrow-leaved Ironbark	590		590	185	15.0	8.0	7.1	Regular	Spreading	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1364	Eucalyptus crebra	Narrow-leaved Ironbark	500		500	157	15.0	9.0	6.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1365	Eucalyptus crebra	Narrow-leaved Ironbark	670		670	210	18.0	8.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1366	Eucalyptus crebra	Narrow-leaved Ironbark	580		580	182	18.0	7.0	7.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1367	Eucalyptus crebra	Narrow-leaved Ironbark	620		620	195	18.0	7.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1368	Eucalyptus crebra	Narrow-leaved Ironbark	490		490	154	17.0	8.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1369	Corymbia citriodora	Spotted Gum	290		290	91	8.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A





Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1370	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1371	<i>Petalostigma pubescens</i>	Quinine Bush	360		360	113	14.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1372	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	9.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
1373	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	12.0	4.0	2.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
1374	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
1375	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	9.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
1376	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	15.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
1377	<i>Corymbia citriodora</i>	Spotted Gum	210		210	66	16.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
1378	<i>Dead/Stag</i>		650		650	204	18.0	8.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Remove in P-A
1379	<i>Alphitonia excelsa</i>	Soap Tree	300		300	94	16.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1380	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	220		220	69	15.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1381	<i>Corymbia tessellaris</i>	Moreton Bay Ash	360		360	113	16.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1382	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	9.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1383	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1384	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1385	<i>Alphitonia excelsa</i>	Soap Tree	170		170	53	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1386	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	17.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1387	<i>Alphitonia excelsa</i>	Soap Tree	280		280	88	12.0	4.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1388	<i>Alphitonia excelsa</i>	Soap Tree	450		450	141	15.0	9.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1389	<i>Angophora leiocarpa</i>	Smooth-barked Apple	190		190	60	9.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1390	<i>Corymbia tessellaris</i>	Moreton Bay Ash	130		130	41	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1391	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	15.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1392	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	14.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1393	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1394	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1395	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1396	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	9.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Retain in P-A
1398	<i>Alphitonia excelsa</i>	Soap Tree	360		360	113	17.0	6.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1399	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	9.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1400	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	14.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1401	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	8.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1402	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	8.0	7.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1403	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	12.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1404	<i>Acacia disparrima</i>	Hickory Wattle	190	180	262	82	7.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1405	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	9.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1406	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1407	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	12.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A



Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1408	Acacia disparrima	Hickory Wattle	260		260	82	11.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1409	Acacia disparrima	Hickory Wattle	160		160	50	8.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1410	Dead/Stag		200		200	63	7.0	1.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	Remove in P-A
1411	Acacia concurrens	Black Wattle	170		170	53	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1412	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	12.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1413	Acacia disparrima	Hickory Wattle	320		320	101	13.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1414	Acacia disparrima	Hickory Wattle	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1415	Acacia disparrima	Hickory Wattle	150	100	180	57	9.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1416	Acacia disparrima	Hickory Wattle	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1417	Acacia disparrima	Hickory Wattle	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1418	Acacia disparrima	Hickory Wattle	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1419	Acacia disparrima	Hickory Wattle	180		180	57	9.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1420	Eucalyptus tereticornis	Forest Red Gum	470		470	148	17.0	7.0	5.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	Remove in P-A
1421	Eucalyptus tereticornis	Forest Red Gum	220		220	69	14.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1422	Corymbia citriodora	Spotted Gum	220		220	69	14.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1423	Corymbia citriodora	Spotted Gum	150		150	47	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1424	Corymbia citriodora	Spotted Gum	330		330	104	16.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
1425	Eucalyptus crebra	Narrow-leaved Ironbark	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
1426	Corymbia intermedia	Pink Bloodwood	290		290	91	17.0	5.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1427	Corymbia citriodora	Spotted Gum	250		250	79	17.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Arborist TBC in P-A
1428	Eucalyptus tereticornis	Forest Red Gum	460		460	145	19.0	9.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1429	Corymbia citriodora	Spotted Gum	200		200	63	14.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1430	Corymbia citriodora	Spotted Gum	330		330	104	17.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1514	Corymbia citriodora	Spotted Gum	450		450	141	27.0	11.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1515	Eucalyptus tereticornis	Forest Red Gum	300		300	94	23.0	13.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1516	Eucalyptus tereticornis	Forest Red Gum	590		590	185	26.0	20.0	7.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1517	Eucalyptus tereticornis	Forest Red Gum	330		330	104	24.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1518	Eucalyptus tereticornis	Forest Red Gum	350		350	110	26.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1519	Acacia disparrima	Hickory Wattle	300	200	361	113	12.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1520	Lophostemon suaveolens	Swamp Box	230		230	72	10.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1521	Lophostemon suaveolens	Swamp Box	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1522	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	26.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1523	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	32.0	15.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1524	Acacia disparrima	Hickory Wattle	220		220	69	15.0	9.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1525	Lophostemon suaveolens	Swamp Box	190		190	60	14.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1526	Acacia disparrima	Hickory Wattle	230		230	72	16.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1527	Lophostemon suaveolens	Swamp Box	170		170	53	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1528	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	20.0	7.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1529	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	410		410	129	27.0	18.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1530	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	20.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1531	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	26.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1532	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	17.0	13.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1533	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	91	32.0	10.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1534	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	28.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1535	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	15.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1536	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	22.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1537	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	19.0	10.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1538	<i>Acacia disparrima</i>	Hickory Wattle	350		350	110	17.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1539	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	18.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1540	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	26.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1541	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	13.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1542	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	16.0	9.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1543	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	14.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1544	<i>Corymbia tessellaris</i>	Moreton Bay Ash	200		200	63	13.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1545	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	82	16.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1546	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	14.0	7.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1547	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1548	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	12.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1549	<i>Corymbia torelliana</i>	Cadaghi	200		200	63	14.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1550	<i>Eucalyptus tereticornis</i>	Forest Red Gum	430		430	135	33.0	23.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1551	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	270		270	85	15.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1552	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	28.0	15.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1553	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	22.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1554	<i>Corymbia torelliana</i>	Cadaghi	130		130	41	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1555	<i>Corymbia torelliana</i>	Cadaghi	100		100	31	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1556	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1557	<i>Acacia disparrima</i>	Hickory Wattle	140	130	191	60	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1558	<i>Lophostemon suaveolens</i>	Swamp Box	190		190	60	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	Retain in P-A
1559	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1560	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1561	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	270		270	85	17.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1562	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	15.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1563	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	16.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1564	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	14.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1565	Acacia disparrima	Hickory Wattle	280	130	309	97	14.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1566	Petalostigma pubescens	Quinine Bush	220	200	297	93	15.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1567	Acacia disparrima	Hickory Wattle	220		220	69	14.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
1568	Acacia disparrima	Hickory Wattle	200	130	239	75	14.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove Basin in P-A
1569	Corymbia intermedia	Pink Bloodwood	200		200	63	14.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1570	Melaleuca quinquenervia	Broad-leaved Paperbark	200		200	63	15.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1571	Eucalyptus tereticornis	Forest Red Gum	380		380	119	17.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1572	Eucalyptus tereticornis	Forest Red Gum	250		250	79	16.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1573	Eucalyptus tereticornis	Forest Red Gum	320		320	101	15.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1574	Corymbia intermedia	Pink Bloodwood	200		200	63	12.0	2.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1575	Corymbia intermedia	Pink Bloodwood	190		190	60	14.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1576	Corymbia citriodora	Spotted Gum	210		210	66	15.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1577	Corymbia citriodora	Spotted Gum	370		370	116	18.0	7.0	4.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1578	Eucalyptus tereticornis	Forest Red Gum	200		200	63	15.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1579	Corymbia citriodora	Spotted Gum	170		170	53	15.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1580	Corymbia citriodora	Spotted Gum	170		170	53	15.0	5.0	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1581	Acacia disparrima	Hickory Wattle	200		200	63	13.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1582	Corymbia citriodora	Spotted Gum	190	120	225	71	16.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1583	Corymbia citriodora	Spotted Gum	200		200	63	16.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1584	Corymbia intermedia	Pink Bloodwood	160		160	50	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1585	Corymbia tessellaris	Moreton Bay Ash	200		200	63	16.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1586	Corymbia citriodora	Spotted Gum	190		190	60	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1587	Corymbia citriodora	Spotted Gum	290		290	91	16.0	7.0	3.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1588	Corymbia citriodora	Spotted Gum	280		280	88	16.0	8.0	3.4	One-sided	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1589	Corymbia citriodora	Spotted Gum	170		170	53	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1590	Corymbia citriodora	Spotted Gum	200		200	63	15.0	4.0	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1591	Corymbia citriodora	Spotted Gum	210		210	66	15.0	3.0	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1592	Alphitonia excelsa	Soap Tree	240		240	75	15.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1593	Corymbia citriodora	Spotted Gum	200		200	63	14.0	5.0	2.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1753	Alphitonia excelsa	Soap Tree	110		110	35	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1754	Lophostemon suaveolens	Swamp Box	210		210	66	11.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1755	Alphitonia excelsa	Soap Tree	120		120	38	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1756	Eucalyptus tereticornis	Forest Red Gum	370		370	116	19.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1757	Corymbia intermedia	Pink Bloodwood	200		200	63	15.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1758	Eucalyptus tereticornis	Forest Red Gum	340		340	107	18.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1759	Acacia disparrima	Hickory Wattle	300		300	94	16.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1760	Eucalyptus tereticornis	Forest Red Gum	270		270	85	17.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A



Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1761	Lophostemon suaveolens	Swamp Box	160		160	50	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1762	Acacia disparrima	Hickory Wattle	240	200	312	98	15.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1763	Lophostemon suaveolens	Swamp Box	150	130	198	62	13.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1764	Acacia disparrima	Hickory Wattle	260	220	341	107	16.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1765	Lophostemon suaveolens	Swamp Box	200		200	63	15.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1766	Eucalyptus tereticornis	Forest Red Gum	380		380	119	21.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1767	Lophostemon suaveolens	Swamp Box	170		170	53	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1768	Alphitonia excelsa	Soap Tree	150		150	47	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1769	Alphitonia excelsa	Soap Tree	180		180	57	14.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1770	Eucalyptus tereticornis	Forest Red Gum	330		330	104	17.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1771	Acacia leiocalyx	Early-flowering Black Wattle	150		150	47	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1772	Acacia disparrima	Hickory Wattle	220		220	69	10.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1773	Lophostemon suaveolens	Swamp Box	180		180	57	11.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1774	Lophostemon suaveolens	Swamp Box	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1775	Lophostemon suaveolens	Swamp Box	170		170	53	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1776	Eucalyptus tereticornis	Forest Red Gum	350		350	110	19.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1777	Eucalyptus tereticornis	Forest Red Gum	360		360	113	19.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1778	Eucalyptus crebra	Narrow-leaved Ironbark	270		270	85	17.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1779	Eucalyptus crebra	Narrow-leaved Ironbark	220		220	69	17.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1780	Acacia disparrima	Hickory Wattle	170		170	53	13.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1781	Eucalyptus tereticornis	Forest Red Gum	390		390	123	19.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1782	Eucalyptus tereticornis	Forest Red Gum	210		210	66	17.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1783	Eucalyptus tereticornis	Forest Red Gum	310		310	97	18.0	10.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1784	Eucalyptus tereticornis	Forest Red Gum	290		290	91	16.0	7.0	3.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1785	Eucalyptus crebra	Narrow-leaved Ironbark	200		200	63	16.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1786	Corymbia intermedia	Pink Bloodwood	330		330	104	18.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1787	Eucalyptus tereticornis	Forest Red Gum	190		190	60	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1788	Eucalyptus tereticornis	Forest Red Gum	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1789	Acacia disparrima	Hickory Wattle	220		220	69	13.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1790	Eucalyptus crebra	Narrow-leaved Ironbark	240		240	75	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1791	Lophostemon suaveolens	Swamp Box	160		160	50	13.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1792	Corymbia intermedia	Pink Bloodwood	250		250	79	17.0	7.0	3.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1793	Acacia disparrima	Hickory Wattle	180		180	57	13.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1794	Allocasuarina littoralis	Black She-oak	220		220	69	14.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1795	Lophostemon suaveolens	Swamp Box	240		240	75	14.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1796	Corymbia intermedia	Pink Bloodwood	240		240	75	16.0	5.0	2.9	One-sided	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1797	Eucalyptus tereticornis	Forest Red Gum	440		440	138	19.0	8.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1798	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1799	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	16.0	6.0	2.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1800	<i>Angophora leiocarpa</i>	Smooth-barked Apple	170		170	53	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1801	<i>Allocasuarina littoralis</i>	Black She-oak	170	90	192	60	11.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1802	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1803	<i>Lophostemon suaveolens</i>	Swamp Box	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1804	<i>Angophora leiocarpa</i>	Smooth-barked Apple	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1805	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	16.0	6.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1806	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	19.0	8.0	4.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1807	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1808	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	16.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1809	<i>Melaleuca saligna</i>	Willow Bottlebrush	200	140	244	77	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1810	<i>Melaleuca saligna</i>	Willow Bottlebrush	230		230	72	13.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1811	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	72	15.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1812	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	14.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1813	<i>Lophostemon suaveolens</i>	Swamp Box	180		180	57	14.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1814	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1815	<i>Angophora leiocarpa</i>	Smooth-barked Apple	320		320	101	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1816	<i>Melaleuca saligna</i>	Willow Bottlebrush	360		360	113	15.0	4.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1817	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	200		200	63	16.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1818	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1819	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	16.0	6.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1820	<i>Allocasuarina littoralis</i>	Black She-oak	120		120	38	15.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1821	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	85	17.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1822	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1823	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	17.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1824	<i>Lophostemon suaveolens</i>	Swamp Box	170		170	53	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1825	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	16.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1826	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	170		170	53	11.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Remove in P-A
1871	<i>Corymbia citriodora</i>	Spotted Gum	115		115	36	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1891	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	75	12.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1892	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1908	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1931	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	19.0	11.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1932	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	57	13.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1935	<i>Corymbia citriodora</i>	Spotted Gum	330	105	346	109	18.0	10.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1936	<i>Corymbia citriodora</i>	Spotted Gum	295		295	93	16.0	9.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1937	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1938	<i>Corymbia citriodora</i>	Spotted Gum	165		165	52	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1939	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1940	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	15.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1941	<i>Corymbia citriodora</i>	Spotted Gum	135		135	42	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1942	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1944	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1945	<i>Corymbia citriodora</i>	Spotted Gum	110	75	133	42	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1946	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1947	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	19.0	10.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1948	<i>Corymbia citriodora</i>	Spotted Gum	125		125	39	13.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1949	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	255		255	80	16.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1950	<i>Corymbia citriodora</i>	Spotted Gum	155		155	49	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1951	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1952	<i>Corymbia citriodora</i>	Spotted Gum	165		165	52	14.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1953	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	255		255	80	17.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1954	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1955	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	16.0	9.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1956	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1957	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1958	<i>Corymbia citriodora</i>	Spotted Gum	150	65	163	51	15.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1959	<i>Corymbia citriodora</i>	Spotted Gum	105		105	33	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1960	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	100	50, 80, 90	164	52	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1961	<i>Corymbia citriodora</i>	Spotted Gum	105		105	33	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1962	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1963	<i>Corymbia citriodora</i>	Spotted Gum	145		145	46	15.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1964	<i>Corymbia citriodora</i>	Spotted Gum	105		105	33	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1965	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	110		110	35	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1966	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	105		105	33	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1967	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	16.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1968	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1969	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	14.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1970	<i>Corymbia citriodora</i>	Spotted Gum	150		150	47	15.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1971	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1972	<i>Corymbia citriodora</i>	Spotted Gum	115		115	36	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retention subject to BMP
1973	<i>Corymbia citriodora</i>	Spotted Gum	135	120, 90	202	63	14.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
1974	<i>Corymbia citriodora</i>	Spotted Gum	130	80	153	48	16.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
1975	<i>Corymbia citriodora</i>	Spotted Gum	100	50	112	35	16.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	Retain in P-A
2455	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2456	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2467	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2468	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	230		230	72	11.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2469	<i>Acacia concurrens</i>	Black Wattle	140		140	44	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2473	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2474	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	200		200	63	12.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2475	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	20.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2481	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2482	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2483	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	16.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2484	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2485	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2486	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2487	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	110		110	35	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2488	<i>Petalostigma pubescens</i>	Quinine Bush	130		130	41	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2489	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2963	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	23.0	11.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2964	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	21.0	8.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2965	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	22.0	10.0	5.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		Retain in P-A
2966	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	450		450	141	20.0	13.0	5.4	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3029	<i>Dead/Stag</i>		370		370	116	8.0	1.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3030	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	1080		1080	339	26.0	15.0	13.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3033	<i>Dead/Stag</i>		430		430	135	23.0	12.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3034	<i>Corymbia citriodora</i>	Spotted Gum	610		610	192	30.0	15.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3035	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	29.0	13.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3036	<i>Dead/Stag</i>		320		320	101	6.0	1.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3037	<i>Dead/Stag</i>		240		240	75	8.0	1.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3038	<i>Dead/Stag</i>		530		530	167	20.0	16.0	6.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3039	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	670		670	210	21.0	17.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3040	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	700		700	220	22.0	14.0	8.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	Yes	-		Remove in P-A
3041	<i>Dead/Stag</i>		330		330	104	11.0	3.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Remove in P-A
3042	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	420	300	516	162	34.0	19.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3043	<i>Dead/Stag</i>		450		450	141	23.0	6.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3044	<i>Corymbia citriodora</i>	Spotted Gum	810		810	254	22.0	12.0	9.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3045	<i>Dead/Stag</i>		420		420	132	16.0	5.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
3420	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	22.0	10.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3489	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	16.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3490	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	16.0	10.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3491	<i>Corymbia citriodora</i>	Spotted Gum	430		430	135	17.0	11.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3492	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	16.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3493	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	16.0	10.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3494	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3495	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	17.0	11.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3496	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	15.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3497	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	430		430	135	17.0	9.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3498	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3499	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	15.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3500	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	126	15.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3501	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	380		380	119	15.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3502	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	335		335	105	18.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3503	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	15.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3504	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	15.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3505	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3506	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	17.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3507	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3508	<i>Angophora leiocarpa</i>	Smooth-barked Apple	380		380	119	14.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3509	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	15.0	8.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3510	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3511	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	360		360	113	15.0	10.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3512	<i>Corymbia citriodora</i>	Spotted Gum	345		345	108	16.0	10.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3513	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	15.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3514	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	15.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	16.0	10.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3516	<i>Corymbia citriodora</i>	Spotted Gum	500		500	157	18.0	12.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3517	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3518	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3519	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	600		600	188	16.0	11.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3520	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	16.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3522	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3523	<i>Petalostigma pubescens</i>	Quinine Bush	310		310	97	8.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3524	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	12.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value					Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Retention
3525	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3526	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	360		360	113	17.0	11.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3527	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3528	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	14.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3529	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16.0	9.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3531	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3532	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	14.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3533	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	15.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3534	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3535	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	14.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3536	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3537	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3538	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	16.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3539	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	16.0	9.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3540	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	630		630	198	18.0	11.0	7.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3541	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3542	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	380		380	119	16.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3543	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	13.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3544	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	16.0	9.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3545	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	760		760	239	16.0	9.0	9.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Remove in P-A
3546	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	14.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Remove in P-A
3547	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	16.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3548	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3549	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	18.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3550	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	380		380	119	16.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3551	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3552	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	17.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3553	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	10.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3554	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	16.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3555	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	11.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3556	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	14.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3557	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	15.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3558	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	640		640	201	16.0	10.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3559	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	15.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3560	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3561	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	16.0	10.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3562	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	16.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
3563	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	15.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3564	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	16.0	11.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3565	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	15.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3566	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	15.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3567	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	17.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3568	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3569	<i>Petalostigma pubescens</i>	Quinine Bush	330		330	104	8.0	4.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3570	<i>Dead/Stag</i>		560		560	176	14.0	8.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large		Remove in P-A
3571	<i>Petalostigma pubescens</i>	Quinine Bush	365		365	115	7.0	5.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3572	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	410		410	129	15.0	9.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3573	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	300		300	94	14.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3574	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	15.0	9.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3575	<i>Petalostigma pubescens</i>	Quinine Bush	300		300	94	8.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3576	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	16.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3577	<i>Dead/Stag</i>		310		310	97	8.0	2.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	Large		Remove in P-A
3578	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	14.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3580	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	16.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3581	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	16.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3582	<i>Corymbia citriodora</i>	Spotted Gum	305		305	96	16.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3583	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	14.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3584	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	11.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3585	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	15.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3586	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	16.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3587	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3594	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	16.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3595	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3596	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	16.0	11.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3597	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	10.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3598	<i>Dead/Stag</i>		320		320	101	14.0	4.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3599	<i>Angophora leiocarpa</i>	Smooth-barked Apple	330		330	104	17.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3601	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	13.0	4.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3602	<i>Corymbia citriodora</i>	Spotted Gum	350	290	455	143	12.0	7.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3603	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	12.0	3.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3604	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	11.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3605	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	12.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3606	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	13.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3607	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	15.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
3608	Corymbia citriodora	Spotted Gum	300		300	94	13.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3609	Corymbia citriodora	Spotted Gum	320		320	101	15.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3610	Corymbia citriodora	Spotted Gum	360		360	113	16.0	12.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3611	Corymbia citriodora	Spotted Gum	320		320	101	13.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3614	Corymbia citriodora	Spotted Gum	300		300	94	15.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3615	Corymbia citriodora	Spotted Gum	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3616	Corymbia citriodora	Spotted Gum	310		310	97	14.0	3.0	3.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3617	Corymbia citriodora	Spotted Gum	390		390	123	14.0	4.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3618	Corymbia citriodora	Spotted Gum	330		330	104	13.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3619	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	16.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3620	Corymbia citriodora	Spotted Gum	340		340	107	17.0	4.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3621	Eucalyptus crebra	Narrow-leaved Ironbark	480		480	151	23.0	12.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3622	Dead/Stag		290		290	91	14.0	3.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3623	Dead/Stag		350		350	110	4.0	1.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3624	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	14.0	4.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3625	Corymbia citriodora	Spotted Gum	310		310	97	14.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3626	Petalostigma pubescens	Quinine Bush	360		360	113	6.0	3.0	4.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3627	Corymbia citriodora	Spotted Gum	340		340	107	17.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3628	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	23.0	12.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3629	Corymbia citriodora	Spotted Gum	340		340	107	14.0	4.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3630	Corymbia citriodora	Spotted Gum	340		340	107	13.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3631	Corymbia citriodora	Spotted Gum	320		320	101	17.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3632	Corymbia citriodora	Spotted Gum	340		340	107	22.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3633	Corymbia intermedia	Pink Bloodwood	310		310	97	13.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3634	Eucalyptus crebra	Narrow-leaved Ironbark	380		380	119	23.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3635	Corymbia citriodora	Spotted Gum	310		310	97	11.0	5.0	3.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3636	Eucalyptus tereticornis	Forest Red Gum	350		350	110	16.0	4.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3637	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	16.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3638	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	23.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3639	Eucalyptus tereticornis	Forest Red Gum	360		360	113	14.0	6.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3640	Corymbia citriodora	Spotted Gum	300		300	94	14.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3641	Dead/Stag		330		330	104	11.0	1.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3642	Eucalyptus crebra	Narrow-leaved Ironbark	310		310	97	13.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3643	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	24.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3644	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16.0	3.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3645	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	14.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3646	Corymbia citriodora	Spotted Gum	310		310	97	17.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
3647	Dead/Stag		510		510	160	17.0	3.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3648	Corymbia citriodora	Spotted Gum	300		300	94	14.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3649	Corymbia citriodora	Spotted Gum	390		390	123	14.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3650	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	18.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3651	Corymbia citriodora	Spotted Gum	300		300	94	15.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3652	Corymbia citriodora	Spotted Gum	300		300	94	12.0	3.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3653	Dead/Stag		370		370	116	9.0	10.0	4.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3654	Corymbia citriodora	Spotted Gum	310		310	97	17.0	10.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3655	Corymbia citriodora	Spotted Gum	310		310	97	17.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3656	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	14.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3657	Dead/Stag		320		320	101	7.0	1.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3658	Corymbia citriodora	Spotted Gum	320		320	101	18.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3659	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	110	17.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3660	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	13.0	4.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3661	Eucalyptus crebra	Narrow-leaved Ironbark	620		620	195	18.0	16.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Remove in P-A
3662	Corymbia citriodora	Spotted Gum	330		330	104	14.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3663	Petalostigma pubescens	Quinine Bush	330		330	104	12.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3664	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	17.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3665	Eucalyptus crebra	Narrow-leaved Ironbark	290		290	91	19.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3666	Corymbia citriodora	Spotted Gum	310		310	97	18.0	3.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3667	Corymbia citriodora	Spotted Gum	320		320	101	17.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3668	Corymbia citriodora	Spotted Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3669	Petalostigma pubescens	Quinine Bush	360		360	113	7.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3670	Petalostigma pubescens	Quinine Bush	360		360	113	7.0	4.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3671	Eucalyptus crebra	Narrow-leaved Ironbark	390		390	123	17.0	13.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
3672	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	17.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3673	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	16.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3674	Eucalyptus crebra	Narrow-leaved Ironbark	400		400	126	16.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3675	Dead/Stag		340		340	107	17.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3676	Corymbia citriodora	Spotted Gum	330		330	104	20.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3677	Corymbia citriodora	Spotted Gum	310		310	97	17.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3678	Eucalyptus tereticornis	Forest Red Gum	300		300	94	13.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3679	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	16.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3680	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	14.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3681	Corymbia citriodora	Spotted Gum	300		300	94	8.0	3.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3682	Eucalyptus crebra	Narrow-leaved Ironbark	330		330	104	15.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3683	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	13.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
3684	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	18.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3685	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	13.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3686	<i>Dead/Stag</i>		300		300	94	17.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3687	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	11.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3688	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	17.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3689	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3690	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	23.0	7.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3691	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	18.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3692	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	22.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3693	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	19.0	4.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3694	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
3695	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	20.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3696	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	15.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3697	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	14.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3698	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	11.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3699	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	14.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3700	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3701	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	17.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3702	<i>Dead/Stag</i>		310		310	97	18.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-		Retention subject to BMP
3703	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3704	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3705	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3706	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	13.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
3707	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	10.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
5483	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	16.0	8.0	3.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Arborist TBC in P-A
5484	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
5490	<i>Dead/Stag</i>		310		310	97	17.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		Retain in P-A
5491	<i>Dead/Stag</i>		300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		Retain in P-A
5492	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6178	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6179	<i>Dead/Stag</i>		355		355	112	17.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6180	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18.0	10.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6181	<i>Corymbia citriodora</i>	Spotted Gum	315		315	99	19.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6183	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	21.0	12.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6186	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	23.0	12.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6187	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	22.0	10.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6188	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
6189	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6190	<i>Corymbia citriodora</i>	Spotted Gum	355		355	112	17.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6191	<i>Dead/Stag</i>		395		395	124	17.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		Retain in P-A
6192	<i>Eucalyptus tereticornis</i>	Forest Red Gum	365		365	115	18.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6193	<i>Corymbia citriodora</i>	Spotted Gum	220	170	278	87	16.0	8.0	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6200	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	310		310	97	17.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6201	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	365		365	115	17.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6202	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6203	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	405		405	127	19.0	11.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6204	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	355		355	112	18.0	9.0	4.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6205	<i>Dead/Stag</i>		340		340	107	17.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6206	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	395		395	124	18.0	11.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6207	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	18.0	10.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6208	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	18.0	7.0	5.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Remove in P-A
6209	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	19.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6210	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	325		325	102	20.0	11.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6211	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	116	13.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6212	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	11.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6213	<i>Alphitonia excelsa</i>	Soap Tree	320		320	101	9.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6214	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	12.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6215	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6216	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	13.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6217	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	13.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6218	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	13.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6219	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	19.0	10.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6220	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	460		460	145	18.0	9.0	5.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6221	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	12.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6222	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	17.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6223	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	10.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6224	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6225	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6226	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6227	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	13.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6228	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	13.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6229	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	14.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6230	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	12.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6231	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	16.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
6232	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	17.0	13.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6233	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6234	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	15.0	4.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6235	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6236	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	380		380	119	14.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6237	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6238	<i>Dead/Stag</i>		320		320	101	11.0	3.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6239	<i>Eucalyptus tereticornis</i>	Forest Red Gum	615		615	193	20.0	12.0	7.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Arborist TBC in P-A
6240	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	9.0	4.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6241	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6242	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	335		335	105	21.0	11.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6243	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	18.0	13.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6244	<i>Dead/Stag</i>		455		455	143	18.0	9.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6245	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	18.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6246	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	355		355	112	17.0	11.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6247	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	365		365	115	18.0	14.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6248	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	375		375	118	20.0	15.0	4.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6249	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	305		305	96	16.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6250	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6251	<i>Dead/Stag</i>		300		300	94	14.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6252	<i>Dead/Stag</i>		300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6253	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	18.0	10.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6254	<i>Eucalyptus tereticornis</i>	Forest Red Gum	315		315	99	17.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6255	<i>Eucalyptus tereticornis</i>	Forest Red Gum	305		305	96	18.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6256	<i>Alphitonia excelsa</i>	Soap Tree	385		385	121	13.0	9.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6257	<i>Eucalyptus tereticornis</i>	Forest Red Gum	355		355	112	17.0	8.0	4.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6258	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	425		425	134	18.0	13.0	5.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6259	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	17.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6260	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	17.0	12.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6261	<i>Dead/Stag</i>		330		330	104	18.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6262	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	113	13.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6263	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	16.0	6.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6264	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6265	<i>Dead/Stag</i>		350		350	110	13.0	4.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6266	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6267	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	415		415	130	18.0	11.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6268	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	17.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
6269	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	17.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6270	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	20.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6271	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	14.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6272	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6273	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	2.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6274	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	18.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6275	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6276	<i>Dead/Stag</i>		350		350	110	17.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6277	<i>Dead/Stag</i>		300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6278	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	19.0	10.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6279	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	19.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retention subject to BMP
6280	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	9.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6281	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	18.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6282	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	325		325	102	16.0	10.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6283	<i>Corymbia citriodora</i>	Spotted Gum	375		375	118	21.0	10.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6284	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6285	<i>Eucalyptus tereticornis</i>	Forest Red Gum	308		308	97	19.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6286	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	18.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6287	<i>Dead/Stag</i>		375		375	118	16.0	7.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		Retain in P-A
6288	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6289	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	15.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6290	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	16.0	11.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6291	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6292	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6293	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	12.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6294	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	12.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6295	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	14.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6296	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	16.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6297	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	12.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6298	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6299	<i>Dead/Stag</i>		360		360	113	16.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	94	18.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6301	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	18.0	13.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6302	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	17.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6303	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	145	16.0	6.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6304	<i>Dead/Stag</i>		370		370	116	8.0	4.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Present	-		Retention subject to BMP
6305	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
6306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	17.0	4.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6307	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	17.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6308	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	22.0	13.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6309	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6310	<i>Eucalyptus tereticornis</i>	Forest Red Gum	335		335	105	18.0	13.0	4.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6311	<i>Eucalyptus tereticornis</i>	Forest Red Gum	375		375	118	17.0	13.0	4.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6312	<i>Eucalyptus tereticornis</i>	Forest Red Gum	515		515	162	19.0	12.0	6.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6313	<i>Eucalyptus tereticornis</i>	Forest Red Gum	395		395	124	17.0	9.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6314	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	320		320	101	19.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6315	<i>Dead/Stag</i>		540		540	170	17.0	14.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6316	<i>Corymbia citriodora</i>	Spotted Gum	420		420	132	16.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6317	<i>Corymbia intermedia</i>	Pink Bloodwood	325		325	102	17.0	9.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6318	<i>Dead/Stag</i>		460		460	145	17.0	14.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6319	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	390		390	123	18.0	8.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6320	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6321	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6322	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	350		350	110	14.0	5.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6323	<i>Dead/Stag</i>		370		370	116	11.0	6.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6324	<i>Dead/Stag</i>		320		320	101	12.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6325	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6326	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	15.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6327	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6328	<i>Angophora leiocarpa</i>	Smooth-barked Apple	305		305	96	17.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6329	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	14.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6330	<i>Dead/Stag</i>		300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6331	<i>Corymbia citriodora</i>	Spotted Gum	345		345	108	16.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6332	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6333	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	16.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6334	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	18.0	8.0	3.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6335	<i>Alphitonia excelsa</i>	Soap Tree	420		420	132	13.0	9.0	5.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6336	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6337	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6338	<i>Corymbia citriodora</i>	Spotted Gum	325		325	102	17.0	9.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6339	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	320		320	101	14.0	8.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6340	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	107	16.0	9.0	4.1	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-		Retain in P-A
6341	<i>Eucalyptus tereticornis</i>	Forest Red Gum	415		415	130	17.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6342	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	300		300	94	16.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Retention
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	
6343	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	15.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6344	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6345	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	110	12.0	3.0	4.2	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6346	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	18.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6347	<i>Alphitonia excelsa</i>	Soap Tree	330		330	104	9.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6348	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6349	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6350	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	12.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Remove in P-A
6351	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	16.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6352	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6353	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	15.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
6354	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	14.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6355	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	17.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6356	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	17.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6357	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	11.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6358	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	370		370	116	14.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6359	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6360	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	18.0	9.0	4.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6361	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	18.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		Retain in P-A
6362	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	16.0	8.0	4.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6363	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	94	13.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		Retain in P-A
6364	<i>Dead/Stag</i>		300		300	94	18.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6365	<i>Eucalyptus tereticornis</i>	Forest Red Gum	325		325	102	17.0	7.0	3.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6366	<i>Eucalyptus tereticornis</i>	Forest Red Gum	495		495	156	19.0	14.0	5.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6367	<i>Corymbia citriodora</i>	Spotted Gum	395		395	124	17.0	8.0	4.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6368	<i>Corymbia citriodora</i>	Spotted Gum	300		300	94	17.0	11.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6369	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	18.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6370	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	97	17.0	9.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6371	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	107	17.0	8.0	4.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6372	<i>Corymbia tessellaris</i>	Moreton Bay Ash	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6373	<i>Corymbia intermedia</i>	Pink Bloodwood	305		305	96	16.0	8.0	3.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6374	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470		470	148	13.0	8.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6375	<i>Petalostigma pubescens</i>	Quinine Bush	420		420	132	7.0	12.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6379	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	440		440	138	13.0	13.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6380	<i>Corymbia citriodora</i>	Spotted Gum	330		330	104	15.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6381	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	18.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6382	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	17.0	9.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A

Specimen Details										Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details
Tree ID	Botanical Name	Common Name	Trunk DSH (mm)	Additional Trunks DSH (mm)	Total DSH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Notional Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Retention
6383	Corymbia citriodora	Spotted Gum	320		320	101	17.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6384	Eucalyptus crebra	Narrow-leaved Ironbark	360		360	113	17.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6388	Eucalyptus tereticornis	Forest Red Gum	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-		Retain in P-A
6389	Melaleuca quinquenervia	Broad-leaved Paperbark	300		300	94	15.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6390	Melaleuca quinquenervia	Broad-leaved Paperbark	380		380	119	16.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6391	Corymbia intermedia	Pink Bloodwood	320		320	101	17.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6392	Corymbia intermedia	Pink Bloodwood	300		300	94	16.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-		Retain in P-A
6393	Melaleuca quinquenervia	Broad-leaved Paperbark	350		350	110	13.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6446	Eucalyptus tereticornis	Forest Red Gum	380		380	119	17.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6450	Eucalyptus crebra	Narrow-leaved Ironbark	300		300	94	17.0	7.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6467	Eucalyptus tereticornis	Forest Red Gum	300		300	94	14.0	5.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
6468	Eucalyptus crebra	Narrow-leaved Ironbark	340		340	107	15.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
7521	Eucalyptus tereticornis	Forest Red Gum	365		365	115	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
7522	Corymbia citriodora	Spotted Gum	300		300	94	19.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
7523	Eucalyptus crebra	Narrow-leaved Ironbark	365		365	115	18.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
7528	Eucalyptus tereticornis	Forest Red Gum	420		420	132	18.0	11.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retention subject to BMP
7529	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	19.0	10.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
7530	Eucalyptus crebra	Narrow-leaved Ironbark	335		335	105	18.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A
7545	Eucalyptus crebra	Narrow-leaved Ironbark	320		320	101	12.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-		Retain in P-A