PACIFIQ

FLINDERS LAKES, GREATER FLAGSTONE



PRECINCT 1 VEGETATION CLEARING

UPS URBAN PLANNING SERVICES

OPERATIONAL WORKS

LOT 3 DAIRY ROAD, FLINDERS LAKES

SECTION 3: SPECIALIST REPORTS



PACIFIQ

ATTACHMENT 4

- 4A - Environmental Reporting: Vegetation Management Plan - Part 1 - NH3BC and R032, by Saunders Havill
- 4B - Environmental Reporting: Vegetation Management Plan - Part 2 - NH3A and R032, by Saunders Havill

FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032 PROJECT

Vegetation Clearing & Fauna Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
8020 E 01	COVER SHEET	C	13/10/2026
8020 E 02	VEGETATION CLEARING NOTES	C	13/10/2026
8020 E 03	FAUNA MANAGEMENT NOTES	C	13/10/2026
8020 E 04	CLEARING SUMMARY	C	13/10/2026
8020 E 05	CONTEXT SHEET	C	13/10/2026
8020 E 06-28	DETAIL SHEETS	C	13/10/2026
8020 E 29	CLEARING DIRECTION	C	13/10/2026
8020 E A1	APPENDIX 1. TREE SCHEDULE	C	13/10/2026



Saunders Havill

PATHWAYS TO SUCCESS

FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

Vegetation Clearing and Fauna Management Plan - *Notes*

INTRODUCTION

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Pacific International Development Corporation Pty Ltd** to prepare a Vegetation Clearing & Fauna Management Plan (VCFMP) for the construction of Neighbourhood 3B Development Application and R032 Road OPW Application to the site.

This VCFMP is a requirement of the EDQ endorsed Natural Environment Site Strategy for the Flinders Lakes Project – Neighbourhood 3B, 3C, and R032 The purpose of this VMP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The plan is required to be approved prior to clearing works commencing. The clearing works will follow general principles for vegetation clearing documented on this sheet, sheet four, and all EDQ specific requirements or conditions.

This VCFMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

1. GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2026)
2. Flinders Project - Neighbourhood 3B and R032 Detail Design (TBC, 2026)

PROJECT MANAGEMENT

Vegetation management and its processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EDQ's conditions and guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include: prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:

Pacific International Development Corporation Pty Ltd

To be advised

Site Contractor:

To be advised

Site Fauna spotter-catcher:

To be advised

(Refer to *Fauna Management Plan* document for responsibilities)

Environmental Contact:

Saunders Havill Group

Andrew Davies

Ph

Site Arborist:

To be advised

Site Bushfire Consultant:

To be advised

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing shall be in place prior to the official pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed on sheet four, and acknowledge specific EDQ approval requirements or conditions.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *sheet 27* of this VCFMP and managed by the appointed fauna spotter to allow fauna unimpeded movement north towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 3 ha per day set out in Section 2, Part 3 of the Nature Conservation (Koala) Conservation Plan 2017.

Vegetation clearing techniques:

i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.

ii. Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features. When a tree is suspected of containing fauna or potential habitat, other methods of clearing should be used such as (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


A tree and mulch stockpiling location is to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to cut/fill activities.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	09/06/2026	Client Draft	HW	AD
B	05/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 02 NH3B VCFMP C

FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

Vegetation Clearing and Fauna Management Plan - *Fauna Notes*

INTRODUCTION

The Fauna Management specification on this *VCFMP* is designed to protect native animals and control/manage impacts during the vegetation clearing works. The clearing area occurs within the Neighbourhood 3B and R032. Common species associated with bushland landscapes were spotted at the clearing area during the field assessment. The fauna management specifications and principles incorporated in this *VCFMP* apply generically to all native animals and focus on avoiding conflicts and incorporating measures to minimise disturbance. Compliance with this section of the *VCFMP* is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the Department of Environment , Tourism, Science and Innovation).

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the exis ting vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities may be altered during and post vegetation clearing works. Potential impacts include:

CONSTRUCTION IMPACTS

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment
- Loss of food sources
- Excavation/compaction/changes in ground levels
- Altering hydrological flows
- Fragmentation of habitat

OPERATIONAL IMPACTS

- Weed introduction (garden escapees)
- Increased hydrology with increased hardstand
- Altering of run-off chemical and nutrient components (quality)
- Barriers to fauna movement
- Vehicles and pedestrian movement and trespass
- Introduction of domestic and predatory species

FAUNA MANAGEMENT SCHEDULE

1.0 Pre - Clearing				
Ref:	**Management Item**	**Responsibility**	**Timing**	**Reporting**
1.1	**Temporary Fencing** Prior to the commencement of works and to be inspected by the site Environmental Coordinator and/or Project Arborist—Delineate areas where vegetation is proposed to be retained with exclusion fencing to prevent accidental felling. Clearing is to be undertaken in accordance with AS 4970-2009 Protection of Trees on Development Sites. ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing. ▪ Only approved weed management works to occur within the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site works.	Site Supervisor	Prior to the commencement of clearing	Environmental Coordinator
1.2	**Contractor Education & Awareness** All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP are provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. ▪ A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office.	Site Supervisor / The Proponent	Prior to the commencement of clearing and as part of the site induction for new staff and sub-contractors	Site Supervisor
2.0 Vegetation Clearing				
2.1	**Spotter / Relocator** Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by a qualified fauna spotter-catcher holding a valid Rehabilitation Permit. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, a suitable buffer area (as determined by the fauna spotter-catcher) should be established around the animal's location that excludes machinery until it has relocated at its own accord (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment, Tourism, Science and Innovation. For some fauna, specific permit requirements may apply. If vegetation is left stockpiled for more than 24 hours or overnight, the fauna spotter-catcher must inspect the vegetation prior to chipping or removal from site. The Fauna Spotter-catcher will manage the care of any injured or orphaned wildlife (e.g. veterinary attention or delivery to a wildlife carer). Any native fauna listed as a threatened species under the Nature Conservation (Animals) Regulation 2020 that are injured or orphaned by the development process, must be reported to the Department of Environment, Tourism, Science and Innovation (1300 130 372). Any other injured or orphaned fauna must be reported through the Rehabilitation Permit return process by the Fauna Spotter-catcher. The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.2	**Specific Koala Management Notes** A Koala/Fauna spotter-catcher is a person who holds a valid Rehabilitation Permit from the relevant State Government Agency, and has either a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.3	**Clearing Pattern / Fauna Flushing** Clearing occurs once the fauna spotter-catcher gives sign off the site is clear of all native species and all necessary permits are obtained. The intended clearing directions is Clearing Direction towards the north. Clearing direction is subject to amendment by the fauna spotter-catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the fauna spotter-catcher must provide certification to EDQ officers that all works were undertaken in accordance with these fauna management requirements and specific EDQ requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.4	**Specific Habitat Tree Notes** Where possible, clearing of habitat trees is to be avoided during late winter and spring (typically July – October) when many native birds are actively nesting/have young in nests and arboreal mammals have dependent and/or pouch young.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2025 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	08/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 03 NH3B VCFMP C

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Clearing Area*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- QLD DCDB
- Vegetation Clearing Area [23.78 ha]
- Koala Habitat Areas

Vegetation Management Regional Ecosystems

- Category A or B area containing endangered regional ecosystems
- Category A or B area that is a least concern regional ecosystem
- Category C area that is a least concern regional ecosystem

DAF Waterways - Risk of Impact

- 1 - Low
- 2 - Moderate
- 4 - Major

NOTE: Clearing is to occur as per the approved VCFMP clearing extent boundaries.

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:5,066

References:
AS4970-2025 Protection of trees on development sites

0 50 100 200 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	5/06/2026	CLIENT DRAFT	HW	AD
B	09/06/2026	CLIENT EDITS	HW	TC
C	13/10/2026	Layout Updates	HW	AD

CLIENT
Pacific International Development Corporation Pty Ltd


PROJECT
Flinders Lakes Project – Neighbourhood 3B, 3C and R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 04 NH3B VCFMP C

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Management Plan - *Context Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees
- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Sewer layout
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:5,000

References:
AS4970-2025 Protection of trees on development sites

0 20 40 80 120 160 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Updates	HW	TC

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 05 NH3B VCFMP C

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 06 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 07 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 08 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 09 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 10 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 11 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 12 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 13 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 14 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 15 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 16 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 17 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 18 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 19 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 20 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 21 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 22 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 23 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 24 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 25 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 26 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 27 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation Clearing Area [23.78 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Proposed Sewer layout
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:650

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	13/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 28 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3B, 3C and R032

Vegetation Management Plan - *Vegetation Clearing Direction*



LEGEND

- Neighbourhood 3B, 3C and R032 boundary
- Vegetation clearing extent

GPS Tree Plot

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees
- Vegetation clearing direction
- Tree protection fencing
- Indicative Vegetation Stockpile

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:5,000

References:
AS4970-2025 Protection of trees on development sites

0 10 20 40 60 80 100 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	05/06/2026	Client Draft	HW	AD
B	09/06/2026	Client Edits	HW	TC
C	01/10/2026	Layout Update	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3B, 3C AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 29 NH3B VCFMP C

Tree Schedule - NH3B 8020
Mount Elliott Road Flinders Peak, Undullah (Harrison Development Group)
Date: 2026/10/12

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2	*Corymbia citriodora*	Spotted Gum	420		420	132	18.0	9.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
3	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
4	*Corymbia citriodora*	Spotted Gum	380		380	119	17.0	10.0	4.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
5	*Corymbia citriodora*	Spotted Gum	350		350	110	17.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
6	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
7	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
8	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
9	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
10	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
11	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
12	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
13	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
14	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
15	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
16	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	10.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
17	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
18	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
19	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
20	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	6.0	2.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
21	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
22	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
23	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
24	*Eucalyptus tereticornis*	Forest Red Gum	130	120	177	56	9.0	5.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
25	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
26	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
27	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
28	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
29	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
30	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
31	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
32	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
33	*Dead/Stag*		280		280	88	12.0	6.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
34	*Corymbia intermedia*	Pink Bloodwood	120		120	38	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
35	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
36	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
37	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
38	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
39	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	2.0	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
40	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
41	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
42	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	9.0	4.0	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
43	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
44	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	3.0	1.0	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
45	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
46	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
47	*Eucalyptus tereticornis*	Forest Red Gum	110	80	136	43	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
48	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
49	*Eucalyptus crebra*	Narrow-leaved Ironbark	120	90 90	175	55	9.0	3.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
50	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
51	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	12.0	6.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
52	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
53	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
54	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	10.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
55	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
56	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
57	*Corymbia intermedia*	Pink Bloodwood	210	100	233	73	14.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
58	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
59	*Corymbia intermedia*	Pink Bloodwood	120	110 110	196	62	9.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
60	*Corymbia intermedia*	Pink Bloodwood	540		540	170	18.0	9.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
61	*Corymbia intermedia*	Pink Bloodwood	480		480	151	17.0	10.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
62	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
63	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
64	*Corymbia intermedia*	Pink Bloodwood	160	150 110	245	77	14.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
65	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
66	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
67	*Acacia concurrens*	Black Wattle	200		200	63	8.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
68	*Corymbia intermedia*	Pink Bloodwood	100	90	135	42	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
69	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	4.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
70	*Corymbia intermedia*	Pink Bloodwood	140	120	184	58	10.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
71	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
72	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
73	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
74	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
75	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
76	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
77	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
78	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
79	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
80	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
81	*Corymbia intermedia*	Pink Bloodwood	460		460	145	18.0	8.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
82	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
83	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
84	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
85	*Corymbia intermedia*	Pink Bloodwood	90	80	120	38	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
86	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
87	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
88	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
89	*Corymbia intermedia*	Pink Bloodwood	100	80 70	146	46	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
90	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	3.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
91	*Corymbia intermedia*	Pink Bloodwood	530		530	167	20.0	12.0	6.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
92	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
93	*Corymbia intermedia*	Pink Bloodwood	100	70	122	38	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
94	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
95	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
96	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
97	*Corymbia intermedia*	Pink Bloodwood	120	80	144	45	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
98	*Corymbia intermedia*	Pink Bloodwood	100	80 70	146	46	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
99	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
100	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
101	*Corymbia intermedia*	Pink Bloodwood	180	160	241	76	10.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
102	*Corymbia intermedia*	Pink Bloodwood	220	100	242	76	11.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
103	*Corymbia intermedia*	Pink Bloodwood	100	80	128	40	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
104	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
105	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
106	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
107	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
108	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
109	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
110	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
111	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
112	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
113	*Corymbia intermedia*	Pink Bloodwood	170	130 80	228	72	8.0	5.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
114	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
115	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
116	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
117	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
118	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
119	*Corymbia intermedia*	Pink Bloodwood	180	140	228	72	10.0	6.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
120	*Corymbia intermedia*	Pink Bloodwood	160	150	219	69	11.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
121	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
122	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
123	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
124	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
125	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
126	*Corymbia citriodora*	Spotted Gum	130	70	148	46	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
127	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
128	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
129	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
130	*Corymbia citriodora*	Spotted Gum	100	60 60	131	41	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
131	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
132	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
133	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
134	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
135	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
136	*Corymbia intermedia*	Pink Bloodwood	150	110	186	58	9.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
137	*Corymbia citriodora*	Spotted Gum	210		210	66	11.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
138	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
139	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
140	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
141	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
142	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
143	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
144	*Corymbia intermedia*	Pink Bloodwood	430		430	135	16.0	9.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
145	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	8.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
146	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
147	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	24.0	12.0	6.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
148	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
149	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
150	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
151	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
152	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	23.0	10.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
153	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
154	*Eucalyptus tereticornis*	Forest Red Gum	610		610	192	24.0	11.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
155	*Eucalyptus tereticornis*	Forest Red Gum	690		690	217	25.0	13.0	8.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
156	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
157	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
158	*Eucalyptus tereticornis*	Forest Red Gum	660		660	207	24.0	13.0	7.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
159	*Corymbia intermedia*	Pink Bloodwood	290		290	91	18.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
160	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
161	*Dead/Stag*		1200		1200	377	20.0	9.0	14.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
162	*Eucalyptus tereticornis*	Forest Red Gum	1070		1070	336	24.0	14.0	12.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain as part of this Application	
163	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
164	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
165	*Eucalyptus tereticornis*	Forest Red Gum	100	90	135	42	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
166	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
167	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
168	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	22.0	10.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
169	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
170	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
171	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
172	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
173	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	5.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
174	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
175	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
176	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
177	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
178	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
179	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
180	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	5.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
181	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
182	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
183	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
184	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
185	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
186	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
187	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
188	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	2.0	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
189	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	14.0	8.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
190	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
191	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	16.0	8.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
192	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
193	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
194	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
195	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
196	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
197	*Corymbia citriodora*	Spotted Gum	140	100	172	54	10.0	3.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
198	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
199	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
200	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	13.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
201	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
202	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
203	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
204	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
205	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
206	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
207	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
208	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
209	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
210	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
211	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	12.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
212	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
213	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
214	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
215	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
216	*Acacia disparrima*	Hickory Wattle	230	120	259	81	9.0	5.0	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
217	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
218	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
219	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
220	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
221	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
222	*Corymbia citriodora*	Spotted Gum	500		500	157	20.0	10.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
223	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
224	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
225	*Eucalyptus moluccana*	Gum-topped Box	260		260	82	19.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
226	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	7.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
227	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
228	*Corymbia citriodora*	Spotted Gum	110		110	35	4.0	2.0	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
229	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
230	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
231	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
232	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
233	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
234	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
235	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
236	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
237	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
238	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
239	*Corymbia citriodora*	Spotted Gum	100		100	31	3.0	1.0	2.0	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
240	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
241	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
242	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
243	*Corymbia citriodora*	Spotted Gum	120	110	163	51	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
244	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
245	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
246	*Acacia disparrima*	Hickory Wattle	180		180	57	8.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
247	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	9.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
248	*Eucalyptus moluccana*	Gum-topped Box	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
249	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
250	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
251	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
252	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
253	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
254	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	8.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
255	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	8.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
256	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
257	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
258	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
259	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
260	*Corymbia citriodora*	Spotted Gum	170	70	184	58	11.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
261	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
262	*Angophora subvelutina*	Broad-leaved Apple	390		390	123	17.0	8.0	4.7	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
263	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	18.0	12.0	6.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	New	-	-	-	-	Remove as part of this Application	
264	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	20.0	12.0	6.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
265	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	11.0	3.0	6.4	Regular	-	Thinning	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
266	*Lophostemon suaveolens*	Swamp Box	230		230	72	8.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
267	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
268	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	10.0	2.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
269	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
270	*Lophostemon suaveolens*	Swamp Box	280		280	88	13.0	8.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
271	*Lophostemon suaveolens*	Swamp Box	200		200	63	6.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
272	*Lophostemon suaveolens*	Swamp Box	230		230	72	8.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
273	*Lophostemon suaveolens*	Swamp Box	310		310	97	9.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
274	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
275	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	6.0	2.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
276	*Corymbia citriodora*	Spotted Gum	350		350	110	17.0	12.0	4.2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
277	*Corymbia citriodora*	Spotted Gum	270		270	85	19.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
278	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	16.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
279	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
280	*Corymbia citriodora*	Spotted Gum	260		260	82	20.0	9.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
281	*Corymbia citriodora*	Spotted Gum	690		690	217	20.0	15.0	8.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
282	*Dead/Stag*		840		840	264	20.0	16.0	10.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
283	*Dead/Stag*		620		620	195	18.0	10.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
284	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
285	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	9.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
286	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
287	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	7.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
288	*Corymbia citriodora*	Spotted Gum	240		240	75	23.0	11.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
289	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	10.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
290	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
291	*Dead/Stag*		600		600	188	23.0	15.0	7.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
292	*Corymbia citriodora*	Spotted Gum	230		230	72	21.0	10.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
293	*Corymbia intermedia*	Pink Bloodwood	530		530	167	16.0	13.0	6.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
294	*Dead/Stag*		310		310	97	10.0	1.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
295	*Eucalyptus tereticornis*	Forest Red Gum	570		570	179	16.0	13.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
296	*Eucalyptus moluccana*	Gum-topped Box	740		740	232	16.0	13.0	8.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
297	*Eucalyptus tereticornis*	Forest Red Gum	640		640	201	15.0	8.0	7.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove as part of this Application	
298	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
299	*Acacia disparrima*	Hickory Wattle	210	160	264	83	8.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
300	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	14.0	11.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
301	*Corymbia citriodora*	Spotted Gum	340		340	107	13.0	11.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
302	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	2.0	1.0	2.2	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
303	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
304	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	10.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
305	*Corymbia citriodora*	Spotted Gum	760		760	239	18.0	15.0	9.1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg	-	Typical	-	-	Yes	Small	-	-	Remove as part of this Application	
306	*Corymbia tessellaris*	Moreton Bay Ash	230	170	286	90	11.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
307	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	11.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
308	*Eucalyptus tereticornis*	Forest Red Gum	820		820	258	20.0	13.0	9.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
309	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	14.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
310	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
311	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
312	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
313	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
314	*Corymbia citriodora*	Spotted Gum	370		370	116	24.0	13.0	4.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
315	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	12.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
316	*Corymbia citriodora*	Spotted Gum	180		180	57	21.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
317	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
318	*Acacia disparrima*	Hickory Wattle	450		450	141	6.0	6.0	5.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
319	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
320	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
321	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
322	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
323	*Corymbia citriodora*	Spotted Gum	100	100	141	44	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
324	*Acacia disparrima*	Hickory Wattle	240		240	75	7.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
325	*Acacia disparrima*	Hickory Wattle	220	110 140 130	311	98	6.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
326	*Acacia disparrima*	Hickory Wattle	140	170	220	69	5.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
327	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	7.0	5.0	2.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
328	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
329	*Corymbia citriodora*	Spotted Gum	310	150	344	108	14.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
330	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
331	*Corymbia citriodora*	Spotted Gum	230		230	72	10.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
332	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
333	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
334	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	7.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
335	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	10.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
336	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
337	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	12.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
340	*Corymbia intermedia*	Pink Bloodwood	680		680	214	19.0	12.0	8.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
341	*Petalostigma pubescens*	Quinine Bush	570		570	179	6.0	6.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
342	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	13.0	9.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
343	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
344	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	15.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
345	*Corymbia citriodora*	Spotted Gum	360		360	113	17.0	10.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
346	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	16.0	12.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
347	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	17.0	12.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
348	*Eucalyptus moluccana*	Gum-topped Box	630		630	198	18.0	9.0	7.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
349	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	19.0	10.0	5.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
350	*Eucalyptus moluccana*	Gum-topped Box	670		670	210	21.0	14.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
351	*Eucalyptus moluccana*	Gum-topped Box	520		520	163	21.0	9.0	6.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
352	*Eucalyptus moluccana*	Gum-topped Box	540		540	170	21.0	15.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
353	*Eucalyptus moluccana*	Gum-topped Box	570		570	179	17.0	9.0	6.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
354	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	22.0	12.0	4.7	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
355	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	22.0	11.0	6.5	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
356	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	15.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
357	*Eucalyptus moluccana*	Gum-topped Box	420		420	132	16.0	10.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
358	*Eucalyptus moluccana*	Gum-topped Box	390		390	123	17.0	12.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
359	*Eucalyptus moluccana*	Gum-topped Box	370		370	116	17.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
360	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	18.0	9.0	4.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
361	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	18.0	10.0	4.0	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
362	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	18.0	7.0	4.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
363	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	19.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
364	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
365	*Eucalyptus tereticornis*	Forest Red Gum	800		800	251	18.0	17.0	9.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
366	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
367	*Eucalyptus moluccana*	Gum-topped Box	410		410	129	18.0	12.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
368	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	13.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
369	*Eucalyptus moluccana*	Gum-topped Box	300		300	94	17.0	10.0	3.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
370	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	20.0	16.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
371	*Eucalyptus tereticornis*	Forest Red Gum	610		610	192	21.0	14.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
372	*Corymbia tessellaris*	Moreton Bay Ash	310		310	97	16.0	8.0	3.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
373	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	15.0	7.0	3.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
374	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	22.0	13.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
375	*Eucalyptus tereticornis*	Forest Red Gum	570		570	179	22.0	16.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
376	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	15.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
377	*Corymbia tessellaris*	Moreton Bay Ash	360		360	113	18.0	7.0	4.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
378	*Corymbia tessellaris*	Moreton Bay Ash	370		370	116	17.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
379	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	17.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
380	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	17.0	14.0	3.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
381	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	11.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
382	*Angophora subvelutina*	Broad-leaved Apple	390		390	123	14.0	11.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
383	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	20.0	14.0	5.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
384	*Corymbia tessellaris*	Moreton Bay Ash	300	270	404	127	16.0	12.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
385	*Corymbia tessellaris*	Moreton Bay Ash	390	120	408	128	16.0	9.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
386	*Eucalyptus tereticornis*	Forest Red Gum	900		900	283	20.0	17.0	10.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
387	*Angophora subvelutina*	Broad-leaved Apple	370		370	116	17.0	13.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
388	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	12.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
389	*Corymbia henryi*	Large-leaved Spotted Gum	300		300	94	23.0	12.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
390	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	11.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
391	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
392	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	13.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
393	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	13.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
394	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	13.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
395	*Corymbia citriodora*	Spotted Gum	330		330	104	21.0	10.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
396	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	9.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
397	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	14.0	7.0	5.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
398	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	12.0	5.0	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
399	*Eucalyptus tereticornis*	Forest Red Gum	655		655	206	17.0	10.0	7.9	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
400	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	17.0	12.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
401	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	17.0	10.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
402	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	19.0	11.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
403	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	15.0	8.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
404	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	5.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
405	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	8.0	4.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
406	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
407	*Eucalyptus tereticornis*	Forest Red Gum	855		855	269	25.0	14.0	10.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
408	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	5.0	3.0	2.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
409	*Acacia disparrima*	Hickory Wattle	250	160 150	333	104	6.0	5.0	4.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg	-	Poor	-	-	-	-	-	-	Remove as part of this Application	Almost Dead
410	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
411	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	8.0	2.0	2.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
412	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
413	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	18.0	8.0	7.2	Regular	-	-	-	-	-	Typical	-	Introduced	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
414	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
415	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
416	*Dead/Stag*		250		250	79	5.0	3.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
417	*Angophora subvelutina*	Broad-leaved Apple	180		180	57	7.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
418	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
419	*Angophora subvelutina*	Broad-leaved Apple	140		140	44	6.0	2.0	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Remove as part of this Application	
420	*Angophora subvelutina*	Broad-leaved Apple	240		240	75	10.0	4.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
421	*Eucalyptus moluccana*	Gum-topped Box	270		270	85	11.0	3.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
422	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	10.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
423	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	11.0	4.0	4.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
424	*Corymbia citriodora*	Spotted Gum	340		340	107	15.0	5.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
425	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	15.0	6.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
426	*Corymbia citriodora*	Spotted Gum	190		190	60	8.0	2.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
427	*Corymbia citriodora*	Spotted Gum	240		240	75	8.0	2.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
428	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	14.0	5.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
429	*Angophora subvelutina*	Broad-leaved Apple	270		270	85	14.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
430	*Dead/Stag*		260		260	82	3.0	1.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
431	*Acacia disparrima*	Hickory Wattle	200		200	63	3.0	1.0	2.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
432	*Dead/Stag*		190		190	60	5.0	1.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
433	*Dead/Stag*		230		230	72	7.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
434	*Angophora subvelutina*	Broad-leaved Apple	280		280	88	6.0	2.0	3.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove as part of this Application	
435	*Corymbia citriodora*	Spotted Gum	170		170	53	7.0	2.0	2.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
436	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	15.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
437	*Angophora subvelutina*	Broad-leaved Apple	160		160	50	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
438	*Angophora subvelutina*	Broad-leaved Apple	230		230	72	10.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
439	*Dead/Stag*		150	160 130 120	282	89	5.0	4.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
440	*Angophora subvelutina*	Broad-leaved Apple	280		280	88	14.0	8.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
441	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	16.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
442	*Angophora subvelutina*	Broad-leaved Apple	160		160	50	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
443	*Angophora subvelutina*	Broad-leaved Apple	240		240	75	15.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
444	*Angophora subvelutina*	Broad-leaved Apple	140		140	44	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
445	*Angophora subvelutina*	Broad-leaved Apple	1200		1200	377	18.0	12.0	14.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Remove as part of this Application	
446	*Petalostigma pubescens*	Quinine Bush	200		200	63	6.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
447	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
448	*Petalostigma pubescens*	Quinine Bush	240		240	75	6.0	6.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
449	*Angophora subvelutina*	Broad-leaved Apple	430		430	135	15.0	13.0	5.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
450	*Angophora subvelutina*	Broad-leaved Apple	300		300	94	5.0	3.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
451	*Angophora subvelutina*	Broad-leaved Apple	200		200	63	10.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
452	*Angophora subvelutina*	Broad-leaved Apple	150		150	47	3.0	2.0	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
453	*Angophora subvelutina*	Broad-leaved Apple	200		200	63	13.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
454	*Angophora subvelutina*	Broad-leaved Apple	150		150	47	9.0	4.0	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
455	*Angophora subvelutina*	Broad-leaved Apple	110		110	35	5.0	2.0	2.0	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
456	*Dead/Stag*		670		670	210	7.0	1.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	Chimney Hollow
457	*Angophora subvelutina*	Broad-leaved Apple	450		450	141	16.0	14.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
458	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
459	*Angophora subvelutina*	Broad-leaved Apple	200		200	63	7.0	8.0	2.4	Regular	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
460	*Angophora subvelutina*	Broad-leaved Apple	140		140	44	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
461	*Angophora subvelutina*	Broad-leaved Apple	130		130	41	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
462	*Angophora subvelutina*	Broad-leaved Apple	130		130	41	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
463	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	18.0	10.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
464	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	22.0	14.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
465	*Eucalyptus tereticornis*	Forest Red Gum	670		670	210	18.0	9.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
466	*Corymbia intermedia*	Pink Bloodwood	240		240	75	10.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
467	*Angophora subvelutina*	Broad-leaved Apple	160		160	50	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
468	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	12.0	5.0	3.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Poor	-	-	-	-	-	-	Remove as part of this Application	
469	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
470	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	20.0	12.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
471	*Angophora subvelutina*	Broad-leaved Apple	220	140	261	82	10.0	5.0	3.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
472	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
473	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	17.0	7.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
474	*Dead/Stag*		180		180	57	5.0	1.0	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
475	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
476	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	7.0	2.0	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
477	*Dead/Stag*		180		180	57	4.0	1.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Poor	-	-	-	-	-	-	Remove as part of this Application	
478	*Angophora subvelutina*	Broad-leaved Apple	350		350	110	16.0	8.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
479	*Angophora subvelutina*	Broad-leaved Apple	170		170	53	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
480	*Angophora subvelutina*	Broad-leaved Apple	550		550	173	16.0	10.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove as part of this Application	
481	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
482	*Corymbia tessellaris*	Moreton Bay Ash	440		440	138	14.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
483	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	7.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
484	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	6.0	2.0	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
485	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	7.0	5.0	3.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
486	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	9.0	5.0	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
487	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	16.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
488	*Eucalyptus tereticornis*	Forest Red Gum	300	680	743	233	22.0	9.0	8.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
489	*Acacia disparrima*	Hickory Wattle	220	150 130 90	310	97	5.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
490	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	11.0	6.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	Glider Feeding Marks ?
491	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	5.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
492	*Acacia disparrima*	Hickory Wattle	200		200	63	5.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
493	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	7.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
494	*Acacia disparrima*	Hickory Wattle	200	130 160 150	324	102	6.0	6.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
495	*Acacia disparrima*	Hickory Wattle	200	180 180 110	342	107	5.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
496	*Eucalyptus crebra*	Narrow-leaved Ironbark	740		740	232	17.0	12.0	8.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
497	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	11.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
498	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	12.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
499	*Corymbia citriodora*	Spotted Gum	300		300	94	10.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
500	*Eucalyptus tereticornis*	Forest Red Gum	720		720	226	14.0	8.0	8.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
501	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	10.0	7.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
502	*Acacia disparrima*	Hickory Wattle	270	260 520	641	201	7.0	9.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
503	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	15.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
504	*Eucalyptus moluccana*	Gum-topped Box	330		330	104	15.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
505	*Eucalyptus moluccana*	Gum-topped Box	460		460	145	15.0	8.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
506	*Eucalyptus tereticornis*	Forest Red Gum	670		670	210	19.0	9.0	8.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
507	*Eucalyptus moluccana*	Gum-topped Box	550		550	173	17.0	9.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
508	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	15.0	6.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
509	*Corymbia citriodora*	Spotted Gum	330		330	104	10.0	5.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
510	*Corymbia citriodora*	Spotted Gum	315		315	99	15.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
511	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	15.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
512	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	9.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
513	*Eucalyptus moluccana*	Gum-topped Box	370		370	116	16.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
514	*Eucalyptus moluccana*	Gum-topped Box	355		355	112	14.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
515	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	15.0	6.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
516	*Eucalyptus moluccana*	Gum-topped Box	310		310	97	15.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
517	*Eucalyptus moluccana*	Gum-topped Box	340		340	107	16.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
518	*Eucalyptus tereticornis*	Forest Red Gum	315		315	99	14.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
519	*Eucalyptus tereticornis*	Forest Red Gum	660		660	207	18.0	9.0	7.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
520	*Eucalyptus moluccana*	Gum-topped Box	990		990	311	18.0	9.0	11.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
521	*Eucalyptus moluccana*	Gum-topped Box	510		510	160	17.0	10.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
522	*Eucalyptus moluccana*	Gum-topped Box	400		400	126	15.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
523	*Corymbia citriodora*	Spotted Gum	330		330	104	16.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
524	*Eucalyptus moluccana*	Gum-topped Box	320		320	101	16.0	7.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
525	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	16.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
526	*Eucalyptus moluccana*	Gum-topped Box	565		565	177	17.0	8.0	6.8	Regular	-	-	-	-	-	Typical	-	Native	Trunk Dmg	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
527	*Eucalyptus moluccana*	Gum-topped Box	940		940	295	21.0	11.0	11.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
528	*Eucalyptus moluccana*	Gum-topped Box	650		650	204	23.0	11.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
529	*Eucalyptus moluccana*	Gum-topped Box	380		380	119	18.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
530	*Eucalyptus moluccana*	Gum-topped Box	350		350	110	15.0	6.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
531	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	7.0	3.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
532	*Eucalyptus tereticornis*	Forest Red Gum	900		900	283	28.0	15.0	10.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
533	*Eucalyptus tereticornis*	Forest Red Gum	490		490	154	22.0	9.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
534	*Corymbia tessellaris*	Moreton Bay Ash	325		325	102	16.0	7.0	3.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
535	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	19.0	10.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
536	*Corymbia tessellaris*	Moreton Bay Ash	310		310	97	19.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
537	*Eucalyptus tereticornis*	Forest Red Gum	335		335	105	19.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
538	*Corymbia tessellaris*	Moreton Bay Ash	360		360	113	20.0	9.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
539	*Eucalyptus tereticornis*	Forest Red Gum	870		870	273	24.0	15.0	10.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
540	*Dead/Stag*		1280		1280	402	17.0	4.0	15.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	Present	-	Remove as part of this Application	
541	*Corymbia tessellaris*	Moreton Bay Ash	305		305	96	14.0	4.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
542	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	17.0	6.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
543	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	17.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
544	*Corymbia tessellaris*	Moreton Bay Ash	400		400	126	20.0	10.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
545	*Corymbia tessellaris*	Moreton Bay Ash	300		300	94	12.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
546	*Corymbia tessellaris*	Moreton Bay Ash	360		360	113	22.0	10.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
547	*Corymbia tessellaris*	Moreton Bay Ash	310		310	97	17.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
548	*Dead/Stag*		440		440	138	18.0	4.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
549	*Corymbia tessellaris*	Moreton Bay Ash	400		400	126	18.0	9.0	4.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
550	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	18.0	8.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
551	*Corymbia tessellaris*	Moreton Bay Ash	360		360	113	15.0	4.0	4.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
552	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	9.0	7.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
553	*Angophora subvelutina*	Broad-leaved Apple	860		860	270	18.0	9.0	10.3	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	High	Remove as part of this Application	
554	*Angophora subvelutina*	Broad-leaved Apple	400		400	126	10.0	6.0	4.8	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
555	*Eucalyptus tereticornis*	Forest Red Gum	1530		1530	481	16.0	5.0	15.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
556	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
557	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
558	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
559	*Corymbia citriodora*	Spotted Gum	120		120	38	17.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
560	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
561	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
562	*Eucalyptus crebra*	Narrow-leaved Ironbark	500		500	157	19.0	7.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
563	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
564	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
565	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
566	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
567	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
568	*Acacia disparrima*	Hickory Wattle	120	190	225	71	6.0	3.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
569	*Acacia disparrima*	Hickory Wattle	130	130	184	58	6.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
570	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
571	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
572	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
573	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	8.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
574	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
575	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	16.0	10.0	4.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
576	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
577	*Corymbia intermedia*	Pink Bloodwood	170	110	202	64	7.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
578	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
579	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	Regular		-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
580	*Corymbia citriodora*	Spotted Gum	1290		1290	405	25.0	15.0	15.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	New	Yes	-	-	-	Tree Retention subject to Arborist Assessment	
581	*Corymbia citriodora*	Spotted Gum	150		150	47	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
582	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
583	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	5.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
584	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
585	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	8.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
586	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
587	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
588	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
589	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
590	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
591	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
592	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
593	*Corymbia intermedia*	Pink Bloodwood	700		700	220	17.0	12.0	8.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg	Fire Dmg.	Typical	-	-	Yes	-	-	-	Retain as part of this Application	
594	*Corymbia intermedia*	Pink Bloodwood	130		130	41	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
595	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
596	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
597	*Corymbia intermedia*	Pink Bloodwood	110	110	156	49	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
598	*Acacia disparrima*	Hickory Wattle	140	120	184	58	8.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
599	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	5.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
600	*Eucalyptus melanophloia*	Silver-leaved Ironbark	120		120	38	6.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
601	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
602	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
603	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
604	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
605	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
606	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
607	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	11.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
608	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	11.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
609	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
610	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	Fire Dmg.	Typical	-	-	-	-	-	-	Retain as part of this Application	
611	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	10.0	1.0	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
612	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	12.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain as part of this Application	
613	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain as part of this Application	
614	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
615	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	19.0	12.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
616	*Corymbia intermedia*	Pink Bloodwood	210		210	66	7.0	2.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
617	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	5.0	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
618	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
619	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
620	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
621	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
622	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	13.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
623	*Corymbia intermedia*	Pink Bloodwood	100	70	122	38	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
624	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	8.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
625	*Acacia disparrima*	Hickory Wattle	90	70 60	129	40	6.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
626	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
627	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
628	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
629	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	7.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
630	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	18.0	9.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
631	*Eucalyptus tereticornis*	Forest Red Gum	100	170	197	62	10.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
632	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
633	*Corymbia intermedia*	Pink Bloodwood	100	60	117	37	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
634	*Corymbia intermedia*	Pink Bloodwood	110	80	136	43	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
635	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	6.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
636	*Acacia disparrima*	Hickory Wattle	120	100	156	49	6.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
637	*Corymbia intermedia*	Pink Bloodwood	90		90	28	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
638	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
639	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
640	*Acacia disparrima*	Hickory Wattle	250		250	79	8.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
641	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
642	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
643	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
644	*Corymbia intermedia*	Pink Bloodwood	80	80	113	36	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
645	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
646	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
647	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
648	*Corymbia intermedia*	Pink Bloodwood	110	60	125	39	3.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
649	*Acacia disparrima*	Hickory Wattle	140		140	44	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
650	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
651	*Corymbia intermedia*	Pink Bloodwood	80	70	106	33	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
652	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
653	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
654	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
655	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
656	*Corymbia intermedia*	Pink Bloodwood	120	80	144	45	12.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
657	*Corymbia intermedia*	Pink Bloodwood	100	100 90	168	53	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
658	*Corymbia intermedia*	Pink Bloodwood	110	80	136	43	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
659	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
660	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
661	*Corymbia intermedia*	Pink Bloodwood	110	80	136	43	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
662	*Acacia disparrima*	Hickory Wattle	160	130	206	65	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
663	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
664	*Corymbia intermedia*	Pink Bloodwood	100		100	31	13.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
665	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
666	*Corymbia intermedia*	Pink Bloodwood	110	50	121	38	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
667	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
668	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
669	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
670	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
671	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain as part of this Application	
672	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
673	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
674	*Corymbia intermedia*	Pink Bloodwood	120	90	150	47	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
675	*Corymbia intermedia*	Pink Bloodwood	150	90	175	55	11.0	6.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
676	*Corymbia intermedia*	Pink Bloodwood	120	90	150	47	11.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
677	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
678	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
679	*Corymbia intermedia*	Pink Bloodwood	120	160 130	239	75	9.0	4.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
680	*Corymbia intermedia*	Pink Bloodwood	100	80	128	40	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
681	*Corymbia intermedia*	Pink Bloodwood	80	70	106	33	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
682	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
683	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	12.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
684	*Corymbia intermedia*	Pink Bloodwood	70	30	76	24	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
685	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
686	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
687	*Corymbia intermedia*	Pink Bloodwood	100	70	122	38	11.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
688	*Corymbia intermedia*	Pink Bloodwood	120	110	163	51	12.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
689	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
690	*Corymbia intermedia*	Pink Bloodwood	100	50	112	35	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
691	*Corymbia intermedia*	Pink Bloodwood	110		110	35	13.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
692	*Corymbia intermedia*	Pink Bloodwood	100	70	122	38	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
693	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain as part of this Application	
694	*Corymbia intermedia*	Pink Bloodwood	160	110	194	61	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
695	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
696	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	7.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
697	*Corymbia intermedia*	Pink Bloodwood	90	70	114	36	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
698	*Corymbia intermedia*	Pink Bloodwood	90	90	127	40	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
699	*Corymbia intermedia*	Pink Bloodwood	110	80 80	158	50	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
700	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
701	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
702	*Eucalyptus tereticornis*	Forest Red Gum	100	90	135	42	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
703	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
704	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
705	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
706	*Corymbia intermedia*	Pink Bloodwood	140	90	166	52	13.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
707	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
708	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
709	*Corymbia intermedia*	Pink Bloodwood	110	110	156	49	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
710	*Corymbia intermedia*	Pink Bloodwood	90	110	142	45	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
711	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
712	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
713	*Corymbia intermedia*	Pink Bloodwood	120	80	144	45	13.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
714	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
715	*Corymbia intermedia*	Pink Bloodwood	200	100	224	70	16.0	3.0	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
716	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
717	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
718	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
719	*Corymbia intermedia*	Pink Bloodwood	110	80	136	43	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
720	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
721	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	5.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
722	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	4.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
723	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	8.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
724	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
725	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
726	*Corymbia intermedia*	Pink Bloodwood	150	120	192	60	16.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
727	*Corymbia intermedia*	Pink Bloodwood	90	90	127	40	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
728	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
729	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
730	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
731	*Corymbia citriodora*	Spotted Gum	210		210	66	20.0	12.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
732	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
733	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
734	*Corymbia citriodora*	Spotted Gum	220		220	69	21.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
735	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
736	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
737	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
738	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
739	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
740	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
741	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
742	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
743	*Lophostemon suaveolens*	Swamp Box	170	140	220	69	11.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
744	*Corymbia citriodora*	Spotted Gum	170	80	188	59	18.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
745	*Corymbia citriodora*	Spotted Gum	780		780	245	26.0	15.0	9.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
746	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
747	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
748	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
749	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
750	*Corymbia citriodora*	Spotted Gum	100		100	31	4.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
751	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
752	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	20.0	16.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
753	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
754	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
755	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
756	*Corymbia citriodora*	Spotted Gum	90	60	108	34	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
757	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
758	*Corymbia citriodora*	Spotted Gum	630		630	198	23.0	15.0	7.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain as part of this Application	
759	*Corymbia citriodora*	Spotted Gum	180		180	57	7.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
760	*Eucalyptus tereticornis*	Forest Red Gum	640		640	201	25.0	15.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Tree Retention subject to Arborist Assessment	
761	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
762	*Corymbia citriodora*	Spotted Gum	180	70	193	61	14.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
763	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
764	*Corymbia citriodora*	Spotted Gum	190		190	60	23.0	7.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
765	*Lophostemon suaveolens*	Swamp Box	120	120	170	53	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
766	*Lophostemon suaveolens*	Swamp Box	80	80 90	145	45	4.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
767	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
768	*Alphitonia excelsa*	Soap Tree	130	70 90	173	54	5.0	3.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
769	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
770	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	5.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
771	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	3.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
772	*Eucalyptus tereticornis*	Forest Red Gum	70	60	92	29	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
773	*Eucalyptus tereticornis*	Forest Red Gum	100	90	135	42	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
774	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
775	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
776	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
777	*Alphitonia excelsa*	Soap Tree	100	110 100	179	56	6.0	3.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
778	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
779	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
780	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
781	*Corymbia tessellaris*	Moreton Bay Ash	120	120	170	53	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
782	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
783	*Acacia disparrima*	Hickory Wattle	70	80	106	33	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
784	*Acacia disparrima*	Hickory Wattle	50	60 50 50 40 30 50	127	40	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
785	*Acacia disparrima*	Hickory Wattle	50	50 60 50 40 10	113	36	4.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
786	*Corymbia tessellaris*	Moreton Bay Ash	100	80	128	40	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
787	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
788	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
789	*Corymbia tessellaris*	Moreton Bay Ash	90	90 70	145	46	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
790	*Corymbia tessellaris*	Moreton Bay Ash	100	70	122	38	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
791	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
792	*Eucalyptus tereticornis*	Forest Red Gum	100	80	128	40	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
793	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	3.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
794	*Eucalyptus tereticornis*	Forest Red Gum	150	160	219	69	8.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
795	*Corymbia tessellaris*	Moreton Bay Ash	80	70	106	33	6.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
796	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
797	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
798	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
799	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
800	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
801	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	7.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
802	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
803	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
804	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
805	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	2.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
806	*Corymbia citriodora*	Spotted Gum	140		140	44	18.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
807	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
808	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	5.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
809	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	15.0	6.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
810	*Eucalyptus tereticornis*	Forest Red Gum	170	240 160 230	406	128	17.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
811	*Corymbia intermedia*	Pink Bloodwood	140	140	198	62	10.0	6.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
812	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
813	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	13.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
814	*Corymbia intermedia*	Pink Bloodwood	330		330	104	18.0	10.0	4.0	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
815	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
816	*Corymbia citriodora*	Spotted Gum	270		270	85	22.0	13.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
817	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
818	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
819	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
820	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
821	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
822	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
823	*Corymbia citriodora*	Spotted Gum	140		140	44	20.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
824	*Corymbia citriodora*	Spotted Gum	80		80	25	17.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
825	*Corymbia citriodora*	Spotted Gum	140		140	44	22.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
826	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
827	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
828	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
829	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
830	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
831	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
832	*Acacia disparrima*	Hickory Wattle	110	90	142	45	6.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
833	*Corymbia citriodora*	Spotted Gum	160		160	50	21.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
834	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
835	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
836	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
837	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
838	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
839	*Corymbia citriodora*	Spotted Gum	250		250	79	20.0	8.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
840	*Corymbia citriodora*	Spotted Gum	150		150	47	20.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
841	*Eucalyptus crebra*	Narrow-leaved Ironbark	430		430	135	23.0	14.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
842	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
843	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
844	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
845	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
846	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
847	*Corymbia citriodora*	Spotted Gum	140		140	44	18.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
848	*Corymbia citriodora*	Spotted Gum	160		160	50	18.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
849	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
850	*Corymbia citriodora*	Spotted Gum	190		190	60	19.0	7.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
851	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	15.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
852	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
853	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	13.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
854	*Corymbia citriodora*	Spotted Gum	300		300	94	25.0	14.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
855	*Corymbia citriodora*	Spotted Gum	620		620	195	25.0	15.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
1638	*Lophostemon confertus*	Brush Box	150		150	47	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1639	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1640	*Petalostigma pubescens*	Quinine Bush	240		240	75	8.0	3.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1641	*Petalostigma pubescens*	Quinine Bush	250		250	79	10.0	5.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1642	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	10.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1643	*Petalostigma pubescens*	Quinine Bush	210		210	66	9.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1644	*Petalostigma pubescens*	Quinine Bush	220		220	69	8.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1645	*Petalostigma pubescens*	Quinine Bush	240		240	75	10.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1646	*Petalostigma pubescens*	Quinine Bush	160		160	50	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1647	*Lophostemon confertus*	Brush Box	200		200	63	10.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1648	*Angophora subvelutina*	Broad-leaved Apple	240		240	75	12.0	4.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1649	*Angophora subvelutina*	Broad-leaved Apple	140		140	44	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1650	*Angophora subvelutina*	Broad-leaved Apple	260		260	82	10.0	3.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1651	*Angophora subvelutina*	Broad-leaved Apple	220		220	69	11.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1652	*Angophora subvelutina*	Broad-leaved Apple	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1653	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	19.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1654	*Angophora subvelutina*	Broad-leaved Apple	550		550	173	17.0	11.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1655	*Acacia disparrima*	Hickory Wattle	290		290	91	9.0	4.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1656	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	16.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1657	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	18.0	4.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1658	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1659	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1660	*Corymbia tessellaris*	Moreton Bay Ash	290		290	91	18.0	4.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1661	*Angophora subvelutina*	Broad-leaved Apple	380		380	119	17.0	11.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1662	*Corymbia tessellaris*	Moreton Bay Ash	280		280	88	18.0	5.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1663	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1664	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	22.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1665	*Angophora subvelutina*	Broad-leaved Apple	180		180	57	10.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1666	*Angophora subvelutina*	Broad-leaved Apple	560		560	176	14.0	9.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1667	*Corymbia tessellaris*	Moreton Bay Ash	320		320	101	13.0	5.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1668	*Acacia disparrima*	Hickory Wattle	190	160	248	78	10.0	6.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1669	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1670	*Lophostemon confertus*	Brush Box	160		160	50	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1671	*Angophora subvelutina*	Broad-leaved Apple	580		580	182	12.0	8.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1672	*Acacia disparrima*	Hickory Wattle	290	210	358	112	11.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1673	*Acacia disparrima*	Hickory Wattle	430		430	135	14.0	7.0	5.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1674	*Acacia disparrima*	Hickory Wattle	270	170	319	100	9.0	6.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1675	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	12.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1676	*Acacia disparrima*	Hickory Wattle	230		230	72	13.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1677	*Lophostemon confertus*	Brush Box	190		190	60	8.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1678	*Lophostemon confertus*	Brush Box	160		160	50	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1679	*Angophora subvelutina*	Broad-leaved Apple	200		200	63	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1680	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	13.0	5.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1681	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1682	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1683	*Corymbia tessellaris*	Moreton Bay Ash	130	130	184	58	10.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1684	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1685	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1686	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	15.0	6.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1687	*Corymbia tessellaris*	Moreton Bay Ash	390		390	123	16.0	7.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1688	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1689	*Corymbia tessellaris*	Moreton Bay Ash	170	120	208	65	9.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1690	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	12.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1691	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	11.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1692	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	11.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1693	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1694	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	15.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1695	*Angophora subvelutina*	Broad-leaved Apple	550		550	173	17.0	11.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1696	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	19.0	8.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1697	*Eucalyptus tereticornis*	Forest Red Gum	760		760	239	15.0	7.0	9.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1698	*Angophora subvelutina*	Broad-leaved Apple	390		390	123	13.0	6.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1699	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	11.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1700	*Angophora subvelutina*	Broad-leaved Apple	280		280	88	11.0	4.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1701	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1702	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	11.0	4.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1704	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1705	*Eucalyptus tereticornis*	Forest Red Gum	620		620	195	16.0	6.0	7.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1706	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	24.0	11.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1707	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1708	*Corymbia tessellaris*	Moreton Bay Ash	490		490	154	18.0	6.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1709	*Angophora subvelutina*	Broad-leaved Apple	510		510	160	14.0	7.0	6.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1710	*Angophora subvelutina*	Broad-leaved Apple	310		310	97	12.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1711	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	14.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1712	*Acacia disparrima*	Hickory Wattle	340		340	107	12.0	8.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1713	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	25.0	12.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1714	*Angophora subvelutina*	Broad-leaved Apple	360		360	113	13.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1715	*Angophora subvelutina*	Broad-leaved Apple	270		270	85	16.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1716	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	4.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1717	*Lophostemon suaveolens*	Swamp Box	280		280	88	11.0	5.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1718	*Angophora subvelutina*	Broad-leaved Apple	310		310	97	13.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1719	*Eucalyptus tereticornis*	Forest Red Gum	550		550	173	20.0	8.0	6.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1720	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1721	*Angophora subvelutina*	Broad-leaved Apple	150		150	47	8.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1722	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	16.0	6.0	5.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1723	*Acacia disparrima*	Hickory Wattle	300	220	372	117	12.0	4.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1724	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	3.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1725	*Acacia disparrima*	Hickory Wattle	260		260	82	11.0	4.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1726	*Corymbia intermedia*	Pink Bloodwood	580		580	182	17.0	7.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1727	*Corymbia intermedia*	Pink Bloodwood	380		380	119	16.0	7.0	4.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1728	*Corymbia intermedia*	Pink Bloodwood	290		290	91	16.0	7.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1729	*Corymbia intermedia*	Pink Bloodwood	780		780	245	20.0	12.0	9.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1730	*Eucalyptus moluccana*	Gum-topped Box	200		200	63	12.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1731	*Angophora subvelutina*	Broad-leaved Apple	270	130	300	94	12.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1732	*Lophostemon suaveolens*	Swamp Box	230		230	72	6.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1733	*Eucalyptus tereticornis*	Forest Red Gum	860		860	270	24.0	14.0	10.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1734	*Lophostemon suaveolens*	Swamp Box	310		310	97	13.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1735	*Acacia disparrima*	Hickory Wattle	290		290	91	9.0	5.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1736	*Angophora subvelutina*	Broad-leaved Apple	190		190	60	7.0	2.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1737	*Acacia disparrima*	Hickory Wattle	410		410	129	10.0	6.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1738	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	12.0	4.0	3.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1739	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1740	*Angophora subvelutina*	Broad-leaved Apple	310		310	97	9.0	2.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
1741	*Lophostemon suaveolens*	Swamp Box	290		290	91	10.0	3.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1742	*Eucalyptus tereticornis*	Forest Red Gum	800		800	251	17.0	10.0	9.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1743	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	12.0	4.0	3.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1744	*Eucalyptus tereticornis*	Forest Red Gum	980		980	308	22.0	13.0	11.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1745	*Angophora subvelutina*	Broad-leaved Apple	340		340	107	14.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1746	*Angophora subvelutina*	Broad-leaved Apple	610		610	192	19.0	10.0	7.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1747	*Eucalyptus tereticornis*	Forest Red Gum	570		570	179	22.0	8.0	6.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1748	*Angophora subvelutina*	Broad-leaved Apple	270		270	85	13.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1749	*Melaleuca viminalis*	Weeping Bottlebrush	400		400	126	7.0	3.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1750	*Melaleuca viminalis*	Weeping Bottlebrush	330		330	104	7.0	3.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1751	*Eucalyptus tereticornis*	Forest Red Gum	1370		1370	430	23.0	16.0	15.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
1752	*Angophora subvelutina*	Broad-leaved Apple	400		400	126	9.0	4.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1753	*Acacia disparrima*	Hickory Wattle	350	340	488	153	12.0	7.0	5.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1754	*Celtis sinensis*	Chinese elm	460		460	145	13.0	8.0	5.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1755	*Acacia disparrima*	Hickory Wattle	340	270 250	501	157	11.0	5.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1756	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1757	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1758	*Eucalyptus tereticornis*	Forest Red Gum	750		750	236	19.0	8.0	9.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1759	*Eucalyptus tereticornis*	Forest Red Gum	520		520	163	20.0	8.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1760	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	17.0	6.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1761	*Eucalyptus tereticornis*	Forest Red Gum	980		980	308	18.0	11.0	11.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1762	*Eucalyptus tereticornis*	Forest Red Gum	740		740	232	18.0	9.0	8.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain as part of this Application	
1763	*Eucalyptus tereticornis*	Forest Red Gum	850		850	267	19.0	10.0	10.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1764	*Eucalyptus tereticornis*	Forest Red Gum	800		800	251	19.0	9.0	9.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1765	*Angophora subvelutina*	Broad-leaved Apple	470		470	148	11.0	7.0	5.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1766	*Eucalyptus tereticornis*	Forest Red Gum	880		880	276	19.0	15.0	10.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1767	*Eucalyptus tereticornis*	Forest Red Gum	870		870	273	21.0	12.0	10.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1768	*Eucalyptus tereticornis*	Forest Red Gum	880		880	276	22.0	12.0	10.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Remove as part of this Application	
1769	*Corymbia tessellaris*	Moreton Bay Ash	680	140	694	218	15.0	7.0	8.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1770	*Acacia disparrima*	Hickory Wattle	190	170	255	80	6.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1771	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1772	*Angophora leiocarpa*	Smooth-barked Apple	400		400	126	18.0	8.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1773	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	16.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1774	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	14.0	5.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1775	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	14.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1776	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1777	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	16.0	7.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1778	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1779	*Corymbia citriodora*	Spotted Gum	760		760	239	22.0	12.0	9.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain as part of this Application	
1780	*Corymbia citriodora*	Spotted Gum	330		330	104	15.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1781	*Corymbia citriodora*	Spotted Gum	640		640	201	23.0	13.0	7.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1782	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	5.0	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1783	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	7.0	3.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1784	*Corymbia citriodora*	Spotted Gum	290		290	91	7.0	1.0	3.5	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1785	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	5.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
1786	*Corymbia citriodora*	Spotted Gum	310		310	97	16.0	7.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1787	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	10.0	4.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1788	*Corymbia citriodora*	Spotted Gum	310		310	97	10.0	1.0	3.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1789	*Dead/Stag*		560		560	176	17.0	7.0	6.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain as part of this Application	
1790	*Corymbia citriodora*	Spotted Gum	360		360	113	16.0	8.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1791	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1792	*Corymbia citriodora*	Spotted Gum	290		290	91	13.0	4.0	3.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1793	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1794	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1795	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1796	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1797	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1798	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	3.0	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1799	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1800	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	7.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1801	*Corymbia citriodora*	Spotted Gum	200		200	63	6.0	3.0	2.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1802	*Corymbia citriodora*	Spotted Gum	280	130 130	335	105	14.0	7.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1803	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1804	*Acacia disparrima*	Hickory Wattle	190	130	230	72	7.0	7.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1805	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	6.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1806	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1807	*Acacia disparrima*	Hickory Wattle	190		190	60	9.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1808	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1809	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1810	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1811	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1812	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1813	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1814	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1815	*Corymbia citriodora*	Spotted Gum	210	160	264	83	16.0	8.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1816	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	9.0	4.0	2.0	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1817	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1818	*Corymbia citriodora*	Spotted Gum	200		200	63	11.0	5.0	2.4	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1819	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1820	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1821	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1822	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1823	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1824	*Corymbia citriodora*	Spotted Gum	190		190	60	8.0	4.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1825	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1826	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1827	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	6.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1828	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1829	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1830	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1831	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
1832	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2426	*Corymbia tessellaris*	Moreton Bay Ash	350		350	110	17.0	9.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2427	*Angophora subvelutina*	Broad-leaved Apple	500		500	157	16.0	12.0	6.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2428	*Angophora subvelutina*	Broad-leaved Apple	330		330	104	12.0	6.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2429	*Angophora subvelutina*	Broad-leaved Apple	420		420	132	17.0	11.0	5.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2430	*Eucalyptus tereticornis*	Forest Red Gum	580		580	182	19.0	12.0	7.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2431	*Acacia disparrima*	Hickory Wattle	410		410	129	7.0	7.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2432	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	20.0	13	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
2433	*Corymbia tessellaris*	Moreton Bay Ash	650		650	204	19.0	13	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
2444	*Lophostemon suaveolens*	Swamp Box	310		310	97	13.0	8.0	3.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2445	*Eucalyptus tereticornis*	Forest Red Gum	950		950	298	23.0	13.0	11.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2446	*Acacia disparrima*	Hickory Wattle	450		450	141	10.0	6.0	5.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2447	*Eucalyptus tereticornis*	Forest Red Gum	900		900	283	17.0	11.0	10.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
2448	*Acacia disparrima*	Hickory Wattle	370		370	116	10.0	7.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2449	*Acacia disparrima*	Hickory Wattle	150	140	205	64	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2450	*Eucalyptus tereticornis*	Forest Red Gum	630		630	198	13.0	4.0	7.6	Regular	-	Thinning	Die-back		Lopped	Poor	-	Both	Trunk Dmg	-	Poor	-	-	-	-	-	-	Remove as part of this Application	Smothered By Vines
2451	*Eucalyptus tereticornis*	Forest Red Gum	1600		1600	503	22.0	15.0	15.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
2452	*Acacia disparrima*	Hickory Wattle	260		260	82	8.0	7.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2453	*Angophora subvelutina*	Broad-leaved Apple	100	90	135	42	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2454	*Acacia disparrima*	Hickory Wattle	230		230	72	7.0	6.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2455	*Acacia disparrima*	Hickory Wattle	200		200	63	6.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2456	*Drypetes deplanchei*	Yellow Tulipwood	410		410	129	17.0	8.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2457	*Eucalyptus tereticornis*	Forest Red Gum	1300		1300	408	25.0	15.0	15.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2458	*Angophora subvelutina*	Broad-leaved Apple	260		260	82	6.0	1.0	3.1	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2459	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	9.0	4.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2460	*Eucalyptus tereticornis*	Forest Red Gum	1110		1110	349	20.0	17.0	13.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2461	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	18.0	13.0	4.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2462	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	11.0	3.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2463	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2464	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	9.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2465	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	7.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2466	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	13.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2467	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2468	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	13.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Tree Retention subject to Arborist Assessment	
2469	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	13.0	1.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2470	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	10.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2471	*Corymbia tessellaris*	Moreton Bay Ash	140	120	184	58	8.0	2.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2472	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	14.0	2.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2473	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2474	*Lophostemon suaveolens*	Swamp Box	210		210	66	7.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2475	*Eucalyptus tereticornis*	Forest Red Gum	720		720	226	23.0	16.0	8.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
2476	*Angophora subvelutina*	Broad-leaved Apple	160		160	50	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2477	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	7.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2478	*Acacia disparrima*	Hickory Wattle	200	160 170 140	338	106	7.0	6.0	4.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2479	*Acacia disparrima*	Hickory Wattle	120	100 100 100	211	66	6.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2480	*Acacia disparrima*	Hickory Wattle	180	100	206	65	7.0	5.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2481	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	12.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2482	*Acacia disparrima*	Hickory Wattle	210		210	66	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2483	*Acacia disparrima*	Hickory Wattle	200		200	63	7.0	2.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2484	*Acacia disparrima*	Hickory Wattle	190	180	262	82	6.0	5.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2485	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2486	*Melaleuca viminalis*	Weeping Bottlebrush	540		540	170	5.0	5.0	6.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2487	*Acacia disparrima*	Hickory Wattle	200		200	63	5.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2488	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	7.0	3.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2489	*Lophostemon suaveolens*	Swamp Box	210		210	66	7.0	2.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2490	*Angophora subvelutina*	Broad-leaved Apple	320		320	101	8.0	2.0	3.8	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	Native	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2491	*Eucalyptus tereticornis*	Forest Red Gum	830		830	261	23.0	13.0	10.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2492	*Corymbia tessellaris*	Moreton Bay Ash	330		330	104	7.0	3.0	4.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2493	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2494	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	7.0	3.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2495	*Corymbia citriodora*	Spotted Gum	230		230	72	12.0	5.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2496	*Eucalyptus tereticornis*	Forest Red Gum	710		710	223	17.0	9.0	8.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2497	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	17.0	10.0	6.1	Regular	-	Thinning	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2498	*Eucalyptus tereticornis*	Forest Red Gum	760		760	239	18.0	12.0	9.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2499	*Eucalyptus moluccana*	Gum-topped Box	590		590	185	18.0	11.0	7.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2500	*Corymbia citriodora*	Spotted Gum	520		520	163	20.0	9.0	6.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2501	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2502	*Corymbia citriodora*	Spotted Gum	140	140	198	62	11.0	4.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2503	*Corymbia citriodora*	Spotted Gum	390		390	123	20.0	11.0	4.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2504	*Acacia disparrima*	Hickory Wattle	230	120	259	81	6.0	6.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2505	*Corymbia citriodora*	Spotted Gum	190		190	60	10.0	3.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2506	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	4.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2507	*Eucalyptus tereticornis*	Forest Red Gum	650		650	204	18.0	13.0	7.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2508	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	7.0	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2509	*Dead/Stag*		408		408	128	20.0	7.0	4.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
2510	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	18.0	9.0	4.8	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove as part of this Application	
2511	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	16.0	12.0	5.4	Regular	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2512	*Corymbia citriodora*	Spotted Gum	690		690	217	22.0	11.0	8.3	Regular	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove as part of this Application	
2513	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	14.0	6.0	4.1	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg	-	Poor	-	-	-	-	-	-	Remove as part of this Application	
2514	*Corymbia citriodora*	Spotted Gum	230	190 190	354	111	13.0	7.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2515	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2516	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2517	*Acacia disparrima*	Hickory Wattle	330		330	104	6.0	6.0	4.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2518	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2519	*Acacia disparrima*	Hickory Wattle	140		140	44	7.0	6.0	2.0	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2520	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2521	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	2.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2522	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2523	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2524	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	12.0	8.0	4.1	Regular	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2525	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	7.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2526	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2527	*Acacia disparrima*	Hickory Wattle	360		360	113	7.0	7.0	4.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2528	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	9.0	3.0	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2529	*Corymbia citriodora*	Spotted Gum	210		210	66	6.0	1.0	2.5	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2530	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	3.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2531	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2532	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	7.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2533	*Corymbia citriodora*	Spotted Gum	190	110	220	69	11.0	5.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2534	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2535	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2536	*Corymbia citriodora*	Spotted Gum	130	100	164	52	8.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2537	*Eucalyptus crebra*	Narrow-leaved Ironbark	550		550	173	13.0	10.0	6.6	Regular	Spreading	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2538	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2539	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2025]	Trunk Circumference (cm) [AS 4970-2025]	Height (m)	Spread (m)	Tree Protection Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2540	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2541	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	5.0	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2542	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	10.0	5.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2543	*Corymbia citriodora*	Spotted Gum	820		820	258	17.0	12.0	9.8	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	Trunk Dmg	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2544	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	10.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2545	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2546	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2547	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	1.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	
2548	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	6.0	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain as part of this Application	

FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032 PROJECT

Vegetation Clearing & Fauna Management Plan

DWG NO.	DRAWING TITLE	ISSUE	DATE
8020 E 01	COVER SHEET	B	13/10/2026
8020 E 02	VEGETATION CLEARING NOTES	B	13/10/2026
8020 E 03	FAUNA MANAGEMENT NOTES	B	13/10/2026
8020 E 04	CLEARING SUMMARY	B	13/10/2026
8020 E 05	CONTEXT SHEET	B	13/10/2026
8020 E 06-33	DETAIL SHEETS	B	13/10/2026
8020 E 34	CLEARING DIRECTION	B	13/10/2026
8020 E A1	APPENDIX 1. TREE SCHEDULE	B	13/10/2026



Saunders Havill

PATHWAYS TO SUCCESS

FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

Vegetation Clearing and Fauna Management Plan - *Notes*

INTRODUCTION

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Pacific International Development Corporation Pty Ltd** to prepare a Vegetation Clearing & Fauna Management Plan (VCFMP) for the construction of Neighbourhood 3A Development Application and R032 Road OPW Application to the site.

This VCFMP is a requirement of the EDQ endorsed Natural Environment Site Strategy for the Flinders Lakes Project – Neighbourhood 3A, and R032 The purpose of this VMP is to manage the vegetation removal process and the protection of fauna species within the clearing area. The plan is required to be approved prior to clearing works commencing. The clearing works will follow general principles for vegetation clearing documented on this sheet, sheet four, and all EDQ specific requirements or conditions.

This VCFMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation in the interface zone between development and Open-space areas:

1. GPS accurate tree data including specimen details & features and site inspection of existing vegetation (SHG, 2026)
2. Flinders Project - Neighbourhood 3A and R032 Detail Design (TBC, 2026)

PROJECT MANAGEMENT

Vegetation management and its processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna and adhering to both EDQ's conditions and guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

The site arborist's responsibilities include: prior to the commencement of any earthworks on the site, undertake all appropriate arboricultural measures to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

SITE CONTACTS

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:

Pacific International Development Corporation Pty Ltd

To be advised

Site Contractor:

To be advised

Site Fauna spotter-catcher:

To be advised

(Refer to *Fauna Management Plan* document for responsibilities)

Environmental Contact:

Saunders Havill Group

Andrew Davies

Ph

Site Arborist:

To be advised

Site Bushfire Consultant:

To be advised

CLEARING PHASES AND PROCESS

PHASE 1 - Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist.

PHASE 2 - Pre-start Meeting

Fencing shall be in place prior to the official pre-start meeting for inspection and sign off by the Environmental Coordinator.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed on sheet four, and acknowledge specific EDQ approval requirements or conditions.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation once approved for removal by a qualified fauna spotter. Clearing will occur in the direction outlined in *sheet 27* of this VCFMP and managed by the appointed fauna spotter to allow fauna unimpeded movement north towards adjoining remaining bushland. Sequential clearing will occur on the site adhering to the limitations of clearing no more than 3 ha per day set out in Section 2, Part 3 of the Nature Conservation (Koala) Conservation Plan 2017.

Vegetation clearing techniques:

i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.

ii. Bulldozers will be used to clear vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features. When a tree is suspected of containing fauna or potential habitat, other methods of clearing should be used such as (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher.

NOTE: Dogs are not permitted onsite at all times during construction. Construction works including clearing must occur between the hours of 6.30am and 6.30pm.

ACCESS AND STOCKPILING


A tree and mulch stockpiling location is to be designated in an easily accessible area outside of TPZs. Indicative stockpiling locations have been allocated near existing access tracks, allowing for material to be easily delivered and stored. These locations are subject to minor change according to cut/fill activities.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.


MAINTENANCE

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER
DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

References:
AS4970-2009 Protection of trees on development sites

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 02 NH3A VCFMP B

FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

Vegetation Clearing and Fauna Management Plan - *Fauna Notes*

INTRODUCTION

The Fauna Management specification on this *VCFMP* is designed to protect native animals and control/manage impacts during the vegetation clearing works. The clearing area occurs within the Neighbourhood 3A and R032. Common species associated with bushland landscapes were spotted at the clearing area during the field assessment. The fauna management specifications and principles incorporated in this *VCFMP* apply generically to all native animals and focus on avoiding conflicts and incorporating measures to minimise disturbance. Compliance with this section of the *VCFMP* is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the Department of Environment , Tourism, Science and Innovation).

FAUNA IMPACTS

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the exis ting vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities may be altered during and post vegetation clearing works. Potential impacts include:

CONSTRUCTION IMPACTS

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment
- Loss of food sources
- Excavation/compaction/changes in ground levels
- Altering hydrological flows
- Fragmentation of habitat

OPERATIONAL IMPACTS


- Weed introduction (garden escapees)
- Increased hydrology with increased hardstand
- Altering of run-off chemical and nutrient components (quality)
- Barriers to fauna movement
- Vehicles and pedestrian movement and trespass
- Introduction of domestic and predatory species

FAUNA MANAGEMENT SCHEDULE

Ref:	Management Item	Responsibility	Timing	Reporting
1.0 Pre - Clearing				
1.1	**Temporary Fencing** Prior to the commencement of works and to be inspected by the site Environmental Coordinator and/or Project Arborist—Delineate areas where vegetation is proposed to be retained with exclusion fencing to prevent accidental felling. Clearing is to be undertaken in accordance with AS 4970-2009 Protection of Trees on Development Sites. ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing. ▪ Only approved weed management works to occur within the temporary protection fencing ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site works.	Site Supervisor	Prior to the commencement of clearing	Environmental Coordinator
1.2	**Contractor Education & Awareness** All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP are provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. ▪ A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office.	Site Supervisor / The Proponent	Prior to the commencement of clearing and as part of the site induction for new staff and sub-contractors	Site Supervisor
2.0 Vegetation Clearing				
2.1	**Spotter / Relocator** Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by a qualified fauna spotter-catcher holding a valid Rehabilitation Permit. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, a suitable buffer area (as determined by the fauna spotter-catcher) should be established around the animal's location that excludes machinery until it has relocated at its own accord (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment, Tourism, Science and Innovation. For some fauna, specific permit requirements may apply. If vegetation is left stockpiled for more than 24 hours or overnight, the fauna spotter-catcher must inspect the vegetation prior to chipping or removal from site. The Fauna Spotter-catcher will manage the care of any injured or orphaned wildlife (e.g. veterinary attention or delivery to a wildlife carer). Any native fauna listed as a threatened species under the Nature Conservation (Animals) Regulation 2020 that are injured or orphaned by the development process, must be reported to the Department of Environment, Tourism, Science and Innovation (1300 130 372). Any other injured or orphaned fauna must be reported through the Rehabilitation Permit return process by the Fauna Spotter-catcher. The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.2	**Specific Koala Management Notes** A Koala/Fauna spotter-catcher is a person who holds a valid Rehabilitation Permit from the relevant State Government Agency, and has either a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.3	**Clearing Pattern / Fauna Flushing** Clearing occurs once the fauna spotter-catcher gives sign off the site is clear of all native species and all necessary permits are obtained. The intended clearing directions is Clearing Direction towards the north. Clearing direction is subject to amendment by the fauna spotter-catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the fauna spotter-catcher must provide certification to EDQ officers that all works were undertaken in accordance with these fauna management requirements and specific EDQ requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.4	**Specific Habitat Tree Notes** Where possible, clearing of habitat trees is to be avoided during late winter and spring (typically July – October) when many native birds are actively nesting/have young in nests and arboreal mammals have dependent and/or pouch young.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Clearing Area*



LEGEND

- Neighbourhood 3A boundary
- QLD DCDB
- Vegetation Clearing Area [42.60 ha]
- Koala Habitat Areas

Vegetation Management Regional Ecosystems

- Category A or B area containing endangered regional ecosystems
- Category A or B area that is a least concern regional ecosystem
- Category C area that is a least concern regional ecosystem

DAF Waterways - Risk of Impact

- 1 - Low
- 2 - Moderate
- 4 - Major

NOTE: Clearing is to occur as per the approved VCFMP clearing extent boundaries.

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:5,000

References:
AS4970-2025 Protection of trees on development sites

0 50 100 200 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	CLIENT DRAFT	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
Pacific International Development Corporation Pty Ltd


PROJECT
Flinders Lakes Project – Neighbourhood 3A and R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 04 NH3A VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Management Plan - *Context Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows
- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:5,000

References:
AS4970-2025 Protection of trees on development sites

0 20 40 80 120 160 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 05 NH3A VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 06 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 07 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 08 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 09 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 10 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 11 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032


DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN


DRAWING NO.
8020 E 12 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*

Map Inset 1:





LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 13 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 14 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 15 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 16 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 17 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 18 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 19 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 20 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 21 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 22 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 23 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 24 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 25 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 26 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 27 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 28 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 29 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 30 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 31 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 32 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Clearing and Fauna Management Plan - *Detail Sheet*



LEGEND

- Neighbourhood 3A boundary
- Vegetation Clearing Area [42.60 ha]

GPS Tree Plot (w/ NRZ)

- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Neighbouring Trees
- Trees With Hollows

Proposed Design Detail

- Proposed Lot layout
- Proposed lot Earthworks Extent
- Proposed Road layout
- Proposed Drainage layout
- Proposed Design Contours
- Proposed Stormwater drainage swale/diversions
- Tree protection fencing (fauna friendly)

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:750

References:
AS4970-2025 Protection of trees on development sites

0 5 10 15 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD


PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 33 NH3B VCFMP B

Flinders Lakes Project – Neighbourhood 3A and R032

Vegetation Management Plan - *Vegetation Clearing Direction*



LEGEND

- Neighbourhood 3A boundary
- Vegetation clearing extent
- **GPS Tree Plot**
- Native Tree Retention subject to arborist assesment
- Non-Juvenile Koala Habitat Tree Retention subject to arborist assesment
- Dead Tree (Stag) to Remove
- Native Tree to Remove
- Non-Juvenile Koala Habitat Tree to Remove
- Dead Tree (Stag) to Retain
- Native Tree to Retain
- Non-Juvenile Koala Habitat Tree to Retain
- Weed Tree to Retain
- Neighbouring Trees
- Trees With Hollows
- Vegetation clearing direction
- Tree protection fencing
- Indicative Vegetation Stockpile

Saunders Havill
BOWENHILLS | SPRINGFIELD
1300 123 744 | mail@saundershavill.com

DISCLAIMER

DESIGNS DOCUMENTED ON THIS DRAWING ARE THE PROPERTY OF SAUNDERS HAVILL AND ARE NOT FOR REPRODUCTION OR USE IN WHOLE OR PART WITHOUT WRITTEN PERMISSION THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL DO NOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY. CONFIRM ALL DIMENSIONS ON SITE AND CLARIFY ANY DISCREPANCIES PRIOR TO CONSTRUCTION.

N

SCALE (A3)
1:5,000

References:
AS4970-2025 Protection of trees on development sites

0 10 20 40 60 80 100 m

AMENDMENTS

ISSUE	DATE	DESCRIPTION	DRAWN	CHECKED
A	01/10/2026	Client Draft	HW	AD
B	13/10/2026	Layout Updates	HW	AD

CLIENT
PACIFIC INTERNATIONAL DEVELOPMENT CORPORATION PTY LTD

PROJECT
FLINDERS LAKES PROJECT – NEIGHBOURHOOD 3A AND R032

DRAWING TITLE
VEGETATION CLEARING & FAUNA MANAGEMENT PLAN

DRAWING NO.
8020 E 34 NH3A VCFMP B