



Department of Infrastructure,
Local Government and Planning

Our ref: DEV2015/649

18 June 2015

Verve Building Design and Concepts
C/- Mr Aaron Sweet
Consult Planning Pty Ltd
PO Box 807
NEW FARM QLD 4005

Dear Aaron

SECTION 89(1)(a) PDA DEVELOPMENT APPROVAL FOR A PDA DEVELOPMENT APPLICATION FOR A PDA DEVELOPMENT PERMIT FOR A MATERIAL CHANGE OF USE – SERVICE STATION AT 230 ABBOTSFORD ROAD, BOWEN HILLS DESCRIBED AS LOT 11 ON RP845909.

On 18 June 2015 the Minister for Economic Development Queensland (MEDQ) approved the Priority Development Area (PDA) development application pursuant to s.85(4)(b) of the *Economic Development Act 2012*. MEDQ has decided to grant all of the PDA development approval applied for subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can also be viewed in the MEDQ Development Approvals Register via the Department of Infrastructure, Local Government and Planning website <http://dilgp.qld.gov.au/planning/development-assessment/priority-development-area-development-approvals.html>

Should you have any queries in relation to this PDA decision notice, please do not hesitate to contact Brianna Fyffe on 3452 7167.

Yours sincerely

Lyndy Rapson
A/Director – EDQ Development Assessment

Executive Building
100 George Street Brisbane
PO Box 15009 City East
Queensland 4002 Australia
Website www.dilgp.qld.gov.au
ABN 25 166 523 889

PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Bowen Hills	
Site address	230 Abbotsford Road, Bowen Hills	
Lot on plan description	Lot number	Plan description
	Lot 11	RP845909
PDA development application details		
DEV reference number	DEV2015/649	
'Properly made' date	12 March 2015	
Type of application	☒ New development involving:- ☒ Material change of use ☐ Preliminary approval ☒ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☐ Changing a PDA development approval ☐ Extending the currency period of a PDA approval	
Description of proposal applied for	Material Change of Use – Service Station	

PDA development approval details

Decision of the MEDQ	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice.
Decision date	18 June 2015
Currency period	4 years from Decision Date

Plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions are detailed in the table below.

Approved plans and documents		Number (if applicable)	Date (if applicable)
1.	Proposed Site Plan	DA02, Revision B	30/04/2015
2.	Floor Plan	DA03, Revision D	18/06/2015
3.	Building Elevations	DA04, Revision A	30/01/2015
4.	Site Elevations	DA05, Revision A	30/01/2015
5.	Site Perspectives	DA06, Revision A	30/01/2015, Amended in red 18/06/2015

PREAMBLE

For the purpose of interpreting this PDA Development Approval, including the PDA Development Conditions, the following applies:

Compliance assessment

Where a condition of this PDA Development Approval requires compliance assessment, compliance assessment is required in accordance with the following:

- a) The applicant must pay to MEDQ at the time of submission the relevant fee for compliance assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The compliance assessment fees are set out in the MEDQ's development assessment fee schedule (as amended from time to time).
- b) Compliance assessment and endorsement by EDQ Development Assessment, DILGP is required prior to any work commencing.
- c) Compliance assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to compliance assessment are as follows:
 - i. the applicant liaises with EDQ Development Assessment, DILGP to determine the relevant plans/supporting information required to be submitted.
 - ii. the applicant submits plans/supporting information as required under the relevant condition of approval for compliance assessment.
 - iii. **within 20 business days** – EDQ Development Assessment, DILGP assesses the plans/supporting information and:
 1. if satisfied with the plans/supporting information as submitted - endorses the plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 2. if not satisfied with the plans/supporting information as submitted – notifies the applicant accordingly
 - iv. if the applicant is notified under iii.2. above, revised plans/supporting information are to be re-submitted to EDQ Development Assessment, DILGP **within 20 business days** from the date of the notice.
 - v. **within 20 business days** – EDQ Development Assessment, DILGP assesses the revised plans/supporting information and:
 1. if satisfied with the revised plans/supporting information - endorses the revised plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or

2. if not satisfied with the revised plans/supporting information as submitted – notifies the applicant accordingly.
- vi. if EDQ Development Assessment, DILGP is not satisfied that compliance has been achieved within **20 business days** - repeat steps iv. and v. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note vi. above, the condition of approval (or element of the condition) is determined to have been met only when EDQ Development Assessment, DILGP endorses relevant plans/supporting information.

ABBREVIATIONS

For the purposes of interpreting the PDA Development Conditions, the following is a list of abbreviations utilised:

1. **AILA** means a Landscape Architect registered by the Australian Institute of Landscape Architects.
2. **Certification Procedures Manual** means Certification Procedures Manual, prepared by The Department of State Development, Infrastructure and Planning, September 2013 (as amended from time to time).
3. **Council** means Brisbane City Council.
4. **DILGP** means The Department of Infrastructure, Local Government and Planning.
5. **EDQ** means Economic Development Queensland.
6. **MEDQ** means The Minister of Economic Development Queensland.
7. **PDA** means Priority Development Area.
8. **QUU** means Queensland Urban Utilities.
9. **RPEQ** means Registered Professional Engineer of Queensland.

PDA Development Conditions

[illegible]

	outside of construction hours of work; iii. planning including risk identification and assessment, staging, etc; iv. ongoing monitoring, management review and certified updates (as required); v. traffic control plans and/or traffic control diagrams, prepared in accordance with Manual of Uniform Traffic Control Devices (MUTCD), for any temporary part or full road closures of any Council or State road(s). b) Undertake all works generally in accordance with the certified TMP which must be current and available on site at all times.	b) At all times during construction
5.	Car Parking a) Provide car parking spaces, delineated and signed generally in accordance with the following approved plans: i. Proposed Site Plan, DA02 Rev B, dated 30/01/2015, prepared by Verve Building Design & Concepts. b) Car parking spaces are to be designed in accordance with AS2890 – <i>Parking Facilities</i>. c) Demonstrate parking facilities have been provided in accordance with parts a) and b) of this condition.	Prior to commencement of use and to be maintained
6.	Water connection Connect the development to the existing water reticulation network in accordance with QUU current adopted standards.	Prior to commencement of use
7.	Sewer connection Connect the development to the existing sewer reticulation network in accordance with QUU current adopted standards.	Prior to commencement of use
8.	Stormwater connection Connect the development to a lawful point of discharge with 'no-worsening' to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability (AEP) in accordance with Council current adopted standards.	Prior to commencement of use
9.	Outdoor Lighting Outdoor lighting within the development shall be designed and installed in accordance with AS 4282:1997 <i>Control of the Obtrusive Effects of Outdoor Lighting</i>.	Prior to commencement of use and to be maintained
10.	Damage and Repairs Repair any damage to existing kerb and channel, footpath or roadway (including removal of concrete slurry from footways, roads, kerb and channel and stormwater gullies and drainage lines) that occurred during any works carried out in association	Prior to commencement of use

