



Department of **Infrastructure,
Local Government and Planning**

Our ref: DEV2010/101

31 August 2015

Stockland Caloundra Downs Pty Ltd
C/- Mr Mark Farrell
RPS
PO Box 6149
Meridan Plains QLD 4575

Dear Mark

SECTION 99 CHANGE TO A PDA DEVELOPMENT APPROVAL FOR A PDA DEVELOPMENT PERMIT FOR RECONFIGURING A LOT (524 RESIDENTIAL LOTS, PARKS AND NEW ROAD) WITH PLAN OF DEVELOPMENT FOR HOUSES (524 DWELLINGS), DISPLAY HOME/VILLAGE AND SIGNAGE AT BELLVISTA BOULEVARD, CALOUNDRA SOUTH DESCRIBED AS LOT 2000 ON SP266176 AND PART OF LOT 3000 ON SP273990 (FORMERLY PART OF LOT 22 ON SP190373 AND PART OF LOT 202 ON SP190373)

On 28 August 2015 the Minister for Economic Development Queensland (MEDQ) approved the application to change the Priority Development Area (PDA) development approval pursuant to s.99 of the *Economic Development Act 2012*. The MEDQ has decided to grant all of the change to the PDA development approval applied for subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can also be viewed in the MEDQ Development Approvals Register via the Department of Infrastructure, Local Government and Planning website <http://dilgp.qld.gov.au/planning/development-assessment/priority-development-area-development-approvals.html>.

Should you have any queries in relation to this PDA decision notice, please do not hesitate to contact Gerard McCafferty on 3452 7424.

Yours sincerely

Beatriz Gomez
Director – EDQ Development Assessment

Executive Building
100 George Street Brisbane
PO Box 15009 City East
Queensland 4002 Australia
Website www.dilgp.qld.gov.au
ABN 25 166 523 889

PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Caloundra South	
Site address	Bellvista Boulevard, Caloundra South	
Lot on plan description	Lot number	Lot number
	Lot 2000	SP266176
	Part of Lot 3000	SP273990
	Formerly part of Lot 22	SP190373
	Formerly part of Lot 202	SP190373
PDA development application details		
DEV reference number	DEV2010/101	
'Properly made' date	10 June 2015	
Type of application	☐ New development involving: ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☒ Changing a PDA development approval ☐ Extending the currency period of a PDA approval	
Description of proposal applied for	Change to Approval – Reconfiguring a Lot (524 residential lots, parks and new road) with Plan of Development for houses (524 dwellings), Display Home/Village and Signage	

PDA development approval details

Decision of the MEDQ	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice.
Original decision date	2 September 2011
1 st Change to approval date	23 October 2012
2 ^{ed} Change to approval date	15 May 2013
3 rd Change to approval date	17 July 2013
4 th Change to approval date	29 August 2013
5 th Change to approval date	3 June 2015
6 th Change to approval date	28 August 2015
Currency period	4 years from original decision date

Plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions concerning the PDA development approval are detailed below.

Plans and documents previously approved		Number (if applicable)	Date (if applicable)
1.	Reconfiguring a Lot Plan	21662-7633-59 Rev AF	1 June 2015 (as amended in red 2 June 2015)
2.	Reconfiguring a Lot Plan – Development Statistics	21662-7633-83 Rev AF	1 June 2015
3.	Plan of Development – Sheet 1 Overall Plan	21662-7633-72 Rev AF	1 June 2015
4.	Plan of Development – Sheet 2 Connectivity	21662-7633-73 Rev X	1 June 2015
5.	Plan of Development – Sheet 3 On -Street Car Parking	21662-7633-74 Rev Y	1 June 2015
6.	Plan of Development – Sheet 6 Proposed Display Village & Signage	7633-79X	1 June 2015
7.	Plan of Development – Sheet 4: Typical House Plans for lots 250-450m ² – 10m frontage	21662-7633 Sheet 1 of 4	March 2011
8.	Plan of Development – Sheet 4: Typical House Plans for lots 250-450m ² – 12.5m frontage	21662-7633 Sheet 2 of 4	March 2011
9.	Plan of Development – Sheet 4: Typical House Plans for lots	21662-7633 Sheet 3 of 4	March 2011

	250-450m2 – 10m frontage two storey		
10.	Plan of Development – Sheet 4: Typical House Plans for lots 250-450m2 – 12.5m frontage	21662-7633 Sheet 4 of 4	March 2011
11.	Plan of Development – Sheet 5: Detailed Concept Plan for lots less than 250m2	21662-7633-77 Sheet 1 of 1	March 2011
12.	Plan of Development for Urban Lots	7633-99 Rev B	10/04/2012
13.	Urban Lots Perspectives	1115:01-5.1 to 5.7	15/05/2012
14.	Urban Lots Master Plans	1115:01-2.1 to 2.3	15/05/2012
15.	Urban Lots Landscape	1115:01-3.1 to 3.6	15/05/2012
16.	Urban Lots House A	1115:01-1.A.1 to A.2	15/05/2012
17.	Urban Lots House B	1115:01-1.B.1 to B.2	15/05/2012
18.	Urban Lots House C	1115:01-1.C.1 to C.2	15/05/2012
19.	Urban Lots House D	1115:01-1.D.1 to D.2	15/05/2012
20.	Urban Lots Elevations	1115:01-4.1 to 4.4	15/05/2012
21.	Typical House Design Terrace Lots (Town Home 1R)	Sheet 1 & 2	28/11/2011
22.	Typical House Design Terrace Lots (Town Home 2 R)	Sheet 1 & 2	28/11/2011 & 26/11/2011
23.	Typical House Design Terrace Lots (Town Home 1)	Sheet 1 & 2	26/11/2011
24.	Typical House Design Terrace Lots (Town Home 2)	Sheet 1 & 2	26/11/2011
25.	Plan of Development - Typical House Plans 7.5m and 9.0m frontage lots – Escape Town Terrace	Sheet 1 Rev A Sheets 2-5 Rev B	19/03/2012 23/3/2012
26.	Plan of Development - Typical House Plans 7.5m and 9.0m frontage lots – Explore Town Terrace	Sheets 1-5 Rev B	23/03/2012
27.	Plan of Development - Proposed Town Terrace plans	Sheets 1, 2, 4 & 5	1/5/2012
28.	Public Open Space & Pathway Hierarchy	106728-CD-L1.02 Rev04 (amended in red)	March 2011

29.	Landscape Master Plan Application 2	21662-7633	July 2011
30.	Detail Park Plan A2	106728-CD-L1.04_REV 03	March 2011
31.	"Impact Assessment of Potable Water Supply and Sewerage Infrastructure for "Bellvista II" Development" prepared by MWH	FNMWS11207	May 2010
32.	"Bellvista II Internal Roads – Typical Road Cross Sections" prepared by Brown Consulting	N08042-ROL13	
33.	"Traffic Impact Assessment for Bellvista II Development, Caloundra" prepared by Cardno(Qld) Pty Ltd	CE005958	November 2010
34.	Department of Transport and Main Roads Conditions of Development (Revised)	NCR-8716 BRIS-2760 (Revised)	29 August 2011
35.	Bells Reach Intersection Works	B11163-100 B11163-201 to 209 B11163-220 & 221	Approved 08/12/2011
36.	Caloundra Road/Bellvista Boulevard Intersection Upgrade Concept Layout	N11033-SK06 Rev A	26/08/2011
37.	Acoustic Covenant – Bellvista 2		Approved 2 September 2011
38.	Dwelling Acoustic Treatment Certification Process – Bellvista 2		Approved 2 September 2011
39.	"Bellvista II Development Reconfiguration of a Lot Application: Flood Impact Assessment" prepared by BMT WBM	R.B17507.006.01	March 2011
40.	"Bellvista II Development: Water Quality and Water Cycle Management Plan" prepared by BMT WBM	R.B16848.002.12.WQMP	March 2011
41.	"Concept Stormwater Management Plan for Bellvista II Subdivision at Little Mountain"	B08067.W-01F	April 2011

	prepared by Brown Consulting		
42.	"Bellvista 11 – Ecological Assessment Report" prepared by Arup	Job No 86632-03	November 2010
43.	"Bellvista II Concept Stormwater Management Layout Plan" prepared by Brown Consulting	B08067.W-SK08 Rev G	20/7/2011
44.	"Bellvista II Scour Protection & Channel Design Details" prepared by Brown Consulting	B08067.W-SK10 Rev A	5/4/2011
45.	Geotechnical Investigation Bellvista 2 – Precinct 1 & 2 prepared by Coffey Geotechnics	GEOTKPAR01560AA/A Rev 3	29 November 2010
46.	Erosion Sediment Hazard Investigation Report prepared by Coffey Geotechnics	GEOTKPAR01560AA/C Rev 4	30 November 2010
47.	Acid Sulfate Soils Investigations prepared by Coffey Geotechnics	GEOTKPAR01560AA/B & E Rev3	30 November 2010
48.	Review of Bushfire Risk & Proposed Mitigation letter prepared by Parson Brinkerhoff		30 November 2010
49.	Biting Insect Investigation and Mitigation Report prepared by Darryl McGinn	Version 6	22 November 2010

PDA Development Conditions

No.	Condition	Timing
1.	Carry out the approved development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to survey plan endorsement for each stage.
2.	Complete all Operational Work Complete all operational work associated with this development approval, including work required by any of the following conditions. Such operational work is to be carried out generally in accordance with the approved plans.	Prior to survey plan endorsement for each stage.

3.	Plans of Development (POD) Residential The design of dwellings on lots less than 250sqm in area are to be generally in accordance with the approved plans as required under EDQ Guideline No1. – Residential 30. <i>Note: In appropriate circumstances the EDQ may consider a variations to the approved individual house designs to be “Generally in Accordance” with the approved plans.</i>	Prior to lodging an application to carry out building work.
4.	High Density Development Easements High Density Development Easements are required to be established on all lots with an area of 300m² or less where there are shared or common built to boundary walls.	Prior to commencement of use
5.	Certification Agreement In relation to all operational works undertaken on the site comply with all requirements and fulfil all responsibilities outlined in the EDQ Self Certification Procedure Manual. <i>Note: Under the EDQ Self Certification Procedure Manual, no work is to commence until the applicable certification documents submitted by the Project Coordinator are acknowledged in writing by the EDQ.</i>	Prior to commencement of site works
6.	Demolition Works All buildings or other structures on the land must be demolished and/or removed, to the satisfaction of the EDQ in stages. Approval of an application for building works (if required) for the demolition and/or removal, must be obtained prior to the commencement of such works.	Prior to survey plan endorsement for each stage.
7.	Stages for Reconfiguration (a) The stages of the reconfiguration must be generally in accordance with the approved reconfiguration plan. It is understood however the stages do not need to be delivered sequentially unless required for infrastructure delivery purposes. (b) Drainage reserves are required to be dedicated as part of the relevant stormwater catchment.	Prior to survey plan endorsement for each stage.

	Where necessary, the staging must be modified to be consistent with the stormwater management plan for the dedication of drainage reserves. (c) Unless otherwise approved in writing by the assessing authority, each stage must be independently serviced by roads, water, sewer, stormwater, and any other relevant utilities.	
8.	Road Naming The developer must submit to Sunshine Coast Regional Council for approval, a list of proposed street names and the corresponding name meanings for each new road to be opened. The Sunshine Coast Regional Council reserves the right to accept any or none of the proposed names.	Prior to survey plan endorsement for each stage.
9.	Land Dedications Any land dedicated for public use to Sunshine Coast Regional Council must be free of contaminants and not registered on either the Environmental Management Register or Contaminated Land Register. The developer must demonstrate to the EDQ that the past uses of the land did not include a notifiable activity.	Prior to dedication of land.
10.	Drainage Reserve Lot 9993 is to be dedicated for drainage purposes to Sunshine Coast Regional Council in fee simple as nominated trustee.	At the time of off-maintenance handover of contributed assets
11.	Parkland Dedication Lot 9997 is to be dedicated as public use land (park) to Sunshine Coast Regional Council in fee simple as nominated trustee.	At the time of off-maintenance handover of contributed assets
12.	Entry Walls or Features The provision of entry walls or features is prohibited on road reserves or in drainage reserve or on proposed parkland and should be located within private land unless otherwise approved by the EDQ.	At all times

13.	Acoustic Attenuation – Stages 10 to 21 (a) The developer shall disclose to all purchasers of lots within Stages 10 to 21 that the allotment/s they have selected to purchase is subject to aircraft noise impact from operation of the Caloundra Aerodrome. (b) All dwellings to be constructed on allotments within Stages 10 to 21 shall be constructed in accordance with the approved Acoustic Covenant. The Acoustic Covenant shall form part of the Conditions of Sale and the Stockland Covenant (Design Essentials) and be implemented in accordance with the approved Dwelling Acoustic Treatment Certification Process. (c) The Acoustic Covenant (in its current form) applies to low set residential construction only and allows for the most common types of construction systems being brick veneer and light weight cladding with metal roof sheeting or tiled roof construction. If the design of a dwelling within Stages 10 to 21 does not comply with the design guidelines detailed within the Acoustic Covenant (i.e. design is not within the scope, such as two storey dwellings or dwelling facade elements that exceed the nominated ratio of window to wall area, or proposed dwelling construction materials are not within the scope), the design is to be certified by a suitably qualified acoustic consultant to ensure that the acoustic requirements stated in the Acoustic Covenant will be achieved by other approved and certified construction methods. The alternate certification must reference the actual design drawings and lot details over which building approval is sought. (d) The Acoustic Covenant can be amended from time to time with the approval of the EDQ to allow for 2 storey construction, or other material changes in construction methods as and when they become viable and are to be certified by Parsons Brinckerhoff. (e) Certification that the constructed dwelling achieves compliance with the approved	a) Prior to entering into a contract of sale b) At all times c) Prior to issue of building permit d) Prior to issue of certificate of classification for each dwelling e) Prior to endorsement of survey plan for Stages 10
-----	--	--

	Acoustic Covenant or certified design drawings can be undertaken by a qualified Building Certifier at the completion of construction. (f) A request in writing shall be submitted to the Sunshine Coast Regional Council that written advice be included on rates notices/property notes that advise the allotments within Stages 10 to 21 are aircraft noise affected and the construction of dwellings is to be in accordance with the acoustic and certification requirements of this condition of approval.	to 21. f) Prior to endorsement of survey plan for Stages 10 to 21.
14.	Open Space Maintenance (a) Submit to the EDQ certification from a suitably qualified professional that open space areas which are disturbed as a result of civil works and which are not already detailed on the approved plans must be rehabilitated consistent with the adjacent landscaping. (b) Landscaping works are to be completed in accordance with the approved landscape plans and conditions of approval and maintained by the developer for at least twelve (12) months from the date that works are accepted 'on-maintenance. (c) At completion of "off maintenance" and with agreement from Sunshine Coast Regional Council, the entity developing the site or its contractors may continue maintenance of all landscaping works (post off maintenance) for an agreed period of time.	Prior to endorsement of survey plan for each stage.
15.	Construction Management Plan a) Submit to the EDQ a Site Based Construction Management Plan that includes but is not limited to: • provision for the management of traffic around and through the site during and outside of construction work hours. • provision for parking and materials delivery during and outside of construction hours of work • management of dust generated from the site during and outside construction work hours; • management of sedimentation and erosion which complies with management of	a) Prior to commencement of site works

	groundwater and surface water collection, treatment and disposal in accordance with Sunshine Coast Regional Council's standards.; • management of contaminated soils (if required), including removal, treatment and replacement in accordance with site remediation plans prepared and approved specifically for this site. • management of acid sulfate contaminated soils (if required) in accordance with the Queensland Acid Sulfate Soil Technical Manual, Soil Management Guidelines V3.8 or later. • Unless otherwise approved - Hours of construction must be Monday to Saturday 6.30am to 6.30pm. Construction work in relation to the development must not be conducted outside the above hours or on Sunday or Public Holidays The construction management plan shall be prepared in consultation with the professionals responsible for individual site related management plans to ensure that all aspects of the construction and environmental management are included. The construction management plan shall be reviewed and approved by the principal consultant overseeing and certifying the construction works. b) All work shall be undertaken in accordance with the construction management plan which must be current and available on site at all times during the construction period.	b) During site works and prior to survey plan endorsement
16.	Water Supply – Internal a) Submit to Unitywater for acceptance, a water reticulation schematic plan and detailed network analysis for the proposed development. b) Submit to EDQ, detailed water reticulation plans certified by a Registered Professional Engineer Queensland (RPEQ) designed in accordance with the SEQ Water Supply and Sewerage Design and Construction Code July 2013. c) Construct the works in accordance with the certified plans required by part a) d) Submit to EDQ 'as-constructed' plans certified by a Registered Professional Engineer	a) Prior to commencement of site works b) Prior to commencement of site works for the relevant stage c) Prior to survey plan endorsement for the relevant stage d) Prior to survey plan endorsement for the

	Queensland (RPEQ) in a format acceptable to Unitywater and all certified pressure and disinfection test results to Unitywater standards	relevant stage
17.	Water Supply – External a) Submit to EDQ, with Unitywater endorsement, detailed trunk water design plans certified by a Registered Professional Engineer Queensland (RPEQ) generally in accordance with the “MWH Impact Assessment of Potable Water Supply and Sewerage Infrastructure for Bellvista 2” of the following sections of trunk main: • a 375mm diameter water main extension between the development site and the connection point (node CS00026). b) Construct the works in accordance with the certified plans as required by part a) to Unitywater current standards c) Submit to EDQ ‘as-constructed’ plans certified by a Registered Professional Engineer Queensland (RPEQ) in a format acceptable to Unitywater and all certified pressure and closed circuit television (CCTV) test results to Unitywater standards.	a) Prior to commencement of works b) Prior to survey plan endorsement at the relevant stage c) Prior to survey plan endorsement at the relevant stage
18.	Sewer – Internal a) Submit to EDQ detailed sewer reticulation plans certified by a Registered Professional Engineer Queensland (RPEQ) design in accordance with the SEW Water Supply and Sewerage Design Construction Code July 2013 except where specified by current Unitywater standards b) Construct the works in accordance with the certified plans required by part a) c) Submit to EDQ ‘as-constructed’ plans certified by a Registered Professional Engineer Queensland (RPEQ) in a format acceptable to Unitywater and all certified pressure and closed circuit television (CCTV) test results to Unitywater standards	a) Prior to commencement of site works b) Prior to commencement of site works for the relevant stage c) Prior to survey plan endorsement for the relevant stage

19.	Sewer – External a) Submit to EDQ, with Unitywater endorsement, detailed trunk sewer plans certified by a Registered Professional Engineer Queensland (RPEQ) generally in accordance with the “MWH Impact Assessment of Potable Water Supply and Sewerage Infrastructure for Bellvista 2” of the following sections of trunk main. • A phase 1 sewer connection to Manhole 7206; and • Prior to the sewerage demand from the development site exceeding 450EP (or as subsequently agreed with and advised by Unitywater in writing), a connection point immediately before SPS L1 b) Construct the works in accordance with the certified plans as required by part a) to Unitywater current standards; c) Submit to EDQ ‘as-constructed’ plans certified by a Registered Professional Engineer Queensland (RPEQ) in the format acceptable to Unitywater and all certified pressure and disinfection test results to Unitywater standards	a) As indicated b) Prior to survey plan endorsement c) Prior to survey plan endorsement
20.	Stormwater Management a) Submit to the EDQ Principal Engineer for approval detailed designs and hydraulic calculations for stormwater quantity and quality, checked and certified by a Registered Professional Engineer Queensland (RPEQ- Civil) generally in accordance with the following: • <i>BMT WBM (2011) “Bellvista II Development: Flood Impact Assessment, March”;</i> • <i>BMT WBM (2011) “Bellvista II Development: Water Quality and Water Cycle Management Plan, March; and</i> • <i>Brown Consulting “Concept Stormwater Management Plan for Bellvista II Subdivision at Little Mountain, Issue F April, 2011”</i> • <i>ARUP (2010) “Bellvista II – Ecological Assessment Report, November”</i> • <i>Brown Consulting: Concept Stormwater Management Layout Plan B08087.W.SK08 Rev G (20 July 2011)</i>	a) Prior to commencement of works

	• <i>Brown Consulting: Scour Protection & Channel Design Details Plan B08087.W.SK10 Rev A (05 Apr 2011)</i> The calculations must demonstrate capacity of the underground stormwater pipe system to take the minor storm flow for a minimum ARI 2 year rainfall event without surcharge and demonstrate that overland flow paths are provided for up to ARI 100 year runoff events clear of allotments and with suitable depth and velocity so as not to be a hazard to people or property. The design must take into account of proposed and constructed stormwater and flood management works downstream of the outlets and any hydraulic effects these may have on the stormwater system. Where excavation of open drains or underground pipes are required to achieve an outlet to the stormwater system and these require disturbance of controlled vegetation, obtain the appropriate permits to interfere with the controlled vegetation and carry out rehabilitation works required by those permits b) Provide measures to minimise impacts to the wetland downstream of the site, and in particular, show that there is minimal risk of scour in frequent events. c) Construct stormwater drainage in accordance with the certified plans as detailed in a), as amended to satisfy issues raised in b) above d) Submit to the EDQ certification from a RPEQ – Civil that the works have been inspected and constructed in accordance with part a) of this condition. e) Upon completion of the works provide to the EDQ in a format acceptable to the Sunshine Coast Regional Council "As Constructed" plans including an asset register, checked by a Registered Professional Engineer Queensland (RPEQ-Civil), certifying that the works have been completed in accordance with part e) of this condition.	b) Prior to commencement of works c) Prior to commencement of site works d) Prior to survey plan endorsement e) Prior to endorsement of survey plan for each stage
--	--	--

21.	Easements over Infrastructure Public utility easements must be provided, in favour of and at no cost to the grantee, over infrastructure located in private land that becomes contributed assets. The terms of the easements must be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed assets.	Prior to endorsement of survey plan for each stage
22.	Filling and Excavation a) Submit to the EDQ Principal Engineer a detailed earthworks plan and cross sections, checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil) generally as recommended in the Coffey Geotechnical Investigation Bellvista 2 – Precincts 1 & 2 Reports.. b) Submit to the EDQ Principal Engineer certification from an RPEQ specialising in geotechnical engineering stating that all constructed cut/fill batters and/or retaining structures have achieved adequate stability with a factor of safety greater than 1.5 and that all cut and fill operations have been carried out in accordance with AS 3798 and any unsuitable material encountered has been treated or replaced with suitable material.	a) Prior to commencement of works b) Prior to survey plan endorsement
23.	Road works - Internal a) For all stages of the subdivision, submit to the EDQ Principal Engineer detailed engineering design/construction drawings for road pavements, on-street parking areas, kerb and channel, bio-retention basins, traffic islands and signage, checked and certified by a Registered Professional Engineer Queensland (RPEQ-Civil) generally in accordance with <i>RPS: Allotment Layout Plans 21662-7633-59 Rev Z</i> and <i>On-street Carparking Plan 21662-7633-74 Rev R</i>, <i>Brown Consulting: Typical Road Cross Sections Dwg No. N08042-ROL13</i> and the <i>Sunshine Coast Regional Council Standard</i>	a) Prior to commencement of site works

	<i>Conditions & Specifications.</i> b) Construct road works in accordance with part a) of this condition, c) Submit to the EDQ Principal Engineer certification from a Registered Professional Engineer of Queensland (RPEQ) that all road and associated works have been inspected and constructed in accordance with part a) of this condition; d) Upon completion of the works provide to the EDQ in a format acceptable to the Sunshine Coast Regional Council "As Constructed" plans including an asset register, checked by a Registered Professional Engineer Queensland (RPEQ-Civil), certifying that the works have been completed in accordance with part b) of this condition.	b) Prior to endorsement of survey plan c) Prior to endorsement of survey plan d) Prior to endorsement of survey plan
24.	Roadworks – External – Bellvista Boulevard a) Submit to the EDQ written advice from the DTMR that the detailed engineering design/construction drawings for the upgrade works required at the intersection of Bellvista Boulevard and Caloundra Road meet with their requirements. b) Submit to the EDQ Principal Engineer for approval detailed engineering design/construction drawings for proposed works within Bellvista Boulevard immediate south and adjacent to the intersection of the Bellvista Boulevard and Caloundra Road (which is subject to approval by the DTMR). Submitted engineering plans shall be certified by a Registered Professional Engineer Queensland (RPEQ-Civil) generally in accordance with the DTMR Conditions of Development (Revised) dated 29 August 2011. c) Submit to the EDQ Principal Engineer for approval detailed engineering design/construction drawings certified by a Registered Professional Engineer Queensland (RPEQ-Civil) for the upgrade of the Bellvista Boulevard / Bellcara Place intersection	a) Prior to commencement of external road works b) Prior to commencement of external road works c) Prior to commencement of external road works

	incorporating a roundabout t generally in accordance with <i>Brown Consulting: Dwg Nos. B11163-100, B11163-201 to 209, B11163-220 & 221 and Sunshine Coast Regional Council standards</i>. The design of the roundabout must accommodate the Council approved indented bus bay adjacent to the Bellcarra Place/Bellvista Boulevard intersection. d) Construct road works in accordance with part a), b) & c) of this condition, e) Submit to the EDQ Principal Engineer certification from a Registered Professional Engineer of Queensland (RPEQ) that all road and associated works have been inspected and constructed in accordance with parts a), b) & c) of this condition (within three months of endorsement of survey plan for the first stage) to the Department of Transport & Main Roads and Sunshine Coast Regional Council standards; f) Upon completion of the works provide to the EDQ in a format acceptable to the Department of Transport & Main Roads and Sunshine Coast Regional Council, "As Constructed" plans including an asset register, checked by a Registered Professional Engineer Queensland (RPEQ-Civil), certifying that the works have been completed in accordance with part b) of this condition.	d) Prior to endorsement of survey plan e) Prior to endorsement of survey plan f) Prior to endorsement of survey plan
25.	Pathway Network a) Submit to the EDQ Principal Engineer detailed engineering design/construction drawings certified by a Registered Professional Engineer Queensland (RPEQ-Civil) for the pathway network generally in accordance with the <i>RPS: Plan of Development Sheet 2 Plan reference 21662-7633-73 Rev R and Sunshine Coast Regional Council Standard Conditions & Specifications</i>; b) Construct pathway network in accordance with part a) of this condition, c) Submit to the EDQ Principal Engineer certification from a Registered Professional	a) Prior to commencement of site works b) Prior to survey plan endorsement c) Prior to survey plan endorsement

	Engineer of Queensland (RPEQ) that all pathway and associated works have been inspected and constructed in accordance with part a) of this condition to Sunshine Coast Regional Council standards; d) Upon completion of the works provide to the EDQ in a format acceptable to the Sunshine Coast Regional Council "As Constructed" plans including an asset register, checked by a Registered Professional Engineer Queensland (RPEQ-Civil), certifying that the works have been completed in accordance with part b) of this condition.	d) Prior to survey plan endorsement
26.	Soil Erosion and Sediment Control a) Submit to the EDQ Principal Engineer an Erosion and Sediment Control (E&SC) Program prepared, certified by a Registered Professional Engineer Queensland (RPEQ) generally in accordance with the <i>Sunshine Coast Regional Council's Engineering Design Guidelines</i> and the <i>ICEA Best Practice Erosion & Sediment Control – November 2008</i>. b) The E&SC shall be closely monitored by a Registered Professional Engineer Queensland (RPEQ)	a) Prior to commencement of site works b) At all times
27.	Landscape Works in Park and Dedication a) Submit to the EDQ for approval a detailed Landscape Plan certified by a qualified landscape architect for improvement works within the proposed parkland in accordance with the approved landscape plans and is to document the following: ▪ Existing contours or site levels. ▪ Location of existing under- and above-ground services within the proposed parkland (e.g. drainage, water reticulation, sewerage, electricity, gas, telecommunications, etc.). ▪ Removal of weed species, barbed wire, building materials, rubbish, debris and other obstacles which may present a public liability risk. ▪ Location and description of existing fencing and retaining walls within and	Prior to commencement of site works

	abutting the park. Site Preparation - Proposed finished levels, including sections across and through the parkland at critical points (e.g. Interface with roads or water bodies, retaining walls or batters). New Works - Location of proposed drainage and stormwater works within the park, including cross-sections and descriptions. - Provision of electricity and water connections to the park. - Construction of vehicle barriers/bollards/landscaping along park frontages where required to prevent unauthorised vehicular access. - Provision of a lock-rail access point (positioned at a level and logical point) and associated vehicular crossover to each road frontage to parkland that includes fencing and gates to limit unauthorised vehicular access. - Details and locations of any proposed building works or planting, including: bridges, park furniture, picnic facilities and play equipment. - Surface treatments, including the preparation of all open ground within the proposed parkland to ensure that it is topsoiled, grassed and suitable for mowing. Grassing is to achieve 80% coverage at the time of On Maintenance inspection. - Provision of a sub-tropical plant schedule listing all proposed plants by botanical name, quantity and size at time of planting. b) Construct landscape works Submit to the EDQ certification from a qualified landscape architect that the works have been constructed in accordance with part a) of this condition; c) On Maintenance Provide 12 months maintenance to the parks, commencing on receipt of written confirmation from the EDQ that works are satisfactory.	
--	--	--

	d) Off Maintenance Inspection On completion of the 12 months maintenance period, contact the EDQ, Principal Engineer to arrange an Off Maintenance inspection.	
28.	Road Closures and Openings In situations where subdivision plans are registered and a road reserve is created prior to the finalisation of the construction of the formed road, the road is permitted to remain physically closed to pedestrian and vehicular traffic in accordance with an approved traffic management plan, until the road works are accepted "On Maintenance", or unless otherwise directed by the assessing authority.	Prior to survey plan endorsement for each stage
29.	Street lighting Design and install a street lighting system (including connections and energising) to all roads within the subdivision and to all footpaths/bikeways within road reserves and parks associated with the subdivision at no cost to Council The design and construction of the street lighting system must: • meet the relevant requirements of the electricity supplier • be acceptable to the electricity supplier as 'Rate 2 Public Lighting' • be installed by the developer in accordance with the Australian Standard 1158.3.1 Series for Pedestrians and Vehicles. All street lighting associated with the development must be certified by an RPEQ. Street lighting must be installed on the same side as concrete footpaths (where applicable).	Prior to endorsement of survey plan for each stage.
30.	Electricity Submit to the EDQ either: a) written evidence from Energex confirming that existing underground low-voltage electricity supply is available to the newly created lots or b) written evidence from Energex confirming that the applicant has entered into an agreement with an authorised electricity supplier (e.g. Energex) to provide underground electricity services.	Prior to endorsement of survey plan for each stage.

	c) Confirmation that electricity and telecommunications have been constructed in the approved allocation as detailed in Sunshine Coast Regional Council Standard Drawings R-100. (Electricity and telecommunications drawings must be co-ordinated with civil engineering design documents, to ensure that service conflicts are avoided)	
31.	Telecommunications Submit to the EDQ documentation from an authorised telecommunication service provider confirming that satisfactory agreements have been made for the provision of underground telecommunication services to each new lot within the proposed subdivision. (Telephone and cable services may be laid in a combined trench with electricity cables, subject to the approval of the relevant energy provider and the authorised telephone or cable service provider.)	Prior to endorsement of survey plan for each stage.
32.	Broadband Provide infrastructure within the development to accommodate NBN services in accordance with NBN Co Limited '<i>New Developments: Deployment of the NBN Co Conduit and Pit Network – Guidelines for Developers</i>', Doc. No NBN-TE-CTO-194, issue date 1st April 2011.	Prior to endorsement of survey plan for each stage.
33.	Permanent Survey Marks One Permanent Survey Mark for each stage of the development connected to Australian Height Datum must be provided.	Prior to endorsement of survey plan for each stage.
34.	Connection to Permanent Survey Marks All lots are to be connected to Permanent Survey Marks (PSMs). The connections of the lots to the PSMs and the coordinates of the PSMs must be shown on the face of the survey plan/s.	Prior to endorsement of survey plan for each stage.
35.	Contributions for Infrastructure The applicant must pay to the MEDQ, infrastructure charges in the amount of \$14,348,010.14 (15/16 rates), less any applicable infrastructure credits applied to each lot, in accordance with the following Planning Scheme Policies from the Caloundra City	Prior to endorsement of survey plan for each stage

	Plan 2004: • PSP 11.19 Bike Lanes, Pathway and Footpath Infrastructure • PSP 11.20 Biting Insects Control Infrastructure • PSP 11.22 Road Network Infrastructure • PSP 11.24 Open Space Infrastructure • PSP 11.25 Public Transport Infrastructure • PSP 11.26 Stormwater & Flooding Infrastructure • PSP 11.27 Water Supply and Sewerage Infrastructure Infrastructure delivered by the applicant may be claimed as an offset against the contributions required under this condition or under an Infrastructure Agreement between MEDQ and the applicant. Security in the form of insurance bonds or bank guarantees may be provided to MEDQ to cover the infrastructure contribution calculated in accordance with the above. The security would be refundable in accordance with an Infrastructure Agreement between MEDQ and the applicant or upon offsets claimed in accordance with this condition and then to the value of the offset. Unless by 9 December 2015, or such extended date as agreed by MEDQ, the applicant has entered into an Infrastructure Agreement with MEDQ for the provision of infrastructure to be claimed as an offset or payment of monies to the value of the balance of infrastructure charges payable under this condition, MEDQ may call-up the security to the value of the outstanding infrastructure charges as at that date.	
36.	Pre-Construction Certification No work shall commence until the EDQ acknowledges in writing receipt of certification package(s) from the Project Coordinator in accordance with EDQ Certification Procedures Manual.	Prior to commencement of construction
37.	Post-Construction Certification Submit Post-Construction (Practical Completion) Certification, approved forms and "as Constructed" plans including an asset register, certified by a Registered Professional Engineer Queensland (RPEQ), that the plans are a true record of the works "as constructed" are in accordance with the approved plans.	Prior to endorsement of survey plan for each stage.

	satisfaction of the EDQ. c) On completion of this work submit written certification and “as constructed” plans to the EDQ demonstrating compliance with this condition. The developer must maintain the streetscape works for a period of twelve (12) months after an ‘On-Maintenance’ inspection.	c) Prior to endorsement of survey plan for each stage.
39.	Infrastructure Contributions – Residential Infrastructure contributions must be paid to the MEDQ in respect of each building constructed on the site (the Infrastructure Contributions). The Infrastructure Contributions will be calculated at the time of payment in accordance with applicable planning scheme policies in force and administered by the Sunshine Coast Regional Council. A credit for one dwelling will be applied where infrastructure charge/s have been paid at the ROL stage. Infrastructure delivered by the applicant may be claimed as an offset against the contributions under this condition or under an Infrastructure Agreement between MEDQ and the applicant.	Prior to the endorsement of community management statement or commencement of use whichever occurs first.

ADVICE

Sunshine Coast Regional Council

For any conditions in this package that require the consideration of Sunshine Coast Regional Council (SCRC), you will need to submit the relevant forms, plans and/or reports and fee to the entity nominated in the condition/s. When satisfied that the condition has been met, SCRC will issue a response in the manner required by the condition/s (e.g. a letter of endorsement or authorisation, an approval or a permit).

Noise and Dust Emissions

You are advised that all development involving the emission of noise and dust from building/construction activities requires that such emissions be in accordance with the requirements of the *Environmental Protection Act 1994*.

Pursuant to Division 3 Section 440R of the Act, a builder or building contractor must not carry out building work on a building site in a way that makes or causes audible noise to be made from the building work:

- (a) on a Sunday or public holiday, at any time; or
- (b) on a Saturday or business day, before 6.30 a.m. or after 6.30 p.m.

Any construction work out of these hours, including Sundays and public holidays must have the prior written consent of the Chief Executive Officer, Sunshine Coast Regional Council.

Published Standards

For any published standards referenced, they are those current as of the date of issue of this package unless otherwise specified.

Please note: The above information has been provided to the applicant as an advice only, and does not form part of the development approval conditions. This advice has been provided to the applicant to inform them of other obligations they may have to comply with (under state legislation or local laws) prior to their activity commencing.

Certification

Post-Construction certification is required prior to 'On Maintenance'. The format and documents required shall in accordance with Sunshine Coast Regional Council standards, the EDQ will require a minimum 2 copy, bound in a A4 arch folder and 2 electronic copy on disk. Documents to be included but limited to, shall include:

1. A Post Construction Certification form
2. A Uncompleted Works Bond form
3. Report of Compliance with Development Approval Conditions from Project Coordinator
4. As Constructed Drawings
5. Compliance Test Records i.e. CCTV results, etc
6. A list of non-compliance items
7. Material testing results

At the completion of the post-construction certification process the work assets will be transferred to Sunshine Coast Regional Council.

Development Scheme Fee

A Development Scheme Fee will apply at the time of plan sealing to recover a proportion of costs incurred by the EDQ in preparing the Development Scheme for Caloundra South. The fee payable is at the rate prevailing at the time of payment. The current rate is \$750 per dwelling/lot.

**** End of Package ****