

Vegetation Clearing & Fauna Management Plan

Revised - February 2016

Flagstone East - Commercial Precinct
(Stage 7)

Homestead Drive
Jimboomba
Lot 906 on SP216472 and
lot 873 on SP166448

PLANS AND DOCUMENTS
referred to in the PDA APPROVAL

26 FEB 2016

MEDQ

by PEET Flagstone City Pty Ltd (PFC)

Economic Development Queensland

CONTENTS

6207 E 2 VMP E -- Notes
6207 E 3-6 VMP E -- Detail Sheets
6207 E 7 VMP E -- Clearing Direction
6207 E 8 VMP E -- Tree Schedule


Key Site Contacts

Saunders Havill Goup

Mr Murray Saunders
Phone: (07) 3251 9444
Email: murraysaunders@saundershavill.com

PFC Pty Ltd

Costas Alexandrou
Development Manager
Phone: (07) 3137 2040
Email: CostasA@peet.com.au



Vegetation Clearing & Fauna Management Plan - Notes

INTRODUCTION

The *Environmental Management Division* of the **Saunders Havill Group** was engaged by **PFC Pty Ltd** to prepare a **revised** *Vegetation Clearing and Fauna Management Plan (VCFMP)* for Stage 7of the Flagstone East Commercial Precinct. Contextually, the site is located 50 kilometres south of Brisbane and 30 km north of Beaudesert. Flagstone State Community College and residential housing are located directly to the east of the site, while balance land lies to the west, separated by the Sydney-Brisbane Railway Line. The site adjoins the existing Flagstone Rise Estate and forms part of the Greater Flagstone Priority Development Area (PDA).

This VCFMP includes clearing required for engineering services, cut and fill, stormwater management and bushfire management requirements. The VCFMP shows works relative to Tree Protection Zones from located tree specimens. Refer to the Implementation Guideline (IG) 14 Assessment Report for information regarding ecological assessment. The Stage 7 area is not located within any areas identified as retaining Significant Biodiversity Values on the whole of site Strategy for Natural Environment. A response to the Natural Environment Strategy criteria and stretch targets is included in Appendix G of the IG 14 Assessment Report. A narrow slither of Endangered Remnant vegetation occurs to the south of proposed works straddling a low order drainage feature between the existing housing and future super lots. This area is to be retained and in the future dedicated as open space. A 6m wide bushfire management track is proposed along the boundary of the existing houses to the south. This 6m width fits within the 10m Vegetation Management Act 1999 (VMA) exemption for these works and predominantly occurs outside of the mapped area. There are no environmental offsets triggered or proposed within the Stage 7 works.

VEGETATION MANAGEMENT

The purpose of this plan is to manage the vegetation removal process and the protection of fauna species over the proposed commercial centre development. The clearing works will follow the general principal for vegetation stated below.

This *VCFMP* has been produced by overlaying existing site data with proposed works to determine impacts and disturbance:

- 1. GPS surveyed tree plot
- 2. Development layout - the extent of future works areas including proposed roads and allotments.
- 3. Bushfire Management Plan - The extent of relevant measures set out in the BMP report.

A vegetation survey carried out in October 2014 found the area to be a vacant lot periodically slashed with sporadically located and clusters of canopy trees.

CLEARING PHASES AND PROCESS

The following stages are required for clearing to be undertaken on this property and a copy of this *VCFMP* must be present with the clearing contractor onsite:

- PHASE 1 - Tree Protection Fencing to be installed prior to the commencement of any clearing works on the site. The location of the fencing will be such that any fauna found on site will be directed to safe areas of the site. For this project fencing is primarily located along the western edge separating the balance land.
- PHASE 2 - EDQ Pre-start Meeting (if required)
- Fencing shall be in place at the time of the official pre-start meeting for inspection and sign off by EDQ Officers.
- PHASE 3 - Fauna Inspections and Management
- Undertake necessary fauna management requirements prior to clearing works - as a minimum this should include the specifications listed on this sheet and acknowledge specific *Economic Development Queensland* approval requirements.
- PHASE 4 - Undertake Bulk Clearing
- Wholesale removal of vegetation once approved for removal by qualified fauna spotter. Clearing will occur in the direction outlined in sheet 7 of this *VCFMP* and managed by the appointed fauna spotter to allow all fauna unimpeded movement to the vegetated areas to the west and south. All trees to be removed shall be mulched onsite for future use within the project area.

ACCESS AND STOCKPILING

A stockpiling location is to be designated in an easily accessible area. The location will adjoin the entry to the site allowing for material to be easily delivered and stored. Where possible, cleared native vegetation that is free of weeds will be chipped and stored for re-use on other parts of the site (e.g. rehabilitation / embankment stabilisation).

MAINTENANCE

After tree clearing works on site, follow up maintenance works should be carried out on all retained vegetation. An analysis of the vegetation's health and growth should be undertaken to determine specific maintenance needs.

FAUNA MANAGEMENT

The Fauna Management specification on this *VCFMP* is designed to protect native animals and control and manage impacts during clearing activities. The fauna management specifications and principles incorporated in this VCFMP Series applies generically to all native animals and focus on avoiding conflicts and incorporating measures to minimize disturbance. Compliance with this section of the VCFMP plan is compulsory and incorporates the use of expert consultants including a Fauna Spotter / Relocator as registered with the Queensland Parks and Wildlife Services.

NEST BOX INSTALLATIONS

Nest boxes should be installed to mitigate the loss of tree hollows. A mixture of nest box types should be installed to target different local species (e.g large bird box for kookaburras and owls, a microbat box for gliders and bats). Nest boxes should be made from plantation pine or structural or external pine plywood and be free of nails and paint. They should be installed by a professional arborist, using an appropriate installation method such as the Habisure system. The target area for the nest box installation is the Sandy Creek Parkland immediately north of the project.

FAUNA IMPACTS - DAM EARTHWORKS

Part of the stage 1 development works encroach on an existing farm dam which will be reduced in size through this process. The Dam was assessed in detail as part of the Implementation Guideline 14 Assessment and is not considered to hold any major habitat areas or support I wide diversity of species because of its artificial nature an lack of riparian vegetation around the periphery. Despite the lack of natural values all farm dams provide opportunities to differing fauna usage which needs to be considered in this management plan. In this instance the farm dam is only be reduced in areas by approximately 20% rather than completely drained and filled. The precise method and sequence of works around the farm dam filling is to be governed by the Fauna Spotter post pre-clearance surveys.

FAUNA IMPACTS - GENERAL

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. The Implementation Guideline 14 Report noted that the only fauna opportunities within the site are allied with existing site tree species as the mid and understorey is predominantly maintained as slashed grass. The rules outlined in the VCFMP apply in regards to the removal of site trees unless specifically altered by the site fauna spotter.



CLEARING IMPACTS (through road and allotment areas)

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc and fauna entrapment

MANAGEMENT IMPACTS

- Weed introduction
- Increased hydrology with increased cleared areas
- Altering of run-of chemical and nutrient components (Quality)
- Alterations to fauna movement (Clearing where relatively safe movement used to occur)
- Introduction of domestic and disturbed environment predatory species
- Ensure the fauna spotter, who must hold a current Licence and Rehabilitation Permit to carry out the following operations, does the following:
 - Undertakes a wildlife load reduction measures through the pre-clearing trapping and relocation of wildlife 1-2 weeks prior to the approved clearing being conducted. Sequential clearing cannot be used as a primary fauna management measure as the remaining vegetation is insufficient to sustain the displaced fauna;
 - Conducts a site inspection the day before and the morning of the clearing to identify fauna species and fauna habitat, using binoculars or a spotting scope when observing trees larger than 4.0m tall;
 - Clearly makes (flag) vegetation found to contain fauna or fauna habitat (such as tree hollows, arboreal termite mounds, stick nests or possum drays with flagging tape), and visually and verbally communicate this information to the tree feller to ensure flagged trees are not felled until authorised by the fauna manager;
 - Manages any koala identified on site in accordance with the Nature Conservation (Koala) Conservation Plan 2006 and Management Program 2006-2016;
 - Manages fauna habitat identified during the site inspection using the protocols discussed within the Fauna Management Plan;
 - Works in conjunction with a professional tree feller in the removal of any vegetation;
 - Schedule vegetation clearing to ensure that the impacts on nesting and hatching avifauna and herpetofauna are minimised, the likelihood of detection and capture of herpetofauna is maximised and wildlife load reduction measures are productive;
 - Ensure vegetation and rubbish piles are not left to serve as refuge for displaced or roaming wildlife through the implementation of the following measures:
 - Immediately (within 12 hours) remove or destroy such materials;
 - erect wildlife proof barriers / fencing surrounding stockpiles to prevent wildlife use; and
 - Ensure old (>12 hours) piles of felled vegetation are treated as potential wildlife habitat and inspected by a wildlife spotter /catcher prior to removal or destruction.
 - Limit the felling of habitat and hollow bearing trees to the following methods:
 - Segmental removal of tree, with hollow-bearing limbs being checked by the wildlife spotter and cleared of fauna using a cherry picker;
 - Segmental removal of the tree, with hollow-bearing limbs plugged and lowered to the ground for inspection by wildlife spotter;
 - Use of an excavator with vertical grab to lower the main trunk (only after the removal of lateral limbs); and
 - A combination of the above methods.

Tree Protection Fencing Detail



PEET Flagstone City PTY LTD

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETERMINE LOCATION OF ALL SERVICES.

REFERENCES:

AMENDMENTS:

Issue	Date	Description	Checked
B	05.12.2014	Client Review	MS
C	25.03.2015	BMP Updates	MS
D	29.01.2016	Homestead Drv Updates	AD
E	02.02.2016	bridge construction	AD

CLIENT:

PEET Flagstone City PTY LTD

PROJECT:


Flagstone East - Commercial Precinct, Homstead Dr.



PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE: Jan 2016	CHECKED: AD
CLIENT REF: 6207	DRAWN: AL
DRAWING No.: 6207 E 02 VMP EAST E	



Legend

- Tree to remove
- Tree Protection Zone (removing)
- Tree to retain
- Tree Protection Zone (retaining)
- Tree protection fencing
- Design layout (15-981 - SK5316)
- Proposed basins and stormwater diversion
- Proposed lot boundaries and building areas
- Proposed footpaths & roads (incl. batters)
- Proposed centre carparking
- BMP - Fire trail (6m wide)
- Existing contour line (m)

saunders havill group

PEET Flagstone City PTY LTD

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:

Scale - 1:1000 @ A3

AMENDMENTS:

Issue	Date	Description	Checked
B	05/12/2014	Client Review	MS
C	25/03/2015	BMP Update	MS
D	29.01.2016	Homestead Dr v Updates	AD
D	02.02.2016	bridge construction	AD

environmental management

CLIENT:

PEET Flagstone City PTY LTD

PROJECT:

Flagstone East - Commercial Precinct, Homstead Dr.

PLAN OF:

Vegetation Clearing & Fauna Management Plan

DATE: Jan 2016	CHECKED: AD
CLIENT REF: 6207	DRAWN: AL
DRAWING No.: 6207 E 03 VMP EAST E	





Legend

Tree to remove

Tree Protection Zone (removing)

Tree to retain

Tree Protection Zone (retaining)

Tree protection fencing

Works area

Design layout (15-981 - SK5316)

Proposed basins and stormwater diversion

Proposed lot boundaries and building areas

Proposed footpaths & roads (incl. batters)

Proposed centre carparking

Stockpile location (indicative)

Existing contour line (m)



PEET Flagstone City PTY LTD

DISCLAIMER:


THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:

Scale - 1:1000 @ A3



AMENDMENTS:			
Issue	Date	Description	Checked
B	05/12/2014	Client Review	MS
C	25/03/2015	BMP Update	MS
D	29.01.2016	Homestead Dr v Updates	AD
D	02.02.2016	bridge construction	AD

CLIENT:
PEET Flagstone City PTY LTD

PROJECT:
Flagstone East - Commercial
Precinct, Homstead Dr.

environmental management

PLAN OF:
Vegetation Clearing & Fauna
Management Plan


DATE: Jan 2016


CHECKED: AD

CLIENT REF: 6207

DRAWN: AL

DRAWING No.: 6207 E 05 VMP EAST E





Legend

- Clearing direction
- Tree to remove
- Tree Protection Zone (removing)
- Tree to retain
- Tree Protection Zone (retaining)
- Tree protection fencing
- Works area
- Design layout (15-981 - SK5316)
- Proposed basins and stormwater diversion
- Proposed lot boundaries and building areas
- Proposed footpaths & roads (incl. batters)
- Proposed centre carparking
- Dam area to be filled
- BMP - Fire trail (6m wide)
- Stockpile location (indicative)
- Existing contour line (m)

DISCLAIMER:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UPON THE CONTENTS OF THESE DRAWING BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON SITE THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAIL LOCATIONS OF ALL SERVICES.

REFERENCES:

Scale - 1:3,000 @ A3

N

AMENDMENTS:

Issue	Date	Description	Checked
B	05/12/2014	Client Review	MS
C	25/03/2015	BMP Update	MS
D	29.01.2016	Homestead Dr v Updates	AD
E	02.02.2016	bridge construction	AD

0 10 20 40 60 80 100 120 140 160 180 200 m

CLIENT:

PEET Flagstone City PTY LTD

PROJECT:

Flagstone East - Commercial
Precinct, Homstead Dr.

environmental management

PLAN OF:
Vegetation Clearing & Fauna
Management Plan

DATE: Jan 2016	CHECKED: AD
CLIENT REF: 6207	DRAWN: AL
DRAWING No.: 6207 E 07 VMP EAST E	

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
1	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	14.0	4	3.48	1.97	One-sided	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
2	<i>Corymbia intermedia</i>	Pink Bloodwood	220	160	272	14.0	5	3.26	1.92	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
3	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	16.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
4	<i>Corymbia intermedia</i>	Pink Bloodwood	220	180, 160	326	16.0	7	3.91	2.07	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
5	<i>Angophora leiocarpa</i>	Smooth Bark Apple	340	160, 330	500	25.0	8	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
6	<i>Eucalyptus tereticornis</i>	Forest Red Gum	580		580	36.0	9	6.96	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
7	<i>Corymbia intermedia</i>	Pink Bloodwood	1000		1000	31.0	18	12.00	3.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	-	-
8	<i>Corymbia intermedia</i>	Pink Bloodwood	180	130, 180	286	16.0	6	3.43	1.96	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
9	<i>Corymbia intermedia</i>	Pink Bloodwood	150	150, 100	235	12.0	4	2.81	1.80	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
10	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	17.0	6	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
11	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250		250	17.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
12	<i>Corymbia intermedia</i>	Pink Bloodwood	790		790	30.0	16	9.48	3.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
13	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	200	180	269	17.0	6	3.23	1.91	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
14	<i>Angophora leiocarpa</i>	Smooth Bark Apple	170	130	214	14.0	5	2.57	1.73	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
15	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	12.0	4	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
16	<i>Corymbia intermedia</i>	Pink Bloodwood	650		650	26.0	12	7.80	2.76	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-
17	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250		250	16.0	6	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
18	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250		250	17.0	5	3.00	1.85	One-sided	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
19	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210	180	277	16.0	4	3.32	1.93	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
20	<i>Angophora leiocarpa</i>	Smooth Bark Apple	200		200	15.0	2	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-
21	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300	220, 130	394	17.0	5	4.73	2.24	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
22	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	14.0	3	2.16	1.61	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
23	<i>Angophora leiocarpa</i>	Smooth Bark Apple	180		180	14.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
24	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240	210, 190, 140	397	21.0	5	4.76	2.24	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
25	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	21.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
26	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220	200	297	21.0	5	3.57	1.99	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
27	<i>Corymbia intermedia</i>	Pink Bloodwood	190	190	269	17.0	6	3.22	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
28	<i>Corymbia intermedia</i>	Pink Bloodwood	180	100	206	16.0	2	2.47	1.70	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
29	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260	180, 180, 110	380	18.0	6	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
30	<i>Corymbia intermedia</i>	Pink Bloodwood	200	180	269	13.0	5	3.23	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
31	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	15.0	4	2.16	1.61	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
32	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260	250, 230	428	19.0	7	5.13	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
33	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440	280	522	22.0	8	6.26	2.52	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
34	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	17.0	4	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
35	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	18.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
36	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300	200	361	22.0	7	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
37	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	160, 140	292	19.0	6	3.50	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
38	<i>Corymbia intermedia</i>	Pink Bloodwood	180	130	222	12.0	5	2.66	1.76	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
39	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	12.0	4	2.00	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
40	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290	260, 140	414	22.0	6	4.97	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

				NOTES: A GPS of all trees with a trunk DBH greater than 150mm have been recorded.				Site: Flagstone East Job No.: 6207 Date: 13.10.2014 Client: PFC Pty Ltd																				
Specimen Details										Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value					
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
41	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	23.0	7	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
42	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	17.0	6	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
43	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	21.0	4	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
44	<i>Corymbia intermedia</i>	Pink Bloodwood	180	160, 130	274	14.0	6	3.28	1.92	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
45	<i>Corymbia citriodora</i>	Spotted Gum	210	180	277	17.0	7	3.32	1.93	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
46	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	190	298	22.0	7	3.58	1.99	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
47	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210	180, 100	294	19.0	6	3.53	1.98	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
48	<i>Eucalyptus tereticornis</i>	Forest Red Gum	140	110	178	15.0	6	2.14	1.60	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
49	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170	170, 120	269	18.0	4	3.22	1.91	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
50	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210	200	290	21.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
51	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	23.0	9	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
52	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	23.0	7	3.84	2.05	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
53	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180	100	206	17.0	5	2.47	1.70	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
54	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	180, 110	312	20.0	6	3.75	2.03	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
55	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290	230, 260, 230	507	21.0	9	6.09	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
56	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290	270, 190	439	20.0	8	5.27	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
57	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190	140, 140, 120,	299	15.0	5	3.59	1.99	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
58	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	18.0	4	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
59	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260	180, 10	332	20.0	7	3.98	2.08	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
60	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	16.0	5	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
61	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	170, 100	334	21.0	7	4.01	2.09	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
62	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	200		200	12.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
63	<i>Corymbia intermedia</i>	Pink Bloodwood	140	110	178	11.0	3	2.14	1.60	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
64	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	18.0	2	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
65	<i>Corymbia intermedia</i>	Pink Bloodwood	190	140, 150, 100	297	12.0	5	3.56	1.99	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
66	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	200	305	19.0	7	3.66	2.01	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
67	<i>Angophora leiocarpa</i>	Smooth Bark Apple	170	100	197	14.0	6	2.37	1.67	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
68	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	14.0	4	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
69	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	220, 180	392	18.0	6	4.70	2.23	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
70	<i>Eucalyptus siderophloia</i>	Grey Ironbark	540		540	24.0	9	6.48	2.55	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
71	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280	180, 170	374	19.0	6	4.49	2.19	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
72	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290	230, 230, 130	455	17.0	6	5.46	2.38	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
73	<i>Angophora leiocarpa</i>	Smooth Bark Apple	230	220, 180, 160, 130	420	19.0	7	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
74	<i>Corymbia citriodora</i>	Spotted Gum	420	190	461	24.0	8	5.53	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
75	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350	170	389	25.0	7	4.67	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
76	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	22.0	5	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
77	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	200	336	21.0	6	4.03	2.09	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
78	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540	150	560	23.0	7	6.73	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
79	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	130	264	18.0	6	3.17	1.89	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
80	<i>Eucalyptus siderophloia</i>	Grey Ironbark	240		240	17.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
81	<i>Corymbia citriodora</i>	Spotted Gum	200		200	17.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
82	<i>Angophora leiocarpa</i>	Smooth Bark Apple	160		160	14.0	5	2.00	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
83	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	260	420	17.0	7	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
84	<i>Eucalyptus moluccana</i>	Gum Topped Box	160		160	16.0	5	2.00	1.53	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
85	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	450		450	25.0	9	5.40	2.37	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
86	<i>Corymbia intermedia</i>	Pink Bloodwood	200	150, 150	292	15.0	6	3.50	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
87	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	23.0	8	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
88	<i>Corymbia citriodora</i>	Spotted Gum	290		290	18.0	6	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
89	<i>Angophora leiocarpa</i>	Smooth Bark Apple	240		240	19.0	4	2.88	1.82	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
90	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	15.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
91	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	14.0	4	2.40	1.68	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
92	<i>Corymbia intermedia</i>	Pink Bloodwood	210	180, 130,	306	16.0	7	3.67	2.01	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
93	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280	240	369	18.0	6	4.43	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
94	<i>Corymbia intermedia</i>	Pink Bloodwood	290	140	322	17.0	7	3.86	2.06	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
95	<i>Corymbia citriodora</i>	Spotted Gum	510	380, 370	736	24.0	11	8.83	2.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
96	<i>Corymbia intermedia</i>	Pink Bloodwood	340	230	410	18.0	6	4.93	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
97	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	13.0	6	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
98	<i>Corymbia citriodora</i>	Spotted Gum	420		420	29.0	9	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
99	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	21.0	5	3.12	1.88	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
100	<i>Corymbia citriodora</i>	Spotted Gum	180	160	241	15.0	4	2.89	1.82	One-sided	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
101	<i>Corymbia intermedia</i>	Pink Bloodwood	250	170	302	16.0	6	3.63	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
102	<i>Corymbia intermedia</i>	Pink Bloodwood	160	150, 120	250	11.0	4	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
103	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	220		220	16.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
104	<i>Eucalyptus moluccana</i>	Gum Topped Box	270		270	17.0	4	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
105	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	25.0	11	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
106	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	16.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
107	<i>Corymbia tessellaris</i>	Moreton Bay Ash	180		180	16.0	3	2.16	1.61	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
108	<i>Corymbia citriodora</i>	Spotted Gum	170		170	16.0	4	2.04	1.57	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
109	<i>Eucalyptus moluccana</i>	Gum Topped Box	300	290	417	24.0	9	5.01	2.29	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
110	<i>Eucalyptus siderophloia</i>	Grey Ironbark	360		360	24.0	9	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
111	<i>Corymbia intermedia</i>	Pink Bloodwood	190	130	230	14.0	6	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
112	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	240	361	18.0	5	4.33	2.16	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
113	<i>Eucalyptus moluccana</i>	Gum Topped Box	370		370	26.0	9	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
114	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	17.0	5	2.64	1.75	One-sided	-	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
115	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	20.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
116	<i>Eucalyptus siderophloia</i>	Grey Ironbark	690		690	34.0	16	8.28	2.83	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
117	<i>Eucalyptus moluccana</i>	Gum Topped Box	230	220, 170	361	21.0	7	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
118	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	28.0	9	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
119	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	200, 100	321	18.0	7	3.85	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
120	<i>Eucalyptus moluccana</i>	Gum Topped Box	280		280	19.0	6	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
121	<i>Eucalyptus moluccana</i>	Gum Topped Box	220		220	19.0	6	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
122	<i>Eucalyptus moluccana</i>	Gum Topped Box	330	220	397	22.0	9	4.76	2.24	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
123	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	320		320	19.0	6	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
124	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	460		460	27.0	11	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
125	<i>Eucalyptus moluccana</i>	Gum Topped Box	300	270, 200	450	24.0	9	5.41	2.37	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
126	<i>Eucalyptus moluccana</i>	Gum Topped Box	290	270, 230	458	24.0	11	5.50	2.38	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
127	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	330		330	24.0	5	3.96	2.08	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
128	<i>Eucalyptus moluccana</i>	Gum Topped Box	210		210	22.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
129	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	280		280	21.0	4	3.36	1.94	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-
130	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	360		360	24.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
131	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	320		320	21.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
132	<i>Eucalyptus moluccana</i>	Gum Topped Box	330	180	376	19.0	7	4.51	2.19	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
133	<i>Eucalyptus moluccana</i>	Gum Topped Box	180		180	13.0	5	2.16	1.61	One-sided	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
134	<i>Corymbia citriodora</i>	Spotted Gum	210		210	20.0	4	2.52	1.72	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
135	<i>Eucalyptus moluccana</i>	Gum Topped Box	340		340	24.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
136	<i>Eucalyptus moluccana</i>	Gum Topped Box	180		180	19.0	5	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
137	<i>Eucalyptus moluccana</i>	Gum Topped Box	330		330	23.0	9	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
138	<i>Dead</i>	Dead	340		340	28.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
139	<i>Eucalyptus moluccana</i>	Gum Topped Box	150		150	12.0	5	1.80	1.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
140	<i>Eucalyptus moluccana</i>	Gum Topped Box	160		160	13.0	5	1.92	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
141	<i>Eucalyptus moluccana</i>	Gum Topped Box	260	190, 180	369	20.0	5	4.43	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
142	<i>Corymbia intermedia</i>	Pink Bloodwood	430		430	18.0	8	5.16	2.32	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
143	<i>Eucalyptus siderophloia</i>	Grey Ironbark	730		730	29.0	16	8.76	2.90	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
144	<i>Eucalyptus siderophloia</i>	Grey Ironbark	710		710	31.0	12	8.52	2.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
145	<i>Eucalyptus siderophloia</i>	Grey Ironbark	440		440	25.0	9	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-
146	<i>Eucalyptus siderophloia</i>	Grey Ironbark	430		430	24.0	11	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
147	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400		400	17.0	7	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
148	<i>Eucalyptus siderophloia</i>	Grey Ironbark	500	390, 290	697	23.0	9	8.37	2.84	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
149	<i>Eucalyptus siderophloia</i>	Grey Ironbark	610		610	29.0	11	7.32	2.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
150	<i>Eucalyptus moluccana</i>	Gum Topped Box	380	350	517	23.0	8	6.20	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
151	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	25.0	5	5.76	2.43	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
152	<i>Eucalyptus moluccana</i>	Gum Topped Box	870		870	27.0	10	10.44	3.12	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
153	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	26.0	6	3.96	2.08	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
154	<i>Eucalyptus siderophloia</i>	Grey Ironbark	440		440	24.0	11	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
155	<i>Eucalyptus siderophloia</i>	Grey Ironbark	400		400	25.0	9	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
156	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	25.0	11	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
157	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	21.0	9	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
158	<i>Corymbia intermedia</i>	Pink Bloodwood	250	180	308	16.0	7	3.70	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
159	<i>Angophora leiocarpa</i>	Smooth Bark Apple	160		160	11.0	4	2.00	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
160	<i>Corymbia intermedia</i>	Pink Bloodwood	280	260,180, 100, 190, 220, 230	571	18.0	8	6.85	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
161	<i>Corymbia intermedia</i>	Pink Bloodwood	220	190, 280, 180	442	20.0	8	5.30	2.35	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-
162	<i>Corymbia intermedia</i>	Pink Bloodwood	230	220, 200, 180, 260	491	17.0	8	5.89	2.46	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
163	<i>Corymbia intermedia</i>	Pink Bloodwood	260	220, 220,	405	19.0	7	4.87	2.27	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
164	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	18.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
165	<i>Eucalyptus siderophloia</i>	Grey Ironbark	400		400	24.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
166	<i>Eucalyptus tereticornis</i>	Forest Red Gum	660		660	24.0	11	7.92	2.78	Regular	-	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-
167	<i>Corymbia intermedia</i>	Pink Bloodwood	260	240, 220, 220, 180	504	18.0	6	6.05	2.48	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
168	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	14.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
169	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310	300, 230, 220	536	22.0	9	6.43	2.55	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
170	<i>Corymbia intermedia</i>	Pink Bloodwood	260	240, 170, 190, 170	468	18.0	7	5.62	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
171	<i>Eucalyptus tereticornis</i>	Forest Red Gum	990		990	25.0	10	11.88	3.30	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	-
172	<i>Corymbia intermedia</i>	Pink Bloodwood	300	240, 230, 170	479	16.0	7	5.75	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
173	<i>Corymbia intermedia</i>	Pink Bloodwood	270	250, 220, 280	512	17.0	7	6.14	2.50	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
174	<i>Corymbia intermedia</i>	Pink Bloodwood	240	190	306	15.0	5	3.67	2.01	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
175	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460	180	494	25.0	10	5.93	2.46	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
176	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	480		480	17.0	9	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
177	<i>Corymbia intermedia</i>	Pink Bloodwood	710		710	18.0	9	8.52	2.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
178	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320	250, 260, 130	499	20.0	9	5.99	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
179	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320	310, 290, 400, 400	776	15.0	12	9.32	2.98	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
180	<i>Corymbia intermedia</i>	Pink Bloodwood	240	220, 200	382	14.0	6	4.59	2.21	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
181	<i>Lophostemon suaveolens</i>	Swamp Box	210	150	258	11.0	5	3.10	1.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
182	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380	370	530	20.0	11	6.36	2.54	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
183	<i>Corymbia intermedia</i>	Pink Bloodwood	410	320	520	19.0	8	6.24	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
184	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310	300	431	22.0	7	5.18	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
185	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	270, 260	462	19.0	8	5.54	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
186	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	420		420	18.0	6	5.04	2.30	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
187	<i>Corymbia intermedia</i>	Pink Bloodwood	400	280, 310, 210	615	19.0	9	7.38	2.70	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
188	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380	370, 230, 200	612	16.0	9	7.34	2.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
189	<i>Lophostemon suaveolens</i>	Swamp Box	230	210, 180	360	12.0	5	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
190	<i>Eucalyptus siderophloia</i>	Grey Ironbark	400		400	22.0	7	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
191	<i>Corymbia citriodora</i>	Spotted Gum	340	170	380	25.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
192	<i>Corymbia intermedia</i>	Pink Bloodwood	360	290	462	14.0	9	5.55	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
193	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390	390, 110	562	24.0	9	6.75	2.60	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
194	<i>Corymbia citriodora</i>	Spotted Gum	400		400	24.0	9	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
195	<i>Corymbia intermedia</i>	Spotted Gum	580	150	599	25.0	8	7.19	2.67	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	Small	-	-
196	<i>Corymbia intermedia</i>	Spotted Gum	280	260	382	17.0	8	4.59	2.21	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
197	<i>Corymbia intermedia</i>	Spotted Gum	340	260, 200, 200	513	15.0	9	6.16	2.50	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
198	<i>Corymbia intermedia</i>	Spotted Gum	380		380	21.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
199	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410	300	508	19.0	8	6.10	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
200	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310	170	354	19.0	7	4.24	2.14	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
201	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400	390, 160	581	24.0	9	6.97	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
202	<i>Corymbia intermedia</i>	Pink Bloodwood	350	190	398	16.0	6	4.78	2.25	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
203	<i>Eucalyptus tereticornis</i>	Forest Red Gum	1320		1320	36.0	14	15.84	3.72	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	Old	Large	Small	Termites	High
204	<i>Angophora leiocarpa</i>	Smooth Bark Apple	360	310, 100	485	19.0	9	5.83	2.44	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
205	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390	390	552	25.0	8	6.62	2.58	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
206	<i>Eucalyptus tereticornis</i>	Forest Red Gum	600	280,270	715	23.0	9	8.58	2.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
207	<i>Angophora leiocarpa</i>	Smooth Bark Apple	430	200, 150, 350, 160,160	649	21.0	7	7.79	2.76	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
208	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280	280, 260, 160, 160	525	22.0	9	6.30	2.52	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
209	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300	260, 420	578	23.0	8	6.94	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
210	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390	270, 160, 140	520	25.0	8	6.24	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
211	<i>Angophora leiocarpa</i>	Smooth Bark Apple	330	180, 170, 160,130, 100, 220, 140	539	23.0	8	6.47	2.55	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
212	<i>Corymbia intermedia</i>	Pink Bloodwood	600		600	27.0	14	7.20	2.67	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
213	<i>Corymbia intermedia</i>	Pink Bloodwood	530		530	20.0	14	6.36	2.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
214	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	23.0	11	4.92	2.28	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
215	<i>Angophora leiocarpa</i>	Smooth Bark Apple	340	240, 200, 140, 100, 120, 130	524	19.0	8	6.28	2.52	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
216	<i>Angophora leiocarpa</i>	Smooth Bark Apple	330	320, 210, 170	533	19.0	11	6.40	2.54	Regular	-	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-
217	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	770		770	23.0	14	9.24	2.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
218	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320	300, 280, 290	596	25.0	9	7.15	2.66	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
219	<i>Angophora leiocarpa</i>	Smooth Bark Apple	740		740	23.0	12	8.88	2.92	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
220	<i>Angophora leiocarpa</i>	Smooth Bark Apple	200		200	13.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
221	<i>Eucalyptus tereticornis</i>	Forest Red Gum	710		710	23.0	9	8.52	2.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
222	<i>Angophora leiocarpa</i>	Smooth Bark Apple	650		650	22.0	10	7.80	2.76	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
223	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320	240	400	18.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
224	<i>Corymbia intermedia</i>	Pink Bloodwood	300	270, 200, 100, 310	556	18.0	7	6.67	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
225	<i>Corymbia intermedia</i>	Pink Bloodwood	410	270, 270	560	15.0	12	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
226	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400	370	545	21.0	8	6.54	2.56	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
227	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210	190, 190	341	15.0	7	4.09	2.11	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
228	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280	250, 200	425	18.0	8	5.10	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
229	<i>Corymbia intermedia</i>	Pink Bloodwood	230	210, 230, 180	484	18.0	7	5.81	2.44	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
230	<i>Angophora leiocarpa</i>	Smooth Bark Apple	480	410	631	19.0	9	7.58	2.73	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
231	<i>Corymbia intermedia</i>	Pink Bloodwood	360	280, 200, 190, 220, 190	607	18.0	8	7.29	2.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
232	<i>Angophora leiocarpa</i>	Smooth Bark Apple	550		550	19.0	8	6.60	2.57	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
233	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	18.0	5	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
234	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	21.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
235	<i>Corymbia intermedia</i>	Pink Bloodwood	260	250, 190	408	19.0	8	4.89	2.27	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
236	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	17.0	7	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
237	<i>Eucalyptus tereticornis</i>	Forest Red Gum	800		800	23.0	11	9.60	3.01	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
238	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280	140	313	16.0	3	3.76	2.03	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
239	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	18.0	4	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
240	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	17.0	8	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
241	<i>Angophora leiocarpa</i>	Smooth Bark Apple	430	400	587	20.0	12	7.05	2.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
242	<i>Angophora leiocarpa</i>	Smooth Bark Apple	390	280	480	21.0	12	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
243	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	200, 140, 140,	390	22.0	7	4.68	2.23	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
244	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300	180	350	18.0	5	4.20	2.13	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
245	<i>Lophostemon suaveolens</i>	Swamp Box	150	140, 140, 100	268	13.0	4	3.21	1.90	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
246	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	13.0	2	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
247	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	13.0	3	1.80	1.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
248	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300		300	19.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
249	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300	200	361	19.0	6	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
250	<i>Angophora leiocarpa</i>	Smooth Bark Apple	430		430	18.0	6	5.16	2.32	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
251	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280	250, 150	404	19.0	8	4.85	2.26	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
252	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	17.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
253	<i>Angophora leiocarpa</i>	Smooth Bark Apple	190	80	206	15.0	4	2.47	1.70	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
254	<i>Corymbia intermedia</i>	Pink Bloodwood	280	200	344	16.0	7	4.13	2.11	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
255	Dead	Dead	340		340	19.0	4	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termites	-	-
256	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	20.0	6	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
257	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290		290	18.0	5	3.48	1.97	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
258	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	19.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
259	<i>Corymbia intermedia</i>	Pink Bloodwood	170	120, 110, 120, 120	290	14.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
260	<i>Lophostemon suaveolens</i>	Swamp Box	160	100	189	11.0	3	2.26	1.64	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
261	<i>Lophostemon suaveolens</i>	Swamp Box	160	120, 100	224	12.0	4	2.68	1.76	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
262	<i>Lophostemon suaveolens</i>	Swamp Box	160	100	189	12.0	3	2.26	1.64	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
263	<i>Angophora leiocarpa</i>	Smooth Bark Apple	160		160	15.0	5	2.00	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
264	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	17.0	3	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
265	<i>Corymbia intermedia</i>	Pink Bloodwood	200	280	344	16.0	5	4.13	2.11	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
266	Dead	Dead	470		470	24.0	5	5.64	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termites	-	-
267	<i>Angophora leiocarpa</i>	Smooth Bark Apple	220		220	16.0	3	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
268	<i>Corymbia intermedia</i>	Pink Bloodwood	280	270, 130	410	18.0	6	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
269	<i>Angophora leiocarpa</i>	Smooth Bark Apple	180		180	14.0	4	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
270	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	12.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
271	<i>Angophora leiocarpa</i>	Smooth Bark Apple	200		200	14.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
272	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310		310	18.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
273	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290		290	19.0	6	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
274	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300		300	18.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
275	<i>Lophostemon suaveolens</i>	Swamp Box	260	250	361	16.0	6	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Termites	-	-
276	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	21.0	4	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
277	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310	180	358	22.0	6	4.30	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
278	<i>Angophora leiocarpa</i>	Smooth Bark Apple	240	210	319	18.0	8	3.83	2.05	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
279	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	18.0	5	3.24	1.91	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
280	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	19.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
281	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	18.0	4	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
282	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	13.0	2	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
283	<i>Lophostemon suaveolens</i>	Swamp Box	200	170, 100	281	13.0	4	3.37	1.94	Regular	-	-	-	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-
284	<i>Corymbia intermedia</i>	Pink Bloodwood	260	160, 160, 150	376	14.0	7	4.51	2.19	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
285	<i>Angophora leiocarpa</i>	Smooth Bark Apple	370	130	392	23.0	7	4.71	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
286	<i>Corymbia intermedia</i>	Pink Bloodwood	290	130,100, 140,160, 130	416	17.0	7	4.99	2.29	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
287	<i>Corymbia intermedia</i>	Pink Bloodwood	220	200	297	18.0	7	3.57	1.99	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
288	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	18.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
289	<i>Angophora leiocarpa</i>	Smooth Bark Apple	230	180	292	17.0	5	3.50	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
290	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	22.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
291	<i>Angophora leiocarpa</i>	Smooth Bark Apple	240		240	14.0	3	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
292	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	16.0	7	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
293	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	16.0	4	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
294	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	14.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
295	Dead	Dead	420		420	25.0	6	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
296	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	17.0	5	3.12	1.88	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
297	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310	280, 210	468	17.0	8	5.61	2.40	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
298	<i>Corymbia intermedia</i>	Pink Bloodwood	380	200, 130	449	16.0	6	5.38	2.36	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
299	<i>Corymbia intermedia</i>	Pink Bloodwood	340	170	380	18.0	6	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
300	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	16.0	4	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
301	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	270		270	17.0	6	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
302	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	220	220, 210,	375	16.0	7	4.50	2.19	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
303	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	190	180	262	15.0	6	3.14	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
304	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	16.0	4	2.28	1.65	One-sided	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
305	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	16.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
306	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370	180, 100	423	19.0	7	5.08	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
307	<i>Corymbia intermedia</i>	Pink Bloodwood	460		460	22.0	14	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
308	<i>Corymbia intermedia</i>	Pink Bloodwood	210	110	237	16.0	5	2.84	1.81	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
309	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	12.0	2	1.92	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
310	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	12.0	3	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
311	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	15.0	4	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
312	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240	230, 160	369	19.0	7	4.43	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
313	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300	200, 120, 130, 190	444	17.0	7	5.33	2.35	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
314	<i>Angophora leiocarpa</i>	Smooth Bark Apple	320	160	358	22.0	7	4.29	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
315	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	20.0	8	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
316	<i>Angophora leiocarpa</i>	Smooth Bark Apple	620	100, 130	641	19.0	9	7.70	2.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
317	<i>Corymbia intermedia</i>	Pink Bloodwood	200	190, 180, 140	358	17.0	8	4.29	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
318	<i>Angophora leiocarpa</i>	Smooth Bark Apple	410	240	475	18.0	7	5.70	2.42	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
319	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310	150, 250, 280, 150	531	20.0	11	6.37	2.54	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
320	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360	280, 240	515	18.0	9	6.18	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details								Trunk Condition Details					Fauna Details and Habitat Value					
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
321	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	240, 280, 160	484	18.0	7	5.81	2.44	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
322	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	230	210, 230, 290	484	16.0	12	5.80	2.44	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
323	<i>Corymbia intermedia</i>	Pink Bloodwood	190	170	255	16.0	6	3.06	1.86	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
324	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200	200, 180	335	17.0	7	4.02	2.09	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
325	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	13.0	4	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
326	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	13.0	3	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
327	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	180	140	228	11.0	3	2.74	1.78	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
328	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210	100	233	11.0	4	2.79	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
329	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	19.0	7	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
330	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	17.0	8	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
331	<i>Eucalyptus siderophloia</i>	Grey Ironbark	170	160	233	9.0	3	2.80	1.80	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
332	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	11.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
333	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	15.0	4	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
334	<i>Eucalyptus siderophloia</i>	Grey Ironbark	230		230	16.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
335	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280		280	12.0	5	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
336	<i>Corymbia citriodora</i>	Spotted Gum	170		170	14.0	2	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
337	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300	290, 270, 300	581	16.0	8	6.97	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
338	<i>Eucalyptus moluccana</i>	Gum Topped Box	430		430	30.0	11	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
339	<i>Eucalyptus siderophloia</i>	Grey Ironbark	760		760	29.0	14	9.12	2.95	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
340	<i>Eucalyptus siderophloia</i>	Grey Ironbark	910		910	29.0	12	10.92	3.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	Termites	High
341	<i>Eucalyptus siderophloia</i>	Grey Ironbark	610		610	26.0	12	7.32	2.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
342	<i>Eucalyptus siderophloia</i>	Grey Ironbark	690		690	32.0	12	8.28	2.83	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
343	<i>Corymbia citriodora</i>	Spotted Gum	190		190	24.0	5	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
344	<i>Eucalyptus moluccana</i>	Gum Topped Box	420		420	25.0	8	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
345	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	27.0	9	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
346	<i>Eucalyptus siderophloia</i>	Grey Ironbark	500		500	31.0	11	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
347	<i>Angophora leiocarpa</i>	Smooth Bark Apple	330	220	397	21.0	7	4.76	2.24	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
348	<i>Angophora leiocarpa</i>	Smooth Bark Apple	380		380	17.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
349	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250	240, 230	416	15.0	7	4.99	2.29	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
350	<i>Corymbia intermedia</i>	Pink Bloodwood	240	200, 190	366	15.0	7	4.39	2.17	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
351	<i>Angophora leiocarpa</i>	Smooth Bark Apple	340	200	394	20.0	8	4.73	2.24	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
352	<i>Eucalyptus siderophloia</i>	Grey Ironbark	510		510	24.0	11	6.12	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
353	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290	240, 220	436	16.0	7	5.23	2.34	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-
354	<i>Angophora leiocarpa</i>	Smooth Bark Apple	230		230	18.0	4	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
355	<i>Eucalyptus siderophloia</i>	Grey Ironbark	360		360	24.0	9	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
356	<i>Angophora leiocarpa</i>	Smooth Bark Apple	320	260, 230, 200	513	20.0	11	6.15	2.50	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
357	<i>Eucalyptus siderophloia</i>	Grey Ironbark	640		640	24.0	9	7.68	2.74	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
358	<i>Corymbia citriodora</i>	Spotted Gum	560		560	30.0	8	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
359	<i>Corymbia citriodora</i>	Spotted Gum	680	160, 140	712	33.0	11	8.55	2.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
360	<i>Corymbia citriodora</i>	Spotted Gum	660		660	35.0	14	7.92	2.78	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
361	<i>Angophora leiocarpa</i>	Smooth Bark Apple	400		400	21.0	11	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
362	<i>Corymbia citriodora</i>	Spotted Gum	220		220	21.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
363	<i>Eucalyptus siderophloia</i>	Grey Ironbark	620		620	29.0	11	7.44	2.71	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
364	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	20.0	7	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
365	<i>Corymbia intermedia</i>	Pink Bloodwood	300	180, 100, 100	377	16.0	6	4.53	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
366	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	460		460	16.0	8	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
367	<i>Eucalyptus siderophloia</i>	Grey Ironbark	520		520	25.0	9	6.24	2.51	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
368	<i>Eucalyptus siderophloia</i>	Grey Ironbark	900		900	33.0	14	10.80	3.17	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
369	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500	360	616	20.0	11	7.39	2.70	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
370	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400	380	552	17.0	8	6.62	2.58	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-
371	<i>Corymbia citriodora</i>	Spotted Gum	910		910	29.0	9	10.92	3.18	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	-	High
372	<i>Corymbia citriodora</i>	Spotted Gum	430		430	28.0	9	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
373	<i>Eucalyptus siderophloia</i>	Grey Ironbark	720		720	28.0	14	8.64	2.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
374	<i>Corymbia citriodora</i>	Spotted Gum	580		580	29.0	12	6.96	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
375	<i>Eucalyptus siderophloia</i>	Grey Ironbark	420		420	24.0	7	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
376	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	17.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
377	<i>Eucalyptus siderophloia</i>	Grey Ironbark	560		560	27.0	13	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
378	<i>Eucalyptus siderophloia</i>	Grey Ironbark	470		470	25.0	12	5.64	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
379	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	15.0	7	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
380	<i>Eucalyptus siderophloia</i>	Grey Ironbark	680		680	30.0	14	8.16	2.81	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
381	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	570		570	19.0	7	6.84	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
382	<i>Eucalyptus siderophloia</i>	Grey Ironbark	460		460	22.0	10	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
383	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270	260	375	22.0	7	4.50	2.19	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
384	<i>Eucalyptus siderophloia</i>	Grey Ironbark	460		460	25.0	8	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
385	<i>Eucalyptus siderophloia</i>	Grey Ironbark	700		700	33.0	14	8.40	2.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
386	<i>Corymbia citriodora</i>	Spotted Gum	300		300	20.0	7	3.60	2.00	Regular	-	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
387	<i>Corymbia citriodora</i>	Spotted Gum	500		500	29.0	11	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
388	<i>Corymbia citriodora</i>	Spotted Gum	500		500	28.0	9	6.00	2.47	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-
389	<i>Corymbia citriodora</i>	Spotted Gum	620		620	36.0	8	7.44	2.71	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
390	<i>Corymbia citriodora</i>	Spotted Gum	530		530	28.0	9	6.36	2.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
391	<i>Eucalyptus siderophloia</i>	Grey Ironbark	430		430	17.0	8	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
392	<i>Corymbia citriodora</i>	Spotted Gum	380	130	402	21.0	7	4.82	2.26	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
393	<i>Eucalyptus siderophloia</i>	Grey Ironbark	690		690	31.0	14	8.28	2.83	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
394	<i>Eucalyptus siderophloia</i>	Grey Ironbark	580	200	614	18.0	7	7.36	2.70	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
395	<i>Eucalyptus siderophloia</i>	Grey Ironbark	360		360	16.0	7	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
396	<i>Corymbia intermedia</i>	Pink Bloodwood	220	120	251	12.0	5	3.01	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
397	<i>Corymbia citriodora</i>	Spotted Gum	510		510	23.0	7	6.12	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
398	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	13.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
399	<i>Eucalyptus siderophloia</i>	Grey Ironbark	700		700	31.0	14	8.40	2.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
400	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	700		700	30.0	14	8.40	2.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
401	<i>Corymbia citriodora</i>	Spotted Gum	340		340	22.0	9	4.08	2.10	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
402	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	580		580	28.0	8	6.96	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
403	<i>Eucalyptus siderophloia</i>	Grey Ironbark	400		400	17.0	7	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
404	<i>Eucalyptus siderophloia</i>	Grey Ironbark	400		400	21.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
405	<i>Dead</i>	Dead	610		610	24.0	6	7.32	2.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
406	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	420		420	17.0	8	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
407	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	410	320, 290	595	18.0	8	7.15	2.66	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
408	<i>Eucalyptus siderophloia</i>	Grey Ironbark	550		550	23.0	14	6.60	2.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
409	<i>Eucalyptus siderophloia</i>	Grey Ironbark	510		510	21.0	7	6.12	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
410	<i>Corymbia citriodora</i>	Spotted Gum	270	160	314	20.0	7	3.77	2.03	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
411	<i>Corymbia citriodora</i>	Spotted Gum	290	270, 260, 160	500	17.0	9	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
412	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	23.0	9	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
413	<i>Eucalyptus siderophloia</i>	Grey Ironbark	480		480	24.0	9	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
414	<i>Corymbia intermedia</i>	Pink Bloodwood	260	130	291	16.0	4	3.49	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
415	<i>Eucalyptus siderophloia</i>	Grey Ironbark	450		450	21.0	8	5.40	2.37	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
416	<i>Eucalyptus siderophloia</i>	Grey Ironbark	730		730	29.0	14	8.76	2.90	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
417	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280		280	19.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
418	<i>Corymbia citriodora</i>	Spotted Gum	530		530	28.0	12	6.36	2.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
419	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	25.0	6	4.44	2.18	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
420	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	270	426	15.0	7	5.12	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
421	<i>Corymbia intermedia</i>	Pink Bloodwood	220	220, 180, 160	393	17.0	5	4.72	2.24	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
422	<i>Corymbia citriodora</i>	Spotted Gum	570		570	30.0	14	6.84	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
423	<i>Corymbia intermedia</i>	Pink Bloodwood	180	180, 16150	336	15.0	6	4.03	2.09	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
424	<i>Corymbia citriodora</i>	Spotted Gum	420	130, 120, 110,	469	24.0	8	5.63	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
425	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	15.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
426	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	15.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
427	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	650		650	30.0	11	7.80	2.76	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
428	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	14.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
429	<i>Eucalyptus siderophloia</i>	Grey Ironbark	470		470	27.0	9	5.64	2.41	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
430	<i>Corymbia intermedia</i>	Pink Bloodwood	860		860	28.0	14	10.32	3.11	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
431	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250	180	308	13.0	5	3.70	2.02	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
432	<i>Angophora leiocarpa</i>	Smooth Bark Apple	360	300	469	16.0	6	5.62	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
433	<i>Eucalyptus siderophloia</i>	Grey Ironbark	800		800	32.0	14	9.60	3.01	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
434	<i>Corymbia citriodora</i>	Spotted Gum	320	290,210, 260	546	18.0	9	6.55	2.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
435	<i>Corymbia intermedia</i>	Pink Bloodwood	170	160, 100	254	12.0	5	3.05	1.86	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
436	<i>Eucalyptus siderophloia</i>	Grey Ironbark	560		560	24.0	9	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
437	<i>Eucalyptus siderophloia</i>	Grey Ironbark	550		550	28.0	9	6.60	2.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
438	<i>Angophora leiocarpa</i>	Smooth Bark Apple	460	150, 100	494	24.0	9	5.93	2.46	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
439	<i>Corymbia intermedia</i>	Pink Bloodwood	270	240, 180	404	15.0	7	4.84	2.26	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
440	<i>Corymbia intermedia</i>	Pink Bloodwood	300	220, 200, 210, 190, 160	533	18.0	7	6.40	2.54	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
441	<i>Eucalyptus siderophloia</i>	Grey Ironbark	570		570	22.0	11	6.84	2.61	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
442	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400		400	19.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
443	<i>Eucalyptus siderophloia</i>	Grey Ironbark	590		590	29.0	12	7.08	2.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
444	<i>Eucalyptus siderophloia</i>	Grey Ironbark	650		650	31.0	12	7.80	2.76	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
445	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	24.0	11	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
446	<i>Eucalyptus siderophloia</i>	Grey Ironbark	500		500	25.0	11	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
447	<i>Eucalyptus siderophloia</i>	Grey Ironbark	410		410	24.0	11	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
448	<i>Eucalyptus siderophloia</i>	Grey Ironbark	500		500	28.0	9	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
449	<i>Eucalyptus siderophloia</i>	Grey Ironbark	610		610	28.0	12	7.32	2.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
450	<i>Eucalyptus siderophloia</i>	Grey Ironbark	520	190	554	25.0	9	6.64	2.58	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
451	<i>Eucalyptus siderophloia</i>	Grey Ironbark	520		520	21.0	9	6.24	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
452	<i>Corymbia intermedia</i>	Pink Bloodwood	1380		1380	29.0	16	16.56	3.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	Termites	High
453	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	17.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
454	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250	250	354	16.0	7	4.24	2.14	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
455	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	15.0	6	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
456	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360	330, 320	584	17.0	9	7.01	2.64	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
457	<i>Corymbia intermedia</i>	Pink Bloodwood	690		690	21.0	12	8.28	2.83	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
458	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210		210	16.0	5	2.52	1.72	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
459	<i>Corymbia intermedia</i>	Pink Bloodwood	240	200	312	17.0	6	3.75	2.03	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
460	<i>Angophora leiocarpa</i>	Smooth Bark Apple	360	310, 100	485	19.0	6	5.83	2.44	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
461	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280	270, 270, 190	510	18.0	6	6.12	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
462	<i>Corymbia intermedia</i>	Pink Bloodwood	240	220, 230, 140	422	18.0	5	5.07	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
463	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300	300, 180	461	17.0	8	5.53	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
464	<i>Corymbia intermedia</i>	Pink Bloodwood	260	180, 140	346	17.0	6	4.15	2.12	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
465	<i>Corymbia intermedia</i>	Pink Bloodwood	180	160	241	16.0	5	2.89	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
466	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	150	130	198	12.0	3	2.38	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
467	<i>Eucalyptus moluccana</i>	Gum Topped Box	440		440	24.0	8	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
468	<i>Eucalyptus moluccana</i>	Gum Topped Box	260	240	354	19.0	7	4.25	2.14	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
469	<i>Eucalyptus siderophloia</i>	Grey Ironbark	320		320	21.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
470	<i>Corymbia citriodora</i>	Spotted Gum	160	120, 130, 70	249	17.0	4	2.98	1.84	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
471	<i>Corymbia citriodora</i>	Spotted Gum	160	130, 70, 60	226	13.0	4	2.71	1.77	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
472	<i>Eucalyptus moluccana</i>	Gum Topped Box	240	170, 250	386	22.0	5	4.63	2.22	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
473	<i>Eucalyptus moluccana</i>	Gum Topped Box	240	230	332	21.0	6	3.99	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
474	<i>Eucalyptus moluccana</i>	Gum Topped Box	260		260	22.0	7	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
475	<i>Corymbia citriodora</i>	Spotted Gum	280	220	356	24.0	6	4.27	2.14	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
476	<i>Eucalyptus moluccana</i>	Gum Topped Box	280	140	313	22.0	6	3.76	2.03	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
477	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	370		370	25.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
478	<i>Corymbia citriodora</i>	Spotted Gum	230	190	298	19.0	6	3.58	1.99	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
479	<i>Corymbia citriodora</i>	Spotted Gum	160	90, 100	209	17.0	4	2.51	1.71	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
480	<i>Corymbia citriodora</i>	Spotted Gum	230	100	251	19.0	5	3.01	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
481	<i>Eucalyptus moluccana</i>	Gum Topped Box	270	180	324	21.0	6	3.89	2.06	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
482	<i>Eucalyptus moluccana</i>	Gum Topped Box	210		210	19.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
483	<i>Corymbia intermedia</i>	Pink Bloodwood	140	110, 90	199	11.0	3	2.39	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
484	<i>Angophora leiocarpa</i>	Smooth Bark Apple	600		600	10.0	3	7.20	3.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
485	<i>Eucalyptus siderophloia</i>	Grey Ironbark	550		550	26.0	9	6.60	2.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
486	<i>Eucalyptus moluccana</i>	Gum Topped Box	240		240	19.0	4	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
487	<i>Eucalyptus moluccana</i>	Gum Topped Box	260		260	19.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
488	<i>Eucalyptus moluccana</i>	Gum Topped Box	270	250, 210	424	19.0	9	5.08	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
489	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	24.0	9	4.68	2.23	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
490	<i>Eucalyptus moluccana</i>	Gum Topped Box	210	200	290	17.0	7	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
491	Dead	Dead	580		580	29.0	9	6.96	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
492	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	220		220	18.0	2	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
493	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	370		315	26.0	9	3.78	2.04	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
494	<i>Angophora leiocarpa</i>	Smooth Bark Apple	150		362	8.0	2	4.34	2.16	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
495	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	240		287	16.0	5	3.44	1.96	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
496	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	380		273	22.0	6	3.28	1.92	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
497	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	430	80	259	14.0	5	3.11	1.88	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
498	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		318	12.0	4	3.81	2.04	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
499	<i>Angophora leiocarpa</i>	Smooth Bark Apple	170		231	13.0	3	2.77	1.79	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
500	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		217	17.0	4	2.60	1.74	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
501	<i>Eucalyptus moluccana</i>	Gum Topped Box	140	130, 70	203	16.0	5	2.44	1.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
502	<i>Lophostemon suaveolens</i>	Swamp Box	190	60	277	8.0	3	3.33	1.93	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
503	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	15.0	3	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
504	<i>Eucalyptus moluccana</i>	Gum Topped Box	210		210	17.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
505	<i>Angophora leiocarpa</i>	Smooth Bark Apple	140	140	198	15.0	1	2.38	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
506	<i>Eucalyptus moluccana</i>	Gum Topped Box	230		230	14.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
507	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	350		350	25.0	8	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
508	<i>Eucalyptus siderophloia</i>	Grey Ironbark	260		260	17.0	8	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
509	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		190	18.0	3	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
510	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	330		330	22.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
511	<i>Eucalyptus siderophloia</i>	Grey Ironbark	230		230	21.0	7	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
512	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	24.0	6	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
513	<i>Eucalyptus moluccana</i>	Gum Topped Box	320		320	18.0	7	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
514	<i>Eucalyptus siderophloia</i>	Grey Ironbark	890		890	24.0	14	10.68	3.15	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Small	-	Termites	High
515	<i>Corymbia citriodora</i>	Spotted Gum	680		680	26.0	15	8.16	2.81	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
516	<i>Eucalyptus moluccana</i>	Gum Topped Box	210		210	16.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
517	<i>Eucalyptus siderophloia</i>	Grey Ironbark	210		210	17.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-
518	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	12.0	4	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
519	<i>Eucalyptus siderophloia</i>	Grey Ironbark	510		510	27.0	9	6.12	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
520	<i>Eucalyptus moluccana</i>	Gum Topped Box	160		160	13.0	4	1.92	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
521	<i>Eucalyptus moluccana</i>	Gum Topped Box	290	230	370	23.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
522	<i>Eucalyptus moluccana</i>	Gum Topped Box	230	80	244	18.0	3	2.92	1.83	Regular	-	-	-	-	-	Lopped	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
523	<i>Eucalyptus moluccana</i>	Gum Topped Box	280		280	21.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
524	<i>Eucalyptus moluccana</i>	Gum Topped Box	310		310	19.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
525	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240	80	253	17.0	6	3.04	1.86	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
526	<i>Corymbia intermedia</i>	Pink Bloodwood	210	120	242	12.0	4	2.90	1.82	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
527	<i>Eucalyptus moluccana</i>	Gum Topped Box	270	140	304	19.0	6	3.65	2.01	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
528	<i>Corymbia intermedia</i>	Pink Bloodwood	170	140	220	11.0	3	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
529	<i>Eucalyptus moluccana</i>	Gum Topped Box	220	260, 100	355	18.0	6	4.26	2.14	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
530	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	300		300	23.0	4	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
531	<i>Eucalyptus siderophloia</i>	Grey Ironbark	240		240	17.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
532	<i>Eucalyptus siderophloia</i>	Grey Ironbark	460		460	22.0	7	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
533	<i>Angophora leiocarpa</i>	Smooth Bark Apple	380		380	14.0	6	4.56	2.20	One-sided	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
534	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	630		630	26.0	14	7.56	2.73	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
535	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	260		260	17.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
536	<i>Eucalyptus siderophloia</i>	Grey Ironbark	220		220	17.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
537	<i>Eucalyptus siderophloia</i>	Grey Ironbark	280		280	17.0	4	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
538	<i>Eucalyptus moluccana</i>	Gum Topped Box	220		220	12.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
539	<i>Eucalyptus siderophloia</i>	Grey Ironbark	660		660	25.0	12	7.92	2.78	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
540	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	600		600	26.0	9	7.20	2.67	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
541	<i>Eucalyptus siderophloia</i>	Grey Ironbark	210		210	16.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
542	<i>Eucalyptus siderophloia</i>	Grey Ironbark	490		490	26.0	9	5.88	2.45	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
543	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	16.0	6	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
544	<i>Eucalyptus siderophloia</i>	Grey Ironbark	410	230	470	21.0	8	5.64	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
545	<i>Eucalyptus siderophloia</i>	Grey Ironbark	310		310	24.0	7	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
546	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	17.0	7	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
547	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	230		230	18.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
548	<i>Eucalyptus siderophloia</i>	Grey Ironbark	430		430	24.0	9	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
549	<i>Eucalyptus siderophloia</i>	Grey Ironbark	430		430	20.0	8	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
550	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	21.0	9	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
551	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	300		300	22.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
552	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	15.0	3	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
553	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380	240	449	17.0	8	5.39	2.37	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
554	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	200	220	297	14.0	7	3.57	1.99	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
555	<i>Corymbia intermedia</i>	Pink Bloodwood	220	200, 200, 160	392	17.0	8	4.71	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
556	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	17.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
557	<i>Angophora leiocarpa</i>	Smooth Bark Apple	270	170	319	18.0	6	3.83	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
558	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210	170, 220	348	14.0	7	4.18	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
559	<i>Eucalyptus siderophloia</i>	Grey Ironbark	860		860	28.0	14	10.32	3.11	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	Termites	-
560	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	230		230	16.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

				NOTES: A GPS of all trees with a trunk DBH greater than 150mm have been recorded.						Site: Flagstone East Job No.: 6207 Date: 13.10.2014 Client: PFC Pty Ltd																		
Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
561	<i>Eucalyptus siderophloia</i>	Grey Ironbark	560		560	27.0	11	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
562	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	19.0	9	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
563	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220	170	278	17.0	5	3.34	1.93	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
564	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	16.0	5	2.16	1.61	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
565	<i>Eucalyptus siderophloia</i>	Grey Ironbark	470		470	25.0	11	5.64	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
566	<i>Angophora leiocarpa</i>	Smooth Bark Apple	220	230, 120	361	13.0	5	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
567	<i>Eucalyptus siderophloia</i>	Grey Ironbark	370		370	21.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
568	<i>Eucalyptus tereticornis</i>	Forest Red Gum	160		160	16.0	4	2.00	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
569	<i>Corymbia citriodora</i>	Spotted Gum	220		220	17.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
570	<i>Corymbia intermedia</i>	Pink Bloodwood	160	130, 90	225	13.0	4	2.70	1.77	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
571	<i>Eucalyptus tereticornis</i>	Forest Red Gum	450	150, 140	495	21.0	7	5.93	2.46	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
572	<i>Eucalyptus siderophloia</i>	Grey Ironbark	360		360	18.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
573	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190	180	262	16.0	5	3.14	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
574	<i>Corymbia citriodora</i>	Spotted Gum	230		230	17.0	6	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
575	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	420	479	18.0	6	5.75	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
576	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280	90, 160, 290	443	19.0	7	5.32	2.35	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
577	<i>Corymbia intermedia</i>	Pink Bloodwood	280	210, 140	377	15.0	5	4.52	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
578	<i>Corymbia citriodora</i>	Spotted Gum	280		280	18.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
579	<i>Corymbia citriodora</i>	Spotted Gum	370		370	22.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
580	<i>Corymbia intermedia</i>	Pink Bloodwood	150	140, 130	243	12.0	3	2.91	1.83	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
581	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310	280, 220, 200	513	21.0	9	6.15	2.50	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
582	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	180		180	12.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
583	<i>Angophora leiocarpa</i>	Smooth Bark Apple	180		180	12.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
584	<i>Corymbia citriodora</i>	Spotted Gum	360		360	21.0	7	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
585	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210	200, 200, 170, 160, 230, 240	538	15.0	8	6.45	2.55	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
586	<i>Corymbia citriodora</i>	Spotted Gum	320		320	21.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
587	<i>Corymbia intermedia</i>	Pink Bloodwood	220	70	231	16.0	5	2.77	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
588	<i>Corymbia intermedia</i>	Pink Bloodwood	200	140, 110	268	15.0	5	3.21	1.90	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
589	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	15.0	9	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
590	<i>Angophora leiocarpa</i>	Smooth Bark Apple	390		390	18.0	8	4.68	2.23	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
591	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210	200, 180	341	17.0	7	4.10	2.11	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
592	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300	140, 120, 170, 120	409	19.0	8	4.91	2.27	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
593	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	15.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
594	<i>Corymbia citriodora</i>	Spotted Gum	190		190	17.0	4	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
595	<i>Angophora leiocarpa</i>	Smooth Bark Apple	210		210	15.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
596	<i>Angophora leiocarpa</i>	Smooth Bark Apple	210	200	290	17.0	6	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
597	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	17.0	7	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
598	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	230	260, 190, 260, 250	535	17.0	10	6.43	2.55	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
599	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	210		210	14.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
600	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280		280	16.0	5	3.36	1.92	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
601	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	16.0	7	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
602	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	270	426	15.0	6	5.12	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
603	<i>Angophora leiocarpa</i>	Smooth Bark Apple	270	190	330	17.0	12	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
604	<i>Eucalyptus siderophloia</i>	Grey Ironbark	170		170	14.0	5	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
605	<i>Angophora leiocarpa</i>	Smooth Bark Apple	190		190	13.0	3	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
606	<i>Angophora leiocarpa</i>	Smooth Bark Apple	180		180	12.0	5	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
607	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	13.0	1	2.40	1.68	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
608	<i>Lophostemon suaveolens</i>	Swamp Box	230	180, 170	338	13.0	6	4.06	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
609	<i>Angophora leiocarpa</i>	Smooth Bark Apple	210		210	14.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
610	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290	330	439	16.0	7	5.27	2.34	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-
611	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	200		200	14.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
612	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	490	300	575	17.0	6	6.89	2.62	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-
613	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	16.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
614	<i>Angophora leiocarpa</i>	Smooth Bark Apple	220		220	15.0	6	2.64	1.75	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
615	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	15.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
616	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	14.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
617	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300	260	397	19.0	6	4.76	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
618	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	15.0	4	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
619	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	18.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
620	<i>Corymbia intermedia</i>	Pink Bloodwood	200	150	250	15.0	6	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
621	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	18.0	6	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
622	<i>Corymbia intermedia</i>	Pink Bloodwood	310	160, 110, 180, 120	425	18.0	7	5.10	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
623	<i>Corymbia intermedia</i>	Pink Bloodwood	190	150, 150, 120	309	17.0	6	3.71	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
624	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	19.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
625	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	19.0	7	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
626	<i>Corymbia intermedia</i>	Pink Bloodwood	230	180, 160, 180	379	17.0	4	4.54	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
627	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	200		200	14.0	3	2.40	1.68	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
628	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	17.0	3	3.24	1.91	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-
629	<i>Angophora leiocarpa</i>	Smooth Bark Apple	230		230	17.0	4	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
630	<i>Corymbia intermedia</i>	Pink Bloodwood	290	120, 110, 100	347	21.0	6	4.17	2.12	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
631	<i>Corymbia intermedia</i>	Pink Bloodwood	280	220, 140	383	17.0	5	4.59	2.21	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
632	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280	290, 210	455	16.0	12	5.45	2.38	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
633	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	17.0	3	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
634	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	16.0	4	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
635	<i>Corymbia intermedia</i>	Pink Bloodwood	250	150	292	18.0	5	3.50	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
636	<i>Corymbia intermedia</i>	Pink Bloodwood	250	220	333	18.0	7	4.00	2.09	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
637	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	12.0	3	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
638	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	16.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
639	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	18.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
640	<i>Corymbia intermedia</i>	Pink Bloodwood	230	210,	311	17.0	6	3.74	2.03	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
641	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	18.0	6	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
642	<i>Corymbia intermedia</i>	Pink Bloodwood	190	120	225	15.0	6	2.70	1.77	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
643	<i>Corymbia intermedia</i>	Pink Bloodwood	210	100	233	15.0	5	2.79	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
644	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	16.0	6	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
645	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	17.0	6	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
646	<i>Angophora leiocarpa</i>	Smooth Bark Apple	180		180	8.0	3	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
647	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	15.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
648	<i>Angophora leiocarpa</i>	Smooth Bark Apple	320	180, 210, 320	530	19.0	9	6.36	2.54	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
649	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	18.0	6	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
650	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	17.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
651	<i>Corymbia intermedia</i>	Pink Bloodwood	240	230, 190	383	18.0	7	4.59	2.21	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
652	<i>Corymbia intermedia</i>	Pink Bloodwood	250	150, 190, 150	379	17.0	6	4.55	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
653	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	17.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
654	<i>Corymbia intermedia</i>	Pink Bloodwood	180		180	15.0	4	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
655	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	18.0	8	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
656	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	18.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
657	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	18.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
658	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	18.0	7	3.48	1.97	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
659	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	19.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
660	<i>Angophora leiocarpa</i>	Smooth Bark Apple	400		400	19.7	9	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
661	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	19.0	7	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
662	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350	220, 210	464	18.0	9	5.56	2.40	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
663	<i>Corymbia intermedia</i>	Pink Bloodwood	700		700	25.0	14	8.40	2.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
664	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	18.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
665	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	19.0	7	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
666	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	19.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
667	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250		250	17.0	5	3.00	1.85	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
668	<i>Angophora leiocarpa</i>	Smooth Bark Apple	270		270	15.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
669	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	16.0	5	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
670	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	16.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
671	<i>Angophora leiocarpa</i>	Smooth Bark Apple	160		160	12.0	3	1.92	1.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
672	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	17.0	6	3.36	1.94	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
673	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	19.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
674	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	370		370	18.0	8	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
675	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250	240	347	18.0	5	4.16	2.12	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
676	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	18.0	6	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
677	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	16.0	5	3.60	2.00	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
678	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	370		370	16.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
679	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	270		270	17.0	6	3.24	1.91	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
680	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	21.0	5	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

				NOTES: A GPS of all trees with a trunk DBH greater than 150mm have been recorded.					Site: Flagstone East Job No.: 6207 Date: 13.10.2014 Client: PFC Pty Ltd																			
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
681	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	440		440	21.0	5	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
682	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	17.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
683	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	430		430	18.0	7	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
684	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	22.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
685	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	17.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
686	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	19.0	4	3.12	1.88	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
687	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	20.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
688	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	16.0	4	3.60	2.00	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
689	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	16.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
690	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	19.0	6	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
691	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	20.0	7	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
692	<i>Corymbia intermedia</i>	Pink Bloodwood	270	130	300	18.0	4	3.60	1.99	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	Small	-	-
693	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	14.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
694	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	230		230	16.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
695	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	16.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
696	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	18.0	8	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
697	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	17.0	6	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
698	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400	300	500	21.0	8	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
699	<i>Angophora leiocarpa</i>	Smooth Bark Apple	350	140, 110, 160	424	18.0	6	5.09	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
700	<i>Angophora leiocarpa</i>	Smooth Bark Apple	170		170	16.0	4	2.04	1.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
701	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	270		270	18.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
702	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	17.0	4	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
703	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	270		270	16.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
704	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	20.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
705	<i>Angophora leiocarpa</i>	Smooth Bark Apple	380		380	22.0	6	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
706	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300	160	340	21.0	4	4.08	2.10	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
707	<i>Angophora leiocarpa</i>	Smooth Bark Apple	320		320	21.0	6	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
708	<i>Angophora leiocarpa</i>	Smooth Bark Apple	370		370	22.0	8	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
709	<i>Angophora leiocarpa</i>	Smooth Bark Apple	220		220	18.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
710	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290		290	18.0	6	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
711	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	15.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
712	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	13.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
713	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250	230, 230, 200, 160	484	13.0	8	5.80	2.44	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
714	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330		330	17.0	5	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
715	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	17.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
716	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	20.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
717	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	20.0	8	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
718	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290		290	18.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
719	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	15.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
720	<i>Angophora leiocarpa</i>	Smooth Bark Apple	300		300	22.0	8	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
721	<i>Corymbia intermedia</i>	Pink Bloodwood	430		430	20.0	12	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
722	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	22.0	9	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
723	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	19.0	8	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
724	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	22.0	6	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
725	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	16.0	14	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
726	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	15.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
727	<i>Corymbia intermedia</i>	Pink Bloodwood	280	80	291	18.0	5	3.49	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
728	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	17.0	2	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
729	<i>Corymbia intermedia</i>	Pink Bloodwood	360	190	407	19.0	9	4.88	2.27	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
730	<i>Corymbia intermedia</i>	Pink Bloodwood	350	300, 190, 290	577	21.0	9	6.92	2.63	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
731	<i>Corymbia intermedia</i>	Pink Bloodwood	710		710	24.0	18	8.52	2.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	Termites	-
732	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250		250	14.0	6	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
733	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	24.0	12	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
734	<i>Angophora leiocarpa</i>	Smooth Bark Apple	320		320	26.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
735	<i>Corymbia citriodora</i>	Spotted Gum	380		380	27.0	9	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
736	<i>Corymbia citriodora</i>	Spotted Gum	180		180	16.0	2	2.16	1.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
737	<i>Angophora leiocarpa</i>	Smooth Bark Apple	500		500	23.0	8	6.00	2.47	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-
738	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380		380	18.0	6	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
739	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	370		370	21.0	9	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
740	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	20.0	2	2.40	1.68	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
741	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260	230, 220, 130	431	19.0	6	5.17	2.32	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
742	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360	320	482	24.0	8	5.78	2.44	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-
743	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300	260, 140	421	20.0	7	5.05	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
744	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320	300	439	16.0	8	5.26	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
745	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350	280, 260	518	15.0	8	6.22	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
746	<i>Corymbia intermedia</i>	Pink Bloodwood	300	300, 280	508	20.0	8	6.10	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
747	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360	350	502	19.0	7	6.03	2.48	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
748	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	18.0	8	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
749	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	18.0	7	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
750	<i>Alphitonia excelsa</i>	Soap Tree	200		200	8.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
751	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	19.0	6	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
752	<i>Eucalyptus siderophloia</i>	Grey Ironbark	440		440	25.0	11	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
753	<i>Corymbia intermedia</i>	Pink Bloodwood	310	160	349	21.0	7	4.19	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
754	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	16.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
755	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	23.0	7	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
756	<i>Corymbia intermedia</i>	Pink Bloodwood	320	230	394	21.0	7	4.73	2.24	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
757	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	220		220	12.0	4	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
758	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	19.0	7	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
759	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	18.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
760	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250	190	314	16.0	7	3.77	2.03	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

				NOTES: A GPS of all trees with a trunk DBH greater than 150mm have been recorded.						Site: Flagstone East Job No.: 6207 Date: 13.10.2014 Client: PFC Pty Ltd																		
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
761	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	19.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
762	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380		380	22.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
763	<i>Corymbia citriodora</i>	Spotted Gum	250		250	18.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
764	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	220	220	311	14.0	3	3.73	2.03	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	Small	-	-
765	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	390		390	18.0	6	4.68	2.23	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
766	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	350, 300	567	17.0	9	6.80	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
767	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300	300,230	379	18.0	7	4.55	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
768	<i>Corymbia intermedia</i>	Pink Bloodwood	680		680	28.0	16	8.16	2.81	Regular	-	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	Small	Small	Termites	High
769	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400		400	16.0	7	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
770	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280	260, 250, 200	498	16.0	10	5.98	2.47	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
771	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	15.0	7	3.60	2.00	Regular	-	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
772	<i>Corymbia citriodora</i>	Spotted Gum	760		760	30.0	16	9.12	2.95	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
773	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250		250	13.0	6	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
774	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250	240	347	13.0	8	4.16	2.12	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
775	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	13.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
776	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	15.0	7	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
777	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340	240	416	16.0	8	4.99	2.29	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
778	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400		400	19.0	9	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
779	<i>Corymbia citriodora</i>	Spotted Gum	380		380	28.0	7	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
780	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280	260	382	18.0	6	4.59	2.21	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
781	<i>Corymbia intermedia</i>	Pink Bloodwood	360	150	390	21.0	7	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
782	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	17.0	6	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
783	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380		380	15.0	6	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
784	<i>Corymbia intermedia</i>	Pink Bloodwood	860		860	25.0	14	10.32	3.11	Regular	-	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	Small	Small	Termites	High
785	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	18.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
786	<i>Eucalyptus siderophloia</i>	Grey Ironbark	720		720	27.0	14	8.64	2.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
787	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	14.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
788	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	15.0	5	3.12	1.88	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
789	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	17.0	4	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
790	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	17.0	4	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
791	<i>Corymbia citriodora</i>	Spotted Gum	300		300	24.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
792	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	17.0	4	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
793	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	17.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
794	<i>Corymbia intermedia</i>	Pink Bloodwood	400	200	447	22.0	8	5.37	2.36	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
795	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	20.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
796	<i>Corymbia citriodora</i>	Spotted Gum	260		260	23.0	3	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
797	<i>Corymbia citriodora</i>	Spotted Gum	560		560	26.0	14	6.72	2.59	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
798	<i>Corymbia citriodora</i>	Spotted Gum	350		350	22.0	5	4.20	2.13	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
799	<i>Eucalyptus siderophloia</i>	Grey Ironbark	410		410	24.0	8	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
800	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	15.0	4	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

				NOTES: A GPS of all trees with a trunk DBH greater than 150mm have been recorded.				Site: Flagstone East Job No.: 6207 Date: 13.10.2014 Client: PFC Pty Ltd																				
Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
801	<i>Corymbia citriodora</i>	Spotted Gum	610		610	28.0	12	7.32	2.69	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
802	<i>Corymbia citriodora</i>	Spotted Gum	580		580	28.0	9	6.96	2.63	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
803	<i>Corymbia citriodora</i>	Spotted Gum	700		700	26.0	14	8.40	2.85	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
804	<i>Eucalyptus siderophloia</i>	Grey Ironbark	470		470	28.0	8	5.64	2.41	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
805	<i>Eucalyptus siderophloia</i>	Grey Ironbark	450		450	24.0	9	5.40	2.37	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
806	<i>Lophostemon suaveolens</i>	Swamp Box	230		230	12.0	4	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
807	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	19.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
808	<i>Eucalyptus siderophloia</i>	Grey Ironbark	320		320	21.0	7	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
809	<i>Corymbia citriodora</i>	Spotted Gum	300		300	23.0	7	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
810	<i>Eucalyptus moluccana</i>	Gum Topped Box	990		990	37.0	16	11.88	3.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
811	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	20.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
812	<i>Eucalyptus siderophloia</i>	Grey Ironbark	200		200	18.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
813	<i>Eucalyptus siderophloia</i>	Grey Ironbark	560		560	24.0	9	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
814	<i>Angophora leiocarpa</i>	Smooth Bark Apple	400		400	18.0	7	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
815	<i>Corymbia citriodora</i>	Spotted Gum	330		330	25.0	6	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
816	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	19.0	7	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
817	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	18.0	8	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
818	<i>Eucalyptus siderophloia</i>	Grey Ironbark	360		360	22.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
819	<i>Eucalyptus siderophloia</i>	Grey Ironbark	270		270	21.0	6	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
820	<i>Eucalyptus siderophloia</i>	Grey Ironbark	400		400	21.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
821	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	21.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
822	<i>Eucalyptus siderophloia</i>	Grey Ironbark	270		270	23.0	7	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
823	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	23.0	8	3.60	2.00	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
824	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330		330	21.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
825	<i>Eucalyptus siderophloia</i>	Grey Ironbark	330	300	446	24.0	9	5.35	2.36	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
826	<i>Eucalyptus siderophloia</i>	Grey Ironbark	570		570	21.0	9	6.84	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
827	<i>Eucalyptus siderophloia</i>	Grey Ironbark	230	200, 180, 100	368	17.0	5	4.41	2.17	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
828	<i>Eucalyptus moluccana</i>	Gum Topped Box	400		400	22.0	6	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
829	<i>Eucalyptus siderophloia</i>	Grey Ironbark	290	280	403	21.0	8	4.84	2.26	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
830	<i>Eucalyptus siderophloia</i>	Grey Ironbark	210		210	17.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
831	<i>Eucalyptus moluccana</i>	Gum Topped Box	440		440	24.0	10	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
832	<i>Corymbia citriodora</i>	Spotted Gum	230		230	19.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
833	<i>Eucalyptus siderophloia</i>	Grey Ironbark	390		390	24.0	7	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
834	<i>Eucalyptus siderophloia</i>	Grey Ironbark	430		430	25.0	9	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
835	<i>Eucalyptus tereticornis</i>	Forest Red Gum	760	130, 160	787	32.0	12	9.45	2.99	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
836	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	22.0	5	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
837	<i>Corymbia citriodora</i>	Spotted Gum	420		420	23.0	8	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
838	<i>Angophora leiocarpa</i>	Smooth Bark Apple	330		330	18.0	5	3.96	2.08	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
839	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	23.0	8	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
840	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	21.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
841	<i>Corymbia intermedia</i>	Pink Bloodwood	330	160	367	16.0	8	4.40	2.17	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
842	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	22.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
843	<i>Eucalyptus moluccana</i>	Gum Topped Box	380		380	22.0	8	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
844	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	330	467	22.0	9	5.60	2.40	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
845	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	24.0	5	3.96	2.08	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
846	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	440		440	21.0	7	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
847	<i>Eucalyptus tereticornis</i>	Forest Red Gum	500		500	25.0	8	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
848	<i>Eucalyptus tereticornis</i>	Forest Red Gum	340		340	18.0	5	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
849	<i>Angophora leiocarpa</i>	Smooth Bark Apple	330		330	19.0	6	3.96	2.08	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
850	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	370		370	15.0	8	4.44	2.18	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
851	<i>Angophora leiocarpa</i>	Smooth Bark Apple	330		330	18.0	5	3.96	2.08	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
852	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250		250	17.0	4	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
853	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	19.0	4	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
854	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	17.0	6	3.60	2.00	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
855	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	23.0	9	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
856	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	16.0	4	2.88	1.82	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
857	<i>Lophostemon suaveolens</i>	Swamp Box	300		300	13.0	3	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
858	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	18.0	6	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
859	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	20.0	6	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
860	<i>Eucalyptus tereticornis</i>	Forest Red Gum	300		300	20.0	7	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
861	<i>Eucalyptus tereticornis</i>	Forest Red Gum	730	300	789	29.0	14	9.47	3.00	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Small	Small	Termites	High
862	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	18.0	6	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
863	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250	210	326	14.0	7	3.92	2.07	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
864	<i>Corymbia intermedia</i>	Pink Bloodwood	960		960	32.0	16	11.52	3.25	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
865	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280	250, 210	430	17.0	7	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
866	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	14.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
867	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	18.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
868	<i>Eucalyptus tereticornis</i>	Forest Red Gum	360		360	18.0	5	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
869	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	17.0	5	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
870	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300	260, 260	475	18.0	5	5.69	2.42	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
871	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	15.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
872	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400	360	538	19.0	8	6.46	2.55	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
873	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	15.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
874	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	400		400	17.0	8	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
875	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	15.0	4	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
876	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	17.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
877	<i>Eucalyptus tereticornis</i>	Forest Red Gum	370		370	20.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
878	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	13.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
879	<i>Corymbia intermedia</i>	Pink Bloodwood	840		840	28.0	12	10.08	3.08	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-
880	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	12.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
881	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	14.0	4	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
882	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	19.0	5	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
883	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	9.0	7	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
884	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	14.0	6	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
885	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	490		490	17.0	5	5.88	2.45	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
886	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	210, 270	475	15.0	8	5.70	2.42	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
887	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250		250	15.0	6	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
888	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	15.0	7	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
889	<i>Corymbia intermedia</i>	Pink Bloodwood	330	330, 200	508	23.0	8	6.09	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
890	<i>Corymbia intermedia</i>	Pink Bloodwood	340		340	17.0	6	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
891	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	19.0	8	4.32	2.15	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
892	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	14.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
893	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	270		270	17.0	7	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
894	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	18.0	5	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
895	<i>Corymbia intermedia</i>	Pink Bloodwood	520		520	26.0	11	6.24	2.51	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
896	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	16.0	5	3.36	1.94	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
897	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	19.0	7	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
898	<i>Lophostemon suaveolens</i>	Swamp Box	280	160	322	12.0	4	3.87	2.06	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
899	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	21.0	9	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
900	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380		380	19.0	11	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
901	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	390		390	18.0	7	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
902	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	240		240	12.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
903	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	15.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
904	<i>Angophora leiocarpa</i>	Smooth Bark Apple	230		230	15.0	5	2.76	1.79	Regular	-	-	Thinning	Die-back	-	-	Poor	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
905	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	14.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
906	<i>Corymbia intermedia</i>	Pink Bloodwood	600		600	27.0	12	7.20	2.67	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
907	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	14.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
908	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	230		230	13.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
909	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	17.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
910	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	14.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
911	<i>Corymbia intermedia</i>	Pink Bloodwood	500		500	19.0	9	6.00	2.47	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
912	<i>Angophora leiocarpa</i>	Smooth Bark Apple	460		460	23.0	7	5.52	2.39	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
913	<i>Eucalyptus tereticornis</i>	Forest Red Gum	550		550	25.0	8	6.60	2.57	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
914	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	18.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
915	<i>Angophora leiocarpa</i>	Smooth Bark Apple	350		350	19.0	5	4.20	2.13	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
916	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	18.0	8	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
917	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	18.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
918	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	240		240	18.0	4	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
919	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	240		240	13.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
920	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	15.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
921	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	700		700	26.0	14	8.40	2.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
922	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	18.0	12	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
923	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	17.0	6	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
924	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	27.0	12	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
925	<i>Corymbia intermedia</i>	Pink Bloodwood	700		700	26.0	14	8.40	2.85	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
926	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	200	190	276	16.0	6	3.31	1.93	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
927	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	17.0	4	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
928	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	15.0	9	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
929	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	17.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
930	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260	160, 270	408	17.0	7	4.89	2.27	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
931	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	19.0	7	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
932	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	16.0	6	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
933	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	630		630	24.0	14	7.56	2.73	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
934	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	300		300	13.0	4	3.60	2.00	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
935	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	240		240	15.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
936	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	16.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
937	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	250		250	17.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
938	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	360		360	21.0	7	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
939	<i>Corymbia intermedia</i>	Pink Bloodwood	370		370	23.0	14	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
940	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	17.0	5	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-
941	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	280		280	19.0	6	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
942	<i>Eucalyptus tereticornis</i>	Forest Red Gum	240		240	16.0	4	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
943	<i>Corymbia citriodora</i>	Spotted Gum	420		420	27.0	9	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
944	<i>Corymbia citriodora</i>	Spotted Gum	380		380	28.0	9	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
945	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350		350	22.0	9	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
946	<i>Eucalyptus tereticornis</i>	Forest Red Gum	290		290	18.0	5	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
947	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	19.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
948	<i>Corymbia intermedia</i>	Pink Bloodwood	360	310	475	24.0	9	5.70	2.42	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
949	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	16.0	6	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
950	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380		380	15.0	5	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
951	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	17.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
952	<i>Eucalyptus tereticornis</i>	Forest Red Gum	460		460	18.0	8	5.52	2.39	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
953	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380	250	455	19.0	8	5.46	2.38	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
954	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	380	360	523	18.0	12	6.28	2.52	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
955	<i>Eucalyptus tereticornis</i>	Forest Red Gum	250		250	16.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
956	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	240		240	14.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
957	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	12.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
958	<i>Eucalyptus tereticornis</i>	Forest Red Gum	570		570	27.0	11	6.84	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
959	<i>Angophora leiocarpa</i>	Smooth Bark Apple	200		200	18.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
960	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	15.0	8	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
961	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	310		310	13.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
962	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	260		260	14.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
963	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	240		240	12.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
964	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	14.0	8	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
965	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	220		220	10.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
966	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340	300, 210	500	17.0	9	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
967	Dead	Dead	460		460	24.0	8	5.52	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
968	Dead	Dead	390		390	27.0	8	4.68	2.23	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
969	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	490		490	27.0	12	5.88	2.45	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
970	<i>Eucalyptus moluccana</i>	Gum Topped Box	480		480	26.0	14	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
971	<i>Eucalyptus moluccana</i>	Gum Topped Box	410		410	18.0	8	4.92	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
972	<i>Eucalyptus moluccana</i>	Gum Topped Box	880		880	33.0	14	10.56	3.14	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
973	<i>Eucalyptus moluccana</i>	Gum Topped Box	920		920	32.0	9	11.04	3.20	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	Small	-	Termites	-
974	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	14.0	4	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
975	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	530		530	26.0	12	6.36	2.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
976	<i>Eucalyptus tereticornis</i>	Forest Red Gum	220		220	22.0	7	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
977	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	530		530	28.0	14	6.36	2.53	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
978	<i>Eucalyptus tereticornis</i>	Forest Red Gum	270		270	17.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
979	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	15.0	7	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
980	<i>Eucalyptus moluccana</i>	Gum Topped Box	380		380	17.0	6	4.56	2.20	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
981	<i>Eucalyptus moluccana</i>	Gum Topped Box	330		330	23.0	6	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
982	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	14.0	4	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
983	<i>Eucalyptus moluccana</i>	Gum Topped Box	360		360	22.0	9	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
984	<i>Eucalyptus moluccana</i>	Gum Topped Box	400	230	461	23.0	9	5.54	2.39	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
985	<i>Eucalyptus moluccana</i>	Gum Topped Box	360		360	23.0	8	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
986	Dead	Dead	460	320	560	24.0	7	6.72	2.59	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
987	<i>Eucalyptus moluccana</i>	Gum Topped Box	320		320	19.0	4	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
988	<i>Eucalyptus moluccana</i>	Gum Topped Box	360		360	22.0	7	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
989	<i>Eucalyptus moluccana</i>	Gum Topped Box	370		370	25.0	9	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
990	<i>Eucalyptus moluccana</i>	Gum Topped Box	330		330	24.0	9	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
991	<i>Eucalyptus moluccana</i>	Gum Topped Box	430		430	26.0	9	5.16	2.32	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
992	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	350		350	17.0	8	4.20	2.13	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
993	<i>Eucalyptus moluccana</i>	Gum Topped Box	340	220, 310	510	25.0	9	6.12	2.49	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
994	<i>Corymbia tessellaris</i>	Moreton Bay Ash	210		210	18.0	4	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
995	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	15.0	4	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
996	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330		330	17.0	8	3.96	2.08	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
997	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	320		320	17.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
998	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	17.0	5	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
999	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	420		420	17.0	9	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1000	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310		310	15.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
1001	<i>Corymbia citriodora</i>	Spotted Gum	380	190	425	21.0	8	5.10	2.31	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1002	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	230		230	12.0	6	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1003	<i>Eucalyptus tereticornis</i>	Forest Red Gum	350	340	488	23.0	11	5.86	2.45	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1004	<i>Angophora leiocarpa</i>	Smooth Bark Apple	360		360	14.0	5	4.32	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1005	<i>Angophora leiocarpa</i>	Smooth Bark Apple	220	200, 300	422	19.0	7	5.07	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1006	<i>Angophora leiocarpa</i>	Smooth Bark Apple	220		220	17.0	5	2.64	1.75	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1007	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310		310	18.0	7	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1008	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290		290	19.0	5	3.48	1.97	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1009	<i>Angophora leiocarpa</i>	Smooth Bark Apple	310		310	17.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1010	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	17.0	5	3.12	1.88	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1011	<i>Corymbia intermedia</i>	Pink Bloodwood	240		240	18.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1012	<i>Corymbia intermedia</i>	Pink Bloodwood	190	190	269	16.0	3	3.22	1.91	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1013	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	14.0	6	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1014	<i>Corymbia intermedia</i>	Pink Bloodwood	240	230, 220	399	17.0	7	4.78	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1015	<i>Corymbia intermedia</i>	Pink Bloodwood	240	130	273	14.0	5	3.28	1.92	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1016	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	15.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1017	<i>Angophora leiocarpa</i>	Smooth Bark Apple	280		280	17.0	6	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1018	<i>Corymbia citriodora</i>	Spotted Gum	310	120	332	21.0	6	3.99	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1019	<i>Angophora leiocarpa</i>	Smooth Bark Apple	250		250	12.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1020	<i>Eucalyptus tereticornis</i>	Forest Red Gum	310		310	17.0	5	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1021	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	15.0	6	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1022	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	12.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-
1023	<i>Angophora leiocarpa</i>	Smooth Bark Apple	210		210	17.0	3	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1024	<i>Eucalyptus moluccana</i>	Gum Topped Box	300	320	439	23.0	9	5.26	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1025	<i>Corymbia citriodora</i>	Spotted Gum	560		560	26.0	11	6.72	2.59	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1026	<i>Corymbia citriodora</i>	Spotted Gum	230		230	19.0	2	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1027	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	16.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1028	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	22.0	9	4.80	2.25	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1029	<i>Corymbia citriodora</i>	Spotted Gum	220		220	16.0	3	2.64	1.75	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1030	<i>Eucalyptus moluccana</i>	Gum Topped Box	480		480	23.0	11	5.76	2.43	Regular	-	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-
1031	<i>Corymbia citriodora</i>	Spotted Gum	200		200	17.0	2	2.40	1.68	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1032	<i>Corymbia citriodora</i>	Spotted Gum	280		280	14.0	5	3.36	1.94	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1033	<i>Eucalyptus moluccana</i>	Gum Topped Box	250		250	19.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1034	<i>Corymbia citriodora</i>	Spotted Gum	250		250	17.0	5	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1035	Dead	Dead	570		570	11.0	5	6.84	2.61	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	-	Termites	-
1036	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	18.0	8	5.76	2.43	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1037	<i>Angophora leiocarpa</i>	Smooth Bark Apple	260		260	18.0	5	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1038	<i>Corymbia citriodora</i>	Spotted Gum	500		500	26.0	9	6.00	2.47	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1039	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	490	170	519	17.0	9	6.22	2.51	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1040	<i>Eucalyptus moluccana</i>	Gum Topped Box	320		320	23.0	7	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value
1041	<i>Corymbia tessellaris</i>	Moreton Bay Ash	280		280	17.0	3	3.36	1.94	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1042	<i>Eucalyptus moluccana</i>	Gum Topped Box	270		270	19.0	7	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1043	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	270	250	368	17.0	9	4.42	2.17	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1044	<i>Eucalyptus moluccana</i>	Gum Topped Box	340		340	18.0	6	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1045	<i>Corymbia tessellaris</i>	Moreton Bay Ash	240		240	17.0	5	2.88	1.82	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	Termites	-
1046	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	230		230	18.0	6	2.76	1.79	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1047	<i>Corymbia citriodora</i>	Spotted Gum	320	200	377	21.0	6	4.53	2.20	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1048	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	320		320	19.0	5	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1049	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	15.0	5	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1050	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	14.0	5	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1051	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	290		290	14.0	6	3.48	1.97	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1052	<i>Lophostemon suaveolens</i>	Swamp Box	230	230, 180	372	12.0	7	4.46	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1053	<i>Corymbia intermedia</i>	Pink Bloodwood	200	100	224	12.0	3	2.68	1.76	Regular	-	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1054	<i>Corymbia intermedia</i>	Pink Bloodwood	270	240, 180	404	17.0	7	4.84	2.26	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1055	<i>Corymbia citriodora</i>	Spotted Gum	330		330	26.0	7	3.96	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1056	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	220		220	19.0	3	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1057	<i>Corymbia citriodora</i>	Spotted Gum	280	180	333	23.0	8	3.99	2.08	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1058	<i>Corymbia citriodora</i>	Spotted Gum	370		370	25.0	7	4.44	2.18	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1059	<i>Corymbia citriodora</i>	Spotted Gum	320		320	25.0	6	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1060	<i>Lophostemon suaveolens</i>	Swamp Box	240	220, 220	393	14.0	5	4.72	2.24	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1061	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	270		270	18.0	6	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1062	<i>Lophostemon suaveolens</i>	Swamp Box	260		260	13.0	4	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1063	<i>Lophostemon suaveolens</i>	Swamp Box	200	190, 190	335	14.0	6	4.02	2.09	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1064	<i>Corymbia intermedia</i>	Pink Bloodwood	220	260, 220	405	18.0	7	4.87	2.27	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1065	<i>Corymbia citriodora</i>	Spotted Gum	380	180	420	23.0	7	5.05	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1066	<i>Corymbia citriodora</i>	Spotted Gum	230		230	22.0	4	2.76	1.79	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1067	<i>Corymbia citriodora</i>	Spotted Gum	310		310	19.0	6	3.72	2.02	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1068	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	15.0	6	2.40	1.68	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1069	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	330	170, 180	413	17.0	7	4.95	2.28	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1070	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	460	380	597	18.0	11	7.16	2.66	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1071	<i>Corymbia citriodora</i>	Spotted Gum	330	220, 180	436	21.0	8	5.23	2.33	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1072	<i>Eucalyptus tereticornis</i>	Forest Red Gum	750		750	27.0	16	9.00	2.93	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-
1073	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	320		320	17.0	7	3.84	2.05	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1074	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	12.0	4	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1075	Dead	Dead	690		690	27.0	12	8.28	2.83	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1076	<i>Eucalyptus moluccana</i>	Gum Topped Box	700		700	34.0	14	8.40	2.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1077	Dead	Dead	660		660	32.0	12	7.92	2.78	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1078	<i>Lophostemon suaveolens</i>	Swamp Box	260	120, 150	323	15.0	5	3.88	2.06	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1079	<i>Lophostemon suaveolens</i>	Swamp Box	220	130	256	12.0	4	3.07	1.87	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-
1080	<i>Eucalyptus moluccana</i>	Gum Topped Box	190		190	17.0	6	2.28	1.65	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-

				NOTES: A GPS of all trees with a trunk DBH greater than 150mm have been recorded.						Site: Flagstone East Job No.: 6207 Date: 13.10.2014 Client: PFC Pty Ltd																			
Specimen Details										Canopy Condition Details								Trunk Condition Details						Fauna Details and Habitat Value					
Tree No.	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	
1081	<i>Angophora subvelutina</i>	Broad Leaved Apple	210		210	15.0	4	2.52	1.72	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1082	<i>Lophostemon suaveolens</i>	Swamp Box	240		240	14.0	5	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1083	<i>Eucalyptus tereticornis</i>	Forest Red Gum	260		260	18.0	4	3.12	1.88	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1084	<i>Lophostemon suaveolens</i>	Swamp Box	210		210	14.0	5	2.52	1.72	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1085	<i>Lophostemon suaveolens</i>	Swamp Box	210	210, 140, 140	357	14.0	6	4.28	2.15	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1086	<i>Corymbia citriodora</i>	Spotted Gum	300		300	24.0	5	3.60	2.00	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1087	<i>Corymbia citriodora</i>	Spotted Gum	200		200	17.0	5	2.40	1.68	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1088	<i>Eucalyptus moluccana</i>	Gum Topped Box	250		250	23.0	7	3.00	1.85	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1089	<i>Corymbia citriodora</i>	Spotted Gum	230		230	22.0	3	2.76	1.79	Regular	-	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1090	<i>Corymbia citriodora</i>	Spotted Gum	220		220	18.0	4	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1091	<i>Eucalyptus moluccana</i>	Gum Topped Box	260	250	361	24.0	8	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1092	<i>Eucalyptus moluccana</i>	Gum Topped Box	300		300	23.0	7	3.60	2.00	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1093	<i>Eucalyptus moluccana</i>	Gum Topped Box	290		290	26.0	7	3.48	1.97	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1094	<i>Eucalyptus moluccana</i>	Gum Topped Box	390	160	422	25.0	9	5.06	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1095	<i>Corymbia citriodora</i>	Spotted Gum	280		280	26.0	7	3.36	1.94	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1096	<i>Eucalyptus moluccana</i>	Gum Topped Box	250	250	354	26.0	9	4.24	2.14	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1097	<i>Eucalyptus moluccana</i>	Gum Topped Box	270		270	24.0	8	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1098	<i>Eucalyptus moluccana</i>	Gum Topped Box	370	300	476	25.0	9	5.72	2.42	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1099	<i>Eucalyptus moluccana</i>	Gum Topped Box	310	260	405	21.0	8	4.86	2.26	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1100	<i>Eucalyptus moluccana</i>	Gum Topped Box	240		240	22.0	8	2.88	1.82	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1101	<i>Corymbia citriodora</i>	Spotted Gum	440		440	27.0	8	5.28	2.34	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1102	<i>Corymbia citriodora</i>	Spotted Gum	340		340	32.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1103	<i>Eucalyptus moluccana</i>	Gum Topped Box	340	120	361	34.0	7	4.33	2.16	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1104	<i>Eucalyptus moluccana</i>	Gum Topped Box	220		220	24.0	5	2.64	1.75	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1105	<i>Corymbia intermedia</i>	Pink Bloodwood	210	100	233	19.0	5	2.79	1.79	Regular	-	-	Thinning	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1106	<i>Eucalyptus moluccana</i>	Gum Topped Box	360		360	24.0	9	4.32	2.15	Regular	-	-	-	-	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1107	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	420		420	22.0	9	5.04	2.30	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1108	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	16.0	5	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1109	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	18.0	6	3.24	1.91	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1110	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	17.0	7	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1111	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340		340	17.0	8	4.08	2.10	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1112	<i>Eucalyptus seeana</i>	Narrow Leaf Red Gum	340	270	434	21.0	8	5.21	2.33	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1113	<i>Corymbia intermedia</i>	Pink Bloodwood	750		750	27.0	16	9.00	2.93	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

Tree Schedule
6207 Flagstone West, Jimboomba (Peet Flagstone City Pty Ltd)
18/01/2016

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Seeding	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termites	Habitat Value	Additional Notes
1114	Angophora leiocarpa	Smooth Bark Apple	150		150	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1115	Corymbia citriodora	Spotted Gum	150		150	20.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1116	Angophora leiocarpa	Smooth Bark Apple	150		150	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1117	Eucalyptus moluccana	Gum Topped Box	160		160	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1118	Melaleuca quinquenervia	Broad Leaf Paperbark	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1119	Angophora leiocarpa	Smooth Bark Apple	160		160	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1120	Corymbia citriodora	Spotted Gum	160		160	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1121	Angophora leiocarpa	Smooth Bark Apple	160		160	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1122	Angophora leiocarpa	Smooth Bark Apple	160		160	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1123	Angophora leiocarpa	Smooth Bark Apple	140	90	166	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1124	Corymbia intermedia	Pink Bloodwood	170		170	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1125	Corymbia citriodora	Spotted Gum	170		170	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
1126	Eucalyptus seeana	Narrow leaf Red Gum	170		170	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1127	Melaleuca quinquenervia	Broad Leaf Paperbark	170		170	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1128	Melaleuca quinquenervia	Broad Leaf Paperbark	170		170	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1129	Angophora leiocarpa	Smooth Bark Apple	170		170	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1130	Angophora leiocarpa	Smooth Bark Apple	140	100	172	11.0	4.0	2.1	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1131	Corymbia intermedia	Pink Bloodwood	180		180	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1132	Corymbia intermedia	Pink Bloodwood	150	110	186	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1133	Angophora leiocarpa	Smooth Bark Apple	180	50	187	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1134	Eucalyptus tereticornis	Forest Red Gum	190		190	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1135	Eucalyptus major	Grey Gum	190		190	17.0	4.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1136	Corymbia citriodora	Spotted Gum	190		190	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Small	Small	-	-	
1137	Eucalyptus dura	Smooth Branched Ironba	150	120	192	12.0	4.0	2.3	1.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

1138	<i>Corymbia intermedia</i>	Pink Bloodwood	120	150	192	14.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1139	<i>Corymbia citriodora</i>	Spotted Gum	210		210	20.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1140	<i>Corymbia citriodora</i>	Spotted Gum	210		210	22.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1141	<i>Angophora leiocarpa</i>	Smooth Bark Apple	160	140	213	17.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1142	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180	120	216	18.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1143	<i>Angophora leiocarpa</i>	Smooth Bark Apple	180	130	222	13.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1144	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1145	<i>Angophora leiocarpa</i>	Smooth Bark Apple	230		230	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1146	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230		230	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1147	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1148	<i>Corymbia citriodora</i>	Spotted Gum	180	160	241	21.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1149	<i>Corymbia citriodora</i>	Spotted Gum	190	160	248	22.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1150	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	250		250	19.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1151	<i>Corymbia intermedia</i>	Pink Bloodwood	170	140, 130	256	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1152	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1153	<i>Eucalyptus dura</i>	Smooth Branched Ironba	260		260	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1154	<i>Melaleuca quinquenervia</i>	Broad Leaf Paperbark	260		260	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1155	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	21.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1156	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	260		260	19.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1157	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	260		260	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1158	<i>Melaleuca quinquenervia</i>	Broad Leaf Paperbark	200	180	269	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1159	<i>Eucalyptus tereticornis</i>	Forest Red Gum	230	140	269	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1160	<i>Angophora leiocarpa</i>	Smooth Bark Apple	270		270	19.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1161	<i>Lophostemon suaveolens</i>	Swamp Box	280		280	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1162	<i>Eucalyptus tereticornis</i>	Forest Red Gum	280		280	22.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1163	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	280		280	18.0	5.0	3.4	1.9	Regular	-	-	-	Die-back	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1164	<i>Corymbia intermedia</i>	Pink Bloodwood	210	190	283	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
1165	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	290		290	20.0	7.0	3.5	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1166	<i>Angophora leiocarpa</i>	Smooth Bark Apple	290		290	25.0	6.0	3.5	2.0	Regular	-	-	-	Die-back	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	
1167	<i>Eucalyptus moluccana</i>	Gum Topped Box	180	230	292	23.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1168	<i>Corymbia intermedia</i>	Pink Bloodwood	300		300	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	
1169	<i>Eucalyptus siderophloia</i>	Grey Ironbark	300		300	22.0	7.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1170	<i>Corymbia henryi</i>	Large Leaf Spotted Gum	310		310	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	

1171	<i>Melaleuca quinquenervia</i>	Broad Leaf Paperbark	310		310	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1172	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	26.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termites	-	-	
1173	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	26.0	7.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1174	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1175	<i>Corymbia citriodora</i>	Spotted Gum	320		320	25.0	9.0	3.8	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1176	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	240	220	326	17.0	8.0	3.9	2.1	One-sided	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1177	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	330		330	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1178	<i>Corymbia citriodora</i>	Spotted Gum	330		330	27.0	8.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1179	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1180	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1181	<i>Corymbia citriodora</i>	Spotted Gum	280	180	333	28.0	9.0	4.0	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1182	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	340		340	23.0	9.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1183	<i>Corymbia citriodora</i>	Spotted Gum	340		340	27.0	6.0	4.1	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1184	<i>Corymbia citriodora</i>	Spotted Gum	350		350	26.0	9.0	4.2	2.1	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1185	<i>Eucalyptus moluccana</i>	Gum Topped Box	360		360	27.0	11.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1186	<i>Corymbia citriodora</i>	Spotted Gum	360		360	26.0	9.0	4.3	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1187	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	370		370	19.0	12.0	4.4	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1188	<i>Corymbia citriodora</i>	Spotted Gum	380		380	24.0	7.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1189	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	24.0	11.0	4.6	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1190	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	390		390	22.0	9.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1191	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	390		390	26.0	12.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1192	<i>Corymbia intermedia</i>	Pink Bloodwood	390		390	19.0	9.0	4.7	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1193	<i>Corymbia intermedia</i>	Pink Bloodwood	140	150, 150, 140, 170, 150, 150	398	16.0	7.0	4.8	2.2	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1194	<i>Eucalyptus tereticornis</i>	Forest Red Gum	400		400	24.0	9.0	4.8	2.3	Regular	-	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1195	<i>Corymbia citriodora</i>	Spotted Gum	400		400	27.0	14.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1196	<i>Corymbia intermedia</i>	Pink Bloodwood	180	240, 200, 180	403	16.0	5.0	4.8	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1197	<i>Eucalyptus seeana</i>	Narrow leaf Red Gum	410		410	23.0	9.0	4.9	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	-	
1198	<i>Corymbia citriodora</i>	Spotted Gum	420		420	26.0	9.0	5.0	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1199	<i>Eucalyptus crebra</i>	Narrow Leaf Ironbark	430		430	24.0	11.0	5.2	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1200	<i>Eucalyptus tereticornis</i>	Forest Red Gum	440		440	29.0	14.0	5.3	2.3	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1201	<i>Corymbia citriodora</i>	Spotted Gum	230	190, 180, 300	460	27.0	11.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1202	<i>Angophora leiocarpa</i>	Smooth Bark Apple	460		460	28.0	10.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	
1203	DEAD/STAG		460		460	25.0	12.0	5.5	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	-	

1204	<i>Corymbia citriodora</i>	Spotted Gum	470		470	28.0	12.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1205	<i>Angophora leiocarpa</i>	Smooth Bark Apple	470		470	26.0	12.0	5.6	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1206	<i>Eucalyptus tereticornis</i>	Forest Red Gum	480		480	26.0	14.0	5.8	2.4	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1207	<i>Corymbia citriodora</i>	Spotted Gum	370	340	502	27.0	10.0	6.0	2.5	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1208	<i>Corymbia citriodora</i>	Spotted Gum	540		540	27.0	12.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1209	<i>Eucalyptus tereticornis</i>	Forest Red Gum	540		540	29.0	12.0	6.5	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1210	<i>Eucalyptus siderophloia</i>	Grey Ironbark	550		550	29.0	8.0	6.6	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1211	<i>Corymbia intermedia</i>	Pink Bloodwood	270	270, 310, 280, 160	588	24.0	12.0	7.1	2.6	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1212	<i>Corymbia citriodora</i>	Spotted Gum	590		590	28.0	14.0	7.1	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1213	<i>Corymbia intermedia</i>	Pink Bloodwood	600		600	23.0	11.0	7.2	2.7	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1214	<i>Corymbia citriodora</i>	Spotted Gum	490	380, 270	676	28.0	12.0	8.1	2.8	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1215	<i>Corymbia citriodora</i>	Spotted Gum	710		710	28.0	12.0	8.5	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	
1216	<i>Eucalyptus tereticornis</i>	Forest Red Gum	740		740	18.0	8.0	8.9	2.9	Regular	-	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	