



Department of
**State Development,
Manufacturing,
Infrastructure and Planning**

Our ref: DEV2018/932

16 November 2018

Economic Development Queensland
C/- Ms Chiara Towler
RPS Australia East
PO Box 1559
FORTITUDE VALLEY QLD 4006

Dear Chiara

SECTION 89(1)(a) PDA DEVELOPMENT APPROVAL FOR A PDA DEVELOPMENT APPLICATION FOR A PDA PRELIMINARY APPROVAL FOR A MATERIAL CHANGE OF USE GENERALLY IN ACCORDANCE WITH THE CARSELDINE URBAN VILLAGE MASTERPLAN AND PDA DEVELOPMENT PERMIT FOR RECONFIGURING A LOT (1 INTO 3, NEW ROAD, ACCESS EASEMENT AND BALANCE LOT AT 532 BEAMS ROAD CARSELDINE DESCRIBED AS LOT 322 ON SP172124.

On 9 November 2018 the Minister for Economic Development Queensland (MEDQ) approved the Priority Development Area (PDA) development application pursuant to s.85(4)(b) of the *Economic Development Act 2012*. The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can also be viewed in the MEDQ Development Approvals Register via the Department website www.dsdmip.qld.gov.au/pda-da-applications.

Should you have any queries in relation to this PDA decision notice, please do not hesitate to contact Leila Torrens on 3452 7466.

Yours sincerely

Beatriz Gomez
Director
Development Assessment
Economic Development Queensland

Minister for Economic Development
Queensland
GPO Box 2202
Brisbane Queensland 4001 Australia
Website www.edq.qld.gov.au
ABN 76 590 288 697

PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Fitzgibbon	
Site address	532 Beams Road, Carseldine	
Lot on plan description	Lot number	Plan description
	322	SP172124
PDA development application details		
DEV reference number	DEV2018/932	
'Properly made' date	2 nd May 2018	
Type of application	<input type="checkbox"/> New development involving: <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Material change of use <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Preliminary approval <input type="checkbox"/> Development permit <input checked="" type="checkbox"/> Reconfiguring a lot <ul style="list-style-type: none"> <input type="checkbox"/> Preliminary approval <input checked="" type="checkbox"/> Development permit <input type="checkbox"/> Operational work <ul style="list-style-type: none"> <input type="checkbox"/> Preliminary approval <input type="checkbox"/> Development permit <input type="checkbox"/> Changing a PDA development approval <input type="checkbox"/> Extending the currency period of a PDA approval	
Description of proposal applied for	Preliminary approval of a Masterplan and Reconfiguring a Lot (1 lot into 3 lots, new road, access easement and balance lot)	

PDA development approval details

Decision of the MEDQ	The MEDQ has decided to grant all of the PDA development approval applied for, subject to PDA development conditions forming part of this decision notice.
Decision date	9 November 2018
Currency period	4 years for the Reconfiguration of a Lot 4 years for the Preliminary Approval

Plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions are detailed in the table below.

Approved plans and documents		Number (if applicable)	Date (if applicable)
1.	Overall Masterplan prepared by RPS	128180-37 – Rev J	19/10/2018
2.	ROL Stage 1 - Overall Plan prepared by RPS	128180 – 31 Rev I Plan 1 of 2	19/10/2018
3.	ROL Stage 1 - Plan prepared by RPS	128180 – 31 Rev I Plan 2 of 2	19/10/2018
4.	Village Main Street – 27m Cross Section prepared by RPS	128180 – 39C	19/10/2018
5.	Western Access Road / Shared Busway – 23m Cross Section prepared by RPS	128180 – 39C	19/10/2018
6.	Access Place – 19m Cross Section prepared by RPS	128180 – 39C	19/10/2018
7.	Shared Access Lane (Parking Two Sides) – 22m Cross Section prepared by RPS	128180 – 39C	19/10/2018
8.	Carseldine Urban Village Stage 1 Entry Boulevard Report prepared by Urbis	Rev F	30/04/2018
9.	Water and Sewer Master Plan prepared by Calibre Consulting	15-003002-910 Rev 1 (As amended in red)	06/08/2018
10.	Updated Stormwater Management Plan prepared by Designflow	Revision 2	April 2018

PREAMBLE

For the purpose of interpreting this PDA Development Approval, including the PDA Development Conditions, the following applies:

Compliance Assessment

Where a condition of this PDA Development Approval requires compliance assessment, compliance assessment is required in accordance with the following:

- a) The applicant must:
 - i. pay to MEDQ at the time of submission the relevant fee for compliance assessment, including any third party peer review costs which will be charged on a 100% cost recovery basis. The compliance assessment fees are set out in the MEDQ's development assessment fee schedule (as amended from time to time).
 - ii. submit to MEDQ a duly completed compliance assessment form.
 - iii. submit to MEDQ plans/supporting information as required under the relevant condition of approval.
- b) Compliance assessment and endorsement by EDQ Development Assessment, DSDMIP is required prior to any work commencing.
- c) Compliance assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to compliance assessment are as follows:
 - i. the applicant liaises with EDQ Development Assessment, DSDMIP to determine the relevant plans/supporting information required to be submitted.
 - ii. the applicant submits plans/supporting information as required under the relevant condition of approval for compliance assessment.
 - iii. **within 20 business days** – EDQ Development Assessment, DSDMIP assesses the plans/supporting information and:
 1. if satisfied with the plans/supporting information as submitted – endorses the plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or
 2. if not satisfied with the plans/supporting information as submitted – notifies the applicant accordingly
 - iv. if the applicant is notified under iii.2. above, revised plans/supporting information are to be re-submitted to EDQ Development Assessment, DSDMIP **within 20 business days** from the date of the notice.
 - v. **within 20 business days** – EDQ Development Assessment, DSDMIP assesses the revised plans/supporting information and:
 1. if satisfied with the revised plans/supporting information – endorses the revised plans/supporting information and the condition of approval (or element of the condition) is determined to have been met; or

2. if not satisfied with the revised plans/supporting information as submitted – notifies the applicant accordingly.
- vi. if EDQ Development Assessment, DSDMIP is not satisfied that compliance has been achieved within **20 business days** – repeat steps iv. and v. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note vi. above, the condition of approval (or element of the condition) is determined to have been met only when EDQ Development Assessment, DSDMIP endorses relevant plans/supporting information.

ABBREVIATIONS AND DEFINITIONS

For the purposes of interpreting the PDA Development Conditions, the following is a list of abbreviations utilised:

1. **AILA** means a Landscape Architect registered by the Australian Institute of Landscape Architects.
2. **Certification Procedures Manual** means the document titled *Certification Procedures Manual*, prepared by the Department of Infrastructure, Local Government and Planning, dated 16 October 2017 (as amended from time to time).
3. **Contributed Asset**, in accordance with the Certification Procedures Manual, means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset the following meanings apply:
 - a. **External Authority** means a public-sector entity external to the MEDQ;
 - b. **Parkland** means carrying out operational works related to the provision of parkland infrastructure
 - c. **Roadworks** means carrying out any operational works within existing and proposed road, to a depth of 1.5m measured from the top of kerb, and includes streetscape works;
 - d. **Sewer Works** means carrying out any operational works related to the provision of waste water infrastructure;
 - e. **Streetscape Works** means carrying out any operational works within the footpath of a road related to landscape treatments, including footpath surface treatments, street furniture, street lighting and street trees;
 - f. **Stormwater Works** means carrying out any operational works related to the provision of stormwater infrastructure; and
 - g. **Water Works** means carrying out any operational works related to the provision of water infrastructure.
4. **Council** means Brisbane City Council.
5. **DSDMIP** means the Department of State Development, Manufacturing, Infrastructure and Planning.

6. **EDQ** means Economic Development Queensland.
7. **IFF** means the Infrastructure Funding Framework, prepared by the Department of Infrastructure, Local Government and Planning, dated July 2017.
8. **MEDQ** means the Minister for Economic Development Queensland.
9. **PDA** means Priority Development Area.
10. **RPEQ** means Registered Professional Engineer of Queensland.

PDA Development Conditions – Reconfiguring a Lot		
No.	Condition	Timing
General		
1.	Carry out the Approved Development Carry out the approved development generally in accordance with the approved plans and documents.	Prior to survey plan endorsement
2.	Certification of Operational Works All operational works, for contributed assets, undertaken in accordance with this approval are to comply with all requirements of and fulfil all responsibilities outlined in the <i>Certification Procedures Manual</i> .	As required by the <i>Certification Procedures Manual</i>
3.	Street Naming Submit to EDQ Development Assessment, DSDMIP a schedule of street names approved by Council.	Prior to survey plan endorsement
4.	Entry walls or features The provision of entry walls or features is prohibited on roads and open space unless otherwise approved by EDQ Development Assessment, DSDMIP.	As indicated
Engineering		
5.	Construction Management Plan a) Submit to EDQ Development Assessment, DSDMIP a site-based Construction Management Plan (CMP), prepared by the principal site contractor, that manages the following: i. noise and dust generated from the site during and outside construction work hours in accordance with the <i>Environmental Protection Act 1994</i> ; ii. stormwater flows around or through the site without increasing the concentration of total suspended solids or Prescribed Water Contaminants (as defined in the <i>Environmental Protection Act 1994</i>), causing erosion, creating any ponding and causing any actionable	a) Prior to commencement of works

No.	Condition	Timing
	<p>nuisance to upstream or downstream properties; and</p> <p>iii. contaminated land (if required), including removal, treatment and replacement in accordance with a compliance permit from an approved contaminated land auditor.</p> <p>b) Undertake all works generally in accordance with the CMP submitted under part a) of this condition which is to be current and available on site at all times during the construction period.</p>	<p>b) At all times during construction</p>
<p>6.</p>	<p>Traffic Management Plan</p> <p>a) Submit to EDQ Development Assessment, DSDMIP a Traffic Management Plan (TMP), certified by a person holding a current Traffic Management Design qualification or higher.</p> <p>The TMP is to include the following:</p> <ul style="list-style-type: none"> i. provision for the management of traffic around and through the site during and outside of construction work hours; ii. provision of parking for workers and materials delivery during and outside of construction hours of work; iii. risk identification, assessment and identification of mitigation measures; iv. ongoing monitoring, management review and certified updates (as required); and v. traffic control plans and/or traffic control diagrams, prepared in accordance with Manual of Uniform Traffic Control Devices (MUTCD), for any temporary part or full road closures of any Council or State road(s). <p>Where subdivision plans are registered and a road reserve is created prior to the finalisation of the construction of the formed road, the road is permitted to remain physically closed to pedestrian and vehicular traffic in accordance with a certified TMP.</p> <p>b) Undertake all works generally in accordance with the certified TMP submitted under part a) of this condition which is to be current and available on site at all times.</p>	<p>a) Prior to commencement of works</p> <p>b) At all times during construction</p>
<p>7.</p>	<p>Retaining Walls</p> <p>a) Submit to EDQ Development Assessment, DSDMIP detailed engineering plans, certified by a RPEQ, of all retaining walls on lot boundaries 1.0m or greater in height.</p> <p>Retaining walls are to be generally in accordance with <i>PDA Practice Note No. 10 – Plans of development</i> unless otherwise approved by EDQ Development Assessment, DSDMIP.</p>	<p>a) Prior to commencement of works</p>

No.	Condition	Timing
	<p>b) Construct the works generally in accordance with the certified plans required under part a) of this condition.</p> <p>c) Submit to EDQ Development Assessment, DSDMIP certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.</p>	<p>b) Prior to survey plan endorsement</p> <p>c) Prior to survey plan endorsement</p>
8.	<p>Filling and Excavation</p> <p>a) Submit to EDQ Development Assessment, DSDMIP detailed earthworks plans, certified by a RPEQ, generally in accordance with <i>AS3798 – 2007 “Guidelines on Earthworks for Commercial and Residential Developments.</i></p> <p>The certified earthworks plans are to:</p> <ul style="list-style-type: none"> i. include a geotechnical soils assessment of the site; ii. be consistent with the Erosion and Sediment Control plans required to be submitted under this development application; iii. provide full detail of areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; and iv. provide full details of any areas where surplus soils are to be stockpiled. <p>b) Carry out the earthworks generally in accordance with the certified plans submitted under part a) of this condition.</p> <p>c) Submit to EDQ Development Assessment, DSDMIP certification from a RPEQ that all earthworks have been carried out generally accordance with the certified plans submitted under part a) of this condition and that any unsuitable material encountered has been treated or replaced with suitable material.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to survey plan endorsement</p> <p>c) Prior to survey plan endorsement</p>
9.	<p>Roads – Internal</p> <p>a) Submit to EDQ Development Assessment, DSDMIP engineering design and construction drawings, certified by a RPEQ, for internal roads, including parking bays and pedestrian footpaths, generally in accordance with the approved plans.</p> <p>b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition.</p> <p>c) Submit to EDQ Development Assessment, DSDMIP ‘as constructed’ drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all road works constructed in accordance with this condition.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to survey plan endorsement</p> <p>c) Prior to survey plan endorsement</p>

<p>10.</p>	<p>Compliance Assessment - Village Main St / Beams Road Intersection</p> <p>a) Submit to EDQ Development Assessment, DSDMIP for compliance assessment certified by a RPEQ a detailed functional layout for this intersection.</p> <p style="padding-left: 40px;">The intersection layout shall be configured without slip lanes to improve safety for pedestrians and cyclists.</p> <p>b) Submit to EDQ Development Assessment, DSDMIP engineering design and construction drawings, certified by a RPEQ, the intersection generally in accordance with the endorsed plans required under part a) of this condition.</p> <p>c) Construct the works generally in accordance with the certified plans as required under part b) of this condition.</p> <p>d) Submit to EDQ Development Assessment, DSDMIP ‘as–constructed’ drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the Council of all works constructed in accordance with this condition.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to commencement of works</p> <p>c) Prior to survey plan endorsement</p> <p>d) Prior to survey plan endorsement</p>
<p>11.</p>	<p>Water Reticulation - internal</p> <p>a) Submit to EDQ Development Assessment, DSDMIP detailed water reticulation design plans, certified by a RPEQ, generally in accordance with the QUU endorsed water and sewer masterplan (‘Water and Sewer Masterplan’ 15-003002-910 Rev 1 prepared by Calibre Consulting and amended in red)</p> <p>b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition.</p> <p>c) Submit to EDQ Development Assessment, DSDMIP ‘as constructed’ plans, asset register, pressure and bacterial test results in accordance with QUU current adopted standards of all works constructed under this condition.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to survey plan endorsement</p> <p>c) Prior to survey plan endorsement</p>
<p>12.</p>	<p>Sewer Reticulation - internal</p> <p>a) Submit to EDQ Development Assessment, DSDMIP detailed sewer reticulation design plans, certified by a RPEQ, generally in accordance with the QUU endorsed water and sewer masterplan (‘Water and Sewer Masterplan’ 15-003002-910 Rev 1 prepared by Calibre Consulting and amended in red)</p> <p>b) Construct the works generally in accordance with the certified plans submitted under part a) of this condition.</p> <p>c) Submit to EDQ Development Assessment, DSDMIP ‘as constructed’ plans, asset register, pressure and CCTV results in accordance with QUU current adopted standards,</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to survey plan endorsement</p> <p>c) Prior to survey plan endorsement</p>

	of all works constructed under this condition.	
13.	<p>Compliance Assessment - Stormwater Management (Quality)</p> <p>a) Submit to EDQ Development Assessment, DSDMIP for compliance assessment, detailed concept plans (70% design) certified by a RPEQ for the proposed bio-retention devices B1 and B2 as shown in Fig 5 of the Updated Stormwater Management Report V02 prepared by DesignFlow and dated 27/04/18 generally in accordance with <i>PDA Guideline No. 13 Engineering Standards – stormwater quality</i>.</p> <p>b) Submit to EDQ Development Assessment, DSDMIP detailed engineering design and construction drawings, certified by a RPEQ, for the proposed stormwater treatment devices generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quality</i> and the endorsed plans required under part a) of this condition.</p> <p>c) Construct the works generally in accordance with the certified plans submitted under part b) of this condition.</p> <p>d) Submit to EDQ Development Assessment, DSDMIP ‘as constructed’ drawings, including an asset register, certified by a RPEQ, in a format acceptable to the Council, of all works constructed under this condition.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to commencement of works</p> <p>c) Prior to survey plan endorsement</p> <p>d) Prior to survey plan endorsement</p>
14.	<p>Compliance Assessment - Stormwater Management (Quantity)</p> <p>a) Submit to EDQ Development Assessment, DSDMIP for compliance assessment a functional layout stormwater reticulation plan and hydraulic calculations certified by a RPEQ generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quantity</i>.</p> <p>b) Submit to EDQ Development Assessment, DSDMIP detailed stormwater design plans certified by a RPEQ, for the proposed stormwater drainage system generally in accordance with <i>PDA Guideline No. 13 Engineering standards – Stormwater quantity</i> and the endorsed plans required under part a) of this condition.</p> <p>c) Construct the works in accordance with the certified plans submitted under part b) of this condition.</p> <p>d) Submit to EDQ Development Assessment, DSDMIP ‘as constructed’ plans including an asset register and test results, certified by a RPEQ, in a format acceptable to the Council, of all stormwater management (quantity) works constructed in accordance with this condition.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to commencement of works</p> <p>c) Prior to survey plan endorsement</p> <p>d) Prior to survey plan endorsement</p>

<p>15.</p>	<p>Street Lighting</p> <p>a) Design and install a <u>Rate 2</u> street lighting system certified by a RPEQ to all roads, including footpaths/bikeways within road reserves.</p> <p>The design of the street lighting system must:</p> <ol style="list-style-type: none"> i. meet the relevant standards of Energex; ii. be acceptable to Energex as 'Rate 2 Public Lighting'; iii. be endorsed by Council as the Energex 'billable customer'; iv. be generally in accordance with Australian Standards AS1158 – '<i>Lighting for Roads and Public Spaces</i>'. <p>Or the following:</p> <p>b) Submit to EDQ Development Assessment, DSDMIP detailed engineering design plans certified by a RPEQ-electrical for <u>Rate 3</u> (Council owned) street lighting to all roads, including footpaths/bikeways within road reserves generally in accordance with Australian Standards AS1158 – '<i>Lighting for Roads and Public Spaces</i>' and AS3000 – '<i>SAA Wiring Rules</i>'.</p> <p>c) Install the lighting generally in accordance with the certified plans required under part b) of this condition.</p> <p>e) Submit to EDQ Development Assessment, DSDMIP 'as-constructed' plans and test documentation certified by a RPEQ-electrical in a format acceptable to Council.</p>	<p>a) Prior to survey plan endorsement</p> <p>b) Prior to commencement of works</p> <p>c) Prior to survey plan endorsement</p> <p>d) Prior to survey plan endorsement</p>
<p>16.</p>	<p>Electricity</p> <p>Submit to EDQ Development Assessment, DSDMIP either:</p> <ol style="list-style-type: none"> a) written evidence from Energex confirming that existing underground low-voltage electricity supply is available to the newly created lots; or b) written evidence from Energex confirming that the applicant has entered into an agreement with it to provide underground electricity services. 	<p>Prior to survey plan endorsement</p>
<p>17.</p>	<p>Telecommunications</p> <p>Submit to EDQ Development Assessment, DSDMIP documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to each new lot within the proposed subdivision.</p>	<p>Prior to survey plan endorsement</p>
<p>18.</p>	<p>Broadband</p> <p>Submit to EDQ Development Assessment, DSDMIP a written agreement from an authorised telecommunications service provider that infrastructure within the development as defined</p>	<p>Prior to survey plan endorsement</p>

	under the <i>Telecommunications Legislation Amendment (Fibre Deployment) Act 2011</i>) can be provided in accordance with the Communications Alliance G645:2017 guideline, to accommodate services which are compliant with the Federal Government's National Broadband Network policy.	
19.	<p>Public Infrastructure – Damage, Repairs and Relocation</p> <p>Repair any damage to existing public infrastructure that occurred during works carried out in association with the approved development. Should existing public infrastructure require relocation, due to the approved development, the developer is responsible for these costs together with compliance with relevant standards and statutory requirements.</p>	Prior to survey plan endorsement
Landscape and Environment		
20.	<p>Streetscape Works</p> <p>a) Submit to EDQ Development Assessment, DSDMIP detailed streetscape works drawings, including a schedule of proposed standard and non-standard assets to be transferred to Council, certified by an AILA, generally in accordance with the approved landscape concept report.</p> <p>The detailed streetscape works drawings are to include, where applicable:</p> <ol style="list-style-type: none"> 1. location and type of street lighting in accordance with Australian Standard AS1158 – <i>Lighting for Roads and Public Spaces</i>; 2. footpath treatments; 3. location and types of streetscape furniture; 4. location and size of stormwater treatment devices; and 5. street trees, including species, size and location generally in accordance with the Council adopted planting schedules and guidelines. <p>b) Construct the works generally in accordance with the streetscape plans endorsed under part a) of this condition.</p> <p>c) Submit to EDQ Development Assessment, DSDMIP 'as constructed' plans and asset register in a format acceptable to Council certified by an AILA.</p>	<p>a) Prior to commencement of works</p> <p>b) Prior to survey plan endorsement</p> <p>c) Prior to survey plan endorsement</p>
21.	<p>Acid Sulfate Soils (ASSMP)</p> <p>a) Where acid sulfate soils are found on site, submit to EDQ Development Assessment, DSDMIP an Acid Sulfate Soils Management Plan (ASSMP). The ASSMP is to be prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual</i> and certified by a suitably qualified professional</p> <p>b) Excavate, remove and/or treat on-site all acid sulfate soils generally in accordance with the certified ASSMP submitted under part a) of this condition.</p>	<p>a) Prior to commencement of or during site works</p> <p>b) Prior to survey plan endorsement</p>

22.	<p>Erosion and Sediment Management</p> <p>a) Submit to EDQ Development Assessment, DSDMIP an Erosion and Sediment Control Plan (ESCP), certified by a RPEQ or an accredited professional in erosion and sediment control (CPESC), generally in accordance with the following guidelines:</p> <ol style="list-style-type: none"> i. The construction phase stormwater management design objectives of the State Planning Policy 2017 (Appendix 2 Table A); ii. Healthy Land and Water Technical Note: <i>Complying with the SPP – Sediment Management on Construction Sites</i>; iii. Urban Stormwater Quality Planning Guidelines, dated 2010, prepared by the former Department of Environment and Heritage Protection; and iv. Best Practice Erosion and Sediment Control, dated November 2008, prepared by the International Erosion Control Association Australasia (as amended from time to time). <p>b) Implement the certified ESCP as submitted under part a) of this condition.</p>	<p>a) Prior to commencement of site works</p> <p>b) At all times during construction</p>
Surveying, land transfers and easements		
23.	<p>Easements over infrastructure</p> <p>Public utility easements are to be provided, in favour of and at no cost to the grantee, over infrastructure that becomes contributed assets.</p> <p>The terms of the easements are to be to the satisfaction of the Chief Executive Officer of the authority which ultimately is to takeover and maintain the contributed assets.</p>	<p>Prior to survey plan endorsement</p>
Infrastructure Charges		
24.	<p>Infrastructure Charges</p> <p>Unless a relevant infrastructure agreement provides to the contrary, pay to the MEDQ the applicable infrastructure charges under the IFF calculated as follows:</p> <ul style="list-style-type: none"> • Where a plan of subdivision is submitted for endorsement on or before four (4) years from the original decision date – in accordance with the IFF in force at the time of the original decision date (July 2018); or • Where a plan of subdivision is submitted for endorsement more than four (4) years from the original decision date – in accordance with the IFF in force at the time of the payment. 	<p>In accordance with the IFF</p>

STANDARD ADVICE

Please note that in order to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****