



Our ref: DEV2024/1488/11

8 October 2025

Karote PL ATF The Chippers Trust
C/-Align Planning
Att: Mr Stephen Northey
Unit 10, 146 Bundall Road
BUNDALL QLD 4217

Email stephen@alignplanning.com.au

Dear Mr Northey

Section 99 Approval - Application to Change PDA Development Approval
Material Change of Use for multiple dwellings at 67-69 Shore Street East, Cleveland
described as Lots 12 and 13 on C14563

On 8 October 2025 the Minister for Economic Development Queensland (MEDQ) decided to grant all of the amendment application applied for, subject to PDA development conditions set out in this PDA decision notice.

The PDA decision notice and approved plans/documents can be viewed in the MEDQ Development Approvals Register via the Department website [Current applications and approvals](#).

If you require any further information, please contact Dr Jocelyn Bowyer, Principal Planner, Development Assessment, in Economic Development Queensland, by telephone on (07) 3214 9579 or at jocelyn.bowyer@edq.qld.gov.au, who will assist.

Yours sincerely

Beatriz Gomez
Director
Development Assessment
Economic Development Queensland



PDA Decision Notice – Approval

Site information		
Name of priority development area (PDA)	Toondah Harbour Priority Development Area	
Site address	67 – 69 Shore Street East, Cleveland	
Lot on plan description	Lot number	Plan description
	Lot 12 and 13	C14563
PDA development application details		
DEV reference number	DEV2024/1488/11	
‘Properly made’ date	16 July 2025	
Type of application	☐ PDA development application for: ☐ Material change of use ☐ Preliminary approval ☐ Development permit ☐ Reconfiguring a lot ☐ Preliminary approval ☐ Development permit ☐ Operational work ☐ Preliminary approval ☐ Development permit ☒ Application to change PDA development approval ☐ Application to extend currency period	
Description of proposal applied for	Multiple-Unit Dwelling (30 units)	
PDA development approval details		
Decision of the MEDQ	The MEDQ has decided to grant <u>all</u> of the PDA development approval applied for, <u>subject to</u> PDA development conditions forming part of this decision notice The approval is for: Material Change of use – Multiple Dwellings	
Original Decision date	30 September 2024	
1 st Change to approval date	04 April 2025	
2 nd Change to approval date	08 October 2025	
Currency period	6 years from the original decision date	
Assessment Team		
Assessment Manager (Lead)	Jocelyn Bowyer, Principal Planner	
Manager	Leila Torrens, Manager	
Engineer	Demi Ebrahimi, Principal Engineer	
Director	Beatriz Gomez, Director	
Delegate	Local Representative Committee (LRC)	

Approved plans and documents

The plans and documents approved by the MEDQ and referred to in the PDA development conditions for the PDA development approval are detailed below.

Approved plans and documents		Number	Date
1.	Arborist Comments Report, prepared by Independent Arboricultural Services	IAS17336	24/07/2025
Architectural Plans prepared by RC design			
2.	Cover page	0.00 Rev M7	15/09/2025
3.	3D indicative	0.01 Rev M7	15/09/2025
4.	3D indicative	0.02 Rev M7	15/09/2025
5.	3D indicative	0.03 Rev M7	15/09/2025
6.	3D indicative	0.04 Rev M7	15/09/2025
7.	3D indicative	0.05 Rev M7	15/09/2025
8.	3D indicative	0.06 Rev M7	15/09/2025
9.	3D indicative	0.07 Rev M7	15/09/2025
10.	Site plan	1.3 Rev M7	15/09/2025
11.	Landscape and Recreation Space Calculation	1.4 Rev M7	15/09/2025
12.	Ground floor	2.1 Rev M7	15/09/2025
13.	First floor	2.2 Rev M7	15/09/2025 (as amended in red)
14.	Second floor (typical)	2.3 Rev M7	15/09/2025
15.	Third floor (typical)	2.4 Rev M7	15/09/2025
16.	Fourth floor (typical)	2.5 Rev M7	15/09/2025
17.	Fifth floor (typical, sub-penthouse)	2.6 Rev M7	15/09/2025
18.	Sixth floor (typical, penthouse)	2.7 Rev M7	15/09/2025
19.	Roof plan – amended in red	2.8 Rev M7	15/09/2025
20.	Elevation	3.1 Rev M7	15/09/2025
21.	Elevation	3.2 Rev M7	15/09/2025
22.	Elevation	3.3 Rev M7	15/09/2025
23.	Elevation	3.4 Rev M7	15/09/2025
24.	Section 1a	3.5 Rev M7	15/09/2025
Plans and documents previously approved on 04 April 2025		Number	Date
1.	Sustainability Management Plan, prepared by Ecolateral Pty Ltd, amended in red 28/03/2025	Version 3	March 2025 (as amended in red)

Plans and documents previously approved on 30 September 2024		Number	Date
1.	Engineering Services Report, prepared by Pitch Black Group	23191-RPT-CV-0002 Rev A	02/02/2024
2.	Flood emergency management plan, prepared by Pitch Black Group	23191-RPT-CV-0001 Rev A	09/05/2024
3.	Stormwater management plan, "Stormwater Management Plan, 67-69 Shore Street East, Cleveland; prepared by Pitch Black Group	23191-RPT-CV-0001 Rev B	04/05/2024
4.	Traffic Impact Assessment, 67-69 Shore Street East, Cleveland, prepared by Amber Traffic & Transport Direction	858rep240613 Rev C	13/06/2024
5.	Operational Waste Management Plan, prepared by Modus Transport and Traffic Engineering	MOD23551QLD-OWMP Rev B	13/06/2024
6.	Water Supply and Sewerage Network Capacity Assessment, prepared by H ₂ One Pty Ltd	Version 1	21/06/2024
7.	Response to Queensland Government Reference DEV2024/1488, 67 Shore Street East, Cleveland, prepared by NGS Structural Engineers	B001969ltr01	30/04/2024
8.	Arboricultural Impact Assessment, prepared by Independent Arboricultural Services	IAS13882	21/06/2024
9.	Arborist Comments Report – Ground penetrating radar report, prepared by Independent Arboricultural Services	IAS14905	23/05/2024
Civil Plans, prepared by Pitch Black Group			
10.	Concept services layout	23191-DWG-CV-CV-SK001 Rev C	10/05/2024
11.	Concept earthworks layout	23191-DWG-CV-CV-SK010 Rev C	10/05/2024
12.	Concept earthworks site sections	23191-DWG-CV-CV-SK011 Rev C	10/05/2024
13.	Concept retaining wall rtw01 sections – amended in red	23191-DWG-CV-CV-SK012 Rev A	10/05/2024
Architectural Plans; prepared by RC design (unless otherwise stated)			
14.	Cover page	0.00 Rev G3	08/08/2024
15.	Site location	1.1 Rev G3	08/08/2024
16.	Survey plan; prepared by Axis Surveys	1.2 Issue A	29/03/2022
17.	Refuse calculation	1.5 Rev G3	08/08/2024
18.	Site cover	2.9 Rev G3	08/08/2024
19.	Sections 2a	3.6 Rev G3	08/08/2024
20.	Sections 3a	3.7 Rev G3	08/08/2024

Landscape Plans, prepared by Mark Baldock Landscape Architect			
43.	Landscape concept plan - ground floor – amended in red	2402 Sht-1 Issue C	18/06/2024
44.	Landscape concept plan - 1st floor – amended in red	2402 Sht-2 Issue C	18/06/2024
45.	Landscape concept plant list, specification	2402 Sht-3 Issue C	18/06/2024

Preamble, Abbreviations, and Definitions

ABBREVIATIONS AND DEFINITIONS

The following is a list of abbreviations utilised in this approval:

ADOPTED RESOLUTION means Redland City Council Adopted Infrastructure Charges Resolution (No. 2.2) 2015, which took effect on and from 24 September 2015. For clarity, 'Adopted Resolution' does not include any changes to this resolution, nor any resolution or other instrument that replaces this resolution.

AILA means a Landscape Architect registered by the Australian Institute of Landscape Architects.

BFP means Building Format Plan.

BASIC (SLOW) CHARGERS means an electric vehicle charging facility on a dedicated electrical circuit, typically used in long park situations such as dwellings and workplaces. Basic (slow) EV chargers use AC (240 volts) power and require a minimum 20 Amps, as well as installation of an Electric Vehicle Supply Equipment (EVSE) unit capable of supplying up to 7kW of power.

CERTIFICATION PROCEDURES MANUAL means the document titled *Certification Procedures Manual*, prepared by EDQ, dated April 2020 (as amended from time to time).

CONTRIBUTED ASSET means an asset constructed under a PDA development approval or Infrastructure Agreement that will become the responsibility of an External Authority. For the purposes of operational works for a Contributed Asset, the following definitions apply:

- a) **External Authority** means a public-sector entity other than the MEDQ;
- b) **Parkland** means carrying out operational work related to the provision of parkland infrastructure;
- c) **Roadworks** means carrying out any operational work within existing or proposed road(s), to a depth of 1.5m measured from the top of kerb, and includes Streetscape Works;
- d) **Sewer Works** means carrying out any operational work related to the provision of wastewater infrastructure;
- e) **Streetscape Works** means carrying out any operational work within the verge of a road, including footpath surface treatments, street furniture, street lighting and landscaping;
- f) **Stormwater Works** means carrying out any operational work related to the provision of stormwater infrastructure; and
- g) **Water Works** means carrying out any operational work related to the provision of water infrastructure.

COUNCIL means the relevant local government for the land the subject of this approval.

EDQ means Economic Development Queensland.

EDQ DA means Economic Development Queensland's – Development Assessment team.

EDQ IS means Economic Development Queensland's – Infrastructure Solutions team.

EP Act means the *Environmental Protection Act 1994*.

FSC: Forest Stewardship Council

IFF means the Infrastructure Funding Framework, prepared by the Department of State Development, Tourism and Innovation, dated 1 July 2020 (as amended from time to time).

LTA means *Land Title Act 1994*.

MEDIUM TO LONG-TERM PARKING for the purposes of electric vehicle charging, means any other parking that is not short term.

MEDQ means the Minister for Economic Development Queensland.

PDA means Priority Development Area.

PEFC: Programme for the Endorsement of Forest Certification Scheme

RPEQ means Registered Professional Engineer of Queensland.

TPZ means Tree Protection Zone as defined by *Australian Standard AS4970 Protection of Trees on Development Sites*.

Compliance assessment

Where a condition of this approval requires Compliance Assessment, Compliance Assessment is required in accordance with the following:

- a) The applicant must:
 - i) pay to MEDQ at the time of submission the relevant fee for Compliance Assessment, including any third-party peer review costs which will be charged on a 100% cost recovery basis. The Compliance Assessment fees are set out in EDQ Development Assessment Fees and Charges Schedule¹ (as amended from time to time).
 - ii) submit to EDQ DA a duly completed Compliance Assessment form².
 - iii) submit to EDQ DA the documentation as required under the relevant condition.
- b) Where EDQ is satisfied the documentation submitted for Compliance Assessment meets the requirements of the relevant condition (or element of the condition), EDQ will endorse the documentation and advise by written notice.
- c) Compliance Assessment and endorsement can be repeated where a different design or solution, to that already endorsed, is sought.
- d) The process and timeframes that apply to Compliance Assessment are as follows:
 - i) applicant submits items required under a) above to EDQ DA for Compliance Assessment.

¹ The EDQ Development Assessment Fees and Charges Schedule is available at EDQ's website.

² The Compliance Assessment form is available at EDQ's website. It sets out how to submit documentation for Compliance Assessment and how to pay Compliance Assessment fees.

- ii) **within 20 business days** – EDQ assesses the documentation and:
 - 1. if satisfied, endorses the documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
- iii) if the applicant is notified under ii.2. above, revised documentation must be submitted **within 20 business days** from the date of notification.
- iv) **within 20 business days** – EDQ assesses the revised documentation and:
 - 1. if satisfied, endorses the revised documentation; or
 - 2. if not satisfied, notifies the applicant accordingly.
- v) where EDQ notifies the applicant as stated under iv.2. above, repeat steps iii. and iv. above. If either party is not satisfied by the outcome of this process, that party can elect to enter into a mediation process with an independent mediator agreed to by both parties.

Despite note v. above, the condition (or element of the condition) is determined to have been met only when EDQ endorses relevant documentation.

Submitting Documentation to EDQ

Where a condition of this approval requires documentation to be submitted to either EDQ DA or EDQ IS, use the following email addresses:

- a) EDQ DA: pdadevelopmentassessment@edq.qld.gov.au
- b) EDQ IS: PrePostConstruction@edq.qld.gov.au

PDA Development Conditions

No.	Condition	Timing
1	Carry out the Approved Development Carry out the approved development generally in accordance with: a) the approved plans and documents; and b) any other documentation endorsed via Compliance Assessment as required by these conditions.	Prior to commencement of use or Building Format Plan (BFP) endorsement, whichever occurs first.
2	Maintain the Approved Development Maintain the approved development generally in accordance with: a) the approved plans and documents; and b) any other documentation endorsed via Compliance Assessment as required by these conditions.	At all times following commencement of use.
Construction Management		
3	Hours of Work – Construction Construction hours for the approved development are limited to Monday to Saturday between 6:30am to 6:30pm, excluding public holidays.	During construction

[illegible]

PDA Development Conditions		
No.	Condition	Timing
9	Construction Noise Management Plan a) Submit to EDQ IS a Construction Noise Management Plan (CNMP), certified by a suitably qualified acoustic engineer. At a minimum, the CNMP must address the following sections of <i>Australian Standard AS2436-2010</i> as they relate to the site and construction activities: i) Section 3.4 – Community Relations, including schedule of activities, community notification strategy, complaints reporting and response strategies ii) Section 4.4 – Post Approval/Construction Planning for Noise and Vibration, including strategies to minimise adverse impacts to proximate sensitive land uses/receptors iii) Section 4.5 – Control of Noise at Source, including strategies to control noise at source; iv) Section 4.6 – Controlling the Spread of Noise, including noise reduction measures; and v) Section 5.0 – Methods for Measurement of Noise and Vibration, including noise measurement and monitoring strategy. b) Carry out construction work generally in accordance with the certified CNMP required under part a) of this condition. c) Where requested by EDQ, submit to EDQ IS Noise Monitoring Reports, certified by a suitably qualified acoustic engineer, and evidence of compliance with the community relations elements of the CNMP required under part a) of this condition.	a) Prior to commencing work b) During construction c) As requested by EDQ
10	Public Infrastructure (Damage, Repairs and Relocation) a) Repair any damage to existing public infrastructure caused by works carried out in association with the approved development. b) Where existing public infrastructure require repair or relocation, due to the approved development and/or works associated with the approved development, repair and/or relocate the public infrastructure at no cost to others and in accordance with statutory requirements and the External Authority's design standards. <i>NOTE: It is recommended applicants record their own dated photographic evidence of the condition of relevant existing public infrastructure both before and after works carried out in association with the approved development.</i>	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first

PDA Development Conditions		
No.	Condition	Timing
Engineering		
11	Earthworks a) Submit to EDQ IS detailed earthworks plans, certified by a RPEQ, and designed generally in accordance with: i) <i>Australian Standard AS3798 – 2007 Guidelines on Earthworks for Commercial and Residential Developments</i>; and ii) the approved Concept Earthworks Site Sections, Drawing 23191-DWG-CV-CV-SK011 C, both prepared by Pitch Black Group. The certified earthworks plans are to: iii) include a geotechnical soils assessment of the site; iv) accord with the Erosion and Sediment Control Plans, as required by condition 7 – Erosion and sediment management; v) include the location and finished surface levels of any cut and/or fill; vi) detail areas where dispersive soils will be disturbed, treatment of dispersive soils and their rehabilitation; vii) provide details of any areas where surplus soils are to be stockpiled; viii) detail protection measures to: 1. ensure adjoining properties and roads are not impacted by ponding or nuisance stormwater resulting from earthworks associated with the approved development; 2. preserve all drainage structures from structural loading impacts resulting from earthworks associated with the approved development; and ix) where rock or ground anchors are required within adjoining road or land, include consents from relevant road manager(s) and/or landowner(s). b) Carry out earthworks generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ certification that: i) all earthworks have been carried out generally in accordance with the certified plans submitted under part a) of this condition; and ii) any unsuitable material encountered has been treated or replaced with suitable material.	a) Prior to commencing earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
12	Acid Sulfate Soils Management Plan a) Submit to EDQ IS an Acid Sulfate Soils (ASS) Management Plan, prepared in accordance with the <i>Queensland Acid Sulfate Soil Technical Manual Soil Management Guidelines v4.0 2014</i> (as amended from time to time).	a) Prior to commencement of or during earthworks

PDA Development Conditions		
No.	Condition	Timing
	b) Excavate, remove and/or treat on site all disturbed ASS generally in accordance with the ASS Management Plan submitted under part a) of this condition. c) Submit to EDQ IS a validation report, certified by a suitably qualified environmental or soil scientist, confirming that all earthworks have been carried out in accordance with the ASS management plan submitted under part b) of this condition.	b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
13	Retaining Walls a) Submit to EDQ IS detailed engineering plans, certified by a RPEQ, of all retaining walls 1m or greater in height. Retaining walls must: - be certified to achieve a minimum 50-year design life; - be designed generally in accordance with <i>Australian Standard AS4678 – Earth Retaining Structures</i> and relevant material standards (e.g., <i>AS3600 – Concrete Structures</i>); - include cross and longitudinal sections & elevations and details of material of boundary fences - be located and designed generally in accordance with: 23191-DWG-CV-CV-SK012 C dated 10.05.2024 - Considerations specified within the approved Arborist Report Impact Assessment prepared by Independent Arboricultural Services. b) Construct retaining walls generally in accordance with the certified plans required under part a) of this condition. c) Submit to EDQ IS certification from an RPEQ that all retaining wall works 1.0m or greater in height have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencing earthworks b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
14	Shore Street East Upgrade – Compliance Assessment a) Submit to EDQ IS for compliance assessment functional layout plans, certified by a RPEQ, for road upgrade works on Shore Street East for the full frontage of the site. The RPEQ certified engineering plans must be designed generally in accordance with: - EDQ PDA Guideline No. 13 <i>Engineering Standards</i> - EDQ PDA Guideline No. 6 - Street and Movement Network; and	a) Prior to commencing roadworks

PDA Development Conditions		
No.	Condition	Timing
	iii) Council's Standards for road design for a Neighbourhood Connector. The functional road layout design shall include: 1. 7m carriageway 2. Kerb and channel 3. Line marking and signage 4. 2.5m wide shared path b) Submit to EDQ IS detailed engineering plans and certified by a RPEQ for the Shore Street East Street upgrade along the site frontage, generally in accordance with the functional plan endorsed as part a) of this condition and: i) EDQ PDA Guideline No. 13 <i>Engineering Standards</i>; and ii) Council standards for road design. c) Construct roadworks generally in accordance with the certified plans submitted under part a) of this condition. d) Submit to EDQ IS as-constructed drawings, asset register and test results, certified by a RPEQ, in a format acceptable to the end asset owners (Redland City Council) for all roadworks constructed under this condition.	b) Prior to commencing roadworks c) Prior to commencement of use or BFP endorsement, whichever occurs first d) Prior to commencement of use or BFP endorsement, whichever occurs first
15	Vehicle Access a) Construct vehicle crossover: i) located generally in accordance with the approved plans; and ii) designed generally in accordance with Council's adopted standards for a multi-residential driveways. b) Submit to EDQ IS RPEQ certification that the crossover has been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
16	Car Parking a) Construct, sign and delineate car parking spaces generally in accordance with <i>Australian Standard AS2890 – Parking Facilities</i> and the approved plans.	a) Prior to commencement of use or BFP endorsement,

PDA Development Conditions		
No.	Condition	Timing
	b) Submit to EDQ IS RPEQ certification that parking facilities have been constructed in accordance with part a) of this condition.	whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
17	Bicycle parking a) Construct, sign and delineate bicycle parking facilities generally in accordance with <i>Australian Standard AS2890.3 – 1993 Bicycle parking facilities</i> and the approved plans. b) Submit to EDQ IS evidence demonstrating bicycle parking facilities have been constructed in accordance with part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
18	Water reticulation - Compliance assessment a) Submit to EDQ IS, for Compliance Assessment, preliminary design plans certified by a RPEQ, for the augmentation of the existing DN100 water main in Shore Street East to DN150 from Cross Street to the connection to the site, generally in accordance with <i>PDA Guideline No. 13 Engineering Standards</i>. b) Submit to EDQ IS detailed water reticulation design plans, certified by a RPEQ, generally in accordance with the preliminary design plans endorsed as part of part a) of this condition and <i>PDA Guideline No. 13 Engineering standards</i>. c) Construct water reticulation works generally in accordance with the certified plans submitted under part b) of this condition. d) Submit to EDQ IS 'as constructed' plans, certified by a RPEQ, of all water reticulation infrastructure constructed in accordance with this condition, including an asset register, pressure and bacterial test results in accordance with: - Council's current adopted standards; and - the SEQ Water Supply and Sewerage Design and Construction Code - Asset Information.	a) Prior to commencement of works b) Prior to commencement of works c) Prior to commencement of use or BFP endorsement, whichever occurs first d) Prior to commencement of use or BFP endorsement, whichever occurs first

PDA Development Conditions		
No.	Condition	Timing
19	Water Connection Connect the approved development to the water reticulation constructed under Condition 18 generally in accordance with Council's current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
20	Sewer Connection Connect the approved development to the existing sewer reticulation network generally in accordance with Council's current adopted standards.	Prior to commencement of use or BFP endorsement, whichever occurs first
21	Stormwater Connection a) Submit to EDQ IS, detailed engineering drawings, certified by a RPEQ, for the proposed stormwater management strategies generally in accordance with: <i>PDA Guideline No. 13 Engineering standards</i> –and Council's current adopted standards - The Stormwater Management Plan, 67-69 Shore Street East, Cleveland, prepared by Pitch Black Group dated 14.05.2024 Revision B. To demonstrate: 'no worsening to upstream or downstream properties for storm events up to 1% Annual Exceedance Probability. b) Construct stormwater management strategies generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS RPEQ certification confirming stormwater management strategies have been constructed generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencement of site works b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
22	Flooding The finished floor level must be constructed in accordance with the approved stormwater management plan.	Prior to commencement of use
23	Flood Emergency Management Plan (FEMP) Implement Flood Emergency Management strategies, generally in accordance with the approved Flood Emergency Management Plan (FEMP) prepared by Pitch Black Group (Revision A), dated 09.05.2024	At all times

PDA Development Conditions		
No.	Condition	Timing
	and Redland City Council City Plan and Flood planning scheme policy (SC6.11).	
24	Underground Electrical and Telecommunication Reticulation a) Submit to EDQ IS detailed electrical reticulation design plans, certified by a RPEQ, for the underground reticulation of electrical and telecommunication services for the full frontage of the site. Plans shall be designed generally in accordance with Council's standard drawings RRCC-6 and R-RCC-7 and the service provider's requirements. b) Construct the reticulation works generally in accordance with the certified plans submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
25	Electricity a) Submit to EDQ IS a Certificate of Electricity Supply from ENERGEX for the provision of electricity supply to the approved development. b) Connect the approved development in accordance with the Certificate of Electricity Supply submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
26	Telecommunications a) Submit to EDQ IS documentation from an authorised telecommunication service provider confirming that an agreement has been entered into for the provision of underground telecommunication services to the approved development. b) Connect the approved development in accordance with the documentation submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first

PDA Development Conditions		
No.	Condition	Timing
27	Broadband a) Submit to EDQ IS written agreement, from an authorised telecommunications service provider, confirming that fibre-ready pit and pipe infrastructure designed to service the approved development can accommodate services compliant with <i>Industry Guideline G645:2017 Fibre-Ready Pit and Pipe Specification for Real Estate Development Projects</i>. b) Construct the fibre-ready pit and pipe infrastructure specified in the agreement submitted under part a) of this condition.	a) Prior to commencement of use or BFP endorsement, whichever occurs first. b) Prior to commencement of use or BFP endorsement, whichever occurs first.
Heritage		
28	Dilapidation Report Submit a dilapidation report that provides an assessment of the development on the outbuilding located along the site's eastern boundary and within the neighbouring property identified as 'Fernleigh'.	Prior to commencement of building works.
29	Tree Protection – Heritage Site Adjacent a) Retained Trees during construction works must involve: i) An AQF5 minimum Project Arborist (a member of the Queensland Arboricultural Association) to be engaged during the project life. ii) Pre-Start inspection and audit of Tree Protection Fencing before works commence b) Carry out a plant health care program prepared by the Project Arborist for the period of construction works and future actions to ensure viability of the significant trees located on the heritage property in accordance with the approved arborist reports. c) Protection of retained trees and establishment of a Tree Protection Zone (TPZ) during construction works in accordance with <i>AS4970 Protection of Trees on Development Sites</i>, <i>AS4373 Pruning of Amenity Trees</i> where required, the approved Arboricultural Impact Assessment, the Ground Penetrating Radar Report and Arborist Comments Report prepared by Independent Arboricultural Services: i) Any required tree works including overhanging canopy from adjacent lots to be undertaken by a minimum AQF Level 3 Arborist under the Supervision of the Project Arborist. Tree Services Company to be a member of Queensland Arboricultural Association or Arboriculture Australia;	a) Prior to commencement of site works. b) At all times c) At all times

PDA Development Conditions		
No.	Condition	Timing
	ii) Any works that interfere with the root system of a tree must be assessed through a Qualified Tree Risk Assessment by the supervising Project Arborist prior to severance of roots; iii) Written approval from the tree owner and Queensland Heritage for any roots to be cut over 50mm. <i>NOTE: Where approval cannot be obtained, redesign and resubmission of retaining wall and earthworks plans under Conditions 11 and 13 may be required.</i> d) An exclusion zone to be established along the perimeters of the TPZ and cordoned off with fencing with signage to signify the relevant TPZ. All works to be excluded from the Structural Root Zone. Encroachment of the TPZ to be in accordance with the approved Arboricultural Impact Assessment prepared by Independent Arboricultural Services. e) All works within the TPZ (including fencing) to be supervised by the Project Arborist (Min AQF Level 5). f) Any below ground incursion to be water excavated under low pressure, under the supervision of the Project Arborist. g) Submit to EDQ DA, a site assessment and an audit report that includes any further remedial actions prepared by the Project Arborist.	d) At all times e) At all times f) At all times g) At the completion of site works.
Landscaping and Open Space		
30	Streetscape Works – Compliance Assessment a) Submit to EDQ IS, for Compliance Assessment, detailed streetscape works drawings, certified by an AILA, for proposed streetscape works along the full frontage of the subject lots. The streetscape works must be designed generally in accordance with Council's standards and include a schedule of proposed standard and non-standard Contributed Assets to be transferred to Council. The species palette must not include any species listed on Council's Biosecurity Plan. The certified drawings are to include: i) location and type of street lighting in accordance with <i>AS1158 – 'Lighting for Roads and Public Spaces'</i>; ii) footpath treatments; iii) street trees and understorey plants (shrubs & groundcover), including species, size and location generally in accordance with Council's adopted planting schedules and guidelines; iv) achievement of 50% canopy shade of verge; and v) accord with Condition 14 – Short Street Upgrade.	a) Prior to commencement of streetscape works

PDA Development Conditions		
No.	Condition	Timing
	b) Construct streetscape works generally in accordance with the streetscape plans endorsed under part a) of this condition. c) Submit to EDQ IS 'as constructed' plans, certified by an AILA, and asset register in a format acceptable to Council.	b) Prior to commencement of use or BFP endorsement, whichever occurs first c) Prior to commencement of use or BFP endorsement, whichever occurs first
31	Landscape Works – Compliance Assessment a) Submit to EDQ IS for compliance assessment, updated detailed landscape plans certified by an AILA generally in accordance with the approved architectural plans and landscape plans. The detailed landscape plans are to: - detail irrigation infrastructure; - provides details of boundary fencing that considers adjoining site uses: - GJ Walter Park <i>Fernleigh</i> heritage place - Streetscape that requires 50% visual permeability and no greater than 1.8m. b) Construct the landscape works (including installation of rainwater tanks) generally in accordance with the certified plans submitted under part a) of this condition. c) Submit to EDQ IS certification by an AILA that the landscape works have been undertaken generally in accordance with part (a) of this condition.	a) Prior to commencement of landscape works. b) Prior to commencement of use or BFP endorsement, whichever occurs first. c) Prior to commencement of use or BFP endorsement, whichever occurs first.
32	Refuse Collection a) Submit to EDQ IS evidence of approved refuse collection arrangements, from Council or a private waste contractor, for the approved development; and in accordance with the Operational Waste Management Plan prepared by Modus Transport & Traffic Engineering, dated 13.06.2024. b) Implement the refuse collection arrangements submitted under part a) of this condition.	For both parts a) and b) prior to commencement of use or BFP endorsement, whichever occurs first.

PDA Development Conditions		
No.	Condition	Timing
33	Outdoor Lighting Outdoor lighting within the site is to be designed and constructed in accordance with <i>Australian Standard AS 4282:1997 Control of the Obtrusive Effects of Outdoor Lighting</i> .	Prior to commencement of use or BFP endorsement, whichever occurs first
34	Sustainability a) Construct the development in accordance with the approved sustainability management plan. b) Submit to EDQ evidence from a suitably qualified person the development has been constructed in accordance with the approved sustainability management plan. Evidence to include: i) Certified as-built design drawings; and ii) Evidence of constructed / installed measures for sustainability initiatives listed in Appendix A of the approved Sustainability Management Plan; and iii) The final report prepared by a suitably qualified sustainability professional that outcomes identified in the approved sustainability management plan have been delivered. <i>To note: Evidence of constructed / installed sustainability measures can include photographs; certification from a plumber that water saving devices have been installed and are functioning; certification from an electrician that EV/PV are installed and operational; certificates from certification schemes (ie. FSC / PEFC, Liveable Housing) and Home User Guides.</i>	a) Prior to commencement of use or BFP endorsement, whichever occurs first b) Prior to commencement of use or BFP endorsement, whichever occurs first
35	Schedule of Materials and Finishes – Compliance Assessment a) Submit to EDQ DA for Compliance Assessment, a Schedule of Materials and Finishes for all external aspects of the building, including the rooftop. The Schedule is to be supported by annotated plans and supporting documents addressing at a minimum, how the proposed materials and finishes will: i) achieve low reflective levels which do not cause excessive glare or reflection, particularly for adjoining residential buildings (both existing and future) ii) treat openings with glazing, shading and screening treatments to protect privacy, improve livability for residents and enable passive design and air flow iii) contribute to environmentally sustainable design practices iv) ensure durability and robustness, given the building's coastal location.	a) Prior to the commencement of building works.

PDA Development Conditions		
No.	Condition	Timing
	b) Construct the development in accordance with the documentation endorsed under part a) of this condition.	b) Prior to commencement of use or registration of a Building Format Plan, whichever occurs first.
36	Easements over Infrastructure Provide public utility easements, in favour of and at no cost to the grantee, over infrastructure located in land (other than road) for any Contributed Assets. The terms of public utility easements are to be to the satisfaction of the Chief Executive Officer of the authority which is to accept and maintain the Contributed Assets.	Prior to commencement of use or registration of a Building Format Plan, whichever occurs first
37	Accessible Housing Provide evidence the development has delivered a minimum of 10% accessible dwellings in accordance with the <i>PDA Guideline 2</i>.	Prior to commencement of use or BFP endorsement, whichever occurs first.
38	Electric Vehicle Readiness a) Include electric vehicle readiness in the development as follows: i) Provision of electrical capacity for Basic (slow) EVSE chargers for 100% of parking bays, including visitor spaces; and ii) Provision of conduits, cable trays and/or wiring from car park distribution boards to individual parking spaces to a minimum of 25% of all parking bays (during construction) to enable future Basic (slow) EVSE installation; and b) Electric vehicle charging shall be: i) capable of electrical load control to manage the development's electricity demand profile in the context of the network supply profile; and ii) designed with regard to fire retardance and ventilation c) Submit to EDQ TS, certified evidence from a suitably qualified and experienced electrical engineer, that the electric vehicle readiness required by parts a) and b) of this condition has been provided.	For all parts of this condition, prior to endorsement of the BFP or commencement of the use, whichever occurs first
39	Infrastructure Charges a) Pay to the MEDQ infrastructure charges in accordance with the IFF in place at the date of payment. b) Where the application is an MCU, certified and submitted plans to council detailing the GFA must also be provided at the time of payment.	In accordance with the IFF.

STANDARD ADVICE

Please note that to lawfully undertake development, it may be necessary to obtain approvals other than this PDA development approval. For advice on other approvals that may be necessary in relation to your proposal, it is recommended that you seek professional advice.

**** End of Package ****